



United States
Department of
Agriculture

National
Agricultural
Statistics
Service



Ct Gn 1 (03)

Cotton Ginnings 2002 Summary

May 2003

USDA



Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1999-2002

Type and State	1999	2000	2001	2002
All Cotton				
AL	620,650	532,950	907,300	566,200
AZ	695,900	753,400	656,850	596,200
AR	1,390,300	1,406,300	1,788,400	1,615,150
CA	2,127,350	2,492,250	2,358,250	2,008,300
FL 1/				67,300
GA	1,524,050	1,621,700	2,159,050	1,549,550
KS 1/				68,300
LA	918,950	923,250	1,044,600	749,050
MS	1,680,400	1,676,600	2,339,250	1,880,500
MO	450,150	502,600	673,800	579,200
NM	59,250	64,150	70,800	58,700
NC	802,550	1,407,550	1,640,550	782,300
OK	139,500	146,050	194,850	203,500
SC	265,000	357,900	404,200	127,000
TN	574,300	691,350	950,150	788,950
TX	5,020,450	3,900,850	4,232,800	4,981,500
VA	133,950	146,800	177,900	88,750
US	16,528,050	16,741,850	19,771,200	16,710,450
Amer-Pima				
AZ	16,000	7,300	14,100	16,800
CA	580,100	332,950	617,900	581,500
NM	6,500	4,450	12,900	18,000
TX	47,550	30,200	32,800	38,700
US	650,150	374,900	677,700	655,000

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 2001-02

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2001	2002	2001	2002
All Cotton				
AL	883,050	550,200	941,500	585,050
AZ	685,950	609,500	674,500	615,900
AR	1,803,400	1,628,000	1,818,200	1,655,200
CA	2,328,350	1,995,000	2,439,300	2,080,400
FL 1/	151,700	92,450		69,850
GA	2,163,550	1,532,700	2,220,650	1,595,400
KS 1/	29,150	73,850		70,600
LA	1,014,450	718,650	1,064,200	770,100
MS	2,356,050	1,886,850	2,378,700	1,928,300
MO	681,750	593,500	686,450	595,150
NM	132,600	99,450	71,700	58,850
NC	1,617,200	779,400	1,696,950	809,050
OK	192,800	203,250	199,000	208,600
SC	410,700	127,800	415,650	130,450
TN	953,400	791,650	973,100	813,600
TX	4,170,150	4,936,000	4,358,000	5,127,500
VA	196,950	92,200	181,850	91,450
US	19,771,200	16,710,450	20,298,600	17,205,450
Amer-Pima				
AZ	14,000	16,600	14,600	17,450
CA	618,000	581,700	638,750	603,050
NM	10,350	15,300	13,050	18,100
TX	35,350	41,400	33,750	39,500
US	677,700	655,000	700,150	678,100

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2002 (continued)

Type and State	October 1	October 15	November 1
All Cotton			
AL	32,750	112,650	234,150
AZ	43,400	109,150	214,500
AR	76,700	348,100	832,700
CA	4,100	157,950	584,000
FL 1/			16,800
GA	89,600	248,300	478,500
LA	122,650	266,650	474,400
MS	275,700	573,900	1,051,050
MO	16,400	126,300	309,000
NM 1/			8,800
NC	11,850	116,850	275,900
OK	6,100	30,450	59,750
SC	4,350	18,350	34,750
TN	39,400	170,950	403,000
TX	929,550	1,217,550	1,689,000
VA 1/		12,650	30,350
US	1,656,350	3,519,550	6,696,650
Amer-Pima			
AZ 1/	2,100	3,000	
CA	0	15,000	90,200
NM 1/	0		
TX 1/	0		
US	2,100	19,850	104,600

See footnotes at end of table.

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2002

Type and State	November 15	December 1	December 15
All Cotton			
AL	334,950	427,000	510,350
AZ	305,350	397,300	471,750
AR	1,253,350	1,501,150	1,596,450
CA	954,850	1,326,750	1,627,800
FL	30,550	44,900	60,500
GA	733,250	1,029,400	1,318,750
LA	582,700	716,800	746,850
MS	1,359,450	1,691,850	1,840,000
MO	432,900	534,750	564,950
NM	20,250	34,850	46,000
NC	416,300	578,150	711,450
OK	85,350	132,650	158,650
SC	56,950	82,300	105,300
TN	555,450	723,250	776,350
TX	2,096,050	3,084,200	3,777,650
VA	47,250	62,350	79,650
US	9,264,950	12,367,650	14,392,450
Amer-Pima			
AZ	8,450	10,100	12,850
CA	170,250	258,050	341,650
NM 1/		9,500	11,600
TX 1/		20,450	27,450
US	196,400	298,100	393,550

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2002

Type and State	January 1	January 15	February 1
All Cotton			
AL	537,250	552,500	565,200
AZ	524,550	570,500	587,850
AR	1,610,400	1,614,750	1,614,750
CA	1,781,400	1,874,100	1,941,500
FL	64,950	66,000	66,850
GA	1,461,250	1,527,150	1,544,250
KS	30,850	46,100	60,400
LA	748,150	748,450	748,550
MS	1,868,400	1,873,850	1,877,850
MO	578,750	578,950	578,950
NM	52,550	56,300	58,600
NC	757,750	773,350	781,100
OK	175,150	186,600	193,850
SC	116,150	121,200	125,500
TN	785,200	786,650	788,150
TX	4,477,250	4,824,150	4,957,700
VA	84,000	84,400	85,200
US	15,654,000	16,285,000	16,576,250
Amer-Pima			
AZ	15,950	16,800	16,800
CA	415,650	471,450	527,150
NM	13,850	15,750	17,950
TX	34,650	38,700	38,700
US	480,100	542,700	600,600

1/ Not published to avoid disclosing individual gins, but included in U.S. totals.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002 (continued)

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
All Cotton	:		:		:	
Autauga	1/:		:		:	8,200
Baldwin	1/:		:		:	13,100
Barbour	:	0	:	0	:	5,300
Blount	1/:		:		:	3,300
Bullock	:	0	:	0	:	800
Butler	:	0	:	0	:	450
Calhoun	:	0	:	0	:	4,700
Chambers	:	0	:	0	:	350
Cherokee	1/:		:		:	25,500
Chilton	1/:		:		:	
Choctaw	:	0	:	0	:	650
Clarke	:	0	:	0	:	500
Coffee	1/:		:		:	7,050
Colbert	1/:		:		:	34,600
Conecuh	:	0	:	0	:	3,000
Covington	1/:		:		:	14,900
Crenshaw	1/:		:		:	950
Cullman	:	0	:	0	:	3,550
Dale	:	0	:	0	:	5,500
Dallas	1/:		:		:	18,100
Dekalb	:	0	:	0	:	300
Elmore	1/:		:		:	14,150
Escambia	1/:		:		:	10,000
Etowah	:	0	:	0	:	4,100
Fayette	1/:		:		:	1,850
Franklin	:	0	:	0	:	2,650
Geneva	1/:		:		:	11,050
Greene	1/:		:		:	400
Hale	:	0	:	0	:	950
Henry	1/:		:		:	16,600
Houston	1/:		:		:	21,100
Jackson	:	0	:	0	:	5,200
Lamar	:	0	:	0	:	900
Lauderdale	1/:		:		:	23,800
Lawrence	1/:		:		:	49,450
Lee	:	0	:	0	:	3,000

See footnotes at end of table.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Limestone	:	83,500	:	87,550	:	77,400
Lowndes	1/:		:		:	4,850
Macon	1/:		:		:	5,900
Madison	:	46,250	:	47,350	:	68,500
Marengo	1/:		:		:	4,100
Marion	:	0	:	0	:	1,200
Marshall	:	0	:	0	:	1,150
Mobile	1/:		:		:	11,050
Monroe	1/:		:		:	13,000
Montgomery	:	0	:	0	:	750
Morgan	:	0	:	0	:	2,000
Perry	:	0	:	0	:	2,950
Pickens	1/:	0	:	0	:	
Pike	:	0	:	0	:	5,750
Russell	1/:		:		:	5,550
Shelby	:	0	:	0	:	4,200
Talladega	:	0	:	0	:	3,200
Tallapoosa	1/:		:		:	1,800
Tuscaloosa	1/:		:		:	5,000
Washington	:	0	:	0	:	800
Wilcox	:	0	:	0	:	2,450
Other	2/:		:		:	12,300
Alabama	:	566,200	:	585,050	:	550,200
Cochise	1/:		:		:	2,700
Graham	1/:		:		:	56,150
Greenlee	:	0	:	0	:	1,800
La Paz	1/:		:		:	30,450
Maricopa	:	186,500	:	193,550	:	128,250
Mohave	1/:		:		:	8,250
Pima	1/:		:		:	29,100
Pinal	:	239,400	:	246,500	:	294,850
Yuma	:	61,600	:	63,500	:	57,950
Arizona	:	596,200	:	615,900	:	609,500
Arkansas	1/:	0	:	0	:	
Ashley	:	96,050	:	97,250	:	98,400
Chicot	1/:		:		:	71,650
Clay	1/:		:		:	35,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Craighead	171,350	175,350	189,900
Crittenden	75,450	76,550	56,000
Cross 1/:			2,350
Desha	208,300	212,800	157,300
Drew 1/:			39,650
Greene 1/:			24,100
Jackson	0	0	1,550
Jefferson	79,300	82,200	74,350
Lafayette 1/:			4,350
Lee 1/:			108,650
Lincoln 1/:			63,600
Little River 1/:	0	0	
Lonoke	45,350	46,500	41,100
Miller	0	0	1,700
Mississippi	355,650	368,150	357,100
Monroe 1/:			23,400
Phillips	172,750	177,950	135,100
Poinsett	114,100	115,950	89,050
Prairie	0	0	1,500
Pulaski	0	0	2,350
St. Francis 1/:			40,600
Woodruff 1/:			8,500
Arkansas	1,615,150	1,655,200	1,628,000
Colusa 1/:			26,000
Fresno	790,500	821,800	675,050
Glenn	0	0	4,750
Imperial 1/:			32,000
Kern	344,850	356,650	356,650
Kings	375,850	390,500	486,300
Madera 1/:			57,650
Merced 1/:			151,800
Riverside 1/:			36,650
San Bernardino	0	0	2,950
Sutter 1/:			4,800
Tulare	217,800	222,550	153,300
Yolo	0	0	7,100
California	2,008,300	2,080,400	1,995,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Alachua	1/:	0	:	0	:	
Calhoun	:	0	:	0	:	8,600
Escambia	1/:		:		:	6,450
Gadsen	:	0	:	0	:	1,050
Hamilton	1/:	0	:	0	:	
Holmes	:	0	:	0	:	1,350
Jackson	1/:		:		:	32,700
Jefferson	:	0	:	0	:	1,800
Madison	:	0	:	0	:	400
Okaloosa	:	0	:	0	:	4,150
Santa Rosa	1/:		:		:	22,050
Suwannee	:	0	:	0	:	600
Walton	:	0	:	0	:	3,000
Washington	:	0	:	0	:	10,050
	:		:		:	
Florida	:	67,300	:	69,850	:	92,450
	:		:		:	
Appling	1/:		:		:	44,850
Atkinson	:	0	:	0	:	15,550
Bacon	:	0	:	0	:	13,900
Baker	:	0	:	0	:	37,250
Bartow	1/:		:		:	1,750
Ben Hill	:	0	:	0	:	13,450
Berrien	:	61,000	:	63,000	:	27,900
Bleckley	1/:		:		:	14,150
Blinch	:	0	:	0	:	300
Brooks	1/:		:		:	55,400
Bryan	:	0	:	0	:	1,550
Bulloch	1/:		:		:	19,050
Burke	:	32,000	:	33,050	:	18,950
Calhoun	1/:		:		:	28,650
Candler	1/:		:		:	12,800
Clay	:	0	:	0	:	8,800
Coffee	1/:		:		:	41,150
Colquitt	:	225,300	:	231,450	:	86,000
Cook	:	0	:	0	:	33,100
Crawford	1/:	0	:	0	:	
Crisp	1/:		:		:	41,550
Decatur	1/:		:		:	58,000
Dodge	1/:		:		:	16,550
Dooly	:	133,650	:	138,350	:	86,400

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Dougherty	:	0	:	0	:	15,550
Early	1/:					49,550
Effingham	:	0	:	0	:	2,400
Elbert	:	0	:	0	:	1,250
Emanuel	:	0	:	0	:	13,900
Evans	:	0	:	0	:	4,350
Floyd	:	0	:	0	:	2,500
Glascock	:	0	:	0	:	650
Grady	:	0	:	0	:	25,700
Henry	1/:	0	:	0	:	
Houston	:	0	:	0	:	10,000
Irwin	1/:					32,400
Jeff Davis	1/:					30,300
Jefferson	1/:					12,750
Jenkins	:	0	:	0	:	7,800
Johnson	:	0	:	0	:	3,500
Lamar	:	0	:	0	:	3,950
Lanier	:	0	:	0	:	7,700
Laurens	1/:					6,850
Lee	1/:					36,000
Long	1/:	0	:	0	:	
Lowndes	1/:					12,050
Macon	:	0	:	0	:	13,300
McDuffie	1/:	0	:	0	:	
Miller	1/:					44,550
Mitchell	1/:					74,350
Monroe	1/:	0	:	0	:	
Montgomery	:	0	:	0	:	3,500
Morgan	1/:					700
Oconee	1/:	0	:	0	:	
Peach	:	0	:	0	:	4,000
Pierce	:	0	:	0	:	15,550
Polk	:	0	:	0	:	1,700
Pulaski	1/:					33,300
Quitman	:	0	:	0	:	750
Randolph	1/:					18,200
Richmond	1/:	0	:	0	:	
Schley	:	0	:	0	:	2,100
Screven	1/:					11,900
Seminole	1/:					32,400
Spalding	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Stewart	:	0	:	0	:	2,300
Sumter	1/:		:		:	30,900
Tattnall	:	0	:	0	:	6,900
Taylor	1/:		:		:	3,200
Telfair	:	0	:	0	:	9,250
Terrell	1/:		:		:	29,750
Thomas	1/:		:		:	33,400
Tift	1/:		:		:	24,250
Toombs	:	0	:	0	:	8,300
Treutlen	:	0	:	0	:	2,400
Turner	1/:		:		:	27,700
Twiggs	:	0	:	0	:	3,150
Walker	1/:	0	:	0	:	
Walton	1/:	0	:	0	:	
Ware	:	0	:	0	:	5,300
Washington	:	0	:	0	:	3,350
Wayne	:	0	:	0	:	11,850
Webster	:	0	:	0	:	2,800
Wheeler	:	0	:	0	:	4,500
Wilcox	1/:		:		:	27,450
Wilkinson	:	0	:	0	:	350
Worth	1/:		:		:	66,300
Other	2/:		:		:	15,450
Georgia	:	1,549,550	:	1,595,400	:	1,532,700
Kansas	:	68,300	:	70,600	:	73,850
Avoyelles	1/:		:		:	20,300
Bossier	:	0	:	0	:	1,850
Caddo	:	36,800	:	38,300	:	26,650
Caldwell	:	0	:	0	:	9,950
Catahoula	:	34,850	:	35,650	:	52,100
Claiborne	1/:	0	:	0	:	
Concordia	:	49,350	:	50,150	:	40,500
Desoto	:	0	:	0	:	1,500
East Carroll	:	91,000	:	92,200	:	59,550
Evangeline	:	0	:	0	:	1,700
Franklin	:	125,050	:	129,650	:	68,000
Grant	:	0	:	0	:	650

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Iberville 1/:	0	0	
Madison 1/:			89,650
Morehouse :	100,800	104,800	81,000
Natchitoches 1/:			12,900
Ouachita 1/:			18,150
Pointe Coupee 1/:			8,850
Rapides :	32,950	33,300	26,700
Red River 1/:			8,450
Richland :	57,450	58,800	38,550
Saint Landry :	0	0	1,700
Tensas :	94,900	99,050	129,950
Webster 1/:	0	0	
W Baton Rouge 1/:	0	0	
West Carroll 1/:			18,950
W Feliciana 1/:	0	0	
Louisiana :	749,050	770,100	718,650
Alcorn :	0	0	1,000
Attala :	0	0	10,400
Benton 1/:			3,850
Bolivar :	174,950	178,750	148,050
Calhoun :	42,450	43,300	29,800
Carroll 1/:			39,600
Chickasaw :	0	0	9,650
Choctaw :	0	0	2,950
Claiborne :	0	0	3,500
Clay :	0	0	6,400
Coahoma :	214,400	217,650	198,000
Copiah :	0	0	2,200
Covington :	0	0	700
Desoto 1/:			18,600
George :	0	0	4,150
Greene 1/:	0	0	
Grenada 1/:			11,050
Hinds 1/:			17,600
Holmes :	108,150	110,750	103,400
Humphreys :	81,300	83,750	128,250
Issaquena :	0	0	30,950
Itawamba 1/:	0	0	
Jackson :	0	0	750

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Jefferson	1/:					5,900
Jones	1/:	0		0		
Lafayette	1/:					6,550
Lamar	:	0		0		1,000
Leake	:	0		0		1,100
Lee	1/:					34,800
Leflore	:	147,550		153,300		118,350
Lowndes	:	0		0		6,750
Madison	1/:					17,650
Marshall	:	0		0		1,850
Monroe	1/:					11,850
Montgomery	1/:					12,900
Newton	:	0		0		800
Noxubee	:	0		0		9,000
Oktibbeha	1/:	0		0		
Panola	:	50,050		51,850		50,250
Pike	:	0		0		1,750
Pontotoc	1/:					11,300
Prentiss	:	0		0		1,350
Quitman	:	75,650		76,250		65,350
Rankin	1/:					7,350
Scott	:	0		0		2,550
Sharkey	:	69,100		70,200		81,450
Sunflower	:	117,350		119,550		104,850
Tallahatchie	:	64,600		66,800		77,200
Tate	:	0		0		15,500
Tippah	:	0		0		3,150
Tishomingo	:	0		0		1,450
Tunica	:	93,100		94,850		123,100
Union	:	0		0		700
Warren	1/:					12,900
Washington	:	140,400		144,000		153,150
Webster	1/:					25,550
Yalobusha	1/:					17,550
Yazoo	:	201,700		208,150		130,450
Mississippi	:	1,880,500		1,928,300		1,886,850
Dunklin	:	223,200		229,000		206,200
New Madrid	:	165,500		171,100		152,450
Pemiscot	:	121,250		124,500		139,850

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Scott	1/:					18,550
Stoddard	1/:					76,450
	:					
Missouri	:	579,200		595,150		593,500
	:					
Chaves	1/:					3,250
Curry	:	0		0		9,350
Dona Ana	1/:					36,200
Eddy	1/:					11,300
Lea	:	0		0		22,150
Luna	1/:					4,550
Quay	1/:	0		0		
Roosevelt	:	0		0		11,400
Sierra	1/:	0		0		
	:					
New Mexico	:	58,700		58,850		99,450
	:					
Anson	1/:					2,850
Beaufort	1/:					43,600
Bertie	1/:					32,550
Bladen	:	0		0		10,150
Cabarrus	1/:	0		0		
Camden	:	0		0		1,600
Carteret	:	0		0		500
Catawba	1/:	0		0		
Chatham	1/:	0		0		
Chowan	:	0		0		23,000
Cleveland	1/:					1,250
Columbus	1/:					8,450
Craven	1/:					25,100
Cumberland	:	0		0		7,500
Currituck	1/:	0		0		
Davidson	:	0		0		300
Duplin	1/:					27,700
Edgecombe	1/:					30,050
Franklin	1/:	0		0		
Gates	1/:					15,450
Greene	1/:					18,300
Halifax	:	42,950		44,500		38,450
Harnett	1/:					11,250
Hertford	1/:					12,000

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:					
Hoke	1/:					10,900
Hyde	1/:					28,200
Iredell	:	0		0		1,550
Johnston	:	0		0		8,650
Jones	1/:					30,300
Lee	:	0		0		1,550
Lenoir	1/:					41,650
Martin	1/:					31,550
Montgomery	:	0		0		1,200
Moore	1/:	0		0		
Nash	1/:					11,450
New Hanover	1/:	0		0		
Northampton	:	46,300		48,050		47,650
Onslow	:	0		0		10,700
Pamlico	:	0		0		5,550
Pasquotank	:	0		0		5,250
Pender	:	0		0		7,300
Perquimans	1/:					28,850
Pitt	:	44,000		46,050		32,800
Richmond	:	0		0		2,800
Robeson	1/:					18,900
Rowan	:	0		0		500
Rutherford	1/:					
Sampson	:	61,900		64,000		36,350
Scotland	1/:					8,700
Stanly	1/:					7,500
Tyrrell	:	0		0		6,350
Union	:	0		0		4,950
Wake	1/:	0		0		
Warren	1/:	0		0		
Washington	:	0		0		23,750
Wayne	1/:					30,050
Wilson	1/:					23,300
	:					
North Carolina	:	782,300		809,050		779,400
	:					
Adair	1/:	0		0		
Alfalpa	:	0		0		700
Beckham	1/:					3,500
Bryan	1/:					
Caddo	1/:					2,050

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Canadian	0	0	2,650
Cimarron	0	0	450
Comanche	0	0	1,650
Cotton	0	0	550
Custer 1/:	0	0	1,550
Garvin	0	0	350
Grady 1/:	0	0	2,900
Grant	0	0	3,900
Greer 1/:	0	0	31,550
Harmon	23,900	24,350	93,600
Jackson	108,500	111,500	6,450
Kay 1/:	0	0	3,200
Kiowa 1/:	0	0	700
Mccurtain	0	0	950
Noble	0	0	0
Oklahoma 1/:	0	0	450
Roger Mills	0	0	7,250
Texas	0	0	32,400
Tillman 1/:	0	0	6,000
Washita	4,300	4,550	203,250
Oklahoma	203,500	208,600	0
Abbeville 1/:	0	0	4,450
Aiken 1/:	0	0	1,300
Allendale 1/:	0	0	0
Anderson 1/:	0	0	4,300
Bamberg	0	0	1,900
Barnwell	0	0	0
Berkeley 1/:	0	0	0
Calhoun	22,850	23,550	14,300
Cherokee 1/:	0	0	0
Chester 1/:	0	0	0
Chesterfield 1/:	0	0	0
Clarendon 1/:	0	0	1,050
Colleton	0	0	450
Darlington 1/:	0	0	12,400
Dillon 1/:	0	0	11,600
Dorchester	0	0	1,350
Florence	0	0	4,350
Georgetown 1/:	0	0	0

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
Hampton	1/:					4,500
Horry	:	0		0		300
Kershaw	1/:	0		0		
Lee	:	11,300		11,500		13,550
Lexington	:	0		0		1,550
Marion	:	0		0		3,850
Marlboro	:	14,850		15,400		13,400
Newberry	1/:	0		0		
Orangeburg	:	17,300		17,550		12,600
Richland	1/:	0		0		
Saluda	1/:					450
Sumter	:	7,750		8,000		3,050
Williamsburg	1/:					15,600
York	1/:					
South Carolina	:	127,000		130,450		127,800
Carroll	1/:					34,300
Chester	:	0		0		1,800
Coffee	1/:	0		0		
Crockett	:	149,700		152,500		114,900
Dyer	:	0		0		40,750
Fayette	1/:					63,850
Franklin	:	0		0		4,500
Gibson	:	53,150		55,250		51,500
Giles	:	0		0		2,700
Grundy	1/:	0		0		
Hardeman	1/:					30,750
Hardin	:	0		0		2,500
Haywood	:	198,750		204,800		155,500
Henderson	:	0		0		3,100
Henry	:	0		0		1,100
Lake	1/:					18,750
Lauderdale	:	54,450		56,600		55,050
Lawrence	:	0		0		750
Lincoln	1/:					9,650
Madison	1/:					59,050
McNairy	:	0		0		6,300
Obion	:	0		0		4,200
Rutherford	:	0		0		2,600
Shelby	:	0		0		31,350

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Tipton	117,950	123,450	94,750
Weakley	0	0	1,650
Tennessee	788,950	813,600	791,650
Anderson	0	0	600
Andrews	0	0	14,800
Archer	0	0	
Armstrong	0	0	800
Austin	0	0	5,400
Bailey	90,600	93,600	63,800
Bastrop	0	0	
Baylor	0	0	5,150
Bee	0	0	5,850
Bell	0	0	1,600
Bexar	0	0	3,950
Borden	0	0	15,700
Brazoria	20,800	21,750	12,400
Brazos	0	0	11,850
Briscoe	39,350	41,000	24,050
Brown	0	0	350
Burleson	0	0	16,350
Caldwell	0	0	1,700
Calhoun	0	0	18,300
Cameron	31,300	31,850	29,400
Carson	0	0	14,550
Castro	108,950	110,750	169,300
Childress	0	0	27,850
Clay	0	0	300
Cochran	0	0	112,250
Coke	0	0	300
Coleman	0	0	2,350
Collin	0	0	1,950
Collingsworth	0	0	29,100
Colorado	0	0	3,650
Concho	0	0	14,850
Coryell	0	0	
Cottle	0	0	10,350
Crosby	176,600	182,100	181,050
Culberson	0	0	650
Dawson	143,250	148,450	183,450

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Deaf Smith	1/:		:		:	49,850
Dickens	1/:		:		:	15,900
Donley	1/:		:		:	11,700
El Paso	1/:		:		:	45,650
Ellis	:	28,550	:	29,800	:	32,850
Falls	1/:		:		:	1,700
Fisher	1/:		:		:	43,800
Floyd	:	108,700	:	112,250	:	126,700
Foard	:	0	:	0	:	2,050
Fort Bend	:	62,800	:	65,400	:	56,700
Frio	:	0	:	0	:	1,100
Gaines	:	236,650	:	244,400	:	199,900
Garza	1/:		:		:	39,900
Glasscock	1/:		:		:	27,150
Goliad	:	0	:	0	:	3,000
Gray	:	0	:	0	:	550
Guadalupe	:	0	:	0	:	300
Hale	:	405,350	:	418,250	:	337,400
Hall	:	48,050	:	50,250	:	34,200
Hardeman	1/:		:		:	5,000
Hartley	:	0	:	0	:	1,000
Haskell	:	65,850	:	67,800	:	68,650
Hays	1/:	0	:	0	:	
Hidalgo	:	43,100	:	44,800	:	47,900
Hill	:	27,300	:	28,250	:	36,200
Hockley	:	247,350	:	253,200	:	226,900
Houston	1/:		:		:	3,500
Howard	:	36,700	:	37,400	:	40,700
Hudspeth	:	0	:	0	:	28,150
Hunt	1/:		:		:	3,300
Jackson	1/:		:		:	48,550
Jim Wells	:	0	:	0	:	11,250
Johnson	:	0	:	0	:	500
Jones	:	62,700	:	64,900	:	47,400
Karnes	:	0	:	0	:	1,600
Kent	1/:		:		:	2,050
King	:	0	:	0	:	850
Kinney	:	0	:	0	:	700
Kleberg	1/:		:		:	35,850
Knox	1/:		:		:	39,550
La Salle	1/:	0	:	0	:	

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	:	Running Bales Ginned	:	Equivalent 480-Pound Bales Ginned	:	Running Bales Produced
	:		:		:	
Lamar	1/:		:		:	1,600
Lamb	:	349,050	:	362,850	:	303,500
Limestone	:	0	:	0	:	1,000
Live Oak	:	0	:	0	:	3,000
Lubbock	:	275,150	:	281,800	:	201,850
Lynn	:	217,200	:	222,550	:	226,500
Martin	:	74,750	:	77,450	:	41,800
Mason	:	0	:	0	:	800
Matagorda	1/:		:		:	53,500
Mcculloch	:	0	:	0	:	1,700
Mclennan	:	0	:	0	:	8,800
Medina	:	0	:	0	:	13,300
Midland	1/:		:		:	8,850
Milam	1/:		:		:	7,300
Mitchell	:	27,900	:	28,800	:	26,350
Moore	:	0	:	0	:	400
Motley	1/:		:		:	11,250
Navarro	1/:		:		:	14,700
Nolan	1/:		:		:	29,100
Nueces	:	86,800	:	88,650	:	137,800
Parmer	:	158,900	:	164,050	:	175,250
Pecos	1/:		:		:	11,250
Potter	:	0	:	0	:	1,050
Randall	:	0	:	0	:	4,350
Reagan	:	0	:	0	:	18,800
Red River	:	0	:	0	:	3,850
Reeves	1/:		:		:	5,550
Refugio	1/:		:		:	35,100
Robertson	:	37,350	:	37,600	:	36,350
Runnels	:	34,600	:	35,900	:	39,100
San Patricio	:	218,250	:	223,000	:	153,850
Schleicher	:	0	:	0	:	1,700
Scurry	:	41,100	:	42,000	:	36,500
Shackelford	:	0	:	0	:	850
Starr	1/:	0	:	0	:	
Stonewall	:	0	:	0	:	5,350
Swisher	:	94,200	:	98,200	:	97,200
Taylor	1/:		:		:	6,650
Terry	:	161,900	:	167,100	:	144,550
Throckmorton	1/:		:		:	1,650
Tom Green	:	57,450	:	59,600	:	53,200

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2002

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Travis	0	0	2,800
Upton 1/			9,650
Uvalde	0	0	13,450
Victoria	0	0	8,900
Walker 1/			2,150
Wharton	157,600	159,650	108,150
Wheeler	0	0	3,000
Wichita	0	0	5,200
Wilbarger	25,200	25,750	16,450
Willacy	16,800	17,350	12,750
Williamson	15,100	15,550	10,950
Wilson	0	0	3,950
Yoakum	95,700	96,300	91,000
Young	0	0	550
Zavala 1/			8,700
Other 2/			48,350
Texas	4,981,500	5,127,500	4,936,000
Accomack 1/			1,200
Brunswick 1/	0	0	
Charles City	0	0	2,350
Dinwiddie	0	0	2,250
Greensville 1/			4,100
Isle of Wight 1/			13,450
King William 1/	0	0	
New Kent 1/	0	0	
Northampton	0	0	3,100
Prince George 1/	0	0	
Southampton	0	0	39,950
Suffolk City 1/			13,900
Surry	0	0	3,800
Sussex 1/			6,850
Virginia	88,750	91,450	92,200

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
 Equivalent 480-Pound Bales Ginned, and Running Bales Produced
 by County, State, and United States, Crop Year 2002

County and State	: Running Bales : Ginned	: Equivalent 480-Pound : Bales Ginned	: Running Bales : Produced
:			
:			
US TOTAL	16,710,450	17,205,450	16,710,450

- 1/ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.
 2/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002 (continued)

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Autauga	2	497.1	293
Baldwin	1	491.9	232
Barbour	0	0.0	329
Blount	1	481.5	379
Bullock	0	0.0	498
Butler	0	0.0	531
Calhoun	0	0.0	341
Chambers	0	0.0	540
Cherokee	2	491.8	172
Chilton	1	494.3	601
Choctaw	0	0.0	517
Clarke	0	0.0	527
Coffee	1	492.6	304
Colbert	2	490.5	125
Conecuh	0	0.0	391
Covington	1	499.0	214
Crenshaw	1	508.6	490
Cullman	0	0.0	371
Dale	0	0.0	326
Dallas	2	503.6	198
Dekalb	0	0.0	545
Elmore	2	497.5	220
Escambia	1	495.9	270
Etowah	0	0.0	357
Fayette	1	514.0	431
Franklin	0	0.0	406
Geneva	2	480.0	261
Greene	1	480.0	536
Hale	0	0.0	489
Henry	2	486.9	202
Houston	1	483.8	184
Jackson	0	0.0	332
Lamar	0	0.0	494
Lauderdale	2	502.1	177
Lawrence	3	501.2	86
Lee	0	0.0	390

See footnotes at end of table.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Limestone	6	503.2	55
Lowndes	1	497.3	338
Macon	1	500.0	318
Madison	3	491.6	62
Marengo	1	500.0	358
Marion	0	0.0	473
Marshall	0	0.0	476
Mobile	1	508.1	260
Monroe	1	496.0	233
Montgomery	0	0.0	504
Morgan	0	0.0	428
Perry	0	0.0	396
Pickens	0	0.0	546
Pike	0	0.0	321
Russell	2	488.5	323
Shelby	0	0.0	353
Talladega	0	0.0	382
Tallapoosa	1	498.1	434
Tuscaloosa	1	503.2	335
Washington	0	0.0	499
Wilcox	0	0.0	412
Alabama	47	496.0	
Cochise	1	486.0	404
Graham	4	500.1	75
Greenlee	0	0.0	435
La Paz	2	493.3	145
Maricopa	8	498.2	33
Mohave	1	491.1	292
Pima	2	491.8	153
Pinal	13	494.2	7
Yuma	4	494.9	72
Arizona	35	495.9	
Arkansas	0	0.0	505
Ashley	4	485.9	44
Chicot	2	491.6	60
Clay	3	486.2	123
Craighead	6	491.2	14

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Crittenden	4	486.9	76
Cross	1	516.8	417
Desha	6	490.4	19
Drew	1	482.7	107
Greene	3	485.5	175
Jackson	0	0.0	455
Jefferson	6	497.5	58
Lafayette	1	504.7	348
Lee	1	483.0	40
Lincoln	1	500.0	68
Little River	0	0.0	602
Lonoke	4	492.2	100
Miller	0	0.0	440
Mississippi	11	496.9	3
Monroe	1	502.0	179
Phillips	6	494.4	30
Poinsett	4	487.7	50
Prairie	0	0.0	462
Pulaski	0	0.0	416
St Francis	3	492.9	103
Woodruff	1	499.0	288
Arkansas	69	491.9	
Colusa	1	500.0	169
Fresno	26	499.0	1
Glenn	0	0.0	340
Imperial	1	481.7	138
Kern	18	496.4	4
Kings	12	498.7	2
Madera	3	497.0	73
Merced	3	500.2	25
Riverside	2	488.5	114
San Bernardino	0	0.0	397
Sutter	2	509.0	339
Tulare	8	490.5	22
Yolo	0	0.0	303
California	76	497.2	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Alachua	0	0.0	603
Calhoun	0	0.0	287
Escambia	1	500.0	312
Gadsen	0	0.0	481
Hamilton	0	0.0	554
Holmes	0	0.0	466
Jackson	1	499.0	133
Jefferson	0	0.0	436
Madison	0	0.0	537
Okaloosa	0	0.0	355
Santa Rosa	2	497.5	183
Suwannee	0	0.0	521
Walton	0	0.0	392
Washington	0	0.0	269
Florida	4	498.3	
Appling	2	496.9	92
Atkinson	0	0.0	210
Bacon	0	0.0	224
Baker	0	0.0	113
Bartow	1	490.5	438
Ben Hill	0	0.0	226
Berrien	3	495.9	160
Bleckley	1	495.6	221
Blinch	0	0.0	547
Brooks	2	500.8	77
Bryan	0	0.0	456
Bulloch	2	503.3	186
Burke	4	496.1	187
Calhoun	2	493.6	157
Candler	2	496.6	237
Clay	0	0.0	282
Coffee	2	489.8	99
Colquitt	6	493.1	52
Cook	0	0.0	130
Crawford	0	0.0	588
Crisp	2	485.2	98
Decatur	2	491.0	71
Dodge	1	489.0	203
Dooly	7	496.8	51
Dougherty	0	0.0	209

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Early	1	501.9	85
Effingham	0	0.0	415
Elbert	0	0.0	471
Emanuel	0	0.0	223
Evans	0	0.0	349
Floyd	0	0.0	410
Glascocock	0	0.0	518
Grady	0	0.0	170
Henry	0	0.0	555
Houston	0	0.0	271
Irwin	1	497.0	136
Jeff Davis	1	495.5	146
Jefferson	2	500.5	238
Jenkins	0	0.0	294
Johnson	0	0.0	372
Lamar	0	0.0	361
Lanier	0	0.0	295
Laurens	2	496.9	306
Lee	1	488.4	120
Long	0	0.0	556
Lowndes	1	495.5	243
Macon	0	0.0	230
McDuffie	0	0.0	566
Miller	1	486.0	93
Mitchell	1	493.2	59
Monroe	0	0.0	565
Montgomery	0	0.0	373
Morgan	1	496.5	510
Oconee	0	0.0	564
Peach	0	0.0	360
Pierce	0	0.0	211
Polk	0	0.0	441
Pulaski	3	488.0	129
Quitman	0	0.0	506
Randolph	1	494.7	196
Richmond	0	0.0	589
Schley	0	0.0	424
Screven	1	501.5	245
Seminole	1	498.0	135
Spalding	0	0.0	605

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Stewart	0	0.0	420
Sumter	1	499.8	143
Tattnall	0	0.0	305
Taylor	1	482.8	383
Telfair	0	0.0	277
Terrell	1	497.5	150
Thomas	2	492.3	128
Tift	2	486.8	174
Toombs	0	0.0	291
Treutlen	0	0.0	414
Turner	2	503.6	162
Twiggs	0	0.0	385
Walker	0	0.0	587
Walton	0	0.0	604
Ware	0	0.0	330
Washington	0	0.0	378
Wayne	0	0.0	246
Webster	0	0.0	401
Wheeler	0	0.0	344
Wilcox	1	497.0	164
Wilkinson	0	0.0	541
Worth	1	494.9	64
Georgia	68	494.2	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Kansas 1/	3	496.2	
Avoyelles	1	480.4	185
Bossier	0	0.0	432
Caddo	4	499.3	167
Caldwell	0	0.0	272
Catahoula	4	490.9	81
Claiborne	0	0.0	568
Concordia	3	487.7	104
Desoto	0	0.0	463
East Carroll	5	486.4	69
Evangeline	0	0.0	442
Franklin	8	497.6	63
Grant	0	0.0	519
Iberville	0	0.0	570
Madison	1	486.2	49
Morehouse	5	499.0	54
Natchitoches	1	482.0	234
Ouachita	1	484.6	197
Pointe Coupee	1	486.1	280
Rapides	4	485.2	166
Red River	1	507.8	289
Richland	5	491.4	111
Saint Landry	0	0.0	443
Tensas	5	500.9	32
Webster	0	0.0	567
W Baton Rouge	0	0.0	569
West Carroll	2	495.1	188
W Feliciana	0	0.0	559
Louisiana	51	493.5	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Alcorn	0	0.0	485
Attala	0	0.0	266
Benton	1	497.0	365
Bolivar	7	490.4	26
Calhoun	3	489.7	151
Carroll	2	497.6	108
Chickasaw	0	0.0	273
Choctaw	0	0.0	398
Claiborne	0	0.0	375
Clay	0	0.0	314
Coahoma	6	487.3	13
Copiah	0	0.0	422
Covington	0	0.0	513
Desoto	2	496.4	192
George	0	0.0	356
Greene	0	0.0	560
Grenada	1	504.2	262
Hinds	2	499.4	200
Holmes	3	491.5	43
Humphreys	3	494.6	34
Issaquena	0	0.0	142
Itawamba	0	0.0	571
Jackson	0	0.0	507
Jefferson	1	481.0	319
Jones	0	0.0	591
Lafayette	1	508.0	311
Lamar	0	0.0	486
Leake	0	0.0	478
Lee	1	495.0	124
Leflore	9	498.7	37
Lowndes	0	0.0	309
Madison	1	482.0	199
Marshall	0	0.0	433
Monroe	2	500.8	247
Montgomery	1	499.9	235
Newton	0	0.0	501
Noxubee	0	0.0	278
Oktibbeha	0	0.0	607
Panola	3	497.4	83
Pike	0	0.0	439
Pontotoc	1	480.0	254

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Prentiss	0	0.0	467
Quitman	4	483.7	65
Rankin	1	505.3	299
Scott	0	0.0	409
Sharkey	5	487.8	53
Sunflower	6	489.0	42
Tallahatchie	6	496.4	56
Tate	0	0.0	212
Tippah	0	0.0	386
Tishomingo	0	0.0	464
Tunica	5	489.1	36
Union	0	0.0	512
Warren	1	484.0	236
Washington	9	492.3	23
Webster	1	479.3	171
Yalobusha	1	490.0	201
Yazoo	7	495.3	31
Mississippi	96	492.2	
Dunklin	11	492.5	10
New Madrid	8	496.2	24
Pemiscot	7	492.9	28
Scott	3	493.7	193
Stoddard	2	484.9	57
Missouri	31	493.2	
Chaves	1	480.0	381
Curry	0	0.0	276
Dona Ana	8	481.6	118
Eddy	2	479.8	255
Lea	0	0.0	182
Luna	1	481.2	343
Quay	0	0.0	477
Roosevelt	0	0.0	253
Sierra	0	0.0	575
New Mexico	12	481.6	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Anson	1	497.0	400
Beaufort	1	483.7	95
Bertie	2	493.5	134
Bladen	0	0.0	268
Cabarrus	0	0.0	593
Camden	0	0.0	451
Carteret	0	0.0	529
Catawba	0	0.0	608
Chatham	0	0.0	609
Chowan	0	0.0	181
Cleveland	3	491.8	472
Columbus	1	501.1	290
Craven	1	499.0	173
Cumberland	0	0.0	298
Currituck	0	0.0	612
Davidson	0	0.0	548
Duplin	1	492.8	163
Edgecombe	2	495.8	148
Franklin	0	0.0	592
Gates	1	494.9	213
Greene	1	484.1	194
Halifax	4	497.6	112
Harnett	1	501.3	256
Hertford	1	492.4	244
Hoke	1	528.2	264
Hyde	1	479.6	158
Iredell	0	0.0	458
Johnston	0	0.0	286
Jones	1	496.1	147
Lee	0	0.0	459
Lenoir	2	494.5	97
Martin	1	499.5	139
Montgomery	0	0.0	474
Moore	0	0.0	611
Nash	1	480.5	252
New Hanover	0	0.0	577
Northampton	6	498.4	89
Onslow	0	0.0	265
Pamlico	0	0.0	324
Pasquotank	0	0.0	331
Pender	0	0.0	300

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Perquimans	1	496.3	156
Pitt	3	502.6	132
Richmond	0	0.0	402
Robeson	2	511.8	189
Rowan	0	0.0	528
Rutherford	1	461.6	576
Sampson	3	496.3	116
Scotland	1	506.4	284
Stanly	1	501.1	297
Tyrrell	0	0.0	315
Union	0	0.0	337
Wake	0	0.0	610
Warren	0	0.0	561
Washington	0	0.0	178
Wayne	2	505.9	149
Wilson	1	501.4	180
North Carolina	48	496.4	
Adair	0	0.0	580
Alfalfa	0	0.0	514
Beckham	2	500.3	376
Bryan	1	472.9	0
Caddo	1	474.4	425
Canadian	0	0.0	407
Cimarron	0	0.0	532
Comanche	0	0.0	448
Cotton	0	0.0	524
Custer	2	497.9	460
Garvin	0	0.0	543
Grady	1	505.0	578
Grant	0	0.0	399
Greer	1	500.7	364
Harmon	3	488.6	140
Jackson	4	493.3	47
Kay	1	490.8	313
Kiowa	2	503.4	384
Mccurtain	0	0.0	515
Noble	0	0.0	493
Oklahoma	0	0.0	579

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Roger Mills	0	0.0	533
Texas	0	0.0	302
Tillman	3	484.9	137
Washita	4	505.3	317
Oklahoma	25	492.0	
Abbeville	0	0.0	596
Aiken	1	490.0	347
Allendale	1	500.1	470
Anderson	0	0.0	594
Bamberg	0	0.0	352
Barnwell	0	0.0	430
Berkeley	0	0.0	586
Calhoun	3	494.2	219
Cherokee	0	0.0	613
Chester	0	0.0	595
Chesterfield	0	0.0	583
Clarendon	2	488.3	483
Colleton	0	0.0	535
Darlington	2	486.8	241
Dillon	2	487.3	251
Dorchester	0	0.0	468
Florence	0	0.0	350
Georgetown	0	0.0	562
Hampton	1	481.3	345
Horry	0	0.0	549
Kershaw	0	0.0	581
Lee	4	489.0	225
Lexington	0	0.0	461
Marion	0	0.0	366
Marlboro	4	497.9	229
Newberry	0	0.0	584
Orangeburg	4	487.2	240
Richland	0	0.0	585
Saluda	1	505.6	534
Sumter	4	494.9	389
Williamsburg	1	511.7	208
York	1	462.7	582
South Carolina	31	492.8	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Carroll	1	488.0	126
Chester	0	0.0	437
Coffee	0	0.0	572
Crockett	6	489.0	38
Dyer	0	0.0	101
Fayette	2	499.2	66
Franklin	0	0.0	346
Gibson	4	498.8	82
Giles	0	0.0	405
Grundy	0	0.0	597
Hardeman	2	490.5	144
Hardin	0	0.0	411
Haywood	8	494.6	20
Henderson	0	0.0	387
Henry	0	0.0	479
Lake	1	494.7	191
Lauderdale	3	499.1	78
Lawrence	0	0.0	508
Lincoln	1	494.2	274
Madison	2	488.3	70
Mcnairy	0	0.0	316
Obion	0	0.0	354
Rutherford	0	0.0	408
Shelby	0	0.0	141
Tipton	4	502.4	46
Weakley	0	0.0	449
Tennessee	34	495.0	
Anderson	0	0.0	522
Andrews	0	0.0	216
Archer	0	0.0	598
Armstrong	0	0.0	502
Austin	0	0.0	327
Bailey	6	496.0	67
Bastrop	0	0.0	600
Baylor	0	0.0	334
Bee	0	0.0	320
Bell	0	0.0	452
Bexar	0	0.0	362
Borden	1	480.0	207

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Brazoria	3	501.7	242
Brazos	2	487.4	248
Briscoe	3	500.4	176
Brown	0	0.0	544
Burleson	1	489.0	205
Caldwell	1	503.5	447
Calhoun	1	486.4	195
Cameron	6	488.3	152
Carson	0	0.0	218
Castro	4	487.9	18
Childress	1	500.0	161
Clay	0	0.0	550
Cochran	2	490.6	39
Coke	1	492.8	551
Coleman	0	0.0	418
Collin	1	490.0	429
Collingsworth	2	497.6	154
Colorado	0	0.0	370
Concho	1	489.7	215
Coryell	0	0.0	599
Cottle	1	502.2	267
Crosby	7	494.9	16
Culberson	1	477.7	520
Dawson	10	497.5	15
Deaf Smith	2	496.5	84
Dickens	1	490.0	206
Donley	1	480.0	250
El Paso	4	492.2	91
Ellis	3	500.6	131
Falls	2	474.4	444
Fisher	3	482.9	94
Floyd	9	495.7	35
Foard	0	0.0	426
Fort Bend	5	499.7	74
Frio	0	0.0	480
Gaines	9	495.7	12
Garza	2	499.7	106
Glasscock	1	501.0	165
Goliad	0	0.0	394
Gray	0	0.0	525
Guadalupe	0	0.0	552

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Hale	16	495.3	5
Hall	4	501.8	127
Hardeman	1	500.8	336
Hartley	0	0.0	487
Haskell	6	494.3	61
Hays	0	0.0	614
Hidalgo	5	499.1	88
Hill	4	496.9	119
Hockley	8	491.4	8
Houston	1	493.0	377
Howard	3	489.0	102
Hudspeth	0	0.0	159
Hunt	1	473.9	380
Jackson	1	496.4	87
Jim Wells	0	0.0	259
Johnson	0	0.0	530
Jones	7	496.7	90
Karnes	0	0.0	454
Kent	1	495.0	427
King	0	0.0	496
Kinney	0	0.0	516
Kleberg	2	500.0	121
Knox	1	509.2	109
La Salle	0	0.0	573
Lamar	1	480.4	453
Lamb	9	499.0	6
Limestone	0	0.0	488
Live Oak	0	0.0	395
Lubbock	12	491.6	11
Lynn	9	491.8	9
Martin	5	497.2	96
Mason	0	0.0	503
Matagorda	1	485.0	79
Mcculloch	0	0.0	445
Mclennan	0	0.0	283
Medina	0	0.0	231
Midland	1	485.0	281
Milam	1	478.1	301
Mitchell	3	495.5	168
Moore	0	0.0	539
Motley	2	502.8	257

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Navarro	2	497.0	217
Nolan	1	497.8	155
Nueces	6	490.3	29
Parmer	8	495.6	17
Pecos	1	489.5	258
Potter	0	0.0	484
Randall	0	0.0	351
Reagan	0	0.0	190
Red River	0	0.0	367
Reeves	1	489.3	325
Refugio	1	495.0	122
Robertson	3	482.9	117
Runnels	4	498.3	110
San Patricio	8	490.5	21
Schleicher	0	0.0	446
Scurry	3	490.8	115
Shackelford	0	0.0	497
Starr	0	0.0	563
Stonewall	0	0.0	328
Swisher	4	500.5	45
Taylor	1	450.0	310
Terry	9	495.4	27
Throckmorton	1	458.7	450
Tom Green	6	497.8	80
Travis	0	0.0	403
Upton	1	491.5	275
Uvalde	0	0.0	227
Victoria	0	0.0	279
Walker	1	480.0	423
Wharton	5	486.3	41
Wheeler	0	0.0	393
Wichita	0	0.0	333
Wilbarger	3	490.6	204
Willacy	4	496.0	239
Williamson	5	493.7	263
Wilson	0	0.0	363
Yoakum	4	483.0	48
Young	0	0.0	526
Zavala	2	494.4	285
Texas	286	494.1	

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2002

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	Number	Pounds	Rank
Accomack	1	494.5	475
Brunswick	0	0.0	553
Charles City	0	0.0	419
Dinwiddie	0	0.0	421
Greensville	1	515.9	359
Isle of Wight	1	492.0	228
King William	0	0.0	509
New Kent	0	0.0	574
Northampton	0	0.0	388
Prince George	0	0.0	615
Southampton	0	0.0	105
Suffolk City	1	484.0	222
Surry	0	0.0	368
Sussex	1	495.0	307
Virginia	5	494.6	
US TOTAL	921	494.2	

1/ Withheld to avoid disclosing individual data.

Note: County of origin was not determined for approximately
92,250 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2002 (continued)


Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
All Cotton	:		:		:	
US 1/	:	921	:	CA	:	76
1 - 2,999	:	89	:	1 - 2,999	:	7
3,000 - 4,999	:	74	:	3,000 - 4,999	:	0
5,000 - 6,999	:	69	:	5,000 - 6,999	:	1
7,000 - 9,999	:	101	:	7,000 - 9,999	:	5
10,000 - 14,999	:	141	:	10,000 - 14,999	:	4
15,000 - 19,999	:	108	:	15,000 - 19,999	:	5
20,000 - 39,999	:	242	:	20,000 - 39,999	:	35
40,000 - and over	:	97	:	40,000 - and over	:	19
AL	:	47	:	GA	:	68
1 - 2,999	:	4	:	1 - 2,999	:	5
3,000 - 4,999	:	5	:	3,000 - 4,999	:	1
5,000 - 6,999	:	5	:	5,000 - 6,999	:	3
7,000 - 9,999	:	9	:	7,000 - 9,999	:	9
10,000 - 14,999	:	11	:	10,000 - 14,999	:	10
15,000 - 19,999	:	3	:	15,000 - 19,999	:	9
20,000 - 39,999	:	6	:	20,000 - 39,999	:	18
40,000 - and over	:	2	:	40,000 - and over	:	13
AZ	:	35	:	LA	:	51
1 - 2,999	:	6	:	1 - 2,999	:	1
3,000 - 4,999	:	1	:	3,000 - 4,999	:	4
5,000 - 6,999	:	2	:	5,000 - 6,999	:	6
7,000 - 9,999	:	1	:	7,000 - 9,999	:	10
10,000 - 14,999	:	7	:	10,000 - 14,999	:	15
15,000 - 19,999	:	5	:	15,000 - 19,999	:	3
20,000 - 39,999	:	10	:	20,000 - 39,999	:	11
40,000 - and over	:	5	:	40,000 - and over	:	1
AR	:	69	:	MS	:	96
1 - 2,999	:	5	:	1 - 2,999	:	3
3,000 - 4,999	:	2	:	3,000 - 4,999	:	5
5,000 - 6,999	:	3	:	5,000 - 6,999	:	5
7,000 - 9,999	:	5	:	7,000 - 9,999	:	11
10,000 - 14,999	:	13	:	10,000 - 14,999	:	21
15,000 - 19,999	:	6	:	15,000 - 19,999	:	16
20,000 - 39,999	:	24	:	20,000 - 39,999	:	27
40,000 - and over	:	11	:	40,000 - and over	:	8

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2002

Running Bales Ginned by Size Group	:	Number of Active Gins	:	Running Bales Ginned by Size Group	:	Number of Active Gins
MO	:	31	:	SC	:	31
1 - 2,999	:	1	:	1 - 2,999	:	13
3,000 - 4,999	:	1	:	3,000 - 4,999	:	9
5,000 - 6,999	:	3	:	5,000 - 6,999	:	4
7,000 - 9,999	:	2	:	7,000 - 9,999	:	3
10,000 - 14,999	:	4	:	10,000 - 14,999	:	2
15,000 - 19,999	:	10	:	15,000 - 19,999	:	0
20,000 - 39,999	:	8	:	20,000 - 39,999	:	0
40,000 - and over	:	2	:	40,000 - and over	:	0
NM	:	12	:	TN	:	34
1 - 2,999	:	5	:	1 - 2,999	:	0
3,000 - 4,999	:	3	:	3,000 - 4,999	:	1
5,000 - 6,999	:	2	:	5,000 - 6,999	:	2
7,000 - 9,999	:	0	:	7,000 - 9,999	:	3
10,000 - 14,999	:	0	:	10,000 - 14,999	:	5
15,000 - 19,999	:	0	:	15,000 - 19,999	:	7
20,000 - 39,999	:	2	:	20,000 - 39,999	:	12
40,000 - and over	:	0	:	40,000 - and over	:	4
NC	:	48	:	TX	:	286
1 - 2,999	:	3	:	1 - 2,999	:	22
3,000 - 4,999	:	4	:	3,000 - 4,999	:	34
5,000 - 6,999	:	3	:	5,000 - 6,999	:	28
7,000 - 9,999	:	5	:	7,000 - 9,999	:	35
10,000 - 14,999	:	10	:	10,000 - 14,999	:	37
15,000 - 19,999	:	7	:	15,000 - 19,999	:	33
20,000 - 39,999	:	15	:	20,000 - 39,999	:	68
40,000 - and over	:	1	:	40,000 - and over	:	29
OK	:	25	:		:	
1 - 2,999	:	13	:		:	
3,000 - 4,999	:	2	:		:	
5,000 - 6,999	:	2	:		:	
7,000 - 9,999	:	2	:		:	
10,000 - 14,999	:	2	:		:	
15,000 - 19,999	:	1	:		:	
20,000 - 39,999	:	2	:		:	
40,000 - and over	:	1	:		:	

1/ Total number of gins operating. U.S. data includes Florida, Kansas, and Virginia.

2002 All Cotton Ginnings Percent of U.S. Crop Ginned, by State



Cotton Ginnings 2002: A total of 16.7 million running bales were ginned during the 2002 season, 15 percent below 2001's ginnings of 19.8 million bales. A 10 percent decrease in acres harvested and a 40-pound yield per acre decrease from last season's record high production contributed to the lower level of ginnings.

There were 921 active cotton gins during the 2002 season, down from the 970 that operated in 2001. Thirty-seven percent of the gins processed more than 20,000 bales in 2002, compared with 43 percent the previous season.

Cotton, 2002 Final: All cotton production is estimated at 17.2 million bales, 15 percent below the record high 2001 production. Upland cotton production, at 16.5 million bales, was 16 percent less than the previous year. American-Pima production totaled 678,300 bales, down 3 percent from 2001. The area planted to all cotton totaled 14.0 million acres, down 11 percent from 2001. Harvested area decreased 10 percent to 12.4 million acres. Yields for the U.S. averaged 665 pounds per harvested acre, down 40 pounds per acre from a year ago. Data from the combined seven Objective Yield States showed the highest number of bolls, highest average boll weight, and highest loss of the previous five years.

Producers in the Southeastern States had a very challenging season. The upland crop was planted under ideal conditions and development progressed ahead of average. However, an abnormally dry, hot summer stressed the crop and the condition of the crop deteriorated. The heat matured the crop rapidly allowing growers to harvest earlier than normal. Beginning in September, heavy rains delayed harvesting operations. Although the moisture was welcome, it was too late to help the drought-stressed crop. The untimely rains resulted in some boll rot and seed germination. Frequent showers throughout October further delayed the harvest. During the first half of November, growers

were able to re-enter their fields to pick their cotton. However, harvesting was virtually halted mid-month, as persistent rains returned. The harvest approached completion by early December as dry weather dominated the region.

Producers in the Delta States had ideal planting conditions until rains during May interrupted the fieldwork. Planting activities continued well into June in Tennessee. Cooler than normal July temperatures and timely rains boosted the condition of the late maturing crop. Two significant storms moved through the lower Delta region within a two-week period toward the end of September and early part of October. The damage to open bolls was limited, however, since the crop was considerably behind in maturity. Unrelenting downpours during the first half of November prevented growers from picking the cotton. The drier, final two weeks of November allowed the harvest to progress, although well behind the normal pace. Objective yield data showed above average boll counts in Arkansas and Mississippi. Arkansas boll weights were below average, but Mississippi boll weights were the highest of the previous fifteen years. Louisiana's boll counts and weights were the highest since 1994.

Producers in the Southwestern States had a relatively good season. Planting remained active in the southern Great Plains until mid-June, although progress was occasionally interrupted by rain. Moisture shortages slowed planting progress on the High Plains. Warmer than normal temperatures promoted germination and growth where moisture supplies were adequate. However, fields in the dryland areas of South Texas and the Coastal Bend suffered due to inadequate moisture and excessive heat. Irrigated fields responded well to the weather. Development of the New Mexico and Oklahoma crop progressed well ahead of average, but Texas maturity was about average. Harvest was underway by August in central and southern areas of Texas and was wrapping up by the end of September. The Plains area crop was fully matured by early October and growers began defoliating and harvesting between rain showers. Cooler than normal temperatures in September slowed the development of Oklahoma's crop which had been maturing ahead of average. Rains throughout October and early November delayed harvesting across the region. Conditions improved later in November and the pace of harvest accelerated rapidly. Data from the Objective Yield survey show Texas boll counts were the highest in the last fifteen years and weights were the second highest. Record high yields were established in Texas, New Mexico, and Kansas.

Arizona and California upland cotton growers began planting during March under ideal conditions. Cool, spring weather in a few areas of California slowed development but warm summer temperatures promoted growth and good boll retention. The crop was in good to excellent condition throughout the season. Harvest was well underway by mid-September and progressed under ideal conditions. Data from the Objective Yield survey show California boll counts were the highest in the last fifteen years but the weights were the lowest. A record yield of 1,439 pounds per harvested acre was set in California, surpassing the 1,378 pound yield set in 2000.

The California Pima growers planted their crop under almost ideal conditions. The crop progressed well during the year despite some early cool spells in late April and early May. Growth of Pima cotton during the summer months was good to excellent, with crop progress slightly ahead of average. Insect pressure remained light with the typical small numbers of whiteflies and aphids late in the season. Harvest of California's Pima cotton began in early October. By mid-December, virtually the entire crop had been harvested with only a few fields remaining to be picked a second time.

Cottonseed: Cottonseed production in 2002 totaled 6.18 million tons, down 17 percent from 2001. Sales to oil mills accounted for 53 percent of the disposition. The remaining 47 percent will be used for seed, feed, exports, and various other uses.

Released May 12, 2003, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Cotton Ginnings 2002 Summary" call Dave DeWalt at (202) 720-5944, office hours 7:00 a.m. to 3:30 p.m. ET.

The "Cotton Ginnings 2003 Summary" report will be released in May 2004.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C., 20250-9410, or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: <http://www.usda.gov/nass/>. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

There are two options for subscribing via e-mail. All NASS reports are available by subscription free of charge direct to your e-mail address. 1) Starting with the NASS Home Page at <http://www.usda.gov/nass/>, click on **Publications**, then click on the **Subscribe by E-mail** button which takes you to the page describing e-mail delivery of reports. Finally, click on **Go to the Subscription Page** and follow the instructions. 2) If you do NOT have Internet access, send an e-mail message to: usda-reports@usda.mannlib.cornell.edu. In the body of the message type the word: **list**.

AUTOFAX ACCESS

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)
Other areas, please call 703-605-6220 FAX: 703-605-6900
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.
