

Crop Production

Release:
January 10, 1966
3:00 P.M. (E.S.T.)

UNITED STATES CROP SUMMARY AS OF JANUARY 1, 1966

Corn stocks on farms January 1, 1966, estimated at 3.1 billion bushels, were 11 percent more than a year earlier and 3 percent above the 1960-64 average.

Wheat stocks on farms, placed at 408 million bushels, were 5 percent above a year earlier and 18 percent more than average.

Oats stocks on farms totaled 680 million bushels, up 9 percent from January 1, 1965 but 4 percent below average.

Soybean farm stocks, estimated at 284 million bushels, were 48 percent more than a year earlier and 28 percent above average.

Sorghum grain stocks on farms totaled 215 million bushels, up 38 percent from January 1, 1965 and 17 percent from average.

Barley farm stocks totaled 195 million bushels, up 3 percent from 1965 but 3 percent below average.

Flaxseed stocks on farms, estimated at 14 million bushels, were 62 percent more than a year earlier and 54 percent above average.

Hay on farms totaled 87 million tons, 13 percent more than a year earlier and 7 percent above average.

Citrus production is expected to be up 10 percent from last year's crop. The 1965-66 orange crop is expected to total 132 million boxes, 9 percent more than the 1964-65 crop and 14 percent above average. The grapefruit crop, at 46 million boxes, is 12 percent above last year and 17 percent more than average.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

CrPr 2-2 (1-66)

Crop Reporting Board

Washington, D. C.

GRAIN AND HAY STOCKS ON FARMS--JANUARY 1

CROP	: January 1 average :		January 1,		: January 1,	
	: 1960-64 :		1965 :		1966 :	
	Percent :	1,000 :	Percent :	1,000 :	Percent :	1,000 :
	1/ :	bushels :	1/ :	bushels :	1/ :	bushels :
Corn	80.0	3,052,484	78.6	2,818,459	75.3	3,142,482
Wheat	29.1	347,254	30.2	389,789	30.8	408,217
Durum wheat	---	2/ 35,541	70.8	47,177	82.6	56,902
Oats	67.8	706,363	70.7	622,498	70.9	680,423
Soybeans	35.4	222,975	27.3	191,715	33.7	284,476
Barley	47.9	200,454	47.2	190,053	47.4	195,235
Rye	29.6	9,200	34.9	11,625	39.4	13,100
Flaxseed	32.7	8,999	35.1	8,570	39.5	13,884
Sorghum	33.4	183,917	31.8	156,294	32.3	214,976
Hay	69.8	3/ 81,482	66.6	3/ 77,272	70.4	3/ 87,265

GRAIN AND HAY STOCKS--OTHER QUARTERS

CROP	October 1,	April 1,	July 1,	October 1,
	1964	1965	1965	1965
	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels
Corn	672,096	1,923,015	1,283,437	604,268
Wheat	505,985	264,124	132,919	562,563
Durum wheat ...	55,942	39,390	19,272	75,035
Oats	751,471	401,526	219,920	805,591
Soybeans	15,171	98,315	23,019	4/ 7,598
Barley	260,572	107,015	40,704	257,198
Rye	18,226	9,421	2,711	18,191
Flaxseed	12,728	6,538	2,462	20,388
Sorghum	42,959	99,915	63,168	48,956
	May 1,	May 1,		
	Av. 1960-64 :	1965 :		
Hay	3/ 20,215	3/ 16,199		

1/ Percent of preceding year's crop.

2/ 1962-64 average.

3/ 1,000 tons.

4/ September 1 estimate.

E R R A T A

1965 ANNUAL CROP SUMMARY
 Corrections to the 1965 Annual Crop
 Summary, CrPr 2-1(65), issued
 December 20, 1965 are shown on page
 22.

CROP PRODUCTION, January 1966

Crop Reporting Board, SRS, USDA

CITRUS FRUITS 1/

CROP	PRODUCTION			
	Average	1963	1964	Indicated
	1959-63			1965
	1,000	1,000	1,000	1,000
	boxes	boxes	boxes	boxes
Oranges	115,832	92,755	121,108	132,250
Grapefruit	39,356	34,210	41,030	46,000
Lemons	16,268	19,040	14,610	17,200

1/ Season begins with the bloom of the year shown and ends with the completion of the harvest the following year.

POTATOES, IRISH, 1966 CROP

Seasonal group	Acreage			Yield per harv. acre:			Production		
	Harvested	For	Average	Indi-	Average	Indi-	Average	Indi-	
	1960-64	1965	1966	1960-64	1965	1966	1960-64	1965	1966
	1,000	1,000	1,000				1,000	1,000	1,000
	acres	acres	acres	Cwt.	Cwt.	Cwt.	cwt.	cwt.	cwt.
Winter.....	21.0	19.4	25.8	190	189	207	3,990	3,659	5,352
	Acreage planted:			Yield per planted acre:			Production		
Early Spring.	26.8	36.0	37.1	156	136	---	4,172	4,898	April 11
Late Spring..	118.5	123.3	127.7	203	204	---	23,998	25,106	May 10

MILK AND EGG PRODUCTION

MONTH	MILK			EGGS		
	Average	1964	1965	Average	1964	1965
	1959-63			1959-63 1/		
	Million	Million	Million	Millions	Millions	Millions
	pounds	pounds	pounds	Millions	Millions	Millions
November	9,121	9,419	9,134	4,940	5,155	5,190
December	9,651	9,991	9,592	5,234	5,437	5,434
Jan.-Dec. Incl.	124,313	126,598	125,463	62,548	64,546	64,777

1/ Data for Alaska and Hawaii not available for inclusion in average.

CROP REPORTING BOARD:

G. D. Simpson, Chairman,

M. L. Koehn, Secretary,

APPROVED:

J. A. Baker

R. K. Smith,
G. D. Harrell,
W. J. Fluke,
H. M. Brewer,
L. W. Orvold,
A. K. Potter,

C. E. Burkhead,
I. E. Wissinger,
C. N. Guellow,
H. S. Harkness,
E. L. Park,
P. M. Williamson.

ACTING SECRETARY OF AGRICULTURE

GENERAL CROP REPORT AS OF JANUARY 1, 1966

Mild December weather favored the wind-up of the 1965 harvest over most of the Nation, according to the Crop Reporting Board. Heavy rains caused flooding in the extreme Southwest, but early winter precipitation missed the dry eastern coast. Livestock were reported in good condition and were making good use of crop residues and pastures. Supplemental feeding was below normal especially in the Plains States.

December milk production was 4 percent less than a year earlier and egg output also dropped slightly. Citrus production in 1965-66 is indicated to be 10 percent more than the previous year. Winter potato production is expected to be up sharply from last year, but winter vegetable output will be 3 percent smaller.

Farm stocks of the four feed grains on January 1 were 12 percent more than a year earlier and 3 percent above average. Stocks of all wheat on farms were 5 percent larger than last year. Soybeans held on farms were at record levels -- 48 percent more than last year, 28 percent above average, and 9 percent above the previous high on Jan. 1, 1964. Farm stocks of hay were at near record levels, 13 percent more than last year but 1 percent less than the previous high in 1959.

Most of the Nation was warmer than usual during December but below normal temperatures were common west of the Rockies and in parts of the East South Central States. Temperatures in the North Central Region were 6 to 10 degrees above normal, in sharp contrast to sub-normal readings in December 1964. A cold wave spread from the Rocky Mountains into central United States about mid-month although temperatures were not extreme and accompanying snow protected winter grain fields. The snow lasted only a few days over much of the Plains area and snow cover at the end of the month was limited to States along the Canadian Border.

Precipitation during December was below normal in the East except for an area in North Florida and South Georgia. Rainfall in the drought area along the Middle and North Atlantic coast fell farther behind normal and subsoil moisture reserves for next year's crops need to be replenished. In South Atlantic areas, favorable moisture supplies of September have dwindled, and dry topsoils are limiting growth of winter grains and pastures.

Much of the North Central region had above normal precipitation in December, mostly toward the end of the month. Farmers were able to complete harvest of late crops except for scattered areas in Michigan, Wisconsin, and Minnesota where muddy fields hampered use of heavy machinery.

Fall seeded grains maintained the earlier good conditions in the Northern Plains. Top growth provided good protection against wind erosion, but more snow cover will be welcomed. Rains added to development of wheat fields in Kansas and Oklahoma and firmed dry soils around the plants. Showers missed dryland wheat areas in Texas and New Mexico and the crop needs a good soaking. The mild December weather permitted wheat plants to get established in the Corn Belt area, where seeding was delayed by late harvest of corn and soybeans. In the Pacific Northwest wheat continued to develop favorably until colder weather arrived about mid-December.

CORN ON FARMS: Corn on farms January 1 totaled 3,142 million bushels, 11 percent above the 2,818 million held on farms a year earlier, and 3 percent above the 3,052-million-bushel 5-year average for the date. Only the January 1, 1964 record high of 3,248 million bushels exceeded corn stocks on January 1, 1966.

Stocks on Corn Belt farms (North Central region less Michigan and North Dakota), totaled 2,719 million bushels and account for over 87 percent of the national total.

October-December 1965 farm disappearance of corn, at 1,633 million bushels, is record large for the period. Disappearance during the same period in 1964 totaled 1,437 million bushels, and the 5-year average is 1,252 million bushels. The greater disappearance results from the record high 1965 corn crop, much of which was picked during a wet harvest season and moved off farms to commercial drying and storage facilities. A prolonged pasture season also has reduced the need for feed corn.

WHEAT ON FARMS: Stocks of all wheat on farms January 1, 1966 totaled 408 million bushels, 5 percent above a year earlier and the largest for the date since 1961. Disappearance from farms during October-December was 154 million bushels compared with 116 million bushels in the same quarter of 1964. Stocks on January 1 equaled 31 percent of the 1965 production of all wheat compared with 30 percent a year earlier.

Durum wheat stocks on farms January 1, 1966 totaled 56.9 million bushels compared with 47.2 million bushels a year earlier. Disappearance from farms during October-December 1965 was 18.1 million bushels compared with 8.8 million bushels during the same quarter last year.

OATS ON FARMS: Oats stored on farms January 1 totaled 680 million bushels, 9 percent above a year earlier but 4 percent below average. Farm holdings were sharply higher than a year earlier in the important North Central States. Western States also showed moderate increases. Elsewhere, farm stocks of oats were below a year earlier.

Disappearance from farms during October-December 1965 totaled 125 million bushels, down 3 percent from a year earlier and 28 percent below average.

SOYBEANS ON FARMS: Soybeans on farms January 1 are estimated at 284 million bushels, a record high. Current stocks are 48 percent above January 1, 1965 farm holdings and 28 percent above average. Stocks were 33.7 percent of the 1965 production compared with 27.3 percent a year earlier and the average of 35.4 percent.

January 1 farm stocks were above last year in all areas and reflect the record 1965 crop. The North Central States, where 86 percent of the total U. S. farm stocks were located, had 50 percent more stocks than a year earlier. Iowa had the largest stocks with 64 million bushels, followed by Illinois with 63 million, then Minnesota with 33 million.

The September 1, 1965 farm supply totaled 852 million bushels (1965 production of 844 million bushels plus a carryover of 8 million). From this supply the indicated movement from farms for September-December amounted to 567 million bushels or 66.6 percent of beginning supplies. Historical disappearance comparisons for the period are not available -- the soybean carryover estimates were changed from an October 1 to a September 1 basis in 1965.

FLAXSEED STOCKS ON FARMS: Flaxseed stored on farms January 1 totaled 13.9 million bushels -- highest for January 1 since 1959. Stocks were 62 percent larger than a year earlier and 54 percent above the 5-year average. Over 98 percent of the stocks were located in the Dakotas and Minnesota, with North Dakota accounting for 69 percent of the National total.

Disappearance of flaxseed from farms during the October-December quarter was 6.5 million bushels, the most since 1955. Disappearance was 56 percent above the same quarter a year ago and nearly $2\frac{1}{2}$ times the 5-year average.

SORGHUM GRAIN ON FARMS: Sorghum grain stocks on farms on January 1 totaled nearly 215 million bushels, up 38 percent from a year earlier and 17 percent above the 1960-64 average. Most States had larger stocks than a year ago, mostly because of higher production. Nebraska held nearly half of the total National farm stocks on January 1. Nebraska, Kansas, and Texas together accounted for 83 percent, about the same proportion as a year earlier.

Disappearance from farms during the October-December 1965 quarter totaled 500 million bushels, 32 percent more than in the same quarter a year earlier and 27 percent above average.

BARLEY STOCKS ON FARMS: Stocks of barley on farms on January 1 totaled 195 million bushels, 3 percent more than a year earlier but 3 percent less than average. Disappearance of barley from farms during October-December 1965 was 62 million bushels, 12 percent less than for the same period in 1964. In the Western States, January 1 stocks were up 8 percent from a year earlier and October-December disappearance was off 28 percent from the same period in 1964.

RYE STOCKS ON FARMS: Rye stored on farms January 1 totaled 13.1 million bushels, 13 percent more than a year earlier and 42 percent above average. Farm stocks were 39 percent of the 1965 rye production. Disappearance from farms during the October-December quarter was 5.1 million bushels, the smallest October-December disappearance since 1963. North Dakota and South Dakota, the leading rye producing States, held 70 percent of the total U. S. farm stocks on January 1.

HAY STOCKS ON FARMS: January 1 farm stocks of hay are estimated to be 87.3 million tons, up 13 percent from last year, 7 percent from average and highest since 1959. The season started last May 1 with the lowest hay carryover in 10 years, but production was record high, so hay supplies for the current feeding season were up 2 percent from average. Hay needs up to January 1, however, have been less than usual because late fall weather was favorable, pasture growth continued and open grazing extended through December across most of the country. Hay disappearance from May to January was 53 million tons, lowest since 1960 and 7 percent below average, leaving present hay stocks on farms at a near record high. Hay stocks in all regions on January 1 were above last year and above average except for the North Atlantic. Except for local areas, hay stocks are above average even in the previously short Central Plains area. Hay stocks are still below average in Wisconsin and Iowa because considerable winter-kill reduced hay production.

AVOCADOS: California's production of fall and winter variety avocados (including Fuerte) is forecast at 32,000 tons, $2\frac{1}{2}$ times last year's output. Harvest was active through December and movement increased the latter part of the month. Approximately 15 percent of the crop had been harvested by December 31.

CITRUS: The U. S. orange crop is forecast at 132.2 million boxes, up 2 percent from the December 1 forecast, 9 percent above last year and 14 percent higher than average. In Florida and Texas, where weather has been favorable for fruit growth, fruit has sized well and droppage has been light, resulting in an increase over last month's production forecast, mostly in Early and Midseason varieties. Prospective production in California and Arizona is unchanged from December.

The Nation's 1965-66 grapefruit crop is expected to total 46.0 million boxes, 12 percent above last season and 17 percent higher than average. An increase of 4 percent from last month's estimate results from improved prospects in Florida and Texas. California and Arizona forecasts are unchanged. Production is expected to be above last year in all States except California, where a lighter crop of Desert Valleys' grapefruit is forecast. Lemon production in California and Arizona is estimated at 17.2 million boxes, 10 percent more than last month's forecast, 18 percent above the 1964-65 crop and 6 percent above average. December rains in California helped sizing of fruit and improved production prospects. Both California and Arizona expect larger crops than last year.

Florida's tangerine crop is estimated at 3.7 million boxes, 5 percent less than last season. Tangelos in Florida are forecast at 1.4 million boxes, up 40 percent from 1964-65.

In Florida, citrus groves are in excellent condition. Moisture is adequate, but December temperatures were unseasonably warm and the usual dormancy has not occurred. Tree growth has been only slightly retarded. Fruit growth has been good and droppage light for all varieties. Orange harvest is making good progress and movement is running a little ahead of last season. More grapefruit have been picked than at the same date last year. A little less than half of the grapefruit and three-fifths of the oranges harvested have been utilized for processing. About three-fourths of the tangerines and three-fifths of the tangelos were harvested by January 1.

In California, Navel oranges were slow in reaching maturity. Early fall size was below normal, but November rain and warm weather improved sizing. Cold nights during December advanced coloring and by the end of the month fruit was in good condition. Shipments are expected to increase and to continue to mid-June. Valencia oranges are developing favorably. The set is lighter than last season but fruit is sizing well. Little of this crop will be harvested before April with movement continuing into early fall. Harvest of Desert Valleys' grapefruit is running ahead of this date for recent seasons. Other Areas' grapefruit is progressing well. Set and size are normal and light harvest is expected to start in March.

In Arizona, wet weather during December slowed harvest of Navel oranges. About 60 percent of the crop was picked by the end of the month. Valencia harvest is expected to begin early in February. Rains also delayed grapefruit harvest. Sizes are improving. Over 10 percent of the grapefruit was harvested by the end of December. In Texas, abundant moisture and favorable temperatures have increased fruit sizes above earlier expectations. Trees are in good condition. Harvest of early and mid-season oranges will continue into February.

Lemon harvest in the desert area of California is about complete. Improved sizing offset light damage from heavy rains in central and southern areas. Harvest in those areas is increasing as fields dry. Rain delayed picking of Arizona's lemons. By the end of December, about 70 percent of the Arizona crop had been harvested. Fruit is of good size and quality.

POTATOES: Winter potato production in Florida and California is forecast at 5,352,000 hundredweight, 46 percent above 1965, 34 percent above average and the largest since 1957. Florida, up 27 percent over last year, is expected to have the largest crop since 1959. Production in California is expected to be 59 percent over last year and the largest since 1961. Harvest is underway in the Everglades area of Florida and will get underway in Ft. Myers-Immokalee area late in January. Stands in Dade County are good. Harvest of the California winter crop was delayed by heavy rains in December and digging continues slow in Perris-Hemet and Kern County areas. The crop in northern San Joaquin Valley has reached maturity. Harvest in the State is expected to rise rapidly during January.

Growers intend to plant 127,700 acres of potatoes for late spring harvest, 4 percent more than in 1965, and 8 percent above average. Acreage is up in all major eastern areas. The Baldwin Alabama area shows the largest increase--11 percent. Texas plantings are expected to be a fifth larger than last year but prospective plantings are down slightly in Arizona and unchanged in California. California is expected to account for slightly over 40 percent of total acreage for the group. Rains have delayed plantings in California. However, unless the rains continue through January, planting likely will be completed without difficulty. Plantings also were light in Arizona in late December but are expected to be heavy in January and early February. Heavy rainfall also slowed planting in the San Antonio-Pearsall area in Texas. Soil and weather conditions are favorable in the Baldwin area of Alabama and planting is expected to get underway about the usual time in the last half of January.

POULTRY AND EGGS: Egg production during December totaled 5,434 million eggs, slightly below December 1964 but up 3 percent from the 1959-63 December average (48-State comparisons). Layer numbers during December averaged 305.9 million, down 1 percent from December 1964, but up slightly from the preceding monthly average. Production per layer averaged 17.8 eggs during December, a seasonal increase of 4 percent from a month earlier and up 1 percent from December 1964. May through December, the rate of lay set a new high for each month. Total egg production was 64,777 million eggs during 1965 compared with 64,546 million during 1964. This is record high annual production.

December egg production set record highs for the South Atlantic, South Central, and Western regions. In the West North Central States production was lowest since 1943. Regional production was above a year earlier, 8 percent in the South Central, 6 percent in the South Atlantic, and 1 percent in the Western States, but was down 7 percent in the West North Central, 5 percent in the East North Central, and 3 percent in the North Atlantic.

Layer numbers on January 1 totaled 306.0 million compared with 308.8 million on January 1, 1965 and 305.8 million on December 1, 1965. Layer numbers on January 1 continued at record lows in the East North Central and West North Central States but at a record high in the South Atlantic region.

Rate of lay per hundred layers was 57.7 eggs on January 1, the same as a year earlier and up seasonally from 57.0 on December 1, 1965. Rate of lay was 1 percent above a year earlier in the South Central and Western regions but down 1 percent in the East North Central and West North Central. In the North Atlantic and South Atlantic there was no change.

Pullets not of laying age on January 1 totaled 49.4 million, up 2 percent from a year earlier and up 30 percent from the 1960-64 January 1 average (48-State comparison). Potential layers (hens and pullets of laying age plus pullets not of laying age) are estimated at 355.4 million birds compared with 357.1 million a year earlier and 356.2 million on December 1, 1965. Compared with a year earlier, potential layers were down 7 percent in the West North Central, 5 percent in the East North Central, and 4 percent in the North Atlantic region. Potential layers were 7 percent above a year earlier in the South Central, 4 percent in the South Atlantic, and unchanged in the West.

HENS AND PULLETS OF LAYING AGE, PULLETS NOT OF LAYING AGE, POTENTIAL LAYERS AND EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1

Year	North Atlantic	E. North Central	W. North Central	South Atlantic	South Central	Western	48 States	United States 1/
HENS AND PULLETS OF LAYING AGE ON FARMS, JANUARY 1								
	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.
1960-64 (Av.)	48,630	50,555	71,458	43,608	53,078	43,060	310,389	---
1965	46,184	44,711	56,802	49,736	60,867	49,619	307,919	308,801
1966	44,256	42,321	52,653	51,919	64,420	49,570	305,139	306,010
PULLETS NOT OF LAYING AGE ON FARMS, JANUARY 1								
1960-64 (Av.)	5,060	3,983	4,257	8,475	8,338	7,615	37,729	---
1965	4,699	5,513	3,904	13,852	11,641	8,534	48,143	48,319
1966	4,439	5,303	3,741	14,078	13,377	8,296	49,234	49,422
POTENTIAL LAYERS ON FARMS, JANUARY 1 2/								
1960-64 (Av.)	53,690	54,538	75,715	52,083	61,416	50,676	348,118	---
1965	50,883	50,224	60,706	63,588	72,508	58,153	356,062	357,120
1966	48,695	47,624	56,394	65,997	77,797	57,866	354,373	355,432
EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1								
	Number	Number	Number	Number	Number	Number	Number	Number
1960-64 (Av.)	55.7	57.1	57.2	53.3	46.3	58.4	54.7	---
1965	58.1	59.7	59.2	57.2	54.4	58.4	57.7	57.7
1966	58.1	59.2	58.9	57.2	54.7	59.0	57.7	57.7

1/ Includes Alaska and Hawaii. 2/ Hens and pullets of laying age plus pullets not of laying age.

MILK PRODUCTION: December milk production in the United States is estimated at 9,592 million pounds, 4 percent below December 1964, when output set a record high for the month. Preliminary monthly estimates of milk production for 1965 total 125,463 million pounds, about 1 percent less than the record-high annual output of 1964.

Monthly Milk Production, December 1965,
with comparisons
(In millions of pounds)

State	Dec. average 1959-63	Dec. 1964	Nov. 1965	Dec. 1965	State	Dec. average 1959-63	Dec. 1964	Nov. 1965	Dec. 1965
Maine	1/	61	57	60	S.C.	45	43	43	44
N.H.	1/	30	28	30	Ga.	80	75	76	78
Vt.	1/	162	151	157	Fla.	115	114	116	120
Mass.	1/	67	63	66	Ky.	174	180	191	189
R.I.	1/	8.5	8.0	8.1	Tenn.	150	148	158	155
Conn.	1/	60	58	60	Ala.	73	73	74	75
N.Y.	837	905	808	868	Miss.	92	87	86	90
N.J.	95	88	82	86	Ark.	64	58	64	59
Pa.	536	547	540	555	La.	1/	84	83	88
Ohio	426	423	399	416	Okla.	110	101	102	102
Ind.	239	250	245	236	Texas	236	242	244	250
Ill.	318	318	282	296	Mont.	33	29	29	28
Mich.	426	460	439	445	Idaho	123	116	103	109
Wis.	1,412	1,502	1,254	1,400	Wyo.	13.7	13.3	12.4	12.5
Minn.	852	936	701	834	Colo.	68	69	66	67
Iowa	442	492	411	428	N.Mex.	1/	24	24	25
Mo.	239	222	233	213	Ariz.	1/	45	45	45
N.Dak.	119	110	83	98	Utah	61	59	57	59
S.Dak.	102	110	96	107	Nev.	9.4	10.8	10.7	10.6
Nebr.	144	141	116	127	Wash.	153	158	150	152
Kans.	154	150	136	139	Oreg.	71	65	65	64
Del.	1/	13.6	13.4	13.8	Calif.	649	688	674	673
Md.	121	122	122	124	Alaska	1/	1.86	1.59	1.49
Va.	151	144	152	144	Hawaii	1/	11.6	12.8	13.3
W.Va.	45	45	43	43	U. S.	9,651	9,991	9,134	9,592
N.C.	129	128	126	128					

1/ Averages not available.

CROP PRODUCTION, January 1966

Crop Reporting Board, SRS, USDA

		GRAIN STOCKS ON FARMS - JANUARY 1								
		Corn			Wheat			Oats		
State:	Average:	1965	1966	Average:	1965	1966	Average:	1965	1966	
	1960-64:			1960-64:			1960-64:			
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	
Maine :	---	---	---	---	---	---	1,278	1,285	1,010	
Vt. :	47	45	50	---	---	---	371	269	180	
Mass. :	117	94	106	---	---	---	---	---	---	
Conn. :	118	94	73	---	---	---	---	---	---	
N.Y. :	9,244	7,770	8,689	2,210	2,558	1,332	19,902	16,980	16,614	
N.J. :	4,848	2,978	2,752	300	232	246	518	310	221	
Pa. :	42,181	35,194	43,173	3,059	4,436	3,856	18,797	16,632	16,236	
Ohio :	143,322	121,253	134,093	4,263	4,984	4,206	27,023	20,660	19,982	
Ind. :	252,805	218,281	280,534	3,277	5,146	3,144	21,338	11,261	11,007	
Ill. :	518,845	472,689	579,582	4,484	5,793	4,552	54,500	34,813	32,159	
Mich. :	75,609	72,281	67,161	7,998	14,138	6,069	25,073	19,764	17,826	
Wis. :	95,988	78,855	100,774	609	705	492	88,786	73,054	87,533	
Minn. :	283,109	263,945	251,200	6,644	7,022	10,177	118,529	109,390	132,176	
Iowa :	710,763	751,281	779,485	166	106	19	102,730	78,369	74,483	
Mo. :	136,210	101,870	158,676	2,290	3,019	3,262	9,576	7,186	4,967	
N. Dak. :	5,971	5,415	6,382	81,900	116,338	140,171	55,045	81,700	90,168	
S. Dak. :	97,616	82,826	87,438	24,900	30,426	30,398	75,522	75,620	99,187	
Nebr. :	332,622	309,117	314,065	37,021	34,698	24,684	26,476	17,398	23,393	
Kans. :	43,818	23,166	33,549	49,183	40,937	43,852	8,181	5,590	4,461	
Del. :	5,225	5,306	4,988	21	15	14	113	53	36	
Md. :	13,858	12,792	14,459	260	333	225	1,099	671	671	
Va. :	17,803	16,349	23,602	772	998	933	1,548	1,025	1,213	
W. Va. :	2,984	2,096	1,885	237	238	264	605	389	386	
N. C. :	41,240	43,867	38,584	1,615	1,761	1,260	3,398	2,177	2,032	
S. C. :	13,557	14,039	14,206	323	115	72	2,559	2,266	1,587	
Ga. :	32,529	35,028	37,992	193	289	183	1,204	1,365	853	
Fla. :	4,380	3,438	6,741	1/74	33	18	86	84	152	
Ky. :	50,183	37,381	51,038	373	563	484	607	570	438	
Tenn. :	31,625	29,462	31,468	318	304	267	957	683	679	
Ala. :	25,211	24,523	25,967	47	80	52	515	644	318	
Miss. :	18,568	18,362	13,688	41	69	64	1,138	855	474	
Ark. :	5,286	1,952	2,020	75	285	231	961	528	396	
La. :	4,983	3,649	3,990	30	50	32	303	373	211	
Okla. :	2,535	917	891	8,274	5,314	11,298	5,236	4,562	3,550	
Texas :	11,608	7,281	5,811	2,862	1,237	1,453	6,984	9,524	7,032	
Mont. :	151	107	72	47,381	57,217	66,609	7,781	10,869	11,623	
Idaho :	1,218	1,067	1,014	9,325	12,474	12,887	3,854	4,373	4,309	
Wyo. :	857	983	693	2,314	2,122	1,465	2,586	2,519	3,302	
Colo. :	9,300	7,410	10,130	25,935	13,557	9,364	2,876	1,849	2,405	
N. Mex. :	366	489	693	391	139	197	104	60	67	
Ariz. :	204	336	321	71	49	36	79	60	59	
Utah :	120	126	128	1,817	2,306	1,786	828	776	950	
Nev. :	---	---	---	185	89	515	59	68	117	
Wash. :	1,655	926	858	8,558	9,043	11,803	2,689	1,906	1,796	
Oreg. :	1,132	746	699	6,594	9,418	9,697	3,781	3,511	3,588	
Calif. :	2,675	2,673	2,762	207	1,153	548	748	457	576	
U.S. :	3,052,484	2,818,459	3,142,482	347,254	389,789	408,217	706,363	622,498	680,423	
1/1963-64 average.										

GRAIN STOCKS ON FARMS - JANUARY 1

State	Soybeans			Flaxseed			Sorghum		
	Average	1965	1966	Average	1965	1966	Average	1965	1966
	1960-64	1965	1966	1960-64	1965	1966	1960-64	1965	1966
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N.Y.	33	30	38	---	---	---	---	---	---
N.J.	249	164	486	---	---	---	---	---	---
Pa.	83	28	65	---	---	---	---	---	---
Ohio	13,470	10,044	16,331	---	---	---	---	---	---
Ind.	24,592	18,536	27,332	---	---	---	394	175	258
Ill.	57,070	45,872	62,859	---	---	---	300	201	352
Mich.	3,168	2,415	4,858	---	---	---	---	---	---
Wis.	893	736	1,749	46	34	34	---	---	---
Minn.	24,597	22,816	32,800	1,441	1,305	1,875	---	---	---
Iowa	44,775	44,858	64,311	48	21	40	1,158	759	1,106
Mo.	15,483	8,804	14,564	---	---	---	6,365	2,829	5,900
N.Dak.	1,139	640	2,089	5,686	5,779	9,584	---	---	---
S.Dak.	1,087	1,290	2,491	1,666	1,361	2,207	3,891	5,367	7,875
Nebr.	3,498	4,090	8,664	---	---	---	59,201	79,947	102,813
Kans.	3,425	2,418	5,472	---	---	---	54,978	35,355	51,950
Del.	819	184	428	---	---	---	---	---	---
Md.	845	230	863	---	---	---	---	---	---
Va.	1,619	1,528	1,853	---	---	---	152	172	302
N.C.	3,217	3,596	3,771	---	---	---	1,284	1,026	1,218
S.C.	4,394	6,177	8,055	---	---	---	111	95	108
Ga.	361	720	1,171	---	---	---	256	222	332
Fla.	123	129	135	---	---	---	---	---	---
Ky.	1,483	1,053	1,423	---	---	---	413	158	156
Tenn.	1,550	876	2,236	---	---	---	559	317	180
Ala.	523	852	896	---	---	---	186	121	116
Miss.	5,441	8,095	11,490	---	---	---	147	109	101
Ark.	8,127	4,889	6,921	---	---	---	240	120	396
La.	406	402	602	---	---	---	46	30	61
Okla.	316	102	339	---	---	---	8,330	4,414	4,933
Texas	188	141	184	6	---	---	34,378	15,110	22,859
Mont.	---	---	---	101	70	144	---	---	---
Colo.	---	---	---	---	---	---	6,220	4,043	5,879
N.Mex.	---	---	---	---	---	---	2,017	1,386	1,609
Ariz.	---	---	---	---	---	---	1,028	2,087	3,003
Calif.	---	---	---	5	---	---	2,262	2,251	3,469
U.S.	222,975	191,715	284,476	8,999	8,570	13,884	183,917	156,294	214,976

CROP PRODUCTION, January 1966

Crop Reporting Board, SRS, USDA

GRAIN AND HAY STOCKS ON FARMS - JANUARY 1									
State	Barley			Rye			Hay		
	Average: 1960-64:	1965	1966	Average: 1960-64:	1965	1966	Average: 1960-64:	1965	1966
	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels
Maine	---	---	---	---	---	---	368	290	252
N.H.	---	---	---	---	---	---	164	97	99
Vt.	---	---	---	---	---	---	714	612	565
Mass.	---	---	---	---	---	---	229	147	165
R.I.	---	---	---	---	---	---	22	16	18
Conn.	---	---	---	---	---	---	207	121	148
N.Y.	297	240	228	108	107	186	3,532	2,823	3,149
N.J.	357	294	90	25	36	54	259	158	202
Pa.	2,990	3,594	3,842	149	153	209	2,321	2,073	2,099
Ohio	602	296	340	127	137	160	2,066	2,018	2,106
Ind.	500	240	205	170	119	117	1,808	1,535	1,965
Ill.	705	314	320	150	44	78	3,251	2,937	3,148
Mich.	1,203	875	562	224	291	275	2,240	2,207	2,114
Wis.	723	487	462	148	197	145	7,039	5,580	5,942
Minn.	17,909	13,152	12,883	207	291	481	5,200	4,537	5,653
Iowa	361	110	103	31	22	16	6,243	6,128	5,997
Mo.	1,260	292	155	102	170	121	3,521	3,983	4,782
N.Dak.	60,200	65,484	69,490	3,025	5,130	7,363	3,586	3,699	3,966
S.Dak.	8,756	5,288	5,207	1,639	1,989	1,858	4,688	4,336	4,573
Nebr.	3,332	2,043	1,588	1,119	1,046	622	5,105	4,429	5,371
Kans.	7,734	4,364	1,792	448	450	266	2,802	2,959	4,121
Del.	94	63	46	14	19	5	44	26	40
Md.	1,144	1,199	1,096	35	79	15	459	371	389
Va.	1,643	1,740	1,780	31	94	44	1,251	1,103	1,222
W.Va.	183	158	129	---	---	---	666	549	618
N.C.	811	1,094	1,008	38	112	74	575	582	586
S.C.	208	166	94	25	80	17	263	308	316
Ga.	60	92	74	30	25	14	413	635	577
Fla.	---	---	---	---	---	---	105	119	128
Ky.	589	368	286	22	17	24	1,920	1,689	2,114
Tenn.	227	183	154	14	26	29	1,269	1,281	1,357
Ala.	---	---	---	---	---	---	407	506	532
Miss.	---	---	---	---	---	---	595	736	725
Ark.	77	50	18	---	---	---	613	552	788
La.	---	---	---	---	---	---	371	451	459
Okla.	4,140	4,473	3,059	124	146	130	1,469	1,566	2,048
Texas	1,051	588	432	31	48	30	1,326	1,679	2,299
Mont.	33,726	37,338	32,448	251	194	187	2,932	3,147	3,877
Idaho	8,931	9,787	14,901	96	74	82	2,147	2,047	2,150
Wyo.	2,823	3,307	4,371	56	52	70	1,403	1,495	1,457
Colo.	7,750	3,443	6,482	308	132	137	2,017	1,753	2,673
N.Mex.	346	239	290	---	---	---	323	365	417
Ariz.	1,726	2,053	1,974	---	---	---	397	349	439
Utah	3,534	3,052	4,077	---	---	---	844	813	1,043
Nev.	227	130	169	---	---	---	511	535	473
Wash.	5,677	3,586	1,968	291	228	60	1,099	1,192	1,219
Oreg.	5,342	5,219	5,092	151	117	231	1,297	1,430	1,461
Calif.	13,209	14,652	18,020	---	---	---	1,402	1,308	1,423
U. S.	200,454	190,053	195,235	9,200	11,625	13,100	81,482	77,272	87,265

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Wheat			Oats				
	October 1, 1964	April 1, 1965	July 1, 1965	October 1, 1965	October 1, 1964	April 1, 1965	July 1, 1965	October 1, 1965
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Maine	---	---	---	---	1,756	536	214	1,516
Vt.	---	---	---	---	449	121	63	301
N.Y.	2,923	731	292	2,131	23,421	8,490	4,099	20,275
N.J.	463	206	51	337	467	140	99	327
Pa.	6,211	2,070	887	4,998	20,916	9,576	4,788	20,732
Ohio	8,156	1,812	680	6,883	25,734	10,511	4,712	24,890
Ind.	8,234	1,287	515	5,896	13,446	6,051	2,689	13,279
Ill.	8,178	2,726	341	7,398	39,305	20,214	7,861	35,790
Mich.	15,316	5,105	2,160	8,828	25,821	11,476	5,419	21,758
Wis.	866	463	181	738	88,936	42,350	20,116	103,337
Minn.	9,576	6,171	3,192	13,274	129,541	70,528	43,180	152,002
Iowa	265	40	26	117	88,741	57,624	31,117	84,198
Mo.	6,966	1,625	464	5,871	9,424	4,948	2,945	5,988
N.Dak.	137,490	93,675	48,348	179,706	98,900	56,760	38,700	111,384
S.Dak.	34,182	22,913	11,645	35,159	84,181	53,505	30,676	107,453
Nebr.	36,912	23,624	11,812	35,904	21,518	15,109	7,783	27,147
Kans.	60,329	25,855	14,005	63,342	6,965	3,391	1,650	5,642
Del.	38	8	2	36	106	26	8	84
Md.	707	83	62	655	1,092	359	203	929
Va.	1,434	499	312	1,372	1,409	564	256	1,522
W.Va.	302	135	54	314	576	238	108	526
N.C.	2,714	660	183	1,575	3,205	1,452	302	3,367
S.C.	344	69	34	251	4,014	1,619	324	2,462
Ga.	577	111	44	548	2,675	655	328	2,004
Fla.	55	5	---	60	258	32	10	304
Ky.	1,229	256	51	1,183	872	386	201	602
Tenn.	696	174	65	647	1,196	439	134	973
Ala.	159	32	5	117	1,180	279	107	813
Miss.	230	23	9	107	1,350	315	68	790
Ark.	570	142	71	648	968	220	110	648
La.	198	8	---	94	708	219	39	364
Okla.	12,561	4,348	1,449	21,267	6,055	2,488	1,410	5,403
Texas	4,329	928	495	5,084	13,919	5,128	2,930	12,965
Mont.	72,657	40,869	20,889	87,104	11,966	6,681	3,590	13,411
Idaho	17,094	6,006	3,003	20,818	5,278	2,714	1,206	5,666
Wyo.	2,440	1,432	955	1,598	3,621	1,732	504	3,978
Colo.	14,620	7,177	4,785	13,110	2,064	1,017	647	3,135
N.Mex.	305	28	14	394	135	39	12	89
Ariz.	81	16	5	84	150	24	3	147
Utah	2,941	980	519	2,858	988	482	129	1,099
Nev.	668	44	9	670	101	40	7	153
Wash.	18,085	5,754	3,699	16,343	2,790	837	372	2,565
Oreg.	12,742	5,540	1,524	13,636	4,526	2,107	780	4,758
Calif.	2,142	494	82	1,498	748	104	21	815
U.S.	505,985	264,124	132,919	562,563	751,471	401,526	219,920	805,591

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES									
State	Corn			Sorghum			Soybeans		
	April 1, 1965	July 1, 1965	October 1, 1965	April 1, 1965	July 1, 1965	October 1, 1965	April 1, 1965	July 1, 1965	September 1, 1965
	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels
Vt.	18	4	2	---	---	---	---	---	---
Mass.	57	21	9	---	---	---	---	---	---
Conn.	46	26	9	---	---	---	---	---	---
N.Y.	5,034	2,079	876	---	---	---	17	3	2
N.J.	2,234	1,577	219	---	---	---	134	9	1
Pa.	22,829	13,317	4,756	---	---	---	18	4	3
Ohio	80,835	44,267	11,548	---	---	---	4,604	418	209
Ind.	129,604	78,445	13,643	88	35	7	9,268	1,986	331
Ill.	272,154	143,239	25,067	112	33	11	18,636	3,584	717
Mich.	48,866	27,487	11,198	---	---	---	1,132	340	75
Wis.	52,570	29,439	13,668	---	---	---	484	19	10
Minn.	187,755	163,265	97,959	---	---	---	14,260	2,852	1,141
Iowa	588,632	433,729	224,610	455	182	137	25,460	9,699	4,243
Mo.	59,555	34,479	15,672	1,414	1,226	377	6,456	1,174	117
N.Dak.	4,218	2,679	1,482	---	---	---	501	42	28
S.Dak.	63,527	42,619	28,145	3,346	1,882	697	726	121	60
Nebr.	242,878	189,886	132,479	60,912	42,829	37,118	2,887	662	120
Kans.	14,363	8,340	2,780	21,606	11,785	7,857	1,209	302	60
Del.	1,405	234	39	---	---	---	147	32	7
Md.	6,260	1,905	408	---	---	---	188	21	13
Va.	9,584	4,510	1,409	49	10	5	458	76	38
W.Va.	1,003	608	304	---	---	---	---	---	---
N.C.	27,839	13,498	3,374	547	217	80	1,308	163	82
S.C.	7,988	3,389	1,210	54	18	4	1,544	257	137
Ga.	18,915	8,407	2,802	91	22	4	288	120	24
Fla.	802	573	115	---	---	---	32	---	---
Ky.	21,182	10,591	2,492	84	25	8	468	117	---
Tenn.	17,107	9,979	2,376	158	60	38	539	202	135
Ala.	14,620	5,659	2,122	48	12	2	185	74	11
Miss.	7,627	3,672	1,695	40	21	6	3,434	123	25
Ark.	867	506	181	28	8	4	3,667	550	---
La.	1,327	597	199	6	---	---	161	40	---
Okla.	357	178	115	1,913	883	515	51	20	4
Texas	4,228	1,527	235	4,317	2,159	1,079	53	9	5
Mont.	29	10	4	---	---	---	---	---	---
Idaho	593	207	74	---	---	---	---	---	---
Wyo.	520	301	162	---	---	---	---	---	---
Colo.	2,964	1,235	618	2,021	539	270	---	---	---
N.Mex.	219	138	63	853	533	320	---	---	---
Ariz.	120	48	19	835	501	417	---	---	---
Utah	46	15	6	---	---	---	---	---	---
Wash.	438	268	73	---	---	---	---	---	---
Oreg.	368	102	51	---	---	---	---	---	---
Calif.	1,432	382	---	938	188	---	---	---	---
U.S.	1,923,015	1,283,437	604,268	99,915	63,168	48,956	98,315	23,019	7,598

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Barley				Rye			
	October 1, 1964	April 1, 1965	July 1, 1965	October 1, 1965	October 1, 1964	April 1, 1965	July 1, 1965	October 1, 1965
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N.Y.	402	108	60	330	224	73	34	292
N.J.	449	138	26	196	158	15	3	188
Pa.	4,548	1,687	660	5,178	306	90	32	287
Ohio	433	137	72	491	296	78	41	350
Ind.	392	144	80	294	459	63	32	399
Ill.	381	228	86	429	176	15	5	211
Mich.	1,130	398	191	761	614	166	114	528
Wis.	731	280	97	625	312	115	72	248
Minn.	14,919	6,870	2,748	20,398	533	178	113	711
Iowa	140	56	9	132	44	12	2	32
Mo.	512	175	102	352	340	120	57	230
N.Dak.	88,222	38,199	17,280	88,442	6,491	5,026	1,361	7,977
S.Dak.	5,992	3,055	1,528	6,550	2,217	1,630	228	2,160
Nebr.	2,471	1,188	784	1,895	1,534	698	186	806
Kans.	5,380	2,436	1,522	2,450	601	300	129	430
Del.	158	19	6	194	214	11	5	153
Md.	1,903	538	165	1,330	247	35	7	229
Va.	2,559	819	256	2,720	250	37	19	242
W.Va.	228	88	33	221	---	---	---	---
N.C.	1,526	720	144	1,395	282	73	39	172
S.C.	310	76	26	239	293	27	5	171
Ga.	202	37	9	179	420	17	8	321
Ky.	441	172	61	408	50	5	2	70
Tenn.	282	92	56	283	75	19	7	83
Ark.	99	30	5	36	---	---	---	---
Okla.	6,052	1,710	789	4,634	343	94	43	464
Texas	1,218	462	210	782	230	14	5	181
Mont.	45,411	23,210	7,569	43,095	348	155	58	333
Idaho	15,768	7,068	1,903	16,764	105	21	10	117
Wyo.	4,678	1,694	1,008	4,943	100	32	10	112
Colo.	4,802	1,903	906	7,970	194	79	26	176
N.Mex.	299	75	52	402	---	---	---	---
Ariz.	4,951	1,208	483	2,961	---	---	---	---
Utah	4,231	1,387	555	5,164	---	---	---	---
Nev.	260	46	32	508	---	---	---	---
Wash.	6,275	1,120	336	3,937	531	137	46	149
Oreg.	7,176	2,120	489	7,638	239	86	12	369
Calif.	25,641	7,326	366	22,872	---	---	---	---
U. S.	260,572	107,019	40,704	257,198	18,226	9,421	2,711	18,191

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES

State	Flaxseed			
	October 1, 1964	April 1, 1965	July 1, 1965	October 1, 1965
	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels
Wisconsin	43	18	5	40
Minnesota	2,070	1,080	450	3,024
Iowa	31	10	1	60
North Dakota	8,736	4,166	1,613	14,670
South Dakota	1,642	1,220	375	2,365
Texas	37	---	---	19
Montana	158	44	18	210
California	11	---	---	---
United States	12,728	6,538	2,462	20,388

AVOCADOS ^{1/}

State and Seasonal group	Production ^{2/}			
	Average 1959-63	1963	1964	Indicated 1965
	Tons	Tons	Tons	Tons
California, All	48,460	46,800	24,000	6/
Fall and Winter ^{3/}	5/	32,200	12,800	32,000
Spring and Summer ^{4/}	5/	14,600	11,200	6/
Florida	8,300	13,900	13,400	2,900
United States	56,760	60,700	37,400	6/

^{1/} Crop year begins with bloom of the year shown and ends with completion of harvest the following year.

^{2/} Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit.

^{3/} Includes "Fuerte" and other fall and winter varieties.

^{4/} Includes "Hass" and other spring and summer varieties.

^{5/} Not available.

^{6/} First forecast for California "Spring and Summer" varieties, California "All" and U. S. to be released as of April 1, 1966.

CITRUS FRUITS 1/

Crop and State	PRODUCTION					
	1,000 boxes 2/			Equivalent tons		
	Average 1959-63	1964	Indicated 1965	Average 1959-63	1964	Indicated 1965
ORANGES:						
EARLY, MIDSEASON & NAVEL VARIETIES 3/						
Calif.	11,600	15,600	18,000	435,000	585,000	675,000
Fla., All	46,040	46,400	49,300	2,072,200	2,088,000	2,219,000
Temple	3,580	3,800	4,300	161,200	171,000	194,000
Other	42,460	42,600	45,000	1,911,000	1,917,000	2,025,000
Texas	1,065	570	900	47,914	25,600	40,500
Ariz.	642	670	900	24,080	25,100	33,800
La.	164	8	4/	7,390	360	4/
Total above varieties	59,511	63,248	69,100	2,586,584	2,724,060	2,968,300
VALENCIA:						
Calif.	15,860	16,000	16,000	594,800	600,000	600,000
Fla.	38,840	39,800	45,000	1,747,400	1,791,000	2,025,000
Texas	691	310	350	31,085	14,000	15,800
Ariz.	930	1,750	1,800	34,860	65,600	67,500
Total Valencia	56,321	57,860	63,150	2,408,145	2,470,600	2,708,300
ALL ORANGES:						
Calif.	27,460	31,600	34,000	1,029,800	1,185,000	1,275,000
Fla.	84,880	86,200	94,300	3,819,600	3,879,000	4,244,000
Texas	1,756	880	1,250	78,999	39,600	56,300
Ariz.	1,572	2,420	2,700	58,940	90,700	101,300
La.	164	8	4/	7,390	360	4/
U. S., All Oranges	115,832	121,108	132,250	4,994,729	5,194,660	5,676,600
GRAPEFRUIT:						
Fla., All	30,680	31,900	35,000	1,303,800	1,356,000	1,488,000
Seedless	20,560	21,700	24,000	873,800	922,000	1,020,000
Pink	7,620	8,700	9,000	323,800	370,000	382,000
White	12,940	13,000	15,000	550,000	552,000	638,000
Other	10,120	10,200	11,000	430,000	434,000	468,000
Texas	3,054	2,000	3,800	122,160	80,000	152,000
Ariz.	2,626	2,900	3,200	84,060	92,800	102,000
Calif., All	2,996	4,230	4,000	98,040	138,000	130,600
Desert Valleys	1,576	2,530	2,300	50,440	81,000	73,600
Other Areas	1,420	1,700	1,700	47,600	57,000	57,000
U. S., All Grapefruit	39,356	41,030	46,000	1,608,060	1,666,800	1,872,600
LEMONS:						
Calif.	15,180	13,500	15,500	577,000	513,000	589,000
Ariz.	1,088	1,110	1,700	41,320	42,200	64,600
U. S. Lemons	16,268	14,610	17,200	618,320	555,200	653,600
LIMES:						
Fla.	364	560	450	14,560	22,400	18,000
TANGELOS:						
Fla.	740	1,000	1,400	33,320	45,000	63,000
TANGERINES:						
Fla.	3,460	3,900	3,700	164,400	185,000	176,000

1/ The crop year begins with the bloom of the year shown and ends with completion of harvest the following year. Includes quantities not harvested, or harvested but not utilized, on account of economic conditions, and quantities donated to charity. 2/ Net content of box varies. Approximate averages are as follows: Oranges - California and Arizona, 75 lbs.; Florida and other States, 90 lbs.; Grapefruit - California, Desert Valleys and Arizona, 64 lbs.; other California areas, 67 lbs.; Florida 85 lbs. and Texas 80 lbs.; Lemons - 76 lbs.; Limes - 80 lbs.; Tangelos - 90 lbs. and Tangerines - 95 lbs. 3/ Navel and Miscellaneous varieties in California and Arizona. Early and Midseason varieties in Florida and Texas. All varieties in Louisiana. For all States except Florida, includes small quantities of tangerines. 4/ Production too small to warrant a quantitative estimate.

POTATOES, Irish 1966 Crop

Seasonal group and State	Acreage			Yield per harv. acre			Production		
	Harvested	For	Indi-	Average	Indi-	Average	Indi-	Indi-	
	Average 1960-64 1,000 acres	1965 1,000 acres	harvest 1966 1,000 acres	1960-64 Cwt.	1965 Cwt.	cated 1966 Cwt.	1960-64 1,000 cwt.	1965 1,000 cwt.	cated 1966 1,000 cwt.
WINTER:									
Fla.	8.5	10.0	11.2	149	145	165	1,242	1,450	1,848
Calif.	12.5	9.4	14.6	220	235	240	2,747	2,209	3,504
Total	21.0	19.4	25.8	190	189	207	3,990	3,659	5,352
	Acreage planted			Yld. per planted acre			Production		
	Indi-	Indi-	Indi-	Yld. per	Yld. per	Yld. per	Production	Production	Production
E. SPRING:									
Fla.									
Hastings	22.7	27.8	30.0	162	155	---	3,665	4,309	Apr. 11
Other	2.9	3.9	3.4	130	83	---	378	323	"
Texas	1.3	4.3	3.7	101	62	---	130	266	"
Total	26.8	36.0	37.1	156	136	---	4,172	4,898	"
L. SPRING:									
N. Carolina									
8 N.E. Counties	12.3	10.8	11.4	136	140	---	1,694	1,512	May 10
Other Counties	3.5	3.2	3.2	111	120	---	386	384	"
S. Carolina	4.2	3.0	3.2	80	77	---	340	230	"
Ga.	.4	.3	.3	65	62	---	27	19	"
Ala.-Baldwin	14.6	15.3	17.0	125	115	---	1,805	1,755	"
-Other	7.0	6.3	6.9	86	88	---	611	555	"
Miss.	3.3	2.9	3.0	52	60	---	173	174	"
Ark.	4.5	4.2	4.3	58	63	---	265	265	"
La.	3.9	3.8	4.0	50	42	---	194	160	"
Okla.	1.6	1.1	.9	59	64	---	97	70	"
Texas	6.0	7.0	8.4	77	77	---	458	536	"
Ariz.	9.5	11.0	10.7	239	210	---	2,256	2,310	"
Calif.	47.7	54.4	54.4	331	315	---	15,692	17,136	"
Total	118.5	123.3	127.7	203	204	---	23,998	25,106	"

CROP PRODUCTION, January 1966

Crop Reporting Board, SRS, USDA

State and Division	DECEMBER EGG PRODUCTION							
	Number of layers on hand during December		Eggs per 100 layers		Total eggs produced			Incl. 1/
	1964	1965	1964	1965	During December 1964	During December 1965	Jan.-Dec. 1964	
	Thousands	Thousands	Number	Number	Millions	Millions	Millions	Millions
Maine	4,268	4,496	1,968	1,953	84	88	952	946
N.H.	1,599	1,595	1,885	1,938	30	31	348	332
Vt.	702	688	1,906	1,922	13.4	13.2	156	155
Mass.	2,787	2,730	1,860	1,829	52	50	607	575
R. I.	394	388	1,854	1,823	7.3	7.1	83	80
Conn.	3,644	3,642	1,829	1,866	67	68	773	747
N.Y.	9,574	10,072	1,761	1,801	169	181	1,909	2,030
N.J.	7,780	6,788	1,609	1,606	125	109	1,632	1,487
Pa.	15,234	14,003	1,779	1,761	271	247	3,143	3,070
N.Atl.	45,982	44,402	1,781	1,788	819	794	9,603	9,422
Ohio	11,257	10,497	1,857	1,835	209	193	2,424	2,308
Ind.	10,432	10,020	1,817	1,798	190	180	2,182	2,153
Ill.	8,907	8,250	1,680	1,761	150	145	1,863	1,806
Mich.	6,262	6,237	1,841	1,876	115	117	1,316	1,372
Wis.	7,658	7,304	1,906	1,835	146	134	1,630	1,578
E.N.Cent.	14,516	14,308	1,820	1,818	810	769	9,415	9,217
Minn.	12,774	11,600	1,934	1,857	247	215	2,791	2,565
Iowa	17,352	16,292	1,872	1,857	325	303	3,818	3,628
Mo.	6,386	6,150	1,575	1,643	101	101	1,366	1,297
N.Dak.	1,983	1,747	1,451	1,581	29	28	387	355
S.Dak.	6,692	6,132	1,767	1,770	118	109	1,383	1,306
Nebr.	6,784	6,330	1,686	1,680	114	106	1,397	1,328
Kans.	4,643	4,380	1,655	1,680	77	74	927	935
W.N.Cent.	56,614	52,631	1,786	1,778	1,011	936	12,069	11,414
Del.	618	596	1,761	1,736	10.9	10.3	128	126
Md.	1,400	1,312	1,674	1,674	23	22	276	272
Va.	5,896	5,910	1,767	1,779	104	105	1,237	1,214
W.Va.	1,627	1,544	1,609	1,674	26	26	327	318
N.C.	11,378	11,582	1,770	1,779	201	206	2,388	2,396
S.C.	4,998	5,154	1,798	1,869	90	96	1,053	1,119
Ga.	16,184	17,467	1,686	1,699	273	297	3,299	3,546
Fla.	7,323	8,261	1,891	1,885	138	156	1,611	1,768
S.Atl.	49,424	51,826	1,752	1,771	866	918	10,319	10,759
Ky.	5,205	5,308	1,469	1,429	76	76	943	1,032
Tenn.	5,251	5,338	1,454	1,516	76	81	973	995
Ala.	10,570	10,725	1,779	1,810	188	194	2,177	2,244
Miss.	10,718	12,286	1,823	1,854	195	228	2,160	2,475
Ark.	10,822	11,226	1,699	1,764	184	198	2,242	2,362
La.	2,893	3,117	1,531	1,544	44	48	542	603
Okla.	2,679	2,552	1,550	1,569	42	40	530	494
Texas	12,709	13,682	1,637	1,643	208	225	2,592	2,623
S.Cent.	60,847	64,234	1,665	1,697	1,013	1,090	12,159	12,828
Mont.	1,006	987	1,600	1,693	16	17	189	188
Idaho	1,200	1,200	1,860	1,860	22	22	260	267
Wyo.	290	291	1,637	1,643	4.7	4.8	60	60
Colo.	1,294	1,308	1,578	1,631	20	21	262	268
N.Mex.	708	749	1,500	1,618	110.6	12.1	149	149
Ariz.	946	990	1,720	1,720	16.3	17.0	193	191
Utah	1,190	1,120	1,798	1,817	21	20	273	248
Nev.	50	45	1,302	1,311	0.7	0.6	10	9
Wash.	4,740	4,583	1,804	1,820	86	83	1,041	1,063
Oreg.	2,508	2,322	1,786	1,860	45	43	550	525
Calif.	36,217	36,000	1,823	1,860	660	670	7,801	7,972
West	50,149	49,595	1,799	1,835	902	910	10,788	10,940
48 States	307,532	304,996	1,763	1,776	5,421	5,417	64,353	64,580
Alaska	27	46	1,810	1,972	0.5	0.9	5	9
Hawaii	852	838	1,838	1,860	15.7	15.6	188	188
U. S.	308,411	305,880	1,763	1,777	5,437	5,434	64,546	64,777

1/ Cumulative State totals based on unrounded monthly data.

E R R A T A

"Crop Production" - 1965 Annual Summary (CrPr 2-1 (65))

The following corrections should be entered in the above report:

Page 45 - 28 Crops Yield as Percent of 1957-59 Average - 1963 -
Change from 112.9 to 116.1.

Page 86 - 1964 Acreage Harvested for Sugar Beets for Nebraska -
Change from 86,500 acres to 86,200 acres.

Page 89 - Peaches
Change footnotes on California, Clingstone from 2 to 3; and on
United States Average 1959-63 from 3 to 4.

Page 98 - 1965 Unharvested production for Apples - Change Massachusetts from
20,000 bushels to 200,000 bushels and United States from 2,804,000
bushels to 2,984,000 bushels.

Page 103 - Potatoes
Please substitute the following page of data (planted acres of
potatoes) for page 103 of the Annual Crop Summary.

* Asterisks denote figures which were corrected in case you wish
to make pen and ink changes on the original table.

PLANTED ACREAGE, IRISH POTATOES, 1964 and 1965					
Seasonal group and State	1964	1965	Seasonal group and State	1964	1965
	1,000 acres	1,000 acres		1,000 acres	1,000 acres
<u>WINTER:</u>			<u>LATE SUMMER: (Cont):</u>		
Fla.	7.5	10.1	Wis.	22.0	*21.5
Calif.	10.9	9.4	Minn.	7.3	7.4
Total	18.4	19.5	Nebr.	3.5	3.3
<u>EARLY SPRING:</u>			Md.	1.4	1.0
Fla.-Hastings	24.0	27.8	Va.	2.6	2.7
-Other	1.6	3.9	W.Va.	7.5	7.5
Texas	1.7	4.3	N.C.	2.8	3.0
Total	27.3	36.0	Colo.	12.5	13.0
<u>LATE SPRING:</u>			N.Mex.	1.8	2.3
N.C.			Wash.	20.5	*19.0
8 N.E. Counties	9.6	10.8	Calif.	7.8	8.6
Other Counties	3.0	3.2	Total	142.3	*140.7
S.C.	3.0	3.0	<u>FALL:</u>		
Ga.	.3	.3	Maine	145.0	*151.0
Ala.-Baldwin area	14.4	15.3	N.H.	1.5	1.5
-Other	6.3	6.3	Vt.	2.0	2.0
Miss.	2.5	2.9	Mass.	4.8	4.6
Ark.	3.6	4.2	R.I.	4.0	4.2
La.	3.2	3.8	Conn.	6.7	6.7
Okla.	1.2	1.1	N.Y.-L.I.	27.7	*26.0
Texas	5.2	7.0	-Upstate	42.0	40.0
Ariz.	8.2	11.0	Pa.	35.8	34.7
Calif.	36.8	54.4	8 Eastern - Fall	269.5	*270.7
Total	97.3	123.3	Ohio	9.6	9.4
<u>EARLY SUMMER:</u>			Ind.	4.0	4.0
Mo.	4.5	4.5	Mich.	38.5	45.5
Kans.	2.1	2.1	Wis.	37.0	*39.5
Del.	8.5	8.0	Minn.	102.0	101.0
Md.	2.7	2.4	Iowa	2.8	3.0
Va.-Eastern Shore	20.5	22.0	N.Dak.	114.0	108.0
-Norfolk	.3	.3	S.Dak.	5.1	5.1
-Other	3.7	3.7	Nebr.	8.1	8.1
N.C.	4.5	4.3	9 Central - Fall	321.1	*323.6
Ga.	.6	.6	Mont.	7.6	8.0
Ky.	8.0	8.0	Idaho-10 S.W. Co.	19.1	33.0
Tenn.	6.5	*7.2	-Other Co.	225.0	250.0
Texas	11.3	11.9	Wyo.	3.6	3.8
Calif.	8.4	7.5	Colo.	34.0	35.5
Total	81.5	*82.5	Utah	9.0	9.5
<u>LATE SUMMER:</u>			Nev.	.5	1.0
Mass.	2.0	1.9	Wash.	17.0	*31.0
R.I.	1.2	1.2	Oreg.-Malheur Co.	10.8	12.5
N.Y.-L.I.	10.8	*11.0	-Other Co.	24.2	*28.0
N.J.	17.3	16.6	Calif.	25.2	27.0
Pa.	3.2	3.3	9 Western - Fall	376.0	*439.3
Ohio	4.0	4.2			
Ind.	3.4	3.3	Total	966.6	*1,033.6
Ill.	3.1	2.5			
Mich.	7.6	*7.4	U. S.	1,333.5	*1,435.6

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS