

Crop Production

Release:
January 10, 1967
3:00 P.M. (E.S.T.)

UNITED STATES CROP SUMMARY AS OF JANUARY 1, 1967

Corn stocks on farms January 1, 1967, estimated at 2.9 billion bushels, were 6 percent less than a year earlier.

Wheat stocks on farms, placed at 409 million bushels, were 1 percent above a year earlier.

Oats stocks on farms totaled 555 million bushels, down 16 percent from January 1, 1966.

Soybean farm stocks, estimated at a record 347 million bushels, were 22 percent more than a year earlier.

Sorghum grain stocks on farms totaled 239 million bushels, up 12 percent from January 1, 1966.

Barley farm stocks totaled 177 million bushels, down 4 percent from 1966.

Flaxseed stocks on farms, estimated at 8 million bushels, were 45 percent less than a year earlier.

Hay on farms totaled 85 million tons, 4 percent less than a year earlier.

Citrus production is expected to be up 25 percent from last year's crop. The 1966-67 orange crop is expected to total 181 million boxes, 28 percent more than the 1965-66 crop and 58 percent above average. The grapefruit crop, at 51.5 million boxes, is 10 percent above last year and 31 percent more than average.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

CrPr 2-2 (1-67)

Crop Reporting Board

Washington, D. C.

GRAIN AND HAY STOCKS ON FARMS--JANUARY 1 1/

CROP	: January 1 average :		January 1,		January 1,	
	: 1961-65 :		1966 :		1967 :	
	: Percent:	: 1,000 :	: Percent:	: 1,000 :	: Percent:	: 1,000 :
	: 2/ :	: bushels :	: 2/ :	: bushels :	: 2/ :	: bushels :
Corn	80.2	3,019,877	75.5	3,084,863	70.3	2,884,666
Wheat	29.3	359,501	30.8	405,314	31.2	408,733
Durum wheat:	---	3/ 38,450	82.5	57,608	63.5	40,159
Oats	68.8	692,797	71.2	660,285	69.5	554,800
Soybeans	33.5	221,989	33.6	284,310	37.3	347,060
Barley	48.0	198,886	47.0	184,514	45.5	177,193
Rye	30.2	10,072	39.6	13,141	33.9	9,479
Flaxseed	33.1	9,315	39.4	13,953	32.2	7,693
Sorghum	33.0	177,878	31.7	212,918	33.2	239,218
Hay	69.1	4/ 81,345	70.5	4/ 88,524	70.1	4/ 84,762

GRAIN AND HAY STOCKS ON FARMS--OTHER QUARTERS 1/

CROP	: October 1, :		April 1, :		July 1, :		October 1,	
	: 1965 :		1966 :		1966 :		1966 :	
	: 1,000 :	: 1,000 :	: 1,000 :	: 1,000 :	: 1,000 :	: 1,000 :	: 1,000 :	: 1,000 :
	: bushels :	: bushels :	: bushels :	: bushels :	: bushels :	: bushels :	: bushels :	: bushels :
Corn	581,497	2,122,751	1,323,576	529,705				
Wheat	558,292	255,582	1 130,771	543,737				
Durum wheat ...:	75,997	48,993	24,029	62,503				
Oats	780,696	448,355	240,746	675,361				
Soybeans	5/ 7,568	149,747	19,155	5/ 4,412				
Barley	243,804	99,174	46,132	245,252				
Rye	18,182	9,945	3,955	15,610				
Flaxseed	20,487	10,809	3,448	10,094				
Sorghum	47,442	133,587	71,352	50,614				
Hay	4/ 22,697							

1/ Individual quarters are based on revised production estimates reported in the 1966 Annual Summary and Statistical Bulletin 384 issued in December 1966. The January 1961-65 average is based on the unrevised production estimates. 2/ Percent of preceding year's crop. 3/ 1962-65 average. 4/ 1,000 tons. 5/ September 1 estimate.

ERRATA
 1966 ANNUAL CROP SUMMARY
 Corrections to the 1966 Annual Crop
 Summary, CrPr 2-1 (66), issued
 December 20, 1966 are shown on page
 22.

CROP PRODUCTION, January 1967

Crop Reporting Board, SRS, USDA

CITRUS FRUITS 1/

CROP	PRODUCTION		
	Average	1965	Indicated
	1960-64 2/		1966
	1,000	1,000	1,000
	<u>boxes</u>	<u>boxes</u>	<u>boxes</u>
Oranges	114,742	141,150	181,300
Grapefruit	39,254	46,700	51,500
Lemons	15,464	16,270	17,600

1/ Season begins with the bloom of the year shown and ends with the completion of the harvest the following year. 2/ Revised.

POTATOES, IRISH, 1967 CROP

Seasonal group	Acreage			Yield per harv. acre			Production		
	Harvested	For	Average	Indi-	Average	Indi-			
	Average:	harvest:	1961-65:	cated:	1961-65:	cated:			
	1961-65:	1966	1967	1961-65:	1966	1967	1961-65:	1966	1967
	1,000	1,000	1,000		1,000	1,000	1,000	1,000	1,000
	<u>acres</u>	<u>acres</u>	<u>acres</u>	<u>Cwt.</u>	<u>Cwt.</u>	<u>Cwt.</u>	<u>cwt.</u>	<u>cwt.</u>	<u>cwt.</u>
Winter	20.6	25.5	24.6	197	199	186	4,069	5,084	4,581
	Acreage planted:			Yield per planted acre:			Production		
	:			:			:		
Early Spring ..	28.4	39.0	38.2	158	126	---	4,454	4,924	Apr 10
Late Spring ..	116.5	127.6	115.5	204	211	---	23,735	26,956	May 10

MILK AND EGG PRODUCTION

MONTH	MILK			EGGS		
	Average	1965	1966	Average	1965	1966
	1960-64			1960-64 1/		
	Million	Million	Million	Millions	Millions	Millions
	<u>pounds</u>	<u>pounds</u>	<u>pounds</u>	<u>Millions</u>	<u>Millions</u>	<u>Millions</u>
November	9,252	9,106	9,108	4,986	5,166	5,343
December	9,788	9,556	9,552	5,254	5,402	5,601
Jan.-Dec. Incl.	125,285	125,061	121,461	62,726	64,588	64,564

1/ Data for Alaska and Hawaii not available for inclusion in average.

CROP REPORTING BOARD:

- G. D. Simpson, Chairman,
- M. L. Koehn, Secretary,
- R. K. Smith, C. E. Burkhead,
- J. M. Koepper, R. S. Overton,
- K. D. Ackers, C. O. Doescher,
- A. J. Hintzman, J. R. Kendall,
- E. L. Park, N. V. Perkins,
- A. K. Potter, W. H. Walther,
- P. M. Williamson,

APPROVED:

John A. Schmettker

ACTING SECRETARY OF AGRICULTURE

GENERAL CROP REPORT AS OF JANUARY 1, 1967

December weather brought adequate to excessive moisture to most of the country east of the Mississippi River and the Far West but only limited precipitation to the dry areas in the Central and Southern Great Plains, according to the Crop Reporting Board. Heavy rains and snow delayed wind-up of corn harvest in southeastern portions of the Corn Belt and caused losses of corn in some fields. Livestock were reported in good condition. Grazing was limited the latter part of the month by snow cover over much of the northern half of the country, but cattle had made good use of pastures and crop residues early in the month.

December milk production was about the same as a year earlier but 2 percent below average. Egg production was up 4 percent from December 1965 and 7 percent above average because both the number of layers and rate of lay was up. Citrus production in 1966-67 is indicated 25 percent more than the previous year and 49 percent above average. Winter vegetable output is expected to be 3 percent more than last year; but winter potato production, 10 percent less.

Farm stocks of the four feed grains on January 1 were 6 percent below a year earlier. Stocks of all wheat on farms were 1 percent above a year earlier and soybean stocks were at record levels -- 22 percent more than last year's record high stocks. Farm stocks of hay were down 4 percent from January 1, 1966 and all regions except the North Atlantic had lower hay supplies.

December temperatures varied widely but averaged slightly below normal over most of the country, except the North Atlantic States, portions of the Eastern Corn Belt, and the Northwest. In general, the month began and ended cold, but some unusually high temperatures occurred about mid-month, especially in the North Central and North Atlantic States. Freezing temperatures pushed as far south as the Gulf Coast and northern Florida about the first of the month and each week thereafter except the second. However, damage to crops was light and confined mostly to vegetables. Several snowstorms occurred during the month and parts of the East received the heaviest pre-Christmas snowfall of record. Near the end of the month the worst blizzard of the season moved across the Great Plains, winds up to 50 miles per hour and near zero temperatures. However, the snow in Nebraska and Kansas was welcome because soils were very dry in the area. At the end of the month snow covered the ground over much of the northern half of the country.

Precipitation during December averaged near normal or above over a large part of the country. The chief exceptions were most of the Western Corn Belt, Central and Southern Great Plains, and portions of the South Atlantic States. Heavy rains and snow the first part of December resulted in some local flooding in parts of Ohio, Indiana, and Illinois, bringing an already slow corn harvest to a halt. Flood waters and high moisture caused considerable loss of grain in some fields. Some local flooding also occurred in northern Arizona, Utah, and the Pacific Coast States. T h e a b o v e n o r m a l p r e c i p i t a t i o n h e l p e d

replenish depleted irrigation water supplies in Idaho, Utah, and Nevada but normal or above precipitation for the rest of the winter will be needed for supplies to reach adequate levels. Although rainfall was below average in parts of the South Atlantic States soil moisture supplies are sufficient for current needs. Precipitation continued below average in the Central and Southern Plains as much of the area received less than half normal precipitation.

Fall seeded grains east of the Mississippi River and in the Northern Plains generally held earlier good conditions. In the Pacific Coast States ample moisture and mild temperatures favored development and condition of small grains improved. Late-seeded grains are now well established. However, some fields were damaged by local floods and reseeding will be necessary. Small grains in the central and northern Mountain States also received beneficial moisture in December. Lack of moisture continued to plague the Central and Southern Plains States. Dry weather since wheat emerged has retarded root and plant growth and wheat in the area is particularly susceptible to winter hazards. Rain and snow the last week of December provided some relief but additional moisture is needed. Snow cover over the Northern Plains and central and northern Mountain States at the end of the month benefited small grains and gave added protection from the cold temperatures.

CORN ON FARMS: January 1, 1967 stocks of corn on farms totaled 2,885 million bushels, 6 percent below a year earlier, and the lowest since January 1, 1965. This equals some 70 percent of the 1966 production. Stocks on North Central region farms totaled 2,641 million bushels. This important corn producing area accounted for about 92 percent of total U.S. farm stocks.

Farm disappearance of corn during October-December, at 1,748 million bushels, is a record high. Relatively strong corn prices since harvest, and increased harvest by picker-sheller and combine, leads to the sale of corn directly from the field and has resulted in more movement of corn off farms soon after harvest. Needs for livestock feed have also caused a steady drain on farm-stored corn.

WHEAT ON FARMS: Stocks of all wheat on farms January 1, 1967 totaled 409 million bushels, 1 percent above a year earlier and the largest for the date since 1961. Disappearance from farms during October - December was 135 million bushels, 18 million bushels less than in the same quarter of 1965. Stocks on January 1 equaled 31 percent of the 1966 production of all wheat, the same as a year earlier.

Stocks of durum wheat on farms January 1, 1967 totaled 40.2 million bushels, 30 percent below a year earlier and smallest for the date since 1962. Disappearance from farms during October - December 1966 was 22.3 million bushels compared with 18.4 million bushels in the year earlier quarter.

OATS ON FARMS: Oats stored on farms January 1 totaled 555 million bushels, down 16 percent from a year earlier. Lower farm holdings continue to reflect the downward trend in production of

recent years. Stocks were below a year earlier in the North Central States where 89 percent of farm stocks are located. Stocks were also lower in other regions except the South Atlantic and South Central where stocks were above a year earlier because of higher production. Disappearance from farms during the October - December 1966 quarter totaled 120 million bushels, same as the year earlier period.

SOYBEANS ON FARMS: Soybeans on farms January 1 are estimated at 347 million bushels, a record high. Current stocks are 22 percent above January 1, 1966 farm holdings. Stocks were 37.3 percent of the 1966 production compared with 33.6 percent a year earlier.

Except the small producing North Atlantic Region, January 1 farm stocks were above last year in all areas because of the record 1966 crop. The North Central States, where 84 percent of the total U. S. farm stocks were located, had 19 percent more on hand than a year earlier. Iowa had the largest stocks, at 86 million bushels, followed by Illinois, 65 million, and Minnesota, 48 million.

The September 1, 1966 farm supply totaled 936 million bushels (1966 production of 932 million bushels plus a carryover of 4 million). From this supply the indicated movement from farms for September - December amounted to 589 million bushels or 62.9 percent of beginning supplies. This compares with 569 million bushels farm disappearance for the same period a year earlier.

FLAXSEED STOCKS ON FARMS: Flaxseed stored on farms January 1 totaled 7.7 million bushels -- lowest for January 1 since 1962. Stocks were 45 percent below a year earlier. Most of the stocks were located in the Dakotas and Minnesota, with North Dakota having 66 percent of the national total.

Disappearance of flaxseed from farms during the October - December quarter was 2.4 million bushels, 63 percent below the same quarter a year earlier.

SORGHUM GRAIN ON FARMS: January 1 farm stocks of sorghum grain totaled 239 million bushels, 12 percent greater than year-earlier holdings. The current high level of farm stocks results mainly from the record large 1966 crop. Nebraska, Kansas, and Texas account for 85 percent of the U. S. total stocks on farms.

Disappearance from farms in the October - December 1966 quarter totaled 532 million bushels. This is 5 percent above the year-earlier quarter.

BARLEY STOCKS ON FARMS: Stocks of barley on farms on January 1 totaled 177 million bushels, 4 percent below a year earlier. January 1 stocks were down 4 percent from a year earlier in the Western States and 5 percent in the North Central States.

Disappearance of barley from farms during October - December 1966 was 68 million bushels, 15 percent more than a year earlier. In the Western States, October - December disappearance was up 32 percent and in the North Central States disappearance was 2 percent below a year earlier.

RYE STOCKS ON FARMS: Rye stored on farms January 1 totaled 9.5 million bushels, down 3.7 million bushels from a year earlier, mostly due to sharply lower farm stocks in North Dakota, the leading rye producing State. Farm stocks in North Dakota on January 1, at 3.7 million bushels, were only about half the baldwins a year earlier, due to the sharply reduced 1966 crop. Disappearance of rye from U. S. farms during the October-December quarter was 6.1 million bushels compared with 5.0 million bushels a year earlier.

HAY STOCKS ON FARMS: January 1 farm stocks of hay are estimated at 84.8 million tons, down 4 percent from a year earlier when stocks were near the record high set in 1959. The feeding season started last May 1 with carryover stocks of 22.7 million tons. Production in 1966, at 120.9 million tons was 4 percent below a year earlier, but 2 percent above average. Dry weather in the Mountain States during most of the growing season limited the growth of range grasses and resulted in the feeding of more than the usual quantities of supplemental feed. Most of the Nation had generally mild, open weather in late fall which permitted grazing and gleaning of fields. However, the dry Western areas had only limited quantities of range feed available. Disappearance from May 1 to January 1, at 58.8 million tons, is above the same period a year ago. Hay stocks on January 1 were below last year in all regions except the North Atlantic.

AVOCADOS: California's production of fall and winter variety avocados is forecast at 40,000 tons, 23 percent more than last year. Harvest of both Fuerte and other fall and winter varieties is increasing. Movement of avocados is running ahead of last season. Over one-fourth of the 1966-67 crop had been shipped by the end of December, compared with about 17 percent of the 1965-66 crop shipped a year earlier.

CITRUS: The U. S. production of oranges during the 1966-67 season is expected to be the largest of record. The January 1 forecast of production at 181.3 million boxes is 28 percent larger than last season's crop and 58 percent more than average. Florida's crop is expected to total 142.4 million boxes, the largest of record for that State. Texas expects to harvest 2.4 million boxes, the largest crop since the disastrous freeze in January 1962. California's crop at 34 million boxes is 8 percent under last season but 23 percent more than average. Arizona expects to harvest slightly fewer oranges than last year due to a short crop of Navels.

The Nation's 1966-67 grapefruit crop is expected to total 51.5 million boxes, up 10 percent from last season and 31 percent more than average. Florida and Texas account for the increase from last season, as both California and Arizona expect fewer grapefruit than in the 1965-66 season. Lemon production is forecast at 17.6 million boxes, 8 percent more than last season and 14 percent above average. California and Arizona each expect to harvest more lemons than both last year and average.

Florida's tangerine crop is estimated at 4.6 million boxes, 28 percent more than last season. Tangelos in Florida are forecast at 1.8 million boxes, up 50 percent from 1965-66.

In Florida, citrus trees are in good condition in spite of the shortage of rainfall the past three months. Irrigation is widespread, supplies of irrigation water are low but not dangerously so. Non-irrigated groves are beginning to shed leaves, however, these represent only a very small segment of the producing trees. Cold weather has brought out good color and caused only minor damage to some groves in low areas. Fruit size is about average and droppage has been light. Orange maturity is two to three weeks later than in the past two years. Harvest increased about mid-December because concentrate plants opened. Picking for fresh market was at a virtual standstill during the seven day post-Christmas shipping holiday, but harvest for processing kept volume at the pre-holiday level. At the end of December, harvest was in full swing and is expected to, and must, continue at a high level for this record crop to be harvested during its optimum yield. Approximately two-thirds of the oranges and one-half the grapefruit picked to date have been utilized for processing. Over 60 percent of both the tangerines and tangelos have been harvested.

In California, picking of Navel oranges continues at a normal pace. Movement to date is running ahead of last year due to an earlier starting date. Fruit set was lighter than last year's, but sizes are good. December rain was beneficial for growth and development of the new crop Valencias. There has been frost in most producing areas, but not of long enough duration to cause any damage. Weather conditions have favored development of Desert Valleys grapefruit, but fruit size is below normal. Fruit is coloring well and there has been no damage from freezing temperatures. Only a small volume has been picked to date but is expected to increase gradually. Heaviest movement is expected in May and June. California's "Other Areas" grapefruit has escaped freeze damage, and trees are in good condition. Fruit sizes are small in some districts. December rains ranged from 9 to 16 inches in some localities and leached harmful soil salts. Although beneficial, the leaching and rainfall also caused heavy loss of fertilizers. Very little of this crop is expected to be harvested before April or May and volume movement is expected during the summer. Lemons are sizing rapidly. Harvest is increasing in Southern California. Picking in the Central area continues seasonally and movement from the Desert area nears completion.

In Arizona, late December rain slowed harvest of oranges and grapefruit. Lemon harvest is expected to be completed by mid-January. In Texas, harvest of

early oranges and grapefruit continued through December. There was some scattered freeze damage, but losses are not expected to be heavy. Picking of Valencías is not expected to begin before February 1.

POTATOES: Production of 1967 winter potatoes is forecast at 4,581,000 hundredweight--10 percent less than 1966 but 13 percent above average. The forecast is 5 percent above a month ago as more acreage was planted than estimated earlier. Stands in Florida are mostly good. Harvest of both "reds" and "whites" has started in the Everglades and digging of "reds" is expected to start in Ft. Myers by mid-January. In California, harvest is underway in all areas. Volume is expected to increase steadily during January.

Intentions for the late spring potato plantings are placed at 115,500 acres, 9 percent below the acreage planted in 1966 and 1 percent below average. Reductions from 1966 planted acreages are reported for California, Arizona, Texas, Louisiana, Arkansas, Alabama, and South Carolina. The acreages in North Carolina, Georgia, Mississippi, and Oklahoma are expected to be the same as in 1966. In the Baldwin area of Alabama, land preparation has progressed well. Plantings are expected to start in late January. In Louisiana, plantings are not expected to start until early February. Some planting in Arizona is underway; however, most is expected to be planted during January and early February. In California, planting in the early Edison district was nearing completion by January 1, while in the other areas, planting is underway.

POULTRY AND EGGS: Egg production during December totaled 5,601 million eggs, up 4 percent from December 1965 and 7 percent above the 5-year average for December. Layer numbers during December averaged 311.7 million, up 2 percent from a year earlier and 1 percent above the November 1966 average. Monthly production per layer averaged 17.97 eggs during December, a seasonal increase of 4 percent from a month earlier and up 1 percent from December 1965. For August through December, the rate of lay set a new high for each month. Total egg production was 64,564 million eggs during 1966, compared with 64,588 million during 1965. The 1966 production is second only to the record 1965 level.

December egg production set record highs for the month in the South Atlantic, South Central, and Western regions. Production was above a year earlier in all regions, by 8 percent in the South Atlantic, 7 percent in the South Central, 2 percent in both the North Atlantic and East North Central, 1 percent in the West North Central and 2 fractionally higher in the West.

Layer numbers on January 1 totaled 312.1 million, compared with 303.7 million on January 1, 1966 and 311.2 million on December 1, 1966. Layer numbers on January 1 continued at a record low in the West North Central States but at a record high in the South Atlantic region. The South Central States have their highest January 1 number since 1950.

Rate of lay per 100 layers on January 1 was 58.1 eggs, 1 percent above a year earlier and up seasonally from the 57.9 on December 1, 1966. Rate of lay was 3 percent above a year earlier in the West North Central, 2 percent in the South Atlantic, and 1 percent in the North Atlantic, but was down 1 percent in the West. The rate showed little change in the East North Central and South Central regions. Pullets not of laying age on January 1 totaled 55.5 million, up 15 percent from a year earlier and up 35 percent from the January 1 average. Potential layers (hens and pullets of laying age plus pullets not of laying age) are estimated at 367.6 million birds compared with 352.0 million a year earlier and 368.0 million on December 1, 1966. Compared with a year earlier, potential layers were up 9 percent in both the South Atlantic and South Central, up 3 percent in the East North Central and 2 percent in both the North Atlantic and Western regions. Potential layers were 1 percent below a year earlier in the West North Central region.

HENS AND PULLETS OF LAYING AGE, PULLETS NOT OF LAYING AGE, POTENTIAL
LAYERS AND EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1

Year	North Atlantic	E. North Central	W. North Central	South Atlantic	South Central	Western	48 States	United States 1/
HENS AND PULLETS OF LAYING AGE ON FARMS, JANUARY 1								
	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.	Thou.
1961-65 (Av.)	47,444	48,424	66,582	45,216	54,957	45,243	307,867	308,664
1966	44,741	42,599	51,215	51,125	62,289	50,859	302,828	303,699
1967	44,919	42,967	50,323	54,842	66,714	51,453	311,218	312,139
PULLETS NOT OF LAYING AGE ON FARMS, JANUARY 1								
1961-65 (Av.)	4,948	4,442	4,091	10,043	9,233	8,081	40,839	41,022
1966	4,131	5,068	2,973	14,244	12,769	8,903	48,088	48,276
1967	5,055	6,047	3,528	16,181	15,008	9,469	55,288	55,463
POTENTIAL LAYERS ON FARMS, JANUARY 1 2/								
1961-65 (Av.)	52,393	52,866	70,673	55,259	64,190	53,324	348,706	349,685
1966	48,872	47,667	54,188	65,369	75,058	59,762	350,916	351,975
1967	49,974	49,014	53,851	71,023	81,722	60,922	366,506	367,602
EGGS LAID PER 100 LAYERS ON FARMS, JANUARY 1								
	Number	Number	Number	Number	Number	Number	Number	Number
1961-65 (Av.)	56.1	57.4	57.5	54.1	48.2	58.6	55.3	55.3
1966	58.0	59.2	58.9	57.2	54.7	59.0	57.7	57.7
1967	58.6	59.1	60.6	58.1	54.9	58.7	58.1	58.1

1/ Includes Alaska and Hawaii.

2/ Hens and pullets of laying age plus pullets not of laying age.

MILK PRODUCTION: United States milk production for December is estimated at 9,552 million pounds, about equal to December 1965, but 2 percent less than the 1960-64 average. Preliminary monthly estimates of milk production for 1966 totaled 121,461 million pounds, nearly 3 percent below the 1965 output.

Monthly Milk Production on Farms, December 1966,
with comparisons
(In millions of pounds)

State	Dec. : average : : 1960-64 :	Dec. : : 1965 :	Nov. : : 1966 :	Dec. : : 1966 :	State	DDec. : : average : : 1960-64 :	Dec. : : 1965 :	Nov. : : 1966 :	Dec. : : 1966 :
Maine	1/	58	53	55	S.C.	45	44	40	42
N.H.	1/	30	26	29	Ga.	78	78	79	80
Vt.	1/	156	140	151	Fla.	116	123	119	126
Mass.	1/	65	60	63	Ky.	177	181	185	178
R.I.	1/	8.2	7.2	7.7	Tenn.	151	154	169	158
Conn.	1/	60	57	59	Ala.	72	72	71	72
N.Y.	865	875	786	852	Miss.	91	90	87	88
N.J.	94	87	76	81	Ark.	62	56	59	55
Pa.	544	554	531	550	La.	1/	89	84	91
Ohio	428	412	378	391	Okla.	108	103	106	105
Ind.	242	238	230	227	Texas	239	247	242	239
Ill.	318	295	264	276	Mont.	32	27	28	27
Mich.	441	445	411	414	Idaho	121	109	104	112
Wis.	1,452	1,421	1,361	1,489	Wyo.	13.5	12.2	11.6	11.6
Minn.	873	809	682	823	Colo.	67	66	65	66
Iowa	452	407	390	414	N.Mex.	1/	24	24	24
Mo.	233	211	240	219	Ariz.	1/	44	45	46
N.Dak.	117	95	85	98	Utah	60	58	57	58
S.Dak.	103	104	96	107	Nev.	9.7	10.7	10.3	10.5
Nebr.	144	131	123	130	Wash.	156	157	160	159
Kans.	152	136	140	138	Oreg.	69	64	64	65
Del.	1/	13.8	12.6	12.8	Calif.	659	681	687	695
Md.	122	128	127	127	Alaska	1.84	1.49	1.46	1.51
Va.	149	143	150	144	Hawaii	11.5	13.5	11.6	11.9
W.Va.	44	43	42	41					
N.C.	130	126	130	132	U. S.	9,788	9,556	9,108	9,552

1/ Averages not available.

GRAIN STOCKS ON FARMS - JANUARY 1 1/									
State:	Corn			Wheat			Oats		
	Average : 1961-65 :	1966 :	1967 :	Average : 1961-65 :	1966 :	1967 :	Average : 1961-65 :	1966 :	1967 :
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Maine :	---	---	---	---	---	---	1,226	1,032	1,010
Vt. :	47	55	57	---	---	---	324	180	218
Mass. :	107	112	115	---	---	---	---	---	---
Conn. :	109	39	50	---	---	---	---	---	---
N.Y. :	8,917	9,028	9,517	2,203	1,369	1,922	19,133	15,122	12,952
N.J. :	4,340	2,368	1,950	277	256	112	451	210	222
Pa. :	39,853	45,166	28,318	3,301	3,856	3,888	18,145	15,917	10,540
Ohio :	138,583	137,858	154,379	4,579	4,428	5,536	26,007	19,344	16,698
Ind. :	250,371	265,136	229,683	3,800	2,896	3,161	19,471	11,007	10,649
Ill. :	512,380	597,375	509,618	4,780	4,544	7,006	50,298	31,968	31,564
Mich. :	73,949	61,432	62,218	9,118	5,823	8,230	23,655	19,519	14,368
Wis. :	88,678	98,865	112,140	586	504	502	84,394	83,887	69,849
Minn. :	283,617	242,804	276,651	6,847	10,622	8,793	116,886	130,974	103,718
Iowa :	723,727	781,926	757,468	147	21	103	94,373	72,414	71,195
Mo. :	126,991	150,344	107,560	2,514	3,262	2,880	8,831	4,829	6,298
N.Dak. :	5,962	6,382	6,807	91,713	138,774	119,765	64,032	90,132	68,167
S.Dak. :	100,995	87,475	98,723	27,222	30,596	31,830	81,647	97,121	77,014
Nebr. :	334,014	301,956	296,973	36,458	23,998	41,230	25,231	19,991	20,128
Kans. :	38,860	33,453	28,647	48,901	42,549	44,015	7,371	4,461	3,913
Del. :	5,245	5,224	2,939	21	13	14	102	36	37
Md. :	13,715	13,680	7,457	226	232	312	1,012	550	476
Va. :	17,468	20,491	11,144	768	780	719	1,370	1,152	1,221
W.Va. :	2,718	1,885	1,354	236	251	242	556	365	268
N.C. :	41,156	36,848	26,219	1,549	1,183	1,287	2,728	2,079	2,873
S.C. :	13,769	10,186	7,254	256	72	67	2,198	1,322	1,366
Ga. :	33,495	31,505	27,647	207	183	176	1,136	828	1,205
Fla. :	4,336	6,195	5,237	2/60	17	19	84	84	88
Ky. :	46,866	48,495	44,212	412	484	694	588	284	277
Tenn. :	30,248	27,284	21,012	276	288	202	786	608	770
Ala. :	24,759	20,636	13,035	50	54	49	497	252	271
Miss. :	17,645	11,389	9,074	46	63	299	989	410	855
Ark. :	4,315	1,922	1,159	119	231	352	802	380	592
La. :	4,154	3,822	2,426	32	32	46	271	267	267
Okla. :	2,020	672	259	7,797	11,298	7,896	4,923	2,737	2,596
Texas :	10,499	5,811	6,843	2,450	1,528	2,180	7,532	6,376	5,821
Mont. :	148	101	192	49,000	68,478	70,848	8,637	9,989	7,768
Idaho :	1,136	975	818	9,237	12,473	8,421	4,059	2,836	1,209
Wyo. :	859	700	855	2,197	1,445	664	2,592	3,695	2,412
Colo. :	8,503	9,815	8,831	23,190	8,915	14,127	2,625	2,070	1,423
N.Mex. :	363	526	437	350	197	141	99	67	67
Ariz. :	233	392	454	41	35	46	73	36	24
Utah :	104	135	112	1,878	1,684	1,801	820	810	685
Nev. :	---	---	---	173	467	393	57	117	50
Wash. :	1,253	759	851	8,369	11,808	11,732	2,375	1,228	1,323
Oreg. :	1,038	565	475	7,390	9,088	6,362	3,772	2,919	1,811
Calif. :	2,332	3,076	3,496	747	517	671	636	680	542
U.S. :	3,019,877	2,884,666	3,591,501	405,314	408,733	692,797	660,285	554,800	

See footnotes on page 14.

GRAIN AND HAY STOCKS ON FARMS - JANUARY 1 1/									
State	Barley			Rye			Hay		
	Average: 1961-65:	1966	1967	Average: 1961-65:	1966	1967	Average: 1961-65:	1966	1967
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	tons	tons	tons
Maine	---	---	---	---	---	---	352	252	340
N.H.	---	---	---	---	---	---	145	113	142
Vt.	---	---	---	---	---	---	693	556	743
Mass.	---	---	---	---	---	---	209	150	191
R.I.	---	---	---	---	---	---	21	15	17
Conn.	---	---	---	---	---	---	188	140	151
N.Y.	296	217	268	115	200	120	3,399	3,242	3,958
N.J.	353	102	223	23	46	72	230	189	210
Pa.	3,352	3,378	3,800	142	232	215	2,216	2,203	2,090
Ohio	537	310	264	133	153	183	2,066	2,133	2,133
Ind.	417	171	166	150	97	112	1,754	1,880	1,633
Ill.	644	344	243	125	74	88	3,162	3,280	2,876
Mich.	1,080	404	335	219	256	246	2,200	2,151	2,141
Wis.	597	490	564	157	132	112	6,801	6,172	6,686
Minn.	16,618	12,461	12,157	211	183	295	5,233	5,716	5,423
Iowa	280	108	106	26	17	12	6,229	5,919	6,627
Mo.	971	204	143	121	121	106	3,638	4,741	4,337
N.Dak.	62,514	64,522	60,312	3,778	7,283	3,729	3,827	3,921	3,835
S.Dak.	8,647	5,018	5,113	1,808	1,892	1,897	4,764	4,699	4,254
Nebr.	3,018	1,088	945	1,139	732	926	4,994	5,297	4,764
Kans.	6,755	1,792	1,956	440	257	197	2,877	4,197	3,099
Dal.	89	52	75	16	4	12	39	40	38
Md.	1,192	1,121	1,096	46	14	24	429	365	352
Va.	1,618	1,672	1,851	37	44	39	1,213	1,134	963
W.Va.	186	120	189	---	---	---	649	574	451
N.C.	841	934	876	50	74	44	562	557	513
S.C.	168	119	195	33	18	32	270	296	272
Ge.	65	99	104	29	15	10	465	541	590
Fla.	---	---	---	---	---	---	106	162	169
Ky.	535	340	590	20	23	17	1,890	2,318	2,097
Tenn.	202	168	128	15	16	11	1,271	1,432	1,555
Ala.	---	---	---	---	---	---	426	602	532
Miss.	---	---	---	---	---	---	628	724	752
Ark.	77	9	13	---	---	---	599	846	760
La.	---	---	---	---	---	---	384	503	429
Okla.	4,154	2,742	2,433	123	138	144	1,539	2,096	1,791
Texas	1,043	432	440	32	32	33	1,410	2,765	2,438
Mont.	33,554	32,032	43,224	251	180	76	3,006	3,899	3,363
Idaho	9,207	11,736	8,437	91	80	94	2,126	2,310	1,967
Wyo.	2,955	4,515	1,707	57	140	112	1,431	1,516	1,504
Colo.	6,567	6,608	4,450	268	97	232	1,978	2,195	1,975
N.Mex.	348	92	80	---	---	---	334	414	504
Ariz.	1,868	1,689	1,990	---	---	---	379	468	428
Utah	3,285	3,642	3,604	---	---	---	830	1,108	878
Nev.	185	173	166	---	---	---	514	590	560
Wash.	5,382	1,927	3,249	272	60	195	1,116	1,306	1,384
Oreg.	5,365	5,092	4,274	144	231	94	1,329	1,443	1,597
Calif.	13,213	18,591	11,427	---	---	---	1,425	1,354	1,250
U. S.	198,886	184,514	177,193	10,072	13,141	9,479	81,345	88,524	84,762

1/ See footnotes on page 14.

GRAIN STOCKS ON FARMS - JANUARY 1 ^{1/}

State	Soybeans			Flaxseed			Sorghum		
	Average	1966	1967	Average	1966	1967	Average	1966	1967
	1961-65	1966	1967	1961-65	1966	1967	1961-65	1966	1967
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N.Y.	33	22	30	---	---	---	---	---	---
N.J.	225	392	102	---	---	---	---	---	---
Pa.	58	131	215	---	---	---	---	---	---
Ohio	13,005	16,025	20,397	---	---	---	---	---	---
Ind.	23,532	26,528	28,534	---	---	---	313	258	358
Ill.	55,770	63,943	65,324	---	---	---	259	260	211
Mich.	2,957	4,646	4,752	---	---	---	---	---	---
Wis.	857	1,854	2,405	47	34	27	---	---	---
Minn.	24,597	32,800	48,326	1,461	1,927	998	---	---	---
Iowa	47,343	65,572	85,622	42	40	14	774	1,562	1,440
Mo.	14,148	14,279	12,814	---	---	---	4,947	6,021	3,560
N.Dak.	962	2,205	2,745	5,971	9,584	5,048	---	---	---
S.Dak.	1,186	2,491	3,668	1,691	2,230	1,504	4,471	8,161	8,818
Nebr.	3,896	8,178	10,998	---	---	---	67,048	98,413	128,621
Kans.	3,362	5,500	5,364	---	---	---	51,025	52,982	53,048
Del.	711	348	239	---	---	---	---	---	---
Md.	770	818	433	---	---	---	---	---	---
Va.	1,614	1,627	1,970	---	---	---	164	235	202
N.C.	3,580	3,686	7,091	---	---	---	1,132	1,089	693
S.C.	5,111	6,770	8,895	---	---	---	92	90	74
Ga.	440	1,457	2,700	---	---	---	226	332	242
Fla.	119	142	216	---	---	---	---	---	---
Ky.	1,384	1,345	1,550	---	---	---	324	182	225
Tenn.	1,255	2,236	2,561	---	---	---	484	180	156
Ala.	613	1,104	1,372	---	---	---	148	94	105
Miss.	6,105	11,505	12,938	---	---	---	130	95	98
Ark.	7,485	7,632	11,743	---	---	---	173	608	590
La.	396	602	3,484	---	---	---	34	35	178
Okla.	299	301	486	---	---	---	7,611	4,803	4,259
Texas	176	171	186	6	---	14	27,603	23,524	21,819
Mont.	---	---	---	98	138	88	---	---	---
Colo.	---	---	---	---	---	---	5,579	5,591	3,352
N.Mex.	---	---	---	---	---	---	1,896	1,374	2,388
Ariz.	---	---	---	---	---	---	1,263	3,237	4,655
Calif.	---	---	---	---	---	---	2,184	3,792	4,126
U.S.	221,989	284,310	347,060	9,315	13,953	7,693	177,878	212,918	239,218

^{1/} 1965 and 1966 are based on revised production estimates reported in the December 1966 Annual Summary. The 1961-65 average is based on the unrevised production estimates.

^{2/} 1963-65 average.

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES 1/

State	Wheat				Oats			
	October 1, 1965	April 1, 1966	July 1, 1966	October 1, 1966	October 1, 1965	April 1, 1966	July 1, 1966	October 1, 1966
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Maine	---	---	---	---	1,548	433	124	1,469
Vt.	---	---	---	---	301	68	19	297
N.Y.	2,190	411	274	2,735	18,454	8,202	3,588	17,898
N.J.	351	108	27	400	310	87	68	296
Pa.	4,998	1,714	714	5,472	20,324	2,060	3,918	13,940
Ohio	7,246	1,610	403	8,766	24,095	9,163	4,412	22,265
Ind.	5,431	1,086	362	5,480	13,279	4,892	2,621	12,301
Ill.	7,384	852	114	9,341	35,578	17,531	8,250	37,006
Mich.	8,469	2,647	662	9,754	23,824	10,046	4,880	20,313
Wis.	757	265	177	738	99,034	50,099	24,467	85,033
Minn.	13,855	6,927	1,847	13,189	150,621	96,594	44,204	127,228
Iowa	126	13	8	257	81,859	51,425	27,286	80,349
Mo.	5,871	1,142	326	5,348	5,821	2,844	1,588	7,380
N.Dak.	177,915	110,307	53,374	152,858	111,340	74,227	45,596	91,423
S.Dak.	35,388	20,275	11,428	35,366	105,214	71,684	43,936	83,054
Nebr.	34,906	14,180	7,636	51,538	23,199	13,821	9,378	21,786
Kans.	61,460	16,547	10,637	58,020	5,642	2,362	1,378	4,696
Del.	33	7	1	35	84	18	4	88
Md.	675	169	84	580	761	381	141	692
Va.	1,148	459	230	1,348	1,446	588	294	1,374
W.Va.	298	125	37	300	497	206	113	315
N.C.	1,479	345	173	2,079	3,445	1,307	356	3,995
S.C.	251	54	18	202	2,052	593	274	1,647
Ga.	548	55	37	488	1,946	331	207	1,647
Fla.	58	---	---	39	167	21	---	132
Ky.	1,183	215	54	1,272	391	213	98	379
Tenn.	700	165	82	717	872	385	183	1,078
Ala.	121	27	7	97	644	133	84	517
Miss.	105	29	21	374	682	246	109	1,231
Ark.	648	93	46	881	621	207	34	1,124
La.	94	5	---	123	462	103	31	633
Okla.	21,267	3,987	1,994	14,805	4,165	1,904	1,190	3,544
Texas	5,347	1,146	764	4,359	11,756	4,782	2,989	7,938
Mont.	89,548	46,354	27,391	89,067	11,526	6,243	4,802	8,739
Idaho	20,149	7,196	3,358	11,101	3,729	1,733	998	2,055
Wyo.	1,577	972	473	1,186	4,452	2,226	1,247	3,329
Colo.	12,481	2,575	991	20,120	2,698	1,035	776	1,943
N.Mex.	394	98	49	329	89	33	18	94
Ariz.	82	18	2	74	90	18	4	60
Utah	2,694	673	471	2,236	936	569	240	803
Nev.	607	75	9	524	153	54	9	81
Wash.	16,349	8,175	4,996	20,756	1,755	562	176	1,788
Oreg.	12,780	4,260	1,420	10,339	3,870	1,586	571	2,588
Calif.	1,329	221	74	1,044	964	340	85	813
U. S.	558,292	255,582	130,771	543,737	780,696	448,355	240,746	675,361

1/ Based on revised production estimates reported in the December 1966 Annual Summary.

CROP PRODUCTION, January 1967

Crop Reporting Board, SRS, USDA

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES 1/									
	Corn			Sorghum			Soybeans		
State:	April 1,	July 1,	Oct. 1,	April 1,	July 1,	Oct. 1,	April 1,	July 1,	Sept. 1,
	1966	1966	1966	1966	1966	1966	1966	1966	1966
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
Vt.	22	5	2	---	---	---	---	---	---
Mass.	68	26	9	---	---	---	---	---	---
Conn.	20	11	3	---	---	---	---	---	---
N.Y.	5,368	2,806	1,098	---	---	---	11	2	1
N.J.	1,869	789	312	---	---	---	174	39	2
Pa.	31,226	17,286	8,364	---	---	---	77	27	8
Ohio	92,658	54,239	15,820	---	---	---	8,012	501	250
Ind.	167,920	110,474	26,514	140	56	11	15,274	2,010	322
Ill.	358,425	183,808	41,357	165	57	24	30,195	1,776	355
Mich.	40,653	24,392	6,776	---	---	---	2,614	145	10
Wis.	68,351	39,058	14,647	---	---	---	912	61	30
Minn.	182,756	133,151	70,492	---	---	---	19,328	2,929	410
Iowa	610,880	423,543	179,191	812	375	187	35,308	5,044	1,261
Mo.	86,818	52,938	23,293	2,810	1,070	535	10,312	793	397
N.Dak.	5,366	3,336	1,450	---	---	---	1,203	80	40
S.Dak.	66,297	42,356	23,020	5,363	3,264	1,282	2,151	453	85
Nebr.	237,072	149,730	89,838	74,114	42,524	36,449	5,234	1,472	164
Kans.	18,585	11,151	5,576	27,885	13,943	6,971	2,567	367	92
Del.	2,537	298	149	---	---	---	139	17	10
Md.	8,418	4,560	1,228	---	---	---	245	82	33
Va.	10,414	4,031	1,680	88	44	3	636	106	28
W.Va.	754	522	246	---	---	---	---	---	---
N.C.	27,636	12,897	2,764	498	138	92	2,328	679	78
S.C.	5,457	2,546	909	38	10	3	3,216	762	339
Ga.	21,450	11,395	2,681	138	26	5	942	171	86
Fla.	2,633	1,704	310	---	---	---	71	---	---
Ky.	27,505	15,200	5,067	98	50	28	850	142	35
Tenn.	14,692	8,395	2,728	95	33	7	860	344	172
Ala.	10,130	5,628	1,501	40	12	3	226	75	20
Miss.	4,633	2,703	1,158	30	9	1	2,958	164	99
Ark.	943	508	218	156	47	16	3,435	763	76
La.	1,401	573	159	10	---	---	267	67	---
Okla.	371	150	106	3,493	2,620	873	138	63	3
Texas	2,518	1,162	291	11,762	4,411	2,941	64	21	6
Mont.	34	10	2	---	---	---	---	---	---
Idaho	420	210	90	---	---	---	---	---	---
Wyo.	266	84	56	---	---	---	---	---	---
Colo.	3,681	1,091	409	2,112	1,118	435	---	---	---
N.Mex.	234	117	41	937	312	250	---	---	---
Ariz.	224	84	28	1,618	996	498	---	---	---
Utah	63	11	7	---	---	---	---	---	---
Wash.	414	207	34	---	---	---	---	---	---
Oreg.	287	135	81	---	---	---	---	---	---
Calif.	1,282	256	---	1,185	237	---	---	---	---
U. S.	2,122,751	1,323,576	529,705	133,587	71,352	50,614	149,747	19,155	4,412

1/ Based on revised production estimates reported in the December 1966 Annual Summary.

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES 1/

State	Barley				Rye			
	October	April 1,	July 1,	October	October	April 1,	July 1,	October
	1, 1965	1966	1966	1, 1966	1, 1965	1966	1966	1, 1966
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	bushels	bushels	bushels	bushels	bushels	bushels	bushels	bushels
N. Y.	315	103	40	349	313	162	108	206
N. J.	223	42	23	520	161	12	6	102
Pa.	4,553	1,909	734	5,248	319	178	92	342
Ohio	447	144	76	419	334	100	57	345
Ind.	245	86	28	228	328	45	19	398
Ill.	462	193	84	393	199	52	29	206
Mich.	547	135	81	450	492	138	69	443
Wis.	662	292	93	919	227	94	57	172
Minn.	19,730	7,528	4,932	18,026	714	357	168	402
Iowa	138	51	9	135	34	8	2	24
Mo.	464	148	46	236	230	63	38	268
N. Dak.	82,118	43,014	22,485	78,938	7,890	5,705	2,428	5,037
S. Dak.	6,313	3,157	1,457	5,928	2,200	1,672	308	2,760
Nebr.	1,299	300	189	1,215	949	534	218	1,297
Kans.	2,450	878	512	2,912	416	168	109	299
Del.	215	26	9	187	117	3	1	121
Md.	1,361	480	200	1,410	203	12	6	232
Va.	2,554	836	325	2,805	237	29	2	201
W. Va.	206	62	34	256	---	---	---	---
N. C.	1,293	527	168	1,689	172	32	21	259
S. C.	301	40	12	309	188	4	2	162
Ga.	238	40	10	135	357	8	4	329
Ky.	486	146	49	720	66	12	4	54
Tenn.	309	60	34	205	47	7	3	46
Ark.	18	4	1	26	---	---	---	---
Okl.	4,154	1,163	831	3,649	493	89	69	351
Texas	782	216	135	1,238	195	16	4	218
Mont.	42,542	15,015	6,506	52,758	320	120	40	103
Idaho	13,204	5,868	1,956	10,311	114	23	11	135
Wyo.	5,106	1,989	1,182	2,576	224	84	14	173
Colo.	8,124	3,358	1,516	5,998	125	48	13	336
N. Mex.	192	46	27	182	---	---	---	---
Ariz.	2,534	1,056	317	2,580	---	---	---	---
Utah	4,614	1,862	1,052	4,556	---	---	---	---
Nev.	518	86	60	414	---	---	---	---
Wash.	3,853	593	222	4,586	149	42	12	400
Oreg.	7,638	2,716	339	8,548	369	128	41	189
Calif.	23,596	5,005	358	24,198	---	---	---	---
U. S.	243,804	99,174	46,132	245,252	18,182	9,945	3,955	15,610

1/ Based on revised production estimates reported in the December 1966 Annual Summary.

GRAIN STOCKS ON FARMS FOR SPECIFIED DATES - REVISED ESTIMATES 1/

State	Flaxseed			
	October 1, 1965	April 1, 1966	July 1, 1966	October 1, 1966
	1,000 bushels	1,000 bushels	1,000 bushels	1,000 bushels
Wisconsin	40	16	4	32
Minnesota	3,108	1,181	497	1,190
Iowa	60	20	2	22
North Dakota	14,670	7,433	2,347	7,095
South Dakota	2,390	2,071	558	1,612
Texas	19	---	---	21
Montana	200	88	40	122
California	---	---	---	---
United States	20,487	10,809	3,448	10,094

1/ Based on revised production estimates reported in the December 1966 Annual Summary.

AVOCADOS 1/

State and seasonal group	Production 2/			
	Average 1960-64	1964	1965	Indicated 1966
	Tons	Tons	Tons	Tons
California, All	39,260	24,000	58,000	6/
Fall and Winter 3/	2/	12,800	32,500	40,000
Spring and Summer 4/	2/	11,200	25,500	6/
Florida	9,380	13,400	2,800	5,200
United States	48,640	37,400	60,800	6/

1/ Crop year begins with bloom of the year shown and ends with completion of harvest the following year.

2/ Includes quantities unharvested on account of economic conditions, and excess cullage of harvested fruit.

3/ Includes "Fuerte" and other fall and winter varieties.

4/ Includes "Hass" and other spring and summer varieties.

5/ Not available.

6/ First forecast for California "Spring and Summer" varieties, California "All" and U. S. to be released as of April 1, 1967.

CITRUS FRUITS 1/

Crop and State	P R O D U C T I O N					
	Average 1960-64 3/4	1,000 boxes 1965	Indicated 1965	Average 1960-64 3/4	Equivalent tons 1965	Indicated 1966
ORANGES:						
EARLY, MIDSEASON & NAVAL VARIETIES 4/						
Calif.	12,032	19,050	16,000	451,200	714,000	600,000
Fla., All	45,520	51,500	76,400	2,048,600	2,317,000	3,438,000
Temple	3,560	4,500	4,400	160,200	202,000	198,000
Other	41,960	47,000	72,000	1,888,400	2,115,000	3,240,000
Texas	879	880	1,400	39,534	39,600	63,000
Ariz.	692	1,140	850	25,960	42,800	31,900
La.	114	5/	5/	5,140	5/	5/
Total Above Varieties	59,237	72,570	94,650	2,570,434	3,113,400	4,132,900
VALENCIA:						
Calif.	15,600	17,800	18,000	585,000	668,000	675,000
Fla.	38,300	48,900	66,000	1,723,200	2,200,000	2,970,000
Texas	513	420	1,000	23,085	18,900	45,000
Ariz.	1,092	1,460	1,650	40,940	54,800	61,900
Total Valencia	55,505	68,580	86,650	2,372,225	2,941,700	3,751,900
ALL ORANGES:						
Calif.	27,632	36,850	34,000	1,036,200	1,382,000	1,275,000
Fla.	83,820	100,400	142,400	3,771,800	4,517,000	6,408,000
Texas	1,392	1,300	2,400	62,619	58,500	108,000
Ariz.	1,784	2,600	2,500	66,900	97,600	93,800
La.	114	5/	5/	5,140	5/	5/
U.S., All Oranges	114,742	141,150	181,300	4,942,659	6,055,100	7,884,800
GRAPEFRUIT:						
Fla., All	30,960	34,900	39,500	1,315,600	1,483,000	1,679,000
Seedless	20,880	23,700	26,000	887,200	1,007,000	1,105,000
Pink	8,020	9,300	10,500	340,800	395,000	446,000
White	12,860	14,400	15,500	546,400	612,000	659,000
Other	10,080	11,200	13,500	428,400	476,000	574,000
Texas	2,414	3,800	5,400	96,560	152,000	216,000
Ariz.	2,578	3,050	1,800	82,540	97,600	57,600
Calif., All	3,302	4,950	4,800	107,960	161,700	156,600
Desert Valleys	1,802	2,750	2,800	57,680	88,000	89,600
Other Areas	1,500	2,200	2,000	50,280	73,700	67,000
U.S., All Grapefruit	39,254	46,700	51,500	1,602,660	1,894,300	2,109,200
LEMONS:						
Calif.	14,380	14,300	15,000	546,600	543,000	570,000
Ariz.	1,084	1,970	2,600	41,180	74,900	98,800
U.S. Lemons	15,464	16,270	17,600	587,780	617,900	668,800
LIMES:						
Fla.	412	415	420	16,480	16,600	16,800
TANGELOS:						
Fla.	830	1,200	1,800	37,360	54,000	81,000
TANGERINES:						
Fla.	3,680	3,600	4,600	174,800	171,000	218,000

1/ The crop year begins with the bloom of the year shown and ends with completion of harvest the following year. Includes quantities not harvested, or harvested but not utilized, on account of economic conditions, and quantities donated to charity. 2/ Net content of box varies. Approximate averages are as follows: Oranges - California and Arizona, 75 lbs.; Florida and other States, 90 lbs.; Grapefruit - California, Desert Valleys and Arizona, 64 lbs.; other California areas, 67 lbs.; Florida 85 lbs. and Texas 80 lbs.; Lemons - 76 lbs.; Limes - 80 lbs.; Tangelos - 90 lbs. and Tangerines - 95 lbs. 3/ Revised. 4/ Navel and Miscellaneous varieties in California and Arizona. Early and Midseason varieties in Florida and Texas. All varieties in Louisiana. For all States except Florida, includes small quantities of tangerines. 5/ Production too small to warrant a quantitative estimate.

POTATOES, Irish 1967 Crop

Seasonal group and State	Acreage			Yield per harv. acre			Production		
	Harvested	For	Indi-	Average	Indi-	Average	1966	Indi-	
	Average:	harvest:	cated	1961-65:	1966:	1961-65:	1966	cated	
	1961-65:	1966:	1967:	1961-65:	1966:	1967:	1961-65:	1966:	1967:
	1,000	1,000	1,000	Cwt.	Cwt.	Cwt.	1,000	1,000	1,000
	acres	acres	acres				cwt.	cwt.	cwt.
WINTER:									
Fla.	8.5	10.9	11.8	156	145	155	1,312	1,580	1,829
Calif.	12.1	14.6	12.8	228	240	215	2,756	3,504	2,752
Total	20.6	25.5	24.6	197	199	186	4,069	5,084	4,581
	Acreage	Indi-	Yield per	Production					
	planted	cated:	planted acre						
E. SPRING:									
Fla.									
Hastings	23.6	30.5	31.1	168	143	---	3,957	4,350	Apr. 10
Other	2.8	3.0	2.7	120	121	---	326	364	"
Texas	2.0	5.5	4.4	101	38	---	172	210	"
Total	28.4	39.0	38.2	158	126	---	4,454	4,924	"
L. SPRING:									
N. Carolina									
8 N.E. Counties	11.6	11.3	11.3	134	121	---	1,555	1,365	May 10
Other Counties	3.3	3.5	3.5	113	125	---	375	438	"
S. Carolina	3.5	2.8	2.4	78	89	---	275	250	"
Ga.	.4	.3	.3	64	60	---	25	18	"
Ala.-Baldwin	14.5	17.0	14.5	120	151	---	1,722	1/2,573	"
-Other	7.0	6.7	6.0	91	110	---	641	737	"
Miss.	3.1	3.5	3.5	54	85	---	167	298	"
Ark.	4.3	3.8	3.6	57	65	---	246	247	"
La.	3.8	3.8	3.2	48	47	---	183	177	"
Okla.	1.5	1.0	1.0	60	48	---	87	48	"
Texas	6.0	8.8	6.7	79	88	---	473	770	"
Ariz.	9.7	13.1	10.5	233	219	---	2,248	1/2,875	"
Calif.	47.8	52.0	49.0	331	330	---	15,736	17,160	"
Total	116.5	127.6	115.5	204	211	---	23,735	26,956	"

1/ Includes the following quantities not harvested or not marketed because of economic conditions (1,000 cwt.): Late Spring, Alabama, Baldwin area, 550; Arizona, 375.

CROP PRODUCTION, January 1967

Crop Reporting Board, SRS, USDA

State and division	DECEMBER EGG PRODUCTION							
	Number of layers on hand during December		Eggs per 100 layers		Total eggs produced			
	1965	1966	1965	1966	1965	1966	Jan. 1965	Dec. 1966 incl. 1/
	Thousands	Thousands	Number	Number	Millions	Millions	Millions	Millions
Maine	4,422	4,708	1,953	1,990	86	94	944	994
N.H.	1,595	1,674	1,938	1,953	31	33	332	361
Vt.	636	666	1,922	1,876	12.2	12.5	144	145
Mass.	2,590	2,616	1,829	1,866	47	49	553	548
R.I.	379	382	1,823	1,829	6.9	7.0	80	80
Conn.	3,659	3,748	1,866	1,835	68	69	747	779
N.Y.	9,994	10,404	1,801	1,807	180	188	2,029	2,118
N.J.	7,042	6,448	1,606	1,612	113	104	1,498	1,300
Pa.	14,614	14,256	1,761	1,835	257	262	3,238	3,055
N.Atl.	14,931	14,902	1,783	1,822	301	318	3,565	3,380
Ohio	10,497	10,306	1,835	1,829	193	188	2,308	2,238
Ind.	10,368	10,658	1,798	1,854	186	198	2,240	2,188
Ill.	8,394	8,898	1,761	1,792	148	159	1,776	1,790
Mich.	6,237	6,422	1,876	1,876	117	120	1,372	1,390
Wis.	7,136	6,660	1,835	1,866	131	124	1,585	1,444
E.N.Cent.	42,632	42,944	1,818	1,837	775	789	9,281	9,050
Minn.	11,002	10,171	1,857	1,897	204	193	2,494	2,218
Iowa	15,954	14,757	1,857	1,953	296	288	3,610	3,282
Mo.	5,987	6,274	1,643	1,680	98	105	1,289	1,249
N.Dak.	1,712	1,744	1,581	1,612	27	28	342	322
S.Dak.	6,396	6,430	1,770	1,885	113	121	1,321	1,300
Nebr.	5,928	5,880	1,680	1,773	100	104	1,283	1,158
Kans.	4,380	4,874	1,680	1,705	74	83	935	921
W.N.Cent.	51,359	50,130	1,776	1,839	912	922	11,274	10,450
Del.	563	564	1,736	1,680	9.8	9.5	125	119
Md.	1,270	1,142	1,674	1,690	21	19	268	243
Va.	5,864	5,624	1,773	1,786	104	100	1,215	1,169
W.Va.	1,544	1,588	1,674	1,779	26	28	320	316
N.C.	11,582	12,319	1,779	1,773	206	218	2,396	2,485
S.C.	5,154	5,467	1,869	1,844	96	101	1,119	1,144
Ga.	17,467	19,610	1,699	1,742	297	342	3,546	3,825
Fla.	7,636	8,501	1,885	1,922	144	163	1,599	1,855
S.Atl.	51,080	54,815	1,770	1,788	904	980	10,588	11,156
Ky.	5,264	5,340	1,429	1,519	75	81	1,000	989
Tenn.	5,201	5,701	1,516	1,504	79	86	982	1,017
Ala.	10,826	11,056	1,810	1,776	196	196	2,248	2,276
Miss.	11,650	12,980	1,854	1,792	216	233	2,444	2,609
Ark.	11,226	12,846	1,764	1,776	198	228	2,362	2,599
La.	3,134	2,994	1,544	1,612	48	48	604	591
Okla.	2,423	2,510	1,569	1,556	38	39	484	470
Texas	12,592	13,412	1,643	1,680	207	225	2,548	2,589
S.Cent.	62,316	66,839	1,696	1,700	1,057	1,136	12,672	13,140
Mont.	994	1,012	1,693	1,764	17	18	188	200
Idaho	1,157	1,140	1,860	1,916	22	22	265	258
Wyo.	282	268	1,643	1,720	4.6	4.6	58	57
Colo.	1,308	1,333	1,631	1,683	21	22	272	266
N.Mex.	771	692	1,615	1,624	12.5	11.2	151	154
Ariz.	1,022	1,050	1,720	1,724	17.6	18.1	193	210
Utah	1,158	1,124	1,817	1,866	21	21	249	259
Nev.	45	36	1,311	1,451	0.6	0.5	9	8
Wash.	4,766	4,742	1,820	1,814	87	86	1,076	1,048
Oreg.	2,466	2,466	1,860	1,885	46	46	534	539
Calif.	36,926	37,262	1,860	1,851	687	690	8,016	8,195
West.	50,895	51,125	1,839	1,837	936	939	11,011	11,194
48 States	303,213	310,755	1,776	1,797	5,385	5,584	64,391	64,370
Alaska	46	44	1,972	1,916	0.9	0.8	9	10
Hawaii	838	864	1,860	1,829	15.6	15.8	188	184
U. S.	304,097	311,663	1,776	1,797	5,402	5,601	64,588	64,564

1/ Cumulative State total based on unrounded monthly data.

E R R A T A

"Crop Production" - 1966 Annual Summary (CrPr 2-1 (66))

The following corrections should be entered in the above report:

- Page 43 - Sugarcane for sugar and seed - Change 1965 production from 502.8 to 12,745 thousand tons and 1966 from 512.4 to 14,211 thousand tons.
- Page 66 - All Hay - Change 1965 harvested acreage for Mississippi from 520 to 620; 1965 yield for Iowa from 2.36 to 2.35 tons and Missouri from 1.77 to 1.79 tons; 1965 production for Iowa from 7,184 to 7,131 thousand tons, Missouri from 5,525 to 5,578 thousand tons and North Dakota from 4,727 to 4,724 thousand tons.
- Page 72 - Other Hay - The 1960-64 averages as corrected are shown on the following page.
- Page 73 - Beans, dry edible - Footnote 1/ should read "Excludes beans grown for garden seed."
- Page 73 - Peas, dry field - Footnote 1/ should read "Includes peas grown for seed and cannery peas harvested dry."
- Page 78 - Peanuts harvested for nuts - Change 1965 yield for N. Mex. from 1,290 to 1,920 pounds.

Other Hay, 1960-64 Averages

State	Acreage harvested 1,000 acres	Yield per acre Tons	Production 1,000 tons
Maine	102	0.98	100
N. H.	50	1.05	53
Vt.	164	1.20	197
Mass.	34	1.33	46
R. I.	4	1.33	5
Conn.	36	1.34	48
N. Y.	318	1.39	442
N. J.	30	1.38	41
Pa.	117	1.31	153
Ohio	75	1.30	98
Ind.	66	1.47	97
Ill.	91	1.33	122
Mich.	46	1.25	58
Wis.	87	1.40	122
Minn.	184	1.23	205
Iowa	62	1.58	98
Mo.	426	1.20	510
N. Dak.	479	1.15	542
S. Dak.	242	1.00	244
Nebr.	119	1.13	136
Kans.	171	1.50	254
Del.	7	1.49	11
Md.	38	1.38	52
Va.	184	1.10	201
W. Va.	140	1.12	157
N. C.	142	1.21	172
S. C.	149	1.50	224
Ga.	277	1.68	470
Fla.	105	1.79	189
Ky.	196	1.34	262
Tenn.	241	1.24	301
Ala.	283	1.38	395
Miss.	333	1.33	447
Ark.	323	1.11	357
La.	307	1.48	457
Okla.	340	1.31	446
Texas	1,388	1.28	1,779
Mont.	172	.81	143
Idaho	20	1.38	27
Wyo.	88	.73	64
Colo.	106	1.04	111
N. Mex.	15	1.08	17
Ariz.	10	2.09	20
Utah	4	1.51	6
Nev.	4	1.34	6
Wash.	47	1.66	79
Oreg.	79	1.70	135
Calif.	175	1.80	314
U. S.	8,073	1.29	10,405

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS