

# CROP PRODUCTION

---

Released: December 10, 1980  
3:00 P.M. ET



Crop  
Reporting  
Board

Economics and  
Statistics Service

U.S. Department  
of Agriculture

Washington, D.C.  
20250

---

## HIGHLIGHTS

ALL COTTON production is forecast at 10.9 million bales, down 3 percent from the November 1 forecast and 25 percent below the 1979 production. The 90 percent confidence interval for this production forecast is 10.7 to 11.2 million bales.

BURLEY TOBACCO production is forecast at 549 million pounds (249 thousand metric tons), down 1 percent from the November 1 forecast but up 23 percent from the 1979 crop.

CITRUS production is forecast at 16.7 million tons (15.1 million metric tons), 1 percent above last season.

ORANGE production is expected to total 276 million boxes (10.8 million metric tons), 1 percent more than last season.

GRAPEFRUIT production is forecast at 71.4 million boxes (2.64 million metric tons), 2 percent below the 1979-80 crop.

UNITED STATES CROP SUMMARY  
(DOMESTIC UNITS)

CROP AND UNIT	AREA HARVESTED		YIELD PER ACRE		PRODUCTION			
	INDICATED		INDICATED		INDICATED			
	1979	1980	1979	1980	1979	NOV 1, 1980	DEC 1, 1980	
	1,000 ACRES		1,000					
ALL COTTON	BALE 1/	12,815.9	13,083.5	548	407	14,629.3	11,224.3	10,938.3
UPLAND	" 1/	12,726.8	13,011.9	548	400	14,530.7	11,126.6	10,838.6
AMER-PIMA	" 1/	89.1	71.6	531	668	98.6	97.7	99.7
ALL TOBACCO	LB.	826.3	922.6	1,848	1,923	1,526,682	1,780,532	1,774,427
BURLEY	"	237.8	275.5	1,875	1,994	445,827	555,400	549,295
PECANS	"					210,600	2/196,600	200,700
PASTURE AND RANGE 3/	PCT			75	63			
CITRUS FRUITS 4/						1979-80	1980-81	1980-81
ORANGES	BOX					273,830	2/276,400	275,600
GRAPEFRUIT	"					73,200		71,400
LEMONS	"					20,750	28,900	28,900
		1979	1980	1979	1980	1979	1980	
		1,000 ACRES		1,000				
DRY EDIBLE BEANS CWT 1/		1,383.7	1,836.0	1,480	1,422	20,476	26,100	

1/ YIELD IN POUNDS. 2/ OCTOBER 1, 1980. 3/ PASTURE AND RANGE FEED CONDITION AS OF FIRST OF MONTH, 37 STATES.  
4/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

UNITED STATES CROP SUMMARY  
(METRIC UNITS)

CROP	AREA HARVESTED		YIELD PER HECTARE		PRODUCTION		
	INDICATED		INDICATED		INDICATED		
	1979	1980	1979	1980	1979	NOV 1, 1980	DEC 1, 1980
	HECTARES		METRIC TONS				
ALL COTTON	5 186 470	5 294 770	0.61	0.45	3 185 140	2 443 790	2 381 520
UPLAND	5 150 410	5 265 790	0.61	0.45	3 163 670	2 422 520	2 359 810
AMER-PIMA	36 060	28 980	0.60	0.75	21 470	21 270	21 710
ALL TOBACCO	334 400	373 370	2.07	2.16	692 490	807 630	804 860
BURLEY	96 240	111 490	2.10	2.23	202 220	251 920	249 150
PECANS					95 530	1/89 180	91 040
CITRUS FRUITS 2/					1979-80	1980-81	1980-81
ORANGES					10 740 150	1/10 810 010	10 783 710
GRAPEFRUIT					2 708 850		2 638 090
LEMONS					715 770	996 090	996 090
	1979	1980	1979	1980	1979	1980	
	HECTARES		METRIC TONS				
DRY EDIBLE BEANS	559 970	743 010	1.66	1.59	928 770	1 183 870	

1/ OCTOBER 1, 1980. 2/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.



APPROVED:

*Jim Williams*

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

D. W. Barrowman, Acting Chairman,  
C. A. Hudson, Acting Secretary,  
R. P. Small, R. L. Schulte,  
R. L. Addison, W. R. Blackson,  
T. J. Byram, R. D. Fenley,  
C. D. James, D. C. Johnson,  
D. C. Ledbury, C. J. McDuffie,  
G. H. Moody.



## NOVEMBER WEATHER SUMMARY

Many of the important agricultural areas of the Nation were drier than normal. Much of the winter wheat acreage in the central Plains had less than one-fourth of the normal precipitation. In the East, some of the very dry areas had 75 to 100 percent of their normal rain, but, because of the lowered demand for water, this amount helped restore moisture supplies. Heavy snow fell during November and at the end of the month, covered most of the Rockies, parts of the central Plains, and the Northeast except for the coastal area. The average temperature for November was warmer than normal over most of the Nation--as much as 6 degrees above normal in the northern Plains. The Northeast and much of the South was colder than normal.

FIRST WEEK...A fast-moving cold front entered the Pacific Northwest on the first day of the week and moved off the Atlantic coast by midweek. Moderate rain fell along the northwest coast but little or none fell in the Plains. Rain accompanied the front from the Great Lakes eastward and became moderate east of the Appalachians. Later in the week, storm systems moved across the northern tier of States and brought light rain to the northern Plains and snow or freezing rain to the northern Great Lakes and western New England. Temperatures were warmer than normal in all of the Nation except the east coast and New England. In the West, the average temperature for the week was as much as 9 to 12 degrees warmer than normal.

SECOND WEEK...A wide variety of weather affected the Nation. A winter storm developed in the central Rockies and spread snow through the Rockies and central Plains and then into the southwestern Plains. The snow changed to rain as the cold front moved through the East. As the front moved into the Florida peninsula, a storm of opposite characteristics moved into the Gulf of Mexico. Tropical storm Jeanne moved westward across the Gulf. An unusual event for so late in the season, the storm induced some heavy rain from central Texas to northern Mississippi and southern Florida. Key West, Florida measured nearly 27 inches of rain.

THIRD WEEK...A low pressure center -- the remnants of tropical storm Jeanne -- moved from the western Gulf of Mexico northeastward and spread moderate to heavy rain from Louisiana to eastern Kentucky and moderate rain along the east coast. Snow fell from Ohio through New England and in parts of Arkansas and Missouri. Freezing weather reached as far south as central Texas and then moved eastward to cover northern Florida. A warming trend began in the northern Plains at midweek.

FOURTH WEEK...A winter storm moved out of the Rockies early in the week and spread snow along the southern east slopes of the mountains and over the High Plains of Texas. Sleet and wet snow extended as far east as northern Louisiana. The storm moved into the Gulf of Mexico and, after midweek, spread snow northward through Arkansas and Missouri and then northeastward through New England. Rain covered the rest of the East. Freezing temperatures again reached into northern Florida. At the end of the week, some of the coldest air of the season was moving into the northern Plains. On the average for the week, temperatures were well above normal in the northern Plains and colder than normal in the Midwest and the South. (Prepared by NOAA/USDA Joint Agricultural Weather Facility)

### Row Crop Harvest

Harvests of corn, soybeans, and grain sorghum were well advanced at the beginning of November and moved rapidly toward completion by the end of the month. Farmers enjoyed reasonably good harvest conditions except in the Southeast where wet weather slowed activities. Virtually all of the feed grain and soybean acreage was harvested prior to winter's first storm. Cotton picking in the 14 major producing States was ahead of schedule in the Delta and southern Plains but was behind schedule in the Southwest until midmonth.

The corn crop was 86 percent harvested in the 17 major States at the beginning of November, well ahead of last year's late season 54 percent and the 71 percent average. Progress in all major producing States was ahead of a year ago and all States except Michigan topped the average progress for this date. Harvest progress remained 9 to 15 points ahead of average through November. By the 16th of the month, 97 percent of the corn was harvested, far ahead of the 79 percent recorded in 1979 and the 88 percent average. Rains near the end of the month slowed harvesting of the few remaining fields in the South Atlantic and South Central States.

Grain sorghum harvest in the 7 major States reached 86 percent complete at the beginning of November, 4 points ahead of last year and 5 points ahead of average. Harvest was virtually finished by the end of the month. Progress was about on schedule throughout the harvesting season.

Soybean harvest was 77 percent complete in the 18 major States as November began, equal to last year but 3 points ahead of average. Progress in the Delta and the Southeast lagged because of delays caused by wet weather. By the end of the month, harvest was finished in the North Central States. Combining centered in two areas, the Delta and the Southeast--the normal situation. Drought-stressed soybeans in these areas matured early, but harvesting continued to lag the average because of wet field conditions.

Cotton harvesting in the 14 major States was 52 percent complete at the beginning of the month, 11 points ahead of a year earlier and by the end of November was 80 percent finished, 5 points ahead of last year. Progress in the Delta ran well ahead of last year's slow pace. In the Southwest, harvesting was behind schedule until about midmonth when the pace picked up. As November ended, only New Mexico lagged the average because of delays caused by snow. Snow and rain slowed the Texas harvest during the last week of the month.

#### Winter Wheat Seeding Nears Completion

By December 1, only minor acreages of winter wheat remained to be seeded across the southern part of the Nation, and in California where planting reached 58 percent complete. Most of the Great Plains crop was germinated and had emerged with fair to mostly good stands, although more moisture was needed in most areas for optimum development. Some reseeded was necessary in Kansas where moisture was short and early growth slow. Light to moderate wind damage was reported in eastern parts of Montana. Mild temperatures in Nebraska slowed the transition to dormancy and dry conditions increased the chance of winterkill. Texas fields benefited from rain during the month, although some fields in the Northern High Plains were still moisture stressed. Limited grazing was available in most producing areas.

COTTON: Cotton production is forecast at 10.9 million 480 pound net weight bales, down 3 percent from last month's forecast and 25 percent less than 1979 production. Upland production is expected to total 10.8 million bales and American-Pima 99.7 thousand bales. Cottonseed production, based on a three year average lint-seed ratio, is forecast at 4.29 million tons (3.89 million metric tons).

In the Southeastern States--Alabama, Georgia, North Carolina and South Carolina--production is forecast at 491 thousand bales, up 3 percent from last month but 23 percent below last year. Harvest is virtually complete.

Growers in the Delta States--Arkansas, Louisiana, Missouri, Mississippi and Tennessee--expect to harvest 2.42 million bales, down 2 percent from last month's forecast and 21 percent below 1979. Harvest is almost complete and many gins are closed for the season.

Upland production in Texas and Oklahoma is forecast at 3.42 million bales, down 7 percent from the November 1 forecast and 43 percent below last year. Harvest in Texas was slowed by heavy snow in late November but was about 70 percent complete by December 1, slightly ahead of normal. Harvest is about three-fourths complete in Oklahoma.

Upland production in Arizona, California and New Mexico is forecast at 4.51 million bales, about the same as the November 1 forecast but down 6 percent from last year. Favorable harvesting weather prevailed throughout November and harvest was about three-fourths complete in Arizona and about 90 percent complete in California by December 1.

The Bureau of the Census reports 7,842,743 running bales ginned prior to December 1, compared with 9,937,248 bales ginned to the same date in 1979 and 6,668,221 in 1978.

#### RELIABILITY OF DECEMBER 1 PRODUCTION FORECAST

The cotton production forecast in this report is based primarily on an objective yield survey made during the last week in November and reports from cotton ginners as of December 1. Some adjustments have been made in harvested acres based on acreage data from ASCS. The objective yield survey provided small plot observations, counts and measurements based on a probability sample. This survey is subject to sampling and non-sampling type errors that are common to all surveys. The forecast is also subject to change due to future weather effects and other factors that cannot be measured currently but directly affect production.

To assist users in evaluating the reliability of the December 1 cotton production forecast, the "Root Mean Square Error", a statistical measure based on past performance, is computed. This is done by expressing the deviations between the December 1 production forecasts and the final estimates as a percent of the final estimates and averaging the squared percentage deviations for the 1960-79 twenty-year period; the square root of this average becomes statistically the "Root Mean Square Error". Probability statements can be made concerning the expected error in the current forecast relative to the final end-of-season estimate, assuming that factors affecting this year's forecast are not different from those influencing recent years' forecasts.

The "Root Mean Square Error" for the December 1 cotton production forecast is 1.5 percent. This means that chances are 2 out of 3 that the current production forecast of 10.9 million bales will not be above or below the final estimate by more than 1.5 percent or approximately 160 thousand bales. Chances are 9 out of 10 (90 percent confidence level) that the difference will not exceed 2.6 percent or approximately 280 thousand bales.

Differences between the December 1 forecast and the final estimate during the 10 year 1970-79 period have averaged 158 thousand bales, ranging from 3 thousand to 338 thousand bales. The December 1 forecast has been below the final estimate 5 times and above 5 times.

BURLEY TOBACCO: Burley tobacco production is forecast at 549 million pounds (249 thousand metric tons), 23 percent larger than last year's crop of 446 million pounds (202 thousand metric tons). The current forecast is down 1 percent from November 1. Yield per acre is expected to average 1994 pounds, 119 pounds more than in 1979 but 22 pounds below the November 1 forecast. Kentucky, Tennessee and Virginia crops are weighing out lighter than expected. Demand for burley tobacco has been good with prices exceeding last year's level. Burley tobacco auctions opened November 24.

PECANS: U.S. production of pecans is forecast at 201 million pounds (91.0 thousand metric tons), up 2 percent from the October 1 forecast but down 5 percent from production last year. Increases in production prospects for Alabama, Florida and Georgia since October 1 more than offset decreases in New Mexico and Texas.

Harvest in Georgia was behind normal progress on December 1 because of rains and the late maturing crop. Growers report the crop is larger than had been indicated earlier but dry weather this summer has caused undersized nuts. In Louisiana, the harvest was about 68 percent complete by the end of November compared with 76 percent on the same date last year. The crop is of very good quality but slow in falling from the trees, causing some delay in harvest. In Texas, harvest was about 40 percent finished on December 1, following delays caused by rains in late November. Nuts developed poorly and are undersized because of drought during the summer.

PAPAYAS: Fresh production of Hawaii papayas is forecast at 4.70 million pounds (2130 metric tons) for December, up 6 percent from November and 37 percent more than the same period a year ago. Fresh output is expected to increase 6 percent next month and to reach 5.05 million pounds (2290 metric tons) in February before falling to 4.34 million pounds (1970 metric tons) in March. Fresh production during the first quarter of 1981 will be considerably higher than the same period in 1980. A severe storm early in 1980 caused extensive damage to orchards in the major producing areas and thus production was well below normal levels.

Total area in crop is estimated at 3080 acres (1250 hectares) for November, with 64 percent of the area harvested. Both total and harvested acreages for November were up 5 percent from a year ago.

PASTURE AND RANGE FEED: Pasture and range feed condition for the 37 States reporting on December 1 was 63 percent, 12 points less than a year earlier and 7 points below the December 1, 1978 condition. Reported condition on this date is the lowest since the survey was initiated in 1972.

Although snow and scattered rains brought some relief to the southern Plains and the southeast, additional moisture is needed for further forage growth as rangeland and pastures attempt recovery from the summer-long drought. Drought conditions continue on the northern Plains and in large portions of Missouri and Oklahoma, as pastures entered winter dormancy. In the West, most livestock were moved onto winter rangeland and supplemental feeding was active. The Nation's hay stocks were at record high levels on May 1. However, hay may be in short supply in some areas this winter as 1980 hay production was limited by the extreme dry weather and supplemental feeding was underway much earlier than usual.

**ORANGES:** U.S. orange production is forecast at 276 million boxes (10.8 million metric tons), 1 percent more than last season's crop and 31 percent greater than the 1978-79 harvest. The forecast production of all oranges in Florida is 203 million boxes, 2 percent below last season's record crop. The production forecast for early and mid-season varieties in Florida at 115 million boxes is 2 percent less than last season but 26 percent more than the 1978-79 crop. Valencia production in Florida is expected to total 88.0 million boxes, 1 percent less than last season.

The California orange crop is forecast at 64.0 million boxes, 7 percent more than last season and 72 percent above the 1978-79 season. The Navel crop in California is estimated at 37.0 million boxes, 13 percent above the record crop of last season. The Valencia forecast for California is 27.0 million boxes, the same as last season but 64 percent more than the 1978-79 season.

The Arizona orange crop is expected to total 3.00 million boxes, 14 percent less than last season. Navel and sweet orange harvest is well underway, substantially ahead of normal. Although sizes are smaller than normal, overall quality is very good.

Forecast orange production in Texas continues unchanged since October 1 at 5.60 million boxes, 39 percent above the 1979-80 crop.

Changes in U.S. production between the December 1 forecast and final production have averaged 10.5 million boxes over the past ten seasons, ranging from 300 thousand boxes in 1977-78 to 31.8 million boxes in the freeze damaged season of 1976-77.

**FLORIDA FROZEN CONCENTRATED JUICE YIELD:** The Florida all orange yield for 1980-81 is projected at 1.37 gallons per box of 43.4 degree brix equivalent. The reported 43.4 degree level became effective at the start of the new marketing season, December 1, 1980, for all Florida FCOJ sold in retail and institutional size containers. The yield level reported for previous years has been for 45.0 degree brix equivalent. The conversion ratio from 45.0 degrees to 43.4 degrees is 1.0442029. The final yield for the 1979-80 crop was 1.33 gallons per box at 45.0 degrees brix equivalent, or 1.39 gallons per box at 43.4 degrees equivalent.

**GRAPEFRUIT:** The U.S. grapefruit crop is forecast at 71.4 million boxes (2.64 million metric tons), 2 percent less than last season's crop. Florida growers expect to harvest 52.0 million boxes, 5 percent below last season's production. Early maturing varieties are moving to both fresh and processing markets. The Texas grapefruit forecast continues at 9.00 million boxes, 14 percent more than last season. Harvest pace picked up during November. Fruit picked has had good quality and size resulting partially from rains in October and November. The forecast for Arizona grapefruit continues at 3.10 million boxes, 3 percent above last season. Harvest is steady but seasonally limited. The California crop is expected to total 7.30 million boxes, 3 percent less than last season. This estimate includes a forecast of 3.80 million boxes for Desert Valley grapefruit, unchanged since November 1, and a forecast of 3.50 million boxes for Other Areas grapefruit, 6 percent above last season's crop. Movement of Desert Valley grapefruit continues at a slow pace with good quality fruit.

**LEMONS:** Production of lemons in Arizona and California is expected to total 28.9 million boxes (996 thousand metric tons), unchanged from the November 1 level but 39 percent more than last season. Picking is active in all districts except California's southern coastal areas. Sizes are generally very good and quality is excellent.

**TANGELOS:** The Florida tangelo crop is forecast at 5.20 million boxes (212 thousand metric tons), unchanged from the October 1 forecast but 19 percent less than the 1979-80 crop. Picking was very active in November.

**TANGERINES:** U.S. tangerine production is forecast at 6.25 million boxes (248 thousand metric tons), unchanged from last month's forecast but 1 percent less than last season. Picking was very active last month in Florida and harvest of Satsumas in California is underway.

**TEMPLES:** Florida temple production is forecast at 5.70 million boxes (233 thousand metric tons), unchanged from the October 1 forecast but 5 percent below last season.

DRY EDIBLE BEANS: The Nation's farmers produced a record 26.1 million cwt (1.18 million metric tons) of dry edible beans in 1980, up 27 percent from 1979 and 38 percent more than 1978. The catalyst for the increase was 250 thousand metric tons of pintos and other colored beans contracted for export to the government of Mexico.

Production by classes shows a 64 percent increase in pintos, pinks more than double, and nearly a five-fold increase in black turtle soup beans. Navy bean output declined by 6 percent.

Growers planted 1.90 million acres (767 thousand hectares) of dry beans this year, up one-third from 1979 plantings. Much of the increased acreage was planted late. Acreage for harvest at 1.84 million acres (743 thousand hectares) was also up one-third. Good harvest weather prevailed and yields averaged 1422 pounds per acre, generally above earlier expectations, but short of last year's high yields averaging 1480 pounds per acre.

Michigan beans turned out better than expected because of higher yields of colored beans. Farmers increased acreage of pinto and black turtle soup beans substantially. Mild fall weather in California and Idaho helped improve output of late planted and double-cropped fields.

Dry soils delayed planting in North Dakota and Minnesota, and caused beans to mature unevenly. Timely August rains helped improve overall prospects and bring the crop to harvest. Some late fields received snow before harvest could be completed.

Summer heat stressed dryland beans in Colorado and Nebraska pushing fields to early maturity. Increased use of irrigation helped abate potential damage. Ideal harvest weather generally improved yields and reduced threshing losses.

The eruption of Mount St. Helens in Washington buried newly planted fields with up to an inch of volcanic ash. Some beans were replanted, but in general, the effects of the fallout turned out to be minimal. After a cool summer, good fall weather produced higher than expected yields.



COTTON

CROP AND STATE	AREA HARVESTED			YIELD			PRODUCTION 1/		
	1978	1979	IND 1980	1978	1979	IND 1980	1978	1979	IND 1980
	1,000 ACRES			POUNDS			1,000 BALES 2/		
<b>COTTON, UPLAND</b>									
ALA	315.0	310.0	314.0	443	502	420	291.0	324.0	275.0
ARIZ	538.0	575.0	608.0	953	1,069	1,062	1,068.0	1,280.0	1,345.0
ARK	760.0	530.0	660.0	417	549	327	660.0	606.0	450.0
CALIF	1,455.0	1,635.0	1,490.0	640	1,000	983	1,940.0	3,408.0	3,050.0
FLA 3/	3.6	3.4	5.7	506	565	514	3.8	4.0	6.1
GA	115.0	150.0	155.0	463	486	260	111.0	152.0	84.0
KY	0	0	0	0	0	0	0	0	0
LA	510.0	465.0	560.0	450	712	390	478.0	690.0	455.0
MISS	1,180.0	1,030.0	1,110.0	561	670	497	1,378.0	1,437.0	1,150.0
MO	182.0	137.0	240.0	446	550	330	188.0	157.0	165.0
NEV 3/	1.3	1.1	1.0	542	655	624	1.5	1.5	1.3
N MEX	109.0	126.0	120.0	443	396	440	101.0	104.0	110.0
N C	42.0	45.0	63.0	515	455	419	45.0	43.0	55.0
OKLA	585.0	580.0	595.0	292	432	177	355.0	522.0	220.0
S C	98.0	109.0	120.0	562	510	308	115.0	116.0	77.0
TENN	230.0	230.0	270.0	490	357	347	235.0	171.0	195.0
TEX	6,200.0	6,800.0	6,700.0	294	389	229	3,792.0	5,515.0	3,200.0
VA 3/	.1	.3	.2	480	320	480	.1	.2	.2
U S	12,324.0	12,726.8	13,011.9	419	508	400	10,762.4	14,530.7	10,838.6
<b>COTTON, AMER-PIMA</b>									
ARIZ	30.2	43.3	43.3	754	743	754	53.7	67.0	68.0
CALIF 3/	.1	.1	.0	480	480	0	.1	.1	.0
N MEX	13.7	14.4	7.3	454	246	375	13.0	7.5	5.7
TEX	28.0	30.9	21.0	456	373	594	26.6	24.0	26.0
U S	76.0	89.1	71.6	590	531	668	93.4	98.6	99.7
<b>COTTON, ALL</b>									
ALA	315.0	310.0	314.0	443	502	420	291.0	324.0	275.0
ARIZ	572.2	618.3	651.3	941	1,046	1,041	1,121.7	1,347.0	1,413.0
ARK	760.0	530.0	660.0	417	549	327	660.0	606.0	450.0
CALIF	1,455.1	1,635.1	1,490.0	640	1,000	983	1,940.1	3,408.1	3,050.0
FLA 3/	3.6	3.4	5.7	506	565	514	3.8	4.0	6.1
GA	115.0	150.0	155.0	463	486	260	111.0	152.0	84.0
KY	0	0	0	0	0	0	0	0	0
LA	510.0	465.0	560.0	450	712	390	478.0	690.0	455.0
MISS	1,180.0	1,030.0	1,110.0	561	670	497	1,378.0	1,437.0	1,150.0
MO	182.0	137.0	240.0	446	550	330	188.0	157.0	165.0
NEV 3/	1.3	1.1	1.0	542	655	624	1.5	1.5	1.3
N MEX	122.7	140.4	127.3	446	380	436	114.0	111.5	115.7
N C	42.0	45.0	63.0	515	455	419	45.0	43.0	55.0
OKLA	585.0	580.0	595.0	292	432	177	355.0	522.0	220.0
S C	98.0	109.0	120.0	562	510	308	115.0	116.0	77.0
TENN	230.0	230.0	270.0	490	357	347	235.0	171.0	195.0
TEX	6,228.0	6,830.9	6,721.0	294	389	230	3,818.6	5,539.0	3,226.0
VA 3/	.1	.3	.2	480	320	480	.1	.2	.2
U S	12,400.0	12,815.9	13,083.5	420	544	401	10,855.8	14,629.3	10,938.3

1/ PRODUCTION GINNED AND TO BE GINNED.  
 2/ 480-LB. NET WEIGHT BALES.  
 3/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

TOBACCO BY CLASS AND TYPE

CLASS AND TYPE 1/	AREA HARVESTED			YIELD			PRODUCTION		
	1978	1979	IND 1980	1978	1979	IND 1980	1978	1979	IND 1980
	ACRES			POUNDS			1,000 POUNDS		
<b>CLASS 3, AIR-CURED</b>									
<b>CLASS 3A, LIGHT AIR-CURED</b>									
<b>TYPE 31 BURLEY BELT</b>									
IND									
KY	173,000	156,000	185,000	2,475	2,000	2,075	428,175	312,000	383,875
MO 2/	2,400	2,500	2,500	2,280	2,405	1,300	5,472	6,013	3,250
N C	9,100	7,500	9,000	2,310	1,135	2,100	21,021	8,513	18,900
OHIO	8,500	8,500	9,800	2,300	1,425	1,850	19,550	12,113	18,130
TENN	50,000	46,000	50,000	2,200	1,745	1,750	110,000	80,270	87,500
VA	10,300	9,900	11,000	2,315	1,350	1,850	23,845	13,365	20,350
W VA 2/	1,500	1,300	1,500	1,800	1,275	1,700	2,700	1,658	2,550
U S	261,400	237,800	275,500	2,396	1,875	1,994	626,273	445,827	549,295

1/ REFER TO NOVEMBER 10, 1980 CROP REPORT FOR ESTIMATES FOR OTHER CLASSES AND TYPES.  
 2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

## CITRUS FRUIT

1/

CROP AND STATE	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	UTILIZED		INDICATED	UTILIZED		INDICATED
	1978-79	1979-80	1980-81	1978-79	1979-80	1980-81
	1,000 UNITS		2/	1,000 UNITS		
ORANGES, EARLY MID & NAVAL 3/						
ARIZ	700	850	850	26	32	32
CALIF	20,800	32,600	37,000	780	1,223	1,388
FLA	91,000	117,900	115,000	4,095	5,306	5,175
TEX	4,300	2,300	3,500	183	98	149
U S	116,800	153,650	156,350	5,084	6,659	6,744
ORANGES, VALENCIA						
ARIZ	2,200	2,650	2,150	83	99	81
CALIF	16,500	27,000	27,000	619	1,012	1,013
FLA	73,000	88,800	88,000	3,285	3,996	3,960
TEX	2,100	1,730	2,100	89	73	89
U S	93,800	120,180	119,250	4,076	5,160	5,143
ALL ORANGES						
ARIZ	2,900	3,500	3,000	109	131	113
CALIF	37,300	59,600	64,000	1,399	2,235	2,401
FLA	164,000	206,700	203,000	7,380	9,302	9,135
TEX	6,400	4,030	5,600	272	171	238
U S	210,600	273,830	275,600	9,160	11,839	11,887
TEMPLES						
FLA	4,700	6,000	5,700	212	270	257
GRAPEFRUIT, WHITE SEEDLESS						
FLA	29,400	31,100	29,000	1,250	1,322	1,233
GRAPEFRUIT, PINK SEEDLESS						
FLA	13,300	15,800	14,500	565	671	616
OTHER GRAPEFRUIT						
FLA	7,300	7,900	8,500	310	336	361
ALL GRAPEFRUIT						
ARIZ	2,250	3,000	3,100	72	96	99
CALIF						
DESERT	3,260	4,200	3,800	104	134	122
OTHER AREAS	2,870	3,300	3,500	96	111	117
TOTAL	6,130	7,500	7,300	200	245	239
FLA	50,000	54,800	52,000	2,125	2,329	2,210
TEX	9,000	7,900	9,000	360	316	360
U S	67,380	75,200	71,400	2,757	2,986	2,908
TANGERINES						
ARIZ	450	750	700	17	28	26
CALIF	1,450	1,650	1,650	54	62	62
FLA	3,500	3,900	3,900	166	185	185
U S	5,400	6,300	6,250	237	275	273
LEMONS						
ARIZ	5,500	3,050	5,900	209	116	224
CALIF	14,100	17,700	23,000	536	673	874
U S	19,600	20,750	28,900	745	789	1,098
TANGELOS						
FLA	4,200	6,400	5,200	189	288	234

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.

2/ NET LBS PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS &

3/ NAVAL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

PECANS

CROP AND STATE	PRODUCTION			
	TOTAL	TOTAL	IND	
	1978	1979	1980	
1,000 POUNDS				
PECANS IMPROVED	1/:			
ALA	:	13,000	2,800	16,000
ARK	:	1,000	400	240
FLA	:	1,600	1,100	2,000
GA	:	105,000	52,000	78,000
LA	:	2,500	2,500	3,000
MISS	:	6,000	1,500	4,500
N MEX	:	15,000	14,700	14,500
N C	2/:	2,800	900	1,700
OKLA	:	2,000	1,000	1,000
S C	:	3,600	1,200	1,300
TEX	:	12,000	21,000	12,000
U S	:	164,500	99,100	134,240
PECANS NATIVE & SEEDLING	:			
ALA	:	9,000	1,200	7,000
ARK	:	2,200	1,100	660
FLA	:	2,600	1,500	3,000
GA	:	30,000	13,000	27,000
LA	:	6,500	13,500	11,000
MISS	:	4,000	1,000	2,000
N C	2/:	1,200	400	900
OKLA	:	13,500	9,000	4,000
S C	:	2,400	800	900
TEX	:	14,000	70,000	10,000
U S	:	85,400	111,500	66,460
ALL PECANS	:			
ALA	:	22,000	4,000	23,000
ARK	:	3,200	1,500	900
FLA	:	4,200	2,600	5,000
GA	:	135,000	65,000	105,000
LA	:	9,000	16,000	14,000
MISS	:	10,000	2,500	6,500
N MEX	:	15,000	14,700	14,500
N C	2/:	4,000	1,300	2,600
OKLA	:	15,500	10,000	5,000
S C	:	6,000	2,000	2,200
TEX	:	26,000	91,000	22,000
U S	:	249,900	210,600	200,700

1/ BUDDED, GRAFTED, OR TOPWORKED VARIETIES.

2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PAPAYAS - HAWAII

MONTH	AREA				FRESH PRODUCTION		
	TOTAL IN CROP		HARVESTED		1979	1980	FORECAST
	1979	1980	1979	1980			1980-81
ACRES							
OCT	2,975	3,040	1,910	1,945	3,931	5,360	
NOV	2,930	3,080	1,885	1,985	3,884	4,420	
DEC	2,960		1,885		3,430		4,700
JAN		2,855		1,785		2,695	5,000
FEB		2,840		1,925		2,170	5,050
MAR		2,915		1,930		2,050	4,340
CUMULATIVE FRESH PRODUCTION JAN-NOV					33,016	40,075	

PASTURE AND RANGE FEED CONDITION 1/

STATE	1979	1980	STATE	1979	1980
PERCENT			PERCENT		
ALA	74	54	NEBR	80	63
ARIZ	62	58	NEV	85	90
ARK	73	48	N J	87	63
CALIF	91	75	N MEX	76	56
COLO	81	73	N C	85	77
DEL	92	74	N DAK	56	54
FLA	75	72	OHIO	83	86
GA	74	55	OKLA	70	43
IDAHO	73	94	OREG	89	93
ILL	74	74	S C	78	64
IND	88	77	S DAK	76	53
IOWA	79	76	TENN	85	61
KANS	77	56	TEX	60	54
KY	90	70	UTAH	73	86
LA	70	60	VA	92	73
MD	81	63	WASH	79	85
MISS	76	62	W VA	81	73
MO	75	50	WYO	77	73
MONT	66	62			
			37 STS	75	63

1/ GOOD TO EXCELLENT, 80 AND OVER; POOR TO FAIR, 65-79; VERY POOR, 50-64; SEVERE DROUGHT, 35-49; EXTREME DROUGHT, UNDER 35.

**WHEAT PASTURE:** About 15 percent of the winter wheat seeded in the three-State area of Kansas, Oklahoma, and Texas had sufficient growth to support grazing on December 1. This is less than a one percentage point increase from last year. An estimated 7.5 percent of the acreage was being grazed compared with 7.1 percent last year. The wheat forage supply rated mostly poor. The survey indicated that 8.0 acres of wheat pasture are needed to carry a 400 pound calf thru the fall grazing season this year compared with 8.1 acres a year ago.

**KANSAS (Western):** Available forage was rated mostly fair and 15 percent of the acreage has sufficient growth for grazing. Six percent of the acreage was being grazed. Dry conditions continued through November with only irrigated wheat providing much pasture. Most fields of wheat have emerged, but are short and not well rooted.


**OKLAHOMA (Western):** Forage supplies rated mostly poor with 9 percent of the acreage grazeable and 5 percent being pastured. November was generally dry and additional precipitation is needed throughout the State to promote growth and development.

**TEXAS (Panhandle and Low Plains):** Wheat pasture supplies rated mostly poor. Twenty-three percent of the acreage would support grazing and 15 percent of the acreage was being grazed. Stands are poor in most locations. Snowfall and scattered showers in late November increased moisture supplies but more is needed to promote growth.

AVAILABLE WHEAT PASTURE - DECEMBER 1, 1979-80

STATE	PERCENT OF SEEDED WHEAT WITH SUFFICIENT GROWTH TO PASTURE		PERCENT OF SEEDED WHEAT BEING PASTURED		ACRES OF WHEAT PASTURE REQUIRED TO CARRY A 400 POUND CALF	
	1979	1980	1979	1980	1979	1980
	PERCENT		PERCENT		ACRES	
WESTERN KANSAS	9	15	2	6	9	8
WESTERN OKLAHOMA	13	9	7	5	8	8
TEXAS PANHANDLE	29	23	20	15	6	8
AVERAGE FOR WHEAT PASTURE REGION	14.2	14.8	7.1	7.5	8.1	8.0

**WINTER WHEAT—TOP GROWTH AVAILABLE FOR GRAZING\***  
**December 1, 1980**



FAIR  
POOR

\*RELATIVE DEVELOPMENT OF TOP GROWTH AS REPORTED BY FARM AND RANCH OPERATORS

USDA

NEG. ESS 277-80(12)

AREA PLANTED, DRY EDIBLE BEANS, 1978-80

STATE	1978	1979	1980	STATE	1978	1979	1980
	1,000 ACRES				1,000 ACRES		
CALIF	216.0	207.0	220.0	NEBR	125.0	140.0	160.0
COLO	175.0	175.0	205.0	N Y	45.0	42.0	53.0
IDAHO	154.0	134.0	181.0	N DAK	118.0	110.0	265.0
KANS	17.5	18.0	25.0	UTAH	9.0	8.0	12.0
MICH	530.0	470.0	580.0	WASH	32.0	41.0	55.0
MINN	44.0	38.0	90.0	WYO	30.0	30.0	38.0
MONT	8.4	10.0	12.0	U S	1,503.9	1,423.0	1,896.0

AREA PLANTED, DRY EDIBLE LIMA BEANS, 1978-80

CROP AND STATE	1978	1979	1980
	1,000 ACRES		
LARGE LIMA-CALIF	29.0	27.0	35.0
BABY LIMA-CALIF	25.0	29.0	20.0

DRY EDIBLE BEANS

1/

CROP AND STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1978	1979	1980	1978	1979	1980	1978	1979	1980
	1,000 ACRES			POUNDS			1,000 CWT		
LARGE LIMA BEANS									
CALIF	29.0	27.0	35.0	1,580	1,960	2,150	458	529	753
BABY LIMA BEANS									
CALIF	25.0	29.0	20.0	2,050	2,260	2,250	512	656	450
BEANS OTHER THAN LIMAS									
CALIF	162.0	151.0	165.0	1,450	1,600	1,640	2,353	2,415	2,706
ALL DRY EDIBLE BEANS									
CALIF	216.0	207.0	220.0	1,538	1,739	1,777	3,323	3,600	3,909
COLO	160.0	165.0	200.0	1,020	1,010	1,080	1,632	1,667	2,160
IDAHO	153.0	133.0	179.0	1,630	1,850	1,860	2,494	2,460	3,329
KANS	16.0	17.0	24.0	1,200	1,000	1,400	192	170	336
MICH	520.0	460.0	560.0	1,150	1,400	1,330	5,960	6,440	7,448
MINN	42.0	36.0	84.0	1,410	1,560	1,150	592	562	966
MONT	8.4	9.7	11.0	1,500	1,800	1,600	126	175	176
NEBR	118.0	135.0	150.0	1,650	1,600	1,720	1,947	2,160	2,580
N Y	42.0	40.0	51.0	1,020	1,150	1,300	428	460	663
N DAK	113.0	105.0	255.0	1,100	1,350	1,050	1,243	1,418	2,678
UTAH	8.0	8.0	11.0	300	400	380	24	32	42
WASH	31.0	40.0	54.0	1,700	2,000	2,000	527	800	1,080
WYO	27.0	28.0	37.0	1,580	1,900	1,980	427	532	753
U S	1,454.4	1,383.7	1,836.0	1,302	1,480	1,422	18,935	20,476	26,100

1/ EXCLUDES BEANS GROWN FOR GARDEN USE.

DRY EDIBLE BEANS, PRODUCTION BY COMMERCIAL CLASSES  
THOUSAND HUNDREDWEIGHT

STATE	PEAS NAVY			GREAT NORTHERN			SMALL WHITE			FLAT SMALL WHITE			PINTO					
	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980			
CALIF							145	65	93									
COLO													1,628	1,659	2,158			
IDAHO				513	459	368							1,138	1,114	1,629			
KANS													192	170	336			
MICH	4,974	5,260	4,648										89	112	825			
MINN	360	351	458										218	205	449			
MONT				3	2	0							109	137	144			
NEBR				1,280	1,456	1,665							652	704	915			
N DAK	270	247	404	3	3	0							966	1,158	2,248			
UTAH													24	32	42			
WASH							47	125	100	11	3	0	259	306	498			
WYO				64	78	44							363	454	689			
U S	5,604	5,858	5,510	1,863	1,998	2,077	192	190	193	11	3		5,638	6,051	9,933			
STATE	RED KIDNEY			PINK			SMALL RED			CRANBERRY			BLACK TURTLE SOUP					
	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980			
CALIF	1,003	771	955	204	250	753												
IDAHO	101	107	31	415	515	942	213	206	258									
MICH	408	410	450							361	310	220	60	165	1,140			
MINN	0	0	21				0	0	18									
NEBR				15	0	0												
N Y	315	314	384										88	123	229			
WASH				53	52	108	153	300	370									
U S	1,827	1,602	1,839	667	817	1,803	366	506	646	361	310	220	168	288	1,369			
STATE	LARGE LIMA			BABY LIMA			BLACKEYE, CALIF			GARBANZO			OTHER			TOTAL		
	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980	1978	1979	1980
CALIF	458	529	753	512	656	450	778	943	713	101	152	90	122	234	104	3,323	3,600	3,909
COLO													4	8	2	1,632	1,667	2,160
IDAHO													114	59	101	2,494	2,460	3,329
KANS																192	170	336
MICH													68	183	165	5,980	6,440	7,448
MINN													14	6	20	592	562	966
MONT													14	36	32	126	175	176
NEBR																1,947	2,160	2,580
N Y													25	23	50	428	460	663
N DAK													4	10	26	1,243	1,418	2,678
UTAH																24	32	42
WASH													4	14	4	527	800	1,080
WYO																427	532	733
U S	458	529	753	512	656	450	778	943	713	101	152	90	369	573	504	18,935	20,476	26,100

FARM MARKETING OF FIELD CROPS, UNITED STATES, 1978-79 <sup>1/</sup> AND 1979-80  
PERCENT OF SALES, BY MONTHS

MONTH	CROP MARKETING YEAR					
	1978-79	1979-80	1978-79	1979-80	1978-79	1979-80
	PERCENT					
	HAY		BARLEY		FLAXSEED	
APR	.4	.4				
MAY	4.2	3.8	.3	.3		
JUN	13.3	12.0	4.4	9.1		
JUL	11.9	12.7	8.2	9.0	4.4	2.7
AUG	9.6	10.2	13.1	10.2	14.4	9.6
SEP	7.9	8.3	8.6	10.2	22.3	28.2
OCT	6.6	7.3	9.2	7.7	14.5	12.0
NOV	6.3	8.0	6.8	8.2	8.0	4.5
DEC	7.8	8.3	8.3	7.8	3.3	4.7
JAN	8.9	7.3	8.2	7.5	4.5	3.6
FEB	8.3	6.6	5.0	6.3	5.5	4.8
MAR	7.1	6.6	6.8	4.4	6.5	9.9
APR	5.2	5.9	5.4	5.4	6.5	5.6
MAY	2.5	2.6	6.6	7.2	4.1	9.0
JUN			9.1	6.7	6.0	5.4
YEAR	100.0	100.0	100.0	100.0	100.0	100.0
	OATS		WHEAT		PEANUTS	
MAY	.2	.3	1.2	1.3		
JUN	3.3	3.6	6.5	11.6		
JUL	12.9	13.9	12.2	18.6		
AUG	18.2	17.6	12.1	10.1	.8	.5
SEP	7.9	7.2	10.8	7.9	33.0	27.3
OCT	6.7	7.7	9.0	7.7	49.7	54.8
NOV	4.3	3.9	6.3	6.6	11.4	12.0
DEC	5.3	7.8	5.9	7.6	4.1	4.4
JAN	6.5	6.3	7.6	7.7	1.0	1.0
FEB	5.9	5.9	6.1	6.0		
MAR	7.1	5.8	5.4	4.3		
APR	7.7	6.0	5.7	3.8		
MAY	5.7	5.7	5.5	3.8		
JUN	8.2	8.3	5.7	3.0		
YEAR	100.0	100.0	100.0	100.0	100.0	100.0
	SORGHUM		CORN		COTTON	
JUL	5.9	4.1				
AUG	2.6	4.5	.4	.5	1.9	2.8
SEP	3.9	7.7	1.8	1.7	3.2	2.2
OCT	15.1	14.6	11.6	9.2	15.2	11.4
NOV	11.7	12.6	11.6	12.9	22.3	23.5
DEC	10.3	11.8	6.5	8.7	15.7	23.7
JAN	10.4	9.9	11.2	9.7	15.4	19.9
FEB	6.2	7.6	7.5	6.8	7.4	6.0
MAR	7.0	5.0	7.1	7.1	6.0	3.0
APR	6.2	3.9	7.4	5.7	3.8	2.2
MAY	4.7	3.5	6.8	6.1	3.7	1.7
JUN	8.3	7.1	8.1	7.0	3.0	1.8
JUL	3.8	3.6	8.8	8.7	2.4	1.8
AUG	3.0	2.7	6.8	8.6		
SEP	.9	1.4	4.4	7.3		
YEAR	100.0	100.0	100.0	100.0	100.0	100.0
	SOYBEANS		DRY EDIBLE BEANS			
SEP	6.9	5.0	13.6	14.2		
OCT	25.1	21.7	13.2	16.7		
NOV	10.5	11.4	11.2	10.8		
DEC	6.2	7.3	9.1	8.5		
JAN	11.3	10.4	10.7	9.1		
FEB	10.2	7.3	7.1	9.3		
MAR	6.7	6.6	6.5	7.2		
APR	4.5	5.3	6.9	3.6		
MAY	4.4	6.4	6.5	5.7		
JUN	6.9	6.4	6.1	5.9		
JUL	3.5	6.9	5.4	5.9		
AUG	3.8	5.3	3.7	3.1		
YEAR	100.0	100.0	100.0	100.0		



CROP MARKETING SEASONS OF SPECIFIED FIELD CROPS

BARLEY: May 1 to April 30 for Arizona, Georgia, Oklahoma, South Carolina and Texas; June 1 to May 31 for California, Delaware, Illinois, Indiana, Kansas, Kentucky, Maryland, Missouri, New Jersey, New Mexico, North Carolina, Ohio, Pennsylvania, Tennessee, Virginia and West Virginia; July 1 to June 30 for all other States.

CORN FOR GRAIN: August 1 to July 31 for Florida, Georgia, Louisiana, Oklahoma and Texas; September 1 to August 31 for Alabama, Arizona, Arkansas, California, Delaware, Kansas, Maryland, Mississippi, Missouri, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; October 1 to September 30 for all other States.

DRY EDIBLE BEANS: September 1 to August 31 for all States.

FLAXSEED: May 1 to April 30 for Texas; July 1 to June 30 for all other States.

HAY: April 1 to March 31 for Arizona; May 1 to April 30 for Alabama, Arkansas, California, Florida, Georgia, Kansas, Kentucky, Louisiana, Mississippi, Missouri, Nevada, New Mexico, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Utah and Virginia; June 1 to May 31 for all other States.

OATS: May 1 to April 30 for Alabama, Florida, Georgia, Louisiana, Mississippi, Oklahoma, South Carolina and Texas; June 1 to May 31 for Arkansas, California, Kansas, Kentucky, Maryland, Missouri, North Carolina, Tennessee and Virginia; July 1 to June 30 for all other States.

SORGHUM FOR GRAIN: July 1 to June 30 for Texas; August 1 to July 31 for Arizona and Oklahoma; September 1 to August 31 for Alabama, Arkansas, California, Georgia, Kansas, Louisiana, Mississippi, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; October 1 to September 30 for all other States.

SOYBEANS: September 1 to August 31 for all States.

WHEAT: May 1 to April 30 for Alabama, Arizona, California, Florida, Georgia, Louisiana, Mississippi, Oklahoma and Texas; June 1 to May 31 for Arkansas, Delaware, Illinois, Kansas, Kentucky, Maryland, Missouri, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; July 1 to June 30 for all other States.

FARM MARKETINGS OF HAY BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	
PERCENT																
ARIZ	1978-79	10	14	14	13	12	8	8	8	3	3	3	4			
	1979-80	10	12	13	14	12	8	9	7	5	4	3	3			
ARK	1978-79		4	29	9	8	8	5	5	5	6	13	7	1		
	1979-80		5	15	15	13	11	4	8	6	8	4	6	5		
CALIF	1978-79		12	16	15	12	11	9	6	5	4	4	3	3		
	1979-80		10	14	17	14	12	9	5	3	4	4	2	6		
COLO	1978-79			8	6	7	8	7	7	15	10	12	10	6	4	
	1979-80			10	7	6	6	16	16	11	6	7	5	5	5	
GA	1978-79		3	8	6	11	8	9	9	12	15	9	7	3		
	1979-80		3	9	8	9	10	9	10	9	11	12	7	3		
IDAHO	1978-79			10	9	8	7	5	9	10	12	12	9	5	4	
	1979-80			7	13	9	8	6	9	13	8	7	10	6	4	
ILL	1978-79			25	13	10	11	4	3	5	7	7	8	4	3	
	1979-80			20	21	9	9	3	4	6	7	7	7	5	2	
IND	1978-79			21	11	8	5	4	4	9	10	9	9	6	4	
	1979-80			18	15	7	4	2	7	9	11	9	9	5	4	
IOWA	1978-79			19	17	9	9	3	3	6	9	10	9	4	2	
	1979-80			21	15	12	6	2	2	8	8	7	9	6	4	
KANS	1978-79		7	8	13	8	13	3	6	11	13	7	6	5		
	1979-80		5	10	13	9	8	4	10	13	8	6	9	5		
KY	1978-79		3	19	12	8	7	6	4	8	10	14	7	2		
	1979-80		3	12	8	9	8	8	8	10	12	12	7	3		
MICH	1978-79			20	13	9	6	4	5	7	8	8	9	7	4	
	1979-80			15	10	6	5	4	7	9	9	7	11	10	7	
MINN	1978-79			15	9	6	4	3	3	4	12	10	12	14	8	
	1979-80			12	11	9	4	2	7	8	9	11	13	7	7	
MO	1978-79		6	15	13	8	5	7	6	8	10	11	7	4		
	1979-80		3	10	16	8	6	3	11	6	7	10	11	9		
MONT	1978-79			2	4	6	6	7	11	14	18	16	8	5	3	
	1979-80			2	3	5	6	8	8	17	12	10	9	11	8	
NEBR	1978-79			9	9	7	7	8	9	11	13	10	7	7	3	
	1979-80			11	9	8	6	8	10	14	11	7	8	5	3	
NEV	1978-79		2	3	8	10	11	13	12	11	10	9	8	3		
	1979-80		2	3	9	9	10	11	10	11	10	9	8	8		
N MEX	1978-79		11	15	14	13	10	8	5	6	7	6	3	2		
	1979-80		7	14	13	12	8	8	6	9	4	7	6	6		
N Y	1978-79			14	15	7	4	5	5	7	9	7	10	10	7	
	1979-80			9	11	6	5	5	8	10	9	8	11	11	7	
N DAK	1978-79			6	13	5	5	8	9	5	13	13	12	7	4	
	1979-80			5	12	5	6	10	6	7	6	7	11	15	10	
OHIO	1978-79			18	12	8	5	5	5	9	11	11	9	5	2	
	1979-80			16	10	7	5	3	8	12	11	9	8	7	4	
OKLA	1978-79		6	16	20	15	9	5	5	5	6	6	6	1		
	1979-80		8	8	19	21	6	4	5	7	7	7	6	2		
OREG	1978-79			12	11	10	7	6	6	10	11	9	9	6	3	
	1979-80			13	12	10	5	9	18	5	7	5	7	3	6	
PA	1978-79			12	11	6	8	6	6	12	9	7	10	6	7	
	1979-80			9	8	7	7	4	8	13	11	8	10	9	6	
S DAK	1978-79			6	4	5	4	10	7	8	14	14	11	14	3	
	1979-80			6	5	7	7	10	12	8	8	9	10	13	5	
TEX	1978-79		7	22	18	16	12	7	4	3	5	3	2	1		
	1979-80		7	16	16	16	11	8	5	6	6	5	3	1		
UTAH	1978-79		2	16	12	12	9	8	10	9	7	6	5	4		
	1979-80		2	18	15	13	13	11	10	5	4	3	3	3		
WASH	1978-79			9	9	14	3	6	6	13	11	10	8	5	6	
	1979-80			12	8	5	15	9	7	12	10	7	5	5	5	
WIS	1978-79			17	11	8	4	3	3	4	9	10	12	11	8	
	1979-80			15	13	7	4	4	8	8	8	9	10	9	5	
WYO	1978-79			1	3	7	7	8	17	14	16	15	7	3	2	
	1979-80			1	7	6	7	8	18	15	15	9	8	4	2	
U S	1978-79		.4	4.2	13.3	11.9	9.6	7.9	6.6	6.3	7.8	8.3	8.3	7.1	5.2	2.5
	1979-80		.4	3.8	12.0	12.7	10.2	8.3	7.3	8.0	8.3	7.3	6.6	6.6	5.9	2.6

FARM MARKETINGS OF BARLEY BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1978-79	38	45	5	3	2	1	1	1	1	1	1	1		
	1979-80	33	50	5	3	2	1	1	1	1	1	1	1		
CALIF	1978-79		31	12	11	4	12	5	3	7	3	3	2	7	
	1979-80		51	9	8	8	3	4	1	4	2	1	1	8	
COLO	1978-79			17	13	6	12	4	3	26	6	9	2	1	1
	1979-80			6	15	14	4	14	8	11	19	4	3	1	1
IDAHO	1978-79			6	10	9	15	11	9	8	4	6	5	4	13
	1979-80			5	9	19	11	13	8	10	8	4	6	4	3
MINN	1978-79			8	12	6	4	7	12	6	6	6	8	11	14
	1979-80			13	7	3	6	7	9	6	4	4	6	15	20
MONT	1978-79			9	8	9	9	8	7	9	6	12	9	5	9
	1979-80			7	5	13	12	8	16	10	6	5	5	6	7
N DAK	1978-79			7	15	8	6	5	10	9	6	8	5	8	13
	1979-80			13	13	6	7	8	8	7	8	6	9	8	7
OKLA	1978-79	6	26	21	8	5	3	4	5	10	6	2	4		
	1979-80	2	6	10	28	5	1	9	6	8	16	3	6		
OREG	1978-79			6	17	21	12	8	10	5	6	7	4	2	2
	1979-80			9	17	12	9	12	8	9	8	2	3	6	5
PA	1978-79		7	22	8	8	7	9	6	8	6	7	7	5	
	1979-80		27	22	11	9	10	4	4	1	4	5	1	2	
S DAK	1978-79			8	10	8	12	6	12	3	3	6	9	11	12
	1979-80			4	4	7	12	3	7	14	4	11	8	11	15
UTAH	1978-79			11	6	11	17	20	9	10	6	2	2	3	3
	1979-80			8	13	17	12	11	9	13	7	3	3	2	2
WASH	1978-79			4	22	15	15	10	9	6	3	4	4	4	4
	1979-80			5	15	20	13	11	9	5	3	5	6	2	6
WYO	1978-79			2	46	35	6	2	1	1	1	1	1	3	1
	1979-80			4	33	20	8	6	6	5	5	5	5	1	2
U S	1978-79	.3	4.4	8.2	13.1	8.6	9.2	6.8	8.3	8.2	5.0	6.8	5.4	6.6	9.1
	1979-80	.3	9.1	9.0	10.2	10.2	7.7	8.2	7.8	7.5	6.3	4.4	5.4	7.2	6.7

FARM MARKETINGS OF OATS, BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARK	1978-79		66	12	8	3	3	2	1	1	1	1	1	1	
	1979-80		60	26	3	3	1	1	1	1	1	1	1	1	
CALIF	1978-79		17	22	15	6	5	5	11	7	3	2	5	2	
	1979-80		20	15	10	14	10	10	5	5	5	2	2	2	
IDAHO	1978-79			4	12	24	14	9	3	8	3	3	9	3	8
	1979-80			6	3	12	22	20	6	7	2	5	5	9	3
ILL	1978-79			29	25	7	3	2	3	6	5	4	6	4	6
	1979-80			19	24	5	5	7	6	5	8	7	4	5	5
IND	1978-79			24	22	12	4	4	9	4	6	4	5	4	2
	1979-80			10	37	7	4	5	2	3	7	10	3	7	5
IOWA	1978-79			20	20	10	3	3	4	5	5	6	9	6	9
	1979-80			19	20	7	17	1	3	5	6	4	4	3	11
MICH	1978-79			4	42	5	2	1	4	5	4	7	14	5	7
	1979-80			8	26	16	4	2	4	6	5	8	9	6	6
MINN	1978-79			15	21	5	6	5	6	5	8	7	7	6	9
	1979-80			13	16	8	8	3	10	4	4	6	6	9	13
MONT	1978-79			4	5	9	6	7	8	10	9	10	11	10	11
	1979-80			2	3	8	10	5	13	12	7	14	4	16	6
NEBR	1978-79			16	12	9	6	3	7	10	7	6	9	7	8
	1979-80			19	18	5	6	4	8	10	8	6	6	7	3
N Y	1978-79			9	21	9	6	1	4	12	7	11	6	9	5
	1979-80			5	20	3	11	7	10	6	10	10	7	4	7
N C	1978-79		60	7	5	5	5	4	2	1	1	5	3	2	
	1979-80		55	20	2	2	8	4	1	2	1	2	2	1	
N DAK	1978-79			10	16	9	5	6	6	13	8	8	5	4	10
	1979-80			12	8	6	4	5	6	5	10	13	10	10	11
OHIO	1978-79			15	30	7	2	2	3	5	4	8	8	8	8
	1979-80			21	34	6	5	2	1	4	3	8	5	7	4
OKLA	1978-79	8	16	17	10	6	2	6	8	8	4	10	5		
	1979-80	2	6	28	25	2	1	7	2	12	4	10	1		
OREG	1978-79			6	10	17	7	8	6	6	4	12	11	6	7
	1979-80			10	12	10	15	10	5	10	6	8	9	3	2
PA	1978-79			12	33	4	7	5	2	6	3	8	6	4	10
	1979-80			10	27	20	4	3	4	7	5	3	6	5	6
S DAK	1978-79			10	12	10	14	5	6	6	5	8	8	6	10
	1979-80			11	13	6	6	4	14	10	8	5	8	5	10
TEX	1978-79	8	55	9	4	4	4	3	2	3	3	3	2		
	1979-80	7	47	11	9	5	9	2	2	2	2	2	2		
WIS	1978-79			10	13	5	5	5	5	5	9	9	13	11	10
	1979-80			17	18	8	4	3	7	8	5	6	7	6	11
U S	1978-79	.2	3.3	12.9	18.2	7.9	6.7	4.3	5.3	6.5	5.9	7.1	7.7	5.7	8.2
	1979-80	.3	3.6	13.9	17.6	7.4	7.7	3.7	7.6	6.3	5.9	6.0	6.0	5.7	8.3

FARM MARKETINGS OF ALL WHEAT BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1978-79	28	21	26	5	6	1	2	1	2	1	2	5		
	1979-80	24	50	9	4	4	3	1	1	1	1	1	1		
ARK	1978-79		79	11	1	1	1	1	0	1	1	1	1	2	
	1979-80		79	9	2	1	1	1	1	1	1	1	1	2	
CALIF	1978-79	14	60	6	3	1	1	1	8	2	2	1	1		
	1979-80	5	60	10	4	4	4	3	1	3	4	1	1		
COLO	1978-79			11	10	10	9	6	9	8	8	7	7	6	9
	1979-80			11	11	9	7	9	9	12	9	6	4	7	6
IDAHO	1978-79			5	13	12	15	10	11	9	9	4	4	3	5
	1979-80			4	4	11	7	9	8	21	16	7	4	5	4
ILL	1978-79		23	48	7	5	2	2	2	3	2	2	2	2	
	1979-80		6	64	5	3	1	2	2	9	5	1	1	1	
IND	1978-79			50	13	10	2	2	2	5	2	2	1	3	8
	1979-80			70	12	3	1	1	1	3	3	1	1	1	3
KANS	1978-79		9	11	9	10	10	6	5	9	8	7	9	7	
	1979-80		12	20	15	8	10	5	9	7	5	3	4	2	
MICH	1978-79			19	25	30	4	1	3	4	1	2	4	3	4
	1979-80			20	32	15	7	3	3	4	5	4	1	3	3
MINN	1978-79			11	16	11	6	7	6	5	6	4	6	8	14
	1979-80			18	8	8	10	6	11	6	4	6	5	10	8
MO	1978-79		28	35	13	4	3	2	2	3	2	3	3	2	
	1979-80		23	48	8	4	1	1	4	4	3	2	1	1	
MONT	1978-79			8	12	10	10	7	8	10	7	7	7	7	7
	1979-80			8	6	11	8	12	9	8	6	7	7	10	8
NEBR	1978-79			16	13	7	8	5	3	8	7	9	8	7	9
	1979-80			18	17	8	8	8	13	12	7	3	2	2	2
N DAK	1978-79			9	15	12	11	8	6	6	4	6	5	7	11
	1979-80			8	8	11	13	9	9	7	7	7	7	7	7
OHIO	1978-79			45	11	9	4	3	4	7	6	2	2	4	3
	1979-80			60	10	5	2	1	3	6	3	3	2	3	2
OKLA	1978-79	5	9	8	8	13	12	5	5	14	11	6	4		
	1979-80	5	29	14	8	7	6	9	6	6	5	3	2		
OREG	1978-79			10	15	10	7	10	7	8	5	6	6	6	10
	1979-80			5	9	7	8	8	11	14	10	8	7	7	6
S DAK	1978-79			10	14	14	8	7	6	3	5	4	8	9	12
	1979-80			8	12	11	8	6	6	8	8	9	5	11	8
TEX	1978-79	9	33	13	7	8	6	4	2	5	4	4	5		
	1979-80	7	40	22	6	6	5	3	3	3	2	2	1		
WASH	1978-79			5	20	15	11	8	8	8	4	4	4	7	6
	1979-80			5	10	7	8	11	14	13	11	6	5	4	6
U S	1978-79	1.2	6.5	12.2	12.1	10.8	9.0	6.3	5.9	7.6	6.1	5.4	5.7	5.5	5.7
	1979-80	1.3	11.6	18.6	10.1	7.9	7.7	6.6	7.6	7.7	6.0	4.3	3.8	3.8	3.0

FARM MARKETINGS OF FLAXSEED, BY STATES, 1978-79 AND 1979-80  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
PERCENT												
MINN 1978-79	6	5	23	22	10	2	5	6	7	8	4	2
1979-80	3	10	31	22	5	4	3	5	10	3	2	2
N DAK 1978-79	4	11	17	13	10	4	6	5	8	7	5	10
1979-80	4	6	14	14	7	7	5	7	13	7	9	7
S DAK 1978-79	4	25	29	12	4	3	2	6	4	5	3	3
1979-80	1	14	45	5	1	2	2	2	6	5	12	5
U S 1978-79	4.4	14.4	22.3	14.5	8.0	3.3	4.5	5.5	6.5	6.5	4.1	6.0
1979-80	2.7	9.6	28.2	12.0	4.5	4.7	3.6	4.8	9.9	5.6	9.0	5.4

FARM MARKETINGS OF SORGHUM, BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
PERCENT															
ARIZ 1978-79		5	5	45	15	10	5	3	3	3	2	2	2		
1979-80		1	4	7	24	16	6	10	10	3	3	3	13		
CALIF 1978-79			13	35	20	7	6	5	4	3	1	1	2	3	
1979-80			6	11	26	30	12	6	2	1	1	2	1	2	
KANS 1978-79			6	13	12	8	10	5	8	9	6	12	6	5	
1979-80			3	18	15	17	11	11	4	6	4	5	4	2	
MO 1978-79			8	17	17	8	6	8	10	8	3	7	3	5	
1979-80			34	26	4	4	7	3	2	2	2	2	2	12	
NEBR 1978-79				24	13	9	10	5	6	5	4	7	8	5	4
1979-80				18	14	9	9	10	7	3	4	4	9	6	7
N MEX 1978-79			1	11	20	35	11	7	3	3	4	3	1	1	
1979-80			1	10	11	32	10	7	5	6	7	4	4	3	
OKLA 1978-79		5	5	15	15	12	18	15	4	2	2	2	5		
1979-80		1	2	18	38	8	8	5	8	3	3	1	5		
TEX 1978-79	17	7	3	9	8	12	12	7	7	5	5	8			
1979-80	12	13	13	8	8	8	10	4	5	3	3	13			
U S 1978-79	5.9	2.6	3.9	15.1	11.7	10.3	10.4	6.2	7.0	6.2	4.7	8.3	3.8	3.0	.9
1979-80	4.1	4.5	7.7	14.6	12.6	11.8	9.9	7.6	5.0	3.9	3.5	7.1	3.6	2.7	1.4

FARM MARKETINGS OF CORN FOR GRAIN BY STATES, 1978-79 AND 1979-80 PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
		PERCENT													
COLO	1978-79			17	17	15	10	9	3	3	6	7	5	3	5
	1979-80			10	14	22	6	3	5	6	3	4	4	15	8
GA	1978-79	19	16	11	5	6	9	6	5	5	4	5	9		
	1979-80	28	16	18	7	6	5	3	4	1	2	2	8		
ILL	1978-79			9	11	6	14	8	9	8	8	9	9	6	3
	1979-80			8	12	6	15	9	9	6	6	8	10	6	5
IND	1978-79			12	19	7	14	12	8	8	5	5	4	3	3
	1979-80			9	20	11	12	9	10	5	5	6	6	4	3
IOWA	1978-79			12	8	5	12	6	5	8	7	8	11	10	8
	1979-80			7	13	7	9	5	7	6	6	7	10	12	11
KANS	1978-79		7	10	15	9	10	5	7	6	9	9	7	6	
	1979-80		7	10	12	18	14	10	6	8	3	4	6	2	
KY	1978-79			13	7	4	18	20	21	8	2	2	2	1	2
	1979-80			15	9	6	14	9	11	5	6	4	3	5	13
MICH	1978-79			9	14	12	13	6	8	8	8	8	6	3	5
	1979-80			9	17	13	3	4	6	5	8	11	6	10	8
MINN	1978-79			12	8	5	5	4	5	7	8	14	15	10	7
	1979-80			5	7	12	4	8	4	5	7	12	13	13	10
MO	1978-79		9	11	10	9	9	10	7	7	7	7	7	7	
	1979-80		7	17	17	9	9	10	6	4	5	5	5	6	
NEBR	1978-79			8	11	7	10	7	8	8	6	9	12	10	4
	1979-80			8	11	8	8	5	6	6	7	6	11	13	11
N C	1978-79		42	12	3	2	5	6	4	4	3	4	3	12	
	1979-80		40	20	10	4	3	2	4	2	3	2	4	6	
OHIO	1978-79			12	19	8	11	10	8	7	7	7	5	3	3
	1979-80			8	12	7	8	7	7	9	9	9	7	8	9
PA	1978-79			12	11	8	8	7	10	7	11	8	6	6	6
	1979-80			17	18	10	4	11	9	4	5	5	5	7	5
S DAK	1978-79			18	13	7	7	4	5	6	6	10	9	6	9
	1979-80			16	15	11	8	8	5	4	4	5	6	6	12
TEX	1978-79	8	14	35	10	7	11	3	2	2	3	3	2		
	1979-80	6	15	25	12	9	13	4	3	2	5	3	3		
WIS	1978-79			12	18	9	5	7	6	10	10	6	9	5	3
	1979-80			12	13	12	4	3	6	7	10	6	10	12	5
U S	1978-79	.4	1.8	11.6	11.6	6.5	11.2	7.5	7.1	7.4	6.8	8.1	8.8	6.8	4.4
	1979-80	.5	1.7	9.2	12.9	8.7	9.7	6.8	7.1	5.7	6.1	7.0	8.7	8.6	7.3

FARM MARKETINGS OF SOYBEANS, BY STATES, 1978-79 AND 1979-80  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
ALA	1978-79	11	45	23	6	4	3	2	1	1	2	1	1
	1979-80	2	46	32	6	3	2	2	2	1	1	1	2
ARK	1978-79	2	33	15	9	19	10	3	1	2	3	1	2
	1979-80	1	20	19	9	19	7	5	4	3	3	6	4
GA	1978-79	3	40	26	9	6	7	3	1	1	2	1	1
	1979-80	1	24	36	14	4	4	4	2	2	4	5	3
ILL	1978-79	11	22	5	4	12	12	7	5	5	7	4	6
	1979-80	9	16	4	4	14	8	8	6	7	8	10	6
IND	1978-79	11	29	11	3	9	11	9	5	3	4	2	3
	1979-80	6	25	11	7	10	7	9	5	6	6	4	4
IOWA	1978-79	7	16	5	5	14	11	7	6	6	10	7	6
	1979-80	6	15	4	6	10	9	9	7	9	7	10	8
KANS	1978-79	8	21	8	9	10	12	9	4	7	8	2	2
	1979-80	8	22	10	8	8	8	8	9	5	5	4	5
KY	1978-79	4	21	12	5	12	13	16	7	4	3	2	1
	1979-80	2	15	10	6	16	11	10	8	7	6	5	4
LA	1978-79	6	43	17	6	9	10	3	1	1	2	1	1
	1979-80	7	42	17	5	9	5	3	3	2	3	3	1
MICH	1978-79	0	18	9	6	3	5	18	16	10	11	2	2
	1979-80	1	27	13	9	7	7	9	6	7	7	4	3
MINN	1978-79	10	23	4	6	8	5	5	5	7	15	8	4
	1979-80	6	16	3	7	5	8	6	5	10	13	11	10
MISS	1978-79	3	35	16	8	14	8	8	1	2	2	1	2
	1979-80	1	28	19	13	13	9	4	2	2	2	5	2
MO	1978-79	3	22	15	6	11	11	8	4	5	8	2	5
	1979-80	5	28	9	7	10	10	6	4	7	5	5	4
NEBR	1978-79	8	20	6	7	16	15	7	4	5	6	3	3
	1979-80	4	17	5	7	10	7	10	8	9	7	7	9
N C	1978-79	1	12	30	31	9	6	4	1	1	2	2	1
	1979-80	1	17	36	26	4	2	4	2	2	2	2	2
OHIO	1978-79	8	28	9	4	10	14	5	4	5	8	2	3
	1979-80	4	25	8	4	7	5	5	8	11	10	6	7
S C	1978-79	1	16	21	10	9	9	6	13	5	6	2	2
	1979-80	0	9	22	14	13	4	4	6	7	4	11	6
TENN	1978-79	1	38	15	9	5	7	9	6	2	4	2	2
	1979-80	2	33	30	7	7	4	3	4	3	2	3	2
U S	1978-79	6.9	25.1	10.5	6.2	11.3	10.2	6.7	4.5	4.4	6.9	3.5	3.8
	1979-80	5.0	21.7	11.4	7.3	10.4	7.3	6.6	5.3	6.4	6.4	6.9	5.3



FARM MARKETINGS OF DRY EDIBLE BEANS, BY STATES, 1978-79 AND 1979-80  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
	PERCENT											
CALIF 1978-79	6	9	12	9	9	10	9	9	8	7	7	5
1979-80	5	10	12	9	9	10	9	9	8	7	8	4
COLO 1978-79	13	10	9	8	12	9	7	6	6	7	7	6
1979-80	8	9	8	12	12	10	7	4	10	8	8	4
IDAHO 1978-79	5	15	12	13	13	8	7	7	8	6	4	2
1979-80	8	15	13	10	11	10	8	4	10	5	4	2
MICH 1978-79	20	14	9	7	8	5	5	7	7	8	6	4
1979-80	20	22	9	6	6	9	6	2	2	6	8	4
MINN 1978-79	43	15	4	5	6	5	6	7	5	3	1	
1979-80	38	25	11	4	6	5	5	2	4			
NEBR 1978-79	10	15	18	8	15	6	6	4	4	4	7	3
1979-80	11	16	11	9	12	10	6	1	9	8	3	4
N Y 1978-79	5	14	11	11	16	13	9	6	7	3	3	2
1979-80	4	8	10	9	11	10	13	6	10	13	4	2
N DAK 1978-79	20	14	10	13	16	5	6	8	2	1	1	4
1979-80	31	19	11	8	12	8	4	1	2	2	2	0
WASH 1978-79	7	22	14	15	12	9	7	6	4	2	1	1
1979-80	10	23	15	16	8	7	14	3	1	1	1	1
WYO 1978-79	9	13	16	9	8	5	7	7	5	11	7	3
1979-80	11	17	15	10	12	9	6	1	5	6	6	2
U S 1978-79	13.6	13.2	11.2	9.1	10.7	7.1	6.5	6.9	6.5	6.1	5.4	3.7
1979-80	14.2	16.7	10.8	8.5	9.1	9.3	7.2	3.6	5.7	5.9	5.9	3.1

I N D E X

	<u>PAGE</u>
BEANS, DRY EDIBLE .....	B- 7
BEANS, BY CLASSES .....	B- 7
CITRUS FRUIT .....	B- 2
COTTON .....	B- 1
CROP MARKETING SEASONS .....	B- 9
FARM MARKETINGS .....	B-10
PAPAYAS .....	B- 3
PASTURE AND RANGE FEED CONDITION .....	B- 4
PASTURE AND RANGE FEED CONDITION MAPS .....	A- 3
PECANS .....	B- 3
TOBACCO BY CLASS AND TYPE .....	B- 1
U S SUMMARY .....	A- 2
WHEAT, PASTURE .....	B- 4
WINTER WHEAT MAP .....	B- 5



**UNITED STATES DEPARTMENT OF AGRICULTURE  
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300**

To stop mailing  or to change your  
address  send this sheet with label  
intact, showing new address, to Crop  
Reporting Board Publications, ESS, U.S.  
Dept. of Agriculture, Rm. 0005 South  
Building, 14th & Independence Ave. S.W.,  
Wash., D.C. 20250.

**POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE  
AGR 101  
FIRST CLASS**

