

CROP PRODUCTION



Statistical Reporting
Service

U.S. Department
of Agriculture
Washington, D.C.
20250

Released:

December 10, 1982
3:00 P.M. ET

HIGHLIGHTS

ALL COTTON production forecast at 12.1 million bales, 23 percent below 1981, up 1 percent from November 1 forecast. The 90 percent confidence interval for this forecast is 11.8 to 12.4 million bales.

DRY EDIBLE BEAN production forecast at 24.3 million hundredweight (1.10 million metric tons), down 25 percent from 1981, 8 percent below 1980.

BURLEY TOBACCO production forecast at a record high 789 million pounds (358 thousand metric tons), 8 percent above 1981.

CITRUS production forecast at 14.0 million tons (12.7 million metric tons), 17 percent above last season.

ORANGE production forecast at 224 million boxes (8.63 million metric tons), 26 percent above last season but 9 percent below 1980-81.

GRAPEFRUIT production, excluding California "other areas" crop, forecast at 64.3 million boxes (2.38 million metric tons), 5 percent less than last season but fractionally higher than 1980-81.

* The December pasture and range feed condition series is discontinued, *
* effective this report. The utility of December pasture and range *
* condition is marginal and the series is being discontinued as a cost *
* saving measure. Pasture and range condition for the months of April *
* through November will continue to be published in the respective *
* monthly Crop Production reports. *
* *
* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP AND UNIT	AREA HARVESTED		YIELD PER ACRE		PRODUCTION			
	INDICATED		INDICATED		INDICATED			
	1981	1982	1981	1982	1981	NOV 1, 1982	DEC 1, 1982	
	1,000 ACRES				1,000			
ALL COTTON	BALE 1/	13,841.2	9,479.9	543	613	15,645.7	11,947.4	12,102.2
UPLAND	" 1/	13,783.2	9,407.2	542	612	15,566.1	11,841.5	11,991.5
AMER-PIMA	" 1/	58.0	72.7	659	731	79.6	105.9	110.7
COTTONSEED	TON					6,397	4,748	4,812
BURLEY TOBACCO	LB.	331.2	334.5	2,203	2,358	729,707		788,785
PECANS	"					339,100	2/210,600	199,300
CITRUS FRUITS 3/						1981-82	1982-83	1982-83
ORANGES	BOX					177,790	2/215,500	223,500
LEMONS	"					24,800	31,000	31,000
		1981	1982	1981	1982	1981		1982
		1,000 ACRES				1,000		
DRY EDIBLE BEANS	CWT 1/	2,222.0	1,752.4	1,448	1,386	32,183		24,284

1/ YIELD IN POUNDS. 2/ OCTOBER 1, 1982. 3/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA HARVESTED		YIELD PER HECTARE		PRODUCTION		
	INDICATED		INDICATED		INDICATED		
	1981	1982	1981	1982	1981	NOV 1, 1982	DEC 1, 1982
	HECTARES				METRIC TONS		
ALL COTTON	5 601 390	3 836 420	0.61	0.69	3 406 430	2 601 230	2 634 930
UPLAND	5 577 920	3 807 000	0.61	0.69	3 389 100	2 578 170	2 610 830
AMER-PIMA	23 470	29 420	0.74	0.82	17 330	23 060	24 100
COTTONSEED					5 803 260	4 307 310	4 365 370
BURLEY TOBACCO	134 030	135 370	2.47	2.64	330 990		357 780
PECANS					153 810	1/95 530	90 400
CITRUS FRUITS 2/					1981-82	1982-83	1982-83
ORANGES					6 930 890	1/8 333 400	8 632 770
LEMONS					854 570	1 068 660	1 068 660
	1981	1982	1981	1982	1981		1982
	HECTARES				METRIC TONS		
DRY EDIBLE BEANS	899 220	709 180	1.62	1.55	1 459 790		1 101 500

1/ OCTOBER 1, 1982. 2/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.

APPROVED:

William B. Lister

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

W. H. Walther, Chairperson,
G. L. Clampet, Secretary,
D. W. Barrowman, R. L. Schulte,
R. M. Murphy, R. P. Small,
R. L. Addison, W. R. Blackson,
J. S. Buche, T. J. Byram,
C. D. James, D. C. Johnson,
M. M. Thompson.

NOVEMBER WEATHER SUMMARY

November was wet in much of Nation. Above-normal precipitation fell over most of southern Plains and eastern portion northern Plains, but large portion winter wheatlands in central Plains very short on moisture. Ample moisture eastward through Appalachians, but many areas along east coast had less than normal precipitation. Pacific Northwest, in midst of rainy season, had much less than normal. Parts of northern Rockies had less than half expected precipitation. Temperatures generally warm east of Mississippi River and cold in West. Snow accumulated in mountains of West and persisted in northern Great Lakes.

FIRST WEEK...Cold weather plunged into Rockies and over Plateau before spreading slowly eastward into Plains. Coldest weather of fall season settled over northern part of central Plains. Cold airmass pushed southeastward, freezing temperatures reached southeast coast and into Florida Panhandle. Cold air displaced warm air in East and generated moderate to heavy showers and thunderstorms eastern Texas to southern Great Lakes and through St. Lawrence River Valley. Showers and thunderstorms of lesser intensity covered rest of East but some eastern areas had very little rain. Showers along Pacific Northwest coast advanced over northern Rockies and produced snow which spread to central Rockies.

SECOND WEEK...Storm system brought rain to Pacific coast and some heavy showers to coast of southern California. As storm developed and moved into Southwest, heavy showers fell in parts of Plateau with snow in Sierras and other Mountain areas. Another surge of very cold air plunged into West, while warm, moist air from Gulf of Mexico began flowing northward over East. A Pacific storm regenerated in central Plains and triggered a line of thunderstorms and severe weather from Mississippi River into Atlantic Ocean as colder air moved eastward. Light to moderate rainshowers covered much of winter wheat areas of Oklahoma where rain was needed to germinate newly planted wheat.

THIRD WEEK...Fair weather associated with large high-pressure system dominated most of Nation early in week. At midweek, two systems began to change pattern. A storm system moved into Pacific Northwest and spread heavy rain from central California to western Washington. Lighter showers through rest of California, over the Plateau, and into the Rockies. Low-pressure system in Gulf of Mexico spread warm, moist air northward resulting in heavy rain from southeastern Texas to northern Georgia and light showers or rain through most of area east of Mississippi River.

FOURTH WEEK...During last of month, precipitation moderate to heavy from central Texas to St. Lawrence River Valley. Showers improved moisture supply in wheatfields of southern Plains. Snow or freezing rain fell from New Mexico to central Kansas, but warming temperatures melted cover. Snow accumulated in Rockies, northern Plains, and northern Great Lakes. Precipitation light east of Appalachians until last 2 days when moderate rain fell over eastern Piedmont. Warmer than normal temperatures covered eastern third of Nation, but weather remained very cold in northern Plains and Rockies. In western Hawaiian Islands, Hurricane Iwa damaged crops and property. (Prepared by NOAA/USDA Joint Agricultural Weather Facility.)

ROW CROP HARVEST

Harvests of corn, soybeans, grain sorghum lagged at beginning of November. Cotton picking behind schedule nearly all States. Corn harvest progressed slowly during month due to wet conditions. Sorghum and soybean harvests rapid progress first half month.

Corn harvest 55 percent complete in 17 major producing States beginning of November, lagging last year's 58 percent and average 67 percent. Progress behind average in 9 States. Combining lagged in all areas except Southeast and eastern Corn Belt. Harvest 40 points behind in Nebraska, 38 points in both Minnesota and South Dakota, 26 points in Colorado, 25 points in Iowa, and 20 points in Wisconsin. Late start combined with delays caused by wetness resulted in late harvests. By end of month, 92 percent of acreage harvested, 4 points behind last year and average. Progress 22 points behind average in both South Dakota and Wisconsin and 10 points behind in Minnesota and Nebraska. Frozen fields permitted limited harvesting in northern areas.

Grain sorghum harvest 59 percent complete in 7 major producing States as November began, 21 points slower than average. Progress lagged all States except Colorado. Harvest 46 points behind average in South Dakota, 45 points in Nebraska, and 30 points in Kansas. Texas harvest about on schedule. Combining virtually completed by end of month. Only South Dakota had significant acreage left -- 9 percent unharvested.

Soybean harvest 71 percent complete in 18 major States at beginning of November, 1 point behind average. Harvest progressed rapidly during last week of October and first half of November. By mid-month, harvest finished in Corn Belt and in full swing across South. As November ended, 95 percent of acreage had been harvested, 1 point ahead of usual. Acreage remaining for harvest mostly in South and generally double-cropped soybeans.

Cotton harvesting 41 percent complete in 14 major producing States at end of October, 6 points behind average. Picking just started in Oklahoma. Texas harvest 26 percent finished as growers took advantage of dry, open weather. Defoliation active, but some producers waiting for hard freeze, which finally occurred near end of November. Wet conditions during month delayed picking in Southwest. By month's end, 71 percent of acreage harvested, trailing average of 75 percent. Harvest again underway in Southwest as fields dried.

WINTER WHEAT SEEDING NEAR COMPLETION

By end of November, only minor acreages of winter wheat remained to be seeded across South. California planting reached 50 percent complete. Most of Great Plains crop germinated and emerged. More moisture needed in southern Plains for good growth, development. Some reseeded necessary in Texas due to dryness. General showers from Kansas southward during last week in month improved stands--more needed. Kansas wheat in good to excellent condition all areas except southwestern and south central regions where poor to fair conditions resulted from dryness. Texas crop conditions from poor to good. Some frost damage and wind burn evident in portions of central Texas and Low Plains. Montana's wheat in good condition--only light wind damage.

COTTON: United States production forecast at 12.1 million 480-pound net weight bales, 1 percent above last month, 23 percent below 1981. Upland totaled 12.0 million bales, American-Pima; 111 thousand. Growers to harvest 9.41 million acres (3.81 million hectares) of Upland, 72.7 thousand acres (29.4 thousand hectares) American-Pima. Upland yield forecast at record 612 pounds, American-Pima at 731 pounds.

Southeastern States production estimated at 925 thousand bales, up 1 percent from November 1, up 10 percent from last year. Harvest completion delayed by rains after mid-November.

Delta growers will harvest 3.79 million bales, up 1 percent from last month, 12 percent above 1981. Harvest delayed by rains, wet fields. Mostly second picking remaining for harvest. Rains caused some yield loss, greatest effect was lowering of grade.

Texas and Oklahoma Upland crop forecast at 2.88 million bales, up 4 percent from last month, down 53 percent from last year. Harvest about two-thirds finished. Progress about average in Texas, about one to two weeks behind normal in Oklahoma.

Western States expect production of 4.38 million bales, unchanged from last month, down 16 percent from last year. Harvest delayed by rains that caused some yield loss but mostly lower quality. Heavy rains in Arizona may reduce the acreage gleaned after harvest.

Bureau of the Census reports 8,825,792 running bales ginned prior to December 1, 1982. The comparable 1981 and 1980 totals were 10,156,076 bales and 7,840,476 bales, respectively.

COTTONSEED: Production, based on three-year average lint-seed ratio, forecast at 4.81 million tons (4.37 million metric tons), compared with 6.40 million tons (5.80 million metric tons) in 1981.

RELIABILITY OF DECEMBER 1 COTTON PRODUCTION FORECAST

The cotton production forecast in this report is based primarily on an objective yield survey made during the last week in November and reports from cotton ginners as of December 1. Some adjustments have been made in harvested acres based on acreage data from ASCS. The objective yield survey provided small plot observations, counts and measurements based on a probability sample. This survey is subject to sampling and non-sampling type errors that are common to all surveys. The forecast is also subject to change due to future weather effects and other factors that cannot be measured currently but directly affect production.

To assist users in evaluating the reliability of the December 1 cotton production forecast, the "Root Mean Square Error", a statistical measure based on past performance, is computed. This is done by expressing the deviations between the December 1 production forecasts and the final estimates as a percent of the final estimates and averaging the squared percentage deviations for the 1962-81 twenty-year period; the square root of this average becomes statistically the "Root Mean Square Error". Probability statements can be made concerning the expected differences in the current forecast relative to the final end-of-season estimate, assuming that factors affecting this year's forecast are not different from those influencing recent years.

The "Root Mean Square Error" for the December 1 cotton production forecast is 1.5 percent. This means that chances are 2 out of 3 that the current production forecast of 12.1 million bales will not be above or below the final estimate by more than 1.5 percent or approximately 180 thousand bales. Chances are 9 out of 10 (90 percent confidence level) that the difference will not exceed 2.6 percent or approximately 310 thousand bales.

Differences between the December 1 forecast and the final estimate during the past 10 years have averaged 168 thousand bales, ranging from 3 thousand to 338 thousand bales. The December 1 forecast has been below the final estimate 7 times and above 3 times.

BURLEY TOBACCO: Production forecast at 789 million pounds (358 thousand metric tons), 8 percent above last year--new record high. Production up all States except Virginia. Yield per acre 2358 pounds compared with 2203 pounds in 1981.

Kentucky and Tennessee's production up 9 and 4 percent, respectively, from previous year. Stripping active with increased moisture.

Burley markets opened November 17--a week ahead of normal.

PECANS: U.S. production forecast at 199 million pounds (90.4 thousand metric tons), 5 percent below October 1, 41 percent less than 1981. Arkansas, Georgia, Oklahoma, South Carolina, Texas decreased estimates from October 1, but Alabama increased. Harvest about three-fourths complete in Georgia by December 1.

PAPAYAS: Hawaii fresh production forecast at 3.20 million pounds (1450 metric tons) for December, down 14 percent from November, 10 percent less than year earlier. Fresh production expected to increase in January to 3.50 million pounds (1590 metric tons). An 11 percent decrease from previous month forecast for February, drop of 6 percent expected in March.

Hurricane Iwa on November 23 caused extensive damage to papaya fields on Kauai, Oahu islands. Hurricane-force winds toppled roughly 60 percent all bearing trees on Kauai island. Prior to Hurricane, Kauai accounted for 11 percent of total acreage and approximately 6 percent of fresh production. Oahu island also hard hit by storm. Last month Oahu accounted for 3 percent of total acreage and 4 percent fresh production. Damage figures preliminary pending comprehensive survey scheduled begin in mid-December. Major growing area of Hawaii island escaped without damage.

November fresh production estimated 3.70 million pounds (1680 metric tons), down 3 percent from October, 23 percent less than same month year earlier. Farmers harvested 2165 acres (880 hectares) in November, up 1 percent from October, but down 3 percent from year ago.

ORANGES: U.S. production forecast at 224 million boxes (8.63 million metric tons), up 4 percent from October 1 and 26 percent above last season, but 9 percent less than 1980-81. Forecast of all oranges in Florida 147 million boxes, up 3 percent from October 1, 17 percent above last season's freeze-damaged crop. Early and mid-season varieties in Florida 74.0 million boxes, 3 percent above the previous forecast -- the same as last season. Valencia forecast at 73.0 million boxes, up 3 percent from October 1, 41 percent above last season.

California crop forecast at record high 67.0 million boxes, up 6 percent from October 1, 56 percent more than last season, 3 percent above previous record in 1980-81. Navel crop at record 39.0 million boxes, up 5 percent from October 1, 1 percent more than previous record of 1980-81. Valencia forecast for California at record 28.0 million boxes, up 8 percent from October 1, 75 percent greater than last season.

Arizona all orange forecast 3.30 million boxes, unchanged from October, 8 percent more than last season. Texas crop -- 6.20 million boxes, 4 percent above 1981-82. Harvest of early oranges gained momentum last month in all States.

Changes in U.S. production between December 1 forecast and final production have averaged 15.9 million boxes over past ten seasons, ranging from 300 thousand boxes in 1977-78 to 44.1 million boxes in 1981-82. Freeze that occurred in Florida during January 1982 was major cause for 44.1 million box difference between December 1, 1981 and final estimate.

FLORIDA FROZEN CONCENTRATED JUICE YIELD: The 1982-83 Florida Frozen Concentrated Juice Yield for all oranges projected at 1.37 gallons per box at 42.0 degree brix equivalent. This compares with freeze shortened 1981-82 crop which had final yield of 1.27832 gallons per 90 pound box at 42.0 degree brix equivalent.

GRAPEFRUIT: Excluding California's "other areas" forecast is 64.3 million boxes (2.38 million metric tons), fractionally above November forecast, but 5 percent less than last season. First forecast for California's "other areas" April 1. Production for 1981-82 "other areas" crop 3.20 million boxes. Florida all grapefruit forecast at 44.0 million boxes -- unchanged from October 1, but 9 percent less than last season. Large fruit and early maturity have put movement ahead of past two years. Texas forecast is 13.5 million boxes, unchanged from November 1, but 3 percent less than last season. Arizona forecast at 2.90 million boxes up 12 percent from last month, 21 percent above last season. California "Desert Valley" forecast continues at 3.90 million boxes, 14 percent more than 1981-82 harvest. Harvest for fresh market outlets active all States. Processing demand slow.

LEMONS: Production in Arizona, California expected to total 31.0 million boxes (1.07 million metric tons), unchanged from November 1, but 25 percent above last season. Picking active in Arizona, slow in California's interior.

TANGELOS: Florida crop forecast at 4.20 million boxes (171 thousand metric tons), unchanged from October 1, but 18 percent less than the 1981-82 crop. Picking increased during November, was about one-third complete by month's end.

TANGERINES: U.S. production forecast at 5.60 million boxes (217 thousand metric tons), down 5 percent from November 1, but 12 percent more than last season. Harvest active in all States.

TEMPLES: Florida forecast at 4.60 million boxes (188 thousand metric tons), unchanged from October 1, but 44 percent above last season. As of December 1, harvest not yet underway.

DRY EDIBLE BEANS: Nation's 1982 production totaled 24.3 million cwt (1.10 million metric tons), down 25 percent from 1981, 8 percent below 1980. Most reduction caused by less acreage planted when Mexican Government did not renew contracts.

Production by classes: 36 percent increase from 1981 for Navy; 32 percent increase red Kidney; pinto and pink production off 51 and 55 percent, respectively; black turtle soup 89 percent below 1981.


Growers planted 1.91 million acres (772 thousand hectares), 19 percent below 1981. Area harvested, at 1.75 million acres (709 thousand hectares), declined 21 percent. General lateness of crop and excessive moisture at harvest reduced yields, which averaged 1386 pounds per acre, 1448 in 1981.

Michigan's crop better than expected despite dryness during growing season and excessive moisture at harvest. Production up 3 percent from last year, average yield 130 pounds better than 1981.

California production 6 percent below 1981. Crop planted late, seasonal temperatures below average, reducing yields, and greater abandonment from heavy rainstorms.

Nebraska production down 33 percent. Hail, rust, blight and white mold reduced yields 400 pounds and lowered harvested acres.

U. S. DRY BEAN PRODUCTION, BY CLASSES



COTTON

CROP AND STATE	AREA HARVESTED			YIELD			PRODUCTION 1/		
	1980	1981	IND 1982	1980	1981	IND 1982	1980	1981	IND 1982
	1,000 ACRES			POUNDS			1,000 BALES 2/		
COTTON, UPLAND									
ALA	321.0	372.0	300.0	411	545	720	275.0	422.0	450.0
ARIZ	549.0	599.0	489.0	1,184	1,247	1,178	1,354.0	1,556.0	1,200.0
ARK	645.0	560.0	425.0	330	518	610	444.0	604.0	540.0
CALIF	1,540.0	1,530.0	1,370.0	969	1,109	1,086	3,109.0	3,535.0	3,100.0
FLA 3/	5.9	17.0	15.0	610	601	640	7.5	21.3	20.0
GA	160.0	175.0	175.0	258	436	603	86.0	159.0	220.0
LA	560.0	695.0	605.0	394	512	698	460.0	742.0	880.0
MISS	1,125.0	1,200.0	1,050.0	488	626	823	1,143.0	1,565.0	1,800.0
MO	241.0	183.0	155.0	353	441	650	177.0	168.0	210.0
NEV 3/	.9	.9	.9	640	800	640	1.2	1.5	1.2
N MEX	120.0	106.0	65.0	428	602	591	107.0	133.0	80.0
N C	65.0	82.0	72.0	381	558	667	52.0	95.0	100.0
OKLA	565.0	640.0	440.0	174	330	305	205.0	440.0	280.0
S C	120.0	118.0	95.0	309	667	783	77.0	164.0	155.0
TENN	275.0	305.0	250.0	349	496	682	200.0	315.0	355.0
TEX	6,850.0	7,200.0	3,900.0	233	376	320	3,320.0	5,645.0	2,600.0
VA 3/	.3	.3	.3	320	480	480	.2	.3	.3
U S	13,143.1	13,783.2	9,407.2	402	542	612	11,017.9	15,566.1	11,991.5
COTTON, AMER-PIMA									
ARIZ	42.1	33.6	43.9	824	767	875	72.3	53.7	80.0
CALIF 3/	.1	.0	.0	480	0	0	.1	.0	.0
N MEX	7.0	6.8	9.3	464	558	501	6.8	7.9	9.7
TEX	22.5	17.6	19.5	533	491	517	25.0	18.0	21.0
U S	71.7	58.0	72.7	698	659	731	104.2	79.6	110.7
COTTON, ALL									
ALA	321.0	372.0	300.0	411	545	720	275.0	422.0	450.0
ARIZ	591.1	632.6	532.9	1,158	1,221	1,153	1,426.3	1,609.7	1,280.0
ARK	645.0	560.0	425.0	330	518	610	444.0	604.0	540.0
CALIF	1,540.1	1,530.0	1,370.0	969	1,109	1,086	3,109.1	3,535.0	3,100.0
FLA 3/	5.9	17.0	15.0	610	601	640	7.5	21.3	20.0
GA	160.0	175.0	175.0	258	436	603	86.0	159.0	220.0
LA	560.0	695.0	605.0	394	512	698	460.0	742.0	880.0
MISS	1,125.0	1,200.0	1,050.0	488	626	823	1,143.0	1,565.0	1,800.0
MO	241.0	183.0	155.0	353	441	650	177.0	168.0	210.0
NEV 3/	.9	.9	.9	640	800	640	1.2	1.5	1.2
N MEX	127.0	112.8	74.3	430	600	579	113.8	140.9	89.7
N C	65.0	82.0	72.0	381	558	667	52.0	95.0	100.0
OKLA	565.0	640.0	440.0	174	330	305	205.0	440.0	280.0
S C	120.0	118.0	95.0	309	667	783	77.0	164.0	155.0
TENN	275.0	305.0	250.0	349	496	682	200.0	315.0	355.0
TEX	6,872.5	7,217.6	3,919.5	234	377	321	3,345.0	5,663.0	2,621.0
VA 3/	.3	.3	.3	320	480	480	.2	.3	.3
U S	13,214.8	13,841.2	9,479.9	404	543	613	11,122.1	15,645.7	12,102.2

1/ PRODUCTION GINNED AND TO BE GINNED.
 2/ 480-LB. NET WEIGHT SALES.
 3/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

COTTONSEED

STATE	PRODUCTION		
	1980	1981	IND 1982
	1,000 TONS		
U S	4,471	6,397	4,812

BURLEY TOBACCO

STATE AND TYPE	AREA HARVESTED			YIELD			PRODUCTION		
	1980	1981	IND 1982	1980	1981	IND 1982	1980	1981	IND 1982
	ACRES			POUNDS			1,000 POUNDS		
IND	7,300	8,300	9,000	2,300	2,265	2,450	16,790	18,800	22,050
KY	185,000	218,000	218,000	2,130	2,215	2,420	398,050	482,870	527,560
MO	2,500	2,900	2,900	2,105	2,170	2,300	5,283	6,076	6,670
N C	8,800	10,900	11,000	1,925	2,550	2,550	16,940	27,795	28,050
OHIO	9,800	11,400	12,000	1,800	1,790	2,130	17,640	20,406	25,560
TENN	52,000	65,000	67,000	1,725	2,155	2,165	89,700	140,075	145,055
VA	10,000	13,300	13,000	1,860	2,350	2,400	18,600	31,255	31,200
W VA	1,200	1,500	1,600	1,500	1,620	1,650	1,800	2,430	2,640
U S	276,600	331,200	334,500	2,027	2,203	2,358	560,783	729,707	788,785

/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

CITRUS FRUIT

1/

CROP AND STATE	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	TOTAL	INDICATED:		TOTAL	INDICATED	
	1980-81	1981-82	1982-83	1980-81	1981-82	1982-83
	1,000 UNITS 2/			1,000 UNITS		
ORANGES, EARLY MID & NAVAL 3/:						
ARIZ	900	900	950	34	34	36
CALIF	38,750	27,000	39,000	1,453	1,013	1,463
FLA	105,600	74,000	74,000	4,752	3,330	3,330
TEX	2,600	3,610	3,800	110	153	162
U S	147,850	105,510	117,750	6,349	4,530	4,991
ORANGES, VALENCIA						
ARIZ	1,700	2,150	2,350	64	80	88
CALIF	26,500	16,000	28,000	994	600	1,050
FLA	66,800	51,800	73,000	3,006	2,331	3,285
TEX	1,730	2,330	2,400	74	99	102
U S	96,730	72,280	105,750	4,138	3,110	4,525
ALL ORANGES						
ARIZ	2,600	3,050	3,300	98	114	124
CALIF	65,250	43,000	67,000	2,447	1,613	2,513
FLA	172,400	125,800	147,000	7,758	5,661	6,615
TEX	4,330	5,940	6,200	184	252	264
U S	244,580	177,790	223,500	10,487	7,640	9,516
TEMPLES						
FLA	3,600	3,200	4,600	162	144	207
GRAPEFRUIT, WHITE SEEDLESS						
FLA	28,400	27,300	25,000	1,207	1,160	1,062
GRAPEFRUIT, PINK SEEDLESS						
FLA	14,600	14,800	13,000	621	629	553
OTHER GRAPEFRUIT						
FLA	7,300	6,000	6,000	310	255	255
ALL GRAPEFRUIT						
ARIZ	2,800	2,400	2,900	90	77	93
CALIF 4/						
DESERT	4,260	3,410	3,900	136	109	125
OTHER AREAS	3,800	3,200		127	107	
TOTAL	8,060	6,610		263	216	
FLA	50,300	48,100	44,000	2,138	2,044	1,870
TEX	6,700	13,900	13,500	268	556	540
U S	67,860	71,010		2,759	2,893	
TANGERINES						
ARIZ	700	750	700	26	28	26
CALIF	1,860	1,730	2,000	70	65	75
FLA	3,000	2,500	2,900	143	119	138
U S	5,560	4,980	5,600	239	212	239
LEMONS						
ARIZ	7,000	6,300	7,700	266	239	293
CALIF	24,300	18,500	23,300	923	703	885
U S	31,300	24,800	31,000	1,189	942	1,178
TANGELOS						
FLA	4,900	5,100	4,200	221	230	189

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.

2/ NET LBS PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS & TEMPLES-90; TANGERINES- CALIF & ARIZ-75, FLA-95.

3/ NAVAL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA, EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

4/ THE FIRST FORECAST FOR CALIF GRAPEFRUIT "OTHER AREAS" WILL BE AS OF APR 1.

PECANS

CROP AND STATE	PRODUCTION		
	TOTAL		
	1980	1981	IND 1982
	1,000 POUNDS		
PECANS IMPROVED	1/		
ALA	:	10,400	21,000
ARK	:	200	1,250
FLA	:	2,500	2,000
GA	:	84,000	96,000
LA	:	2,000	4,500
MISS	:	3,500	5,500
N MEX	:	14,700	20,000
N C	2/	1,100	2,000
OKLA	:	500	2,500
S C	:	1,600	4,800
TEX	:	8,000	15,000
U S	:	128,500	174,550
PECANS NATIVE & SEEDLING	:		
ALA	:	9,600	13,000
ARK	:	700	4,250
FLA	:	3,500	3,000
GA	:	21,000	24,000
LA	:	12,000	19,500
MISS	:	1,000	3,000
N C	2/	600	2,200
OKLA	:	3,000	44,500
S C	:	600	4,100
TEX	:	3,000	47,000
U S	:	55,000	164,550
ALL PECANS	:		
ALA	:	20,000	34,000
ARK	:	900	5,500
FLA	:	6,000	5,000
GA	:	105,000	120,000
LA	:	14,000	24,000
MISS	:	4,500	8,500
N MEX	:	14,700	20,000
N C	2/	1,700	4,200
OKLA	:	3,500	47,000
S C	:	2,200	8,900
TEX	:	11,000	62,000
U S	:	183,500	339,100

1/ BUDDED, GRAFTED, OR TOPWORKED VARIETIES.

2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PAPAYAS - HAWAII

MONTH	AREA				FRESH PRODUCTION		
	TOTAL IN CROP		HARVESTED		1981	1982	FORECAST
	1981	1982	1981	1982			1982-83
	ACRES				1,000 POUNDS		
OCT	3,210	3,245	2,240	2,150	4,922	3,830	
NOV	3,260	3,330	2,235	2,165	4,800	3,700	
DEC	3,240		2,235		3,572		3,200
JAN		3,180		2,265		3,360	3,500
FEB		3,110		2,290		3,550	3,100
MAR		3,120		2,280		4,440	2,900
CUMULATIVE FRESH PRODUCTION JAN-NOV					54,598	40,310	

AREA PLANTED, DRY EDIBLE BEANS, 1980-82

STATE	1980	1981	1982	STATE	1980	1981	1982
	1,000 ACRES				1,000 ACRES		
CALIF	213.0	235.0	248.0	NEBR	160.0	240.0	215.0
COLO	190.0	190.0	175.0	N Y	51.0	51.0	50.0
IDAHO	181.0	246.0	143.0	N DAK	265.0	430.0	300.0
KANS	25.0	48.0	25.0	UTAH	12.0	15.0	11.0
MICH	590.0	650.0	560.0	WASH	55.0	70.0	46.0
MINN	90.0	110.0	95.0	WYO	38.0	43.0	30.0
MONT	12.0	14.0	8.5	U S	1,882.0	2,342.0	1,906.5

AREA PLANTED, DRY EDIBLE LIMA BEANS, 1980-82

CROP AND STATE	1980	1981	1982
	1,000 ACRES		
LARGE LIMA-CALIF	34.0	31.0	34.0
BABY LIMA-CALIF	19.0	30.0	29.0

DRY EDIBLE BEANS 1/

CROP AND STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1980	1981	IND 1982	1980	1981	IND 1982	1980	1981	IND 1982
	1,000 ACRES			POUNDS			1,000		CWT
LARGE LIMA BEANS									
CALIF	34.0	30.0	31.0	2,230	2,130	2,010	758	639	623
BABY LIMA BEANS									
CALIF	19.0	29.0	27.0	2,350	2,280	2,150	447	661	581
BEANS OTHER THAN LIMAS									
CALIF	160.0	165.0	168.0	1,630	1,700	1,570	2,608	2,805	2,638
ALL DRY EDIBLE BEANS									
CALIF	213.0	224.0	226.0	1,790	1,833	1,700	3,813	4,105	3,842
COLD	185.0	185.0	170.0	1,160	1,450	1,210	2,146	2,683	2,057
IDAHO	179.0	243.0	141.0	1,860	1,760	1,840	3,329	4,277	2,594
KANS	24.0	47.0	24.0	1,400	1,990	1,000	336	935	240
MICH	570.0	590.0	550.0	1,360	1,220	1,350	7,752	7,198	7,425
MINN	84.0	103.0	73.0	1,150	1,240	1,300	966	1,277	949
MONT	11.0	13.0	8.4	1,600	1,680	1,650	176	218	139
NEBR	150.0	230.0	200.0	1,820	1,750	1,350	2,730	4,025	2,700
N Y	48.0	47.0	49.0	1,280	1,230	1,200	614	578	588
N DAK	255.0	415.0	240.0	1,050	1,100	1,050	2,678	4,565	2,520
UTAH	11.0	14.0	10.0	380	430	460	42	60	46
WASH	54.0	69.0	32.0	2,000	2,000	2,070	1,080	1,380	662
WYO	37.0	42.0	29.0	1,980	2,100	1,800	733	882	522
U S	1,821.0	2,222.0	1,752.4	1,449	1,448	1,386	26,395	32,183	24,284

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.

DRY EDIBLE BEANS, PRODUCTION BY COMMERCIAL CLASSES
THOUSAND HUNDREDWEIGHT

STATE	LARGE LIMA			BABY LIMA			BLACKEYE			GARBANZO		
	1980	1981	1982	1980	1981	1982	1980	1981	1982	1980	1981	1982
CALIF	758	639	623	447	661	581	698	875	1,100	67	50	60
U S	758	639	623	447	661	581	698	875	1,100	67	50	60
	NAVY			GREAT NORTHERN			SMALL WHITE			CRANBERRY		
	1980	1981	1982	1980	1981	1982	1980	1981	1982	1980	1981	1982
CALIF							86	150	110			
IDAHO				368	427	352				330	320	358
MICH	4,827	4,070	6,143									
MINN	486	610	554									
MONT						10						
NEBR				1,700	2,211	1,913						
N DAK	404	870	840									
WASH							100	162	126			
WYO				44	48	42						
U S	5,717	5,550	7,537	2,112	2,686	2,317	186	312	236	330	320	358
	SMALL RED			PINK			RED KIDNEY			BLACK TURTLE SOUP		
	1980	1981	1982	1980	1981	1982	1980	1981	1982	1980	1981	1982
CALIF				700	700	228	957	830	930			
IDAHO	258	214	235	942	1,034	587	31	13	41	1,210	1,990	140
MICH							390	335	369			
MINN	18						21	39	90			
MONT					30	10						
NEBR							10	32	182			
N Y							348	293	426	241	254	102
WASH	370	396	254	108	177	42						
U S	646	610	489	1,750	1,941	867	1,757	1,542	2,038	1,451	2,244	242
	PINTO			OTHER			TOTAL					
	1980	1981	1982	1980	1981	1982	1980	1981	1982	1980	1981	1982
CALIF					100	200		210	3,813	4,105	3,842	
COLO	2,131	2,650	1,977		15	33		80	2,146	2,683	2,057	
IDAHO	1,629	2,421	1,228		101	168		151	3,329	4,277	2,594	
KANS	336	935	240						336	935	240	
MICH	850	348	120		145	135		295	7,752	7,198	7,425	
MINN	421	598	293		20	30		12	966	1,277	949	
MONT	144	188	119		32				176	218	139	
NEBR	1,020	1,782	605						2,730	4,025	2,700	
N Y					25	31		60	614	578	588	
N DAK	2,248	3,570	1,596		26	125		84	2,678	4,565	2,520	
UTAH	42	60	46						42	60	46	
WASH	498	643	234		4	2		6	1,080	1,380	662	
WYO	689	834	480						733	882	522	
U S	10,008	14,029	6,938	468	724	898		898	26,395	32,183	24,284	

FARM MARKETING OF FIELD CROPS, UNITED STATES, 1980-81 1/ AND 1981-82
PERCENT OF SALES, BY MONTHS

MONTH	CROP MARKETING YEAR							
	1980-81		1981-82		1980-81		1981-82	
	PERCENT							
	HAY				BARLEY			
APR	.2	.4						
MAY	3.6	3.8		.3		.4		
JUN	12.1	12.0		9.1		4.0		
JUL	11.8	12.7		9.0		9.1		4.7
AUG	10.6	10.2		10.2		15.1	5.7	24.7
SEP	8.7	8.3		10.2		12.7	20.6	25.5
OCT	9.1	7.3		7.7		5.8	18.6	11.2
NOV	8.5	8.0		8.2		7.3	11.6	10.7
DEC	7.8	8.3		7.8		7.5	5.8	5.8
JAN	7.6	7.3		7.5		8.3	4.9	2.8
FEB	6.5	6.6		6.3		7.3	3.1	2.3
MAR	6.0	6.6		4.4		5.9	2.4	3.5
APR	5.0	5.9		5.4		6.1	2.6	3.0
MAY	2.5	2.6		7.2		4.9	4.3	1.5
JUN				6.7		5.6	5.1	4.3
YEAR	100.0	100.0		100.0		100.0	100.0	100.0
	OATS				WHEAT			
MAY	.5	.6		1.3		2.0		
JUN	3.3	3.5		8.7		10.6		
JUL	22.0	20.6		21.0		16.1		
AUG	18.7	17.0		11.2		11.9		
SEP	7.1	7.2		11.3		10.4	20.0	20.1
OCT	4.4	4.6		9.0		8.1	54.0	58.0
NOV	4.4	4.3		5.6		6.6	18.2	13.9
DEC	5.4	4.9		5.0		4.4	6.2	6.0
JAN	7.3	4.7		7.0		6.3	1.6	2.0
FEB	7.0	6.7		4.8		5.1		
MAR	6.5	6.6		4.4		6.1		
APR	4.8	6.6		5.0		5.5		
MAY	3.8	5.9		3.1		3.6		
JUN	4.8	6.8		2.6		3.3		
YEAR	100.0	100.0		100.0		100.0		
	SORGHUM				CORN			
JUN	6.5	1.1						
JUL	9.9	12.4						
AUG	4.7	6.1		.4		.5	3.3	3.1
SEP	6.2	6.1		2.0		2.0	2.8	4.7
OCT	16.8	10.0		17.6		10.6	14.1	12.4
NOV	17.1	16.1		10.8		14.6	24.3	17.0
DEC	7.8	8.7		7.2		7.8	16.0	19.7
JAN	9.5	12.3		14.2		10.9	11.6	16.4
FEB	3.4	5.2		6.4		6.5	10.9	9.5
MAR	4.4	5.4		7.8		8.3	4.4	5.7
APR	2.7	4.9		6.8		8.4	3.6	5.1
MAY	2.4	5.6		5.0		6.7	3.3	2.1
JUN	2.3	2.5		4.7		7.0	3.0	2.2
JUL	2.7	1.4		5.9		6.2	2.7	2.1
AUG	2.6	1.5		5.7		5.4		
SEP	1.0	.7		5.5		5.1		
YEAR	100.0	100.0		100.0		100.0	100.0	100.0
	SOYBEANS				DRY EDIBLE BEANS			
SEP	9.9	6.0		15.7		16.4		
OCT	25.2	18.4		19.9		17.9		
NOV	11.4	15.6		12.6		14.3		
DEC	5.4	7.2		10.1		8.4		
JAN	10.4	10.7		10.9		6.5		
FEB	4.3	6.4		8.0		8.0		
MAR	7.8	6.6		7.7		7.0		
APR	5.9	9.1		4.8		4.2		
MAY	5.0	6.7		3.5		5.8		
JUN	3.6	4.0		3.0		4.6		
JUL	5.4	4.9		2.6		3.7		
AUG	5.7	4.4		1.2		3.2		
YEAR	100.0	100.0		100.0		100.0		

CROP MARKETING SEASONS OF SPECIFIED FIELD CROPS

BARLEY: May 1 to April 30 for Arizona, Oklahoma, South Carolina and Texas; June 1 to May 31 for California, Delaware, Illinois, Kansas, Kentucky, Maryland, New Jersey, New Mexico, North Carolina, Ohio, Pennsylvania, Tennessee, Virginia and West Virginia; July 1 to June 30 for all other estimated States.

CORN FOR GRAIN: August 1 to July 31 for Florida, Georgia, Louisiana, Oklahoma and Texas; September 1 to August 31 for Alabama, Arizona, Arkansas, California, Delaware, Kansas, Maryland, Mississippi, Missouri, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; October 1 to September 30 for all other estimated States.

DRY EDIBLE BEANS: September 1 to August 31 for all estimated States.

FLAXSEED: July 1 to June 30 for all estimated States.

HAY: April 1 to March 31 for Arizona; May 1 to April 30 for Alabama, Arkansas, California, Florida, Georgia, Kansas, Kentucky, Louisiana, Mississippi, Missouri, Nevada, New Mexico, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Utah and Virginia; June 1 to May 31 for all other estimated States.

OATS: May 1 to April 30 for Alabama, Georgia, Oklahoma, South Carolina and Texas; June 1 to May 31 for Arkansas, California, Kansas, Kentucky, Maryland, Missouri, North Carolina, Tennessee and Virginia; July 1 to June 30 for all other estimated States.

SORGHUM FOR GRAIN: June 1 to May 31 for Texas; July 1 to June 30 for Arizona; August 1 to July 31 for Oklahoma; September 1 to August 31 for Alabama, Arkansas, California, Georgia, Kansas, Louisiana, Mississippi, Missouri, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; October 1 to September 30 for all other estimated States.

SOYBEANS: September 1 to August 31 for all estimated States.

WHEAT: May 1 to April 30 for Arizona, California, Louisiana, Oklahoma and Texas; June 1 to May 31 for Alabama, Arkansas, Georgia, Illinois, Kansas, Kentucky, Mississippi, Missouri, New Mexico, North Carolina, South Carolina, Tennessee and Virginia; July 1 to June 30 for all other estimated States.

FARM MARKETINGS OF HAY BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY
PERCENT															
ARIZ	1980-81	5	8	9	12	12	10	11	8	6	5	7	7		
	1981-82	11	15	6	10	10	7	10	6	8	5	6	6		
ARK	1980-81		21	19	15	5	2	6	2	9	9	9	2	1	
	1981-82		9	19	15	5	6	3	6	8	10	10	6	3	
CALIF	1980-81		10	13	16	14	12	11	8	4	3	3	2	4	
	1981-82		10	15	14	10	11	7	5	5	6	7	6	4	
COLO	1980-81			9	9	9	9	10	17	12	7	6	5	4	3
	1981-82			7	6	6	13	7	9	9	7	6	13	9	8
GA	1980-81		4	6	7	9	7	15	10	13	9	11	6	1	
	1981-82		3	7	7	10	8	10	9	12	14	12	6	2	
IDAHO	1980-81			7	13	9	8	6	9	13	8	7	10	6	4
	1981-82			12	9	7	4	5	15	12	9	8	8	8	3
ILL	1980-81			19	14	10	9	4	2	8	9	10	9	4	2
	1981-82			23	11	10	11	3	2	4	5	11	10	8	2
IND	1980-81			16	10	8	4	4	4	11	13	11	10	5	4
	1981-82			15	15	9	6	6	5	11	7	7	10	6	3
IOWA	1980-81			19	10	9	8	3	5	9	8	9	9	7	4
	1981-82			22	9	10	9	2	2	5	12	11	10	3	
KANS	1980-81		5	9	9	10	9	11	11	14	11	4	4	3	
	1981-82		5	10	12	9	9	5	9	10	14	6	6	5	
KY	1980-81		3	13	10	9	8	6	5	10	14	14	6	2	
	1981-82		3	13	10	9	8	6	5	10	14	14	6	2	
MICH	1980-81			12	8	9	5	5	4	9	12	10	11	9	6
	1981-82			14	11	11	7	7	6	9	10	8	8	4	5
MINN	1980-81			10	8	6	4	3	5	4	13	10	13	14	10
	1981-82			11	9	7	10	10	7	9	7	8	12	7	3
MO	1980-81		3	10	9	8	6	9	11	9	10	10	9	6	
	1981-82		3	8	13	6	5	6	9	9	20	9	8	4	
MONT	1980-81			5	10	7	6	9	15	13	8	9	8	5	5
	1981-82			5	4	5	4	7	15	15	13	11	7	10	4
NEBR	1980-81			11	10	10	8	10	11	12	10	6	5	4	3
	1981-82			12	10	8	6	5	10	10	14	8	7	7	3
NEV	1980-81		2	5	10	10	10	10	13	11	11	7	6	5	
	1981-82		2	3	8	10	9	11	12	11	11	10	8	5	
N MEX	1980-81		6	12	12	12	10	11	6	9	6	7	6	3	
	1981-82		10	15	15	13	9	7	4	6	5	5	7	4	
N Y	1980-81			13	12	10	6	5	6	8	9	10	9	8	4
	1981-82			10	15	9	6	7	6	9	7	7	9	10	5
N DAK	1980-81			9	19	9	8	10	10	5	5	6	9	5	5
	1981-82			2	3	6	5	7	19	14	14	12	9	8	1
OHIO	1980-81			14	8	8	4	5	4	13	13	13	10	5	3
	1981-82			13	13	9	7	6	6	12	8	8	10	6	2
OKLA	1980-81		4	10	16	14	8	10	7	7	8	9	5	2	
	1981-82		6	10	21	10	7	3	7	7	8	9	7	5	
OREG	1980-81			27	13	12	9	10	7	6	3	3	4	3	3
	1981-82			8	9	7	11	11	12	8	9	12	8	4	1
PA	1980-81			11	8	5	3	5	8	8	10	13	12	11	6
	1981-82			9	11	7	7	7	7	12	8	8	10	9	5
S DAK	1980-81			11	11	14	11	10	12	6	7	6	5	4	3
	1981-82			7	9	10	12	12	20	5	7	7	7	2	2
TEX	1980-81		6	18	15	13	10	12	6	7	6	4	2	1	
	1981-82		8	18	16	15	11	8	5	6	6	4	2	1	
UTAH	1980-81		1	15	14	13	11	10	11	8	7	4	3	3	
	1981-82		2	10	12	13	10	10	10	10	8	6	5	4	
WASH	1980-81			12	7	9	11	13	12	4	8	3	5	7	9
	1981-82			14	8	5	9	8	9	12	6	10	8	6	5
WIS	1980-81			9	7	6	3	5	2	3	19	10	12	16	8
	1981-82			13	10	7	10	11	6	8	8	8	10	7	2
WYO	1980-81			3	7	12	10	19	16	11	7	7	4	3	1
	1981-82			2	5	7	13	8	13	9	12	8	11	7	5
U S	1980-81	.2	3.6	12.1	11.8	10.6	8.7	9.1	8.5	7.8	7.6	6.5	6.0	5.0	2.5
	1981-82	.4	4.1	11.9	11.4	9.0	9.0	7.2	7.9	8.3	8.4	7.8	7.5	5.3	1.8

FARM MARKETINGS OF BARLEY BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1980-81	18	55	16	2	1	1	1	2	1	1	1	1		
	1981-82	40	45	3	1	1	1	1	2	1	2	1	2		
CALIF	1980-81		28	8	5	7	6	8	5	10	4	6	6	7	
	1981-82		32	11	10	5	5	4	4	6	2	6	7	8	
COLO	1980-81			5	17	4	10	20	13	4	6	14	1	2	4
	1981-82			13	13	19	6	11	7	9	7	2	3	5	5
IDAHO	1980-81			4	8	13	23	12	8	10	6	5	5	3	3
	1981-82			3	13	21	8	9	7	11	6	6	6	3	7
MINN	1980-81			16	9	10	11	11	8	3	11	5	6	6	4
	1981-82			12	21	6	3	7	2	3	11	8	9	6	12
MONT	1980-81			11	8	6	12	10	14	13	8	9	4	4	1
	1981-82			5	5	8	6	8	15	13	11	8	11	6	4
N DAK	1980-81			14	8	6	8	10	5	5	6	8	8	9	13
	1981-82			13	19	11	5	7	9	6	8	6	4	5	7
OKLA 1/	1980-81	17	15	14	5	3	8	5	7	7	7	5	7		
	1981-82														
OREG	1980-81			6	14	27	13	9	7	13	6	2	1	1	1
	1981-82			14	16	17	13	7	7	9	5	4	4	2	2
PA 1/	1980-81		29	18	8	4	4	12	11	5	5	1	1	2	
	1981-82														
S DAK	1980-81			24	12	6	10	6	4	6	12	5	5	4	6
	1981-82			11	13	14	3	7	5	1	6	8	9	10	13
UTAH	1980-81			10	12	16	11	10	9	11	8	4	3	3	3
	1981-82			10	12	15	11	10	9	11	8	5	3	3	3
WASH	1980-81			7	16	25	17	4	7	12	4	4	2	1	1
	1981-82			2	17	26	8	8	8	16	6	3	3	2	1
WYO	1980-81			12	66	6	1	1	2	5	1	3	1	1	1
	1981-82			23	57	5	1	3	1	3	1	1	1	1	3
U S	1980-81	.3	5.5	10.1	10.4	10.5	12.0	9.5	7.7	8.5	6.3	6.3	4.7	4.6	3.6
	1981-82	.4	4.0	9.1	15.1	12.7	5.8	7.3	7.5	8.3	7.3	5.9	6.1	4.9	5.6

1/ ESTIMATE DISCONTINUED AFTER 1980-81.

FARM MARKETINGS OF OATS, BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
PERCENT																
ARK	1980-81		39	19	30	4	1	1	1	1	1	1	1	1		
	1981-82		70	10	5	7	1	1	1	1	1	1	1	1		
CALIF	1980-81		18	17	10	12	9	10	8	5	5	2	2	2		
	1981-82		20	15	10	12	10	10	7	5	5	2	2	2		
IAHMO	1980-81			1	5	11	14	9	23	12	4	13	3	4	1	
	1981-82			10	26	15	5	7	2	3	4	9	6	6	7	
ILL	1980-81			24	15	6	1	1	2	10	9	12	7	6	7	
	1981-82			40	19	6	5	1	4	5	5	6	3	2	4	
IND	1980-81			23	22	11	2	2	8	8	4	7	6	6	1	
	1981-82			57	16	3	3	2	4	2	5	3	1	2	2	
IOWA	1980-81			37	14	8	3	4	4	7	4	6	4	3	6	
	1981-82			38	16	8	2	3	2	3	4	6	6	5	7	
MICH	1980-81			9	46	7	3	3	4	6	5	6	4	4	3	
	1981-82			19	39	5	3	3	4	4	5	7	3	5	3	
MINN	1980-81			21	17	7	5	5	6	9	8	8	4	4	6	
	1981-82			15	19	8	6	4	5	4	9	7	10	4	9	
MONT	1980-81			13	11	9	5	6	5	8	11	11	8	6	7	
	1981-82			4	7	6	9	8	11	20	7	9	10	3	6	
NEBR	1980-81			15	17	6	4	8	7	11	7	7	5	7	6	
	1981-82			32	15	5	4	4	6	5	5	6	6	5	7	
N Y	1980-81			9	30	8	7	8	6	7	7	4	5	3	6	
	1981-82			14	17	13	5	6	3	7	6	9	5	8	7	
N C	1980-81		51	15	2	5	2	2	2	3	1	7	5	5		
	1981-82		55	11	5	3	4	2	1	1	2	8	5	3		
N DAK	1980-81			12	9	7	8	8	8	8	9	8	7	6	10	
	1981-82			9	16	10	6	8	8	6	8	7	7	7	8	
OHIO	1980-81			22	38	5	4	1	3	6	5	7	4	3	2	
	1981-82			41	13	4	5	1	3	2	5	10	4	6	6	
OKLA 1/	1980-81	33	22	6	11	3	3	3	5	2	8	1	3			
	1981-82															
OREG	1980-81			2	19	17	11	9	5	7	7	8	7	4	4	
	1981-82			4	9	12	9	8	8	9	5	6	10	11	9	
PA	1980-81			23	23	12	3	3	2	3	8	8	5	5	5	
	1981-82			22	27	7	4	3	2	5	4	8	5	7	6	
S DAK	1980-81			32	10	5	5	5	8	9	9	3	6	3	5	
	1981-82			19	13	4	3	5	8	6	10	7	8	8	9	
TEX	1980-81		7	55	10	4	4	4	3	3	2	2	2			
	1981-82		15	45	10	6	6	3	3	4	2	2	2			
WIS	1980-81			16	15	6	4	3	4	5	14	12	8	6	7	
	1981-82			9	12	10	8	7	5	5	7	7	7	18	5	
U S	1980-81		.5	3.3	22.0	18.7	7.1	4.4	4.4	5.4	7.3	7.0	6.5	4.8	3.8	4.8
	1981-82		.6	3.5	20.6	17.0	7.2	4.6	4.3	4.9	4.7	6.7	6.6	6.6	5.9	6.8

1/ ESTIMATE DISCONTINUED AFTER 1980-81.

FARM MARKETINGS OF ALL WHEAT BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1980-81	14	53	11	7	8	1	1	1	1	1	1	1		
	1981-82	20	60	8	1	1	1	1	1	1	2	1	3		
ARK	1980-81		79	8	3	1	1	1	1	1	1	1	1	2	
	1981-82		60	24	6	2	1	1	1	1	1	1	1	1	
CALIF	1980-81	12	17	15	10	10	4	6	4	3	7	7	5		
	1981-82	10	34	14	8	3	8	3	3	4	5	4	4		
COLO	1980-81			12	22	13	11	6	5	6	5	5	8	4	3
	1981-82			10	7	9	7	8	5	14	10	13	9	5	3
IDAHO	1980-81			4	7	14	16	10	9	9	8	7	7	4	5
	1981-82			3	6	21	7	9	5	11	9	13	5	6	5
ILL	1980-81		6	59	7	4	2	2	2	8	3	2	3	2	
	1981-82		26	27	10	10	2	2	3	8	3	5	3	1	
IND	1980-81			69	10	7	1	1	1	3	1	1	1	1	4
	1981-82			62	11	11	3	1	1	3	1	1	1	1	4
KANS	1980-81		7	25	10	12	10	6	5	9	4	4	5	3	
	1981-82		9	16	10	12	11	8	5	8	6	7	4	4	
MICH	1980-81			25	38	18	2	2	1	4	2	2	2	2	2
	1981-82			41	24	10	4	2	3	3	2	5	2	3	1
MINN	1980-81			11	25	10	7	8	6	6	5	4	5	7	6
	1981-82			8	25	10	8	12	3	4	4	4	10	6	6
MO	1980-81		24	48	8	5	2	2	1	4	2	1	2	1	
	1981-82		18	31	16	12	3	2	4	5	3	3	2	1	
MONT	1980-81			7	7	10	13	7	7	12	7	8	8	7	7
	1981-82			7	13	10	7	9	6	8	6	7	12	7	8
NEBR	1980-81			23	14	9	9	6	5	9	6	5	5	3	6
	1981-82			27	10	10	6	5	3	8	7	10	7	4	3
N DAK	1980-81			10	12	12	12	8	6	5	6	7	7	7	8
	1981-82			8	14	13	11	8	6	5	6	6	8	6	9
OHIO	1980-81			57	12	7	2	2	2	7	4	2	2	1	2
	1981-82			52	10	10	4	1	2	5	3	4	6	2	1
OKLA	1980-81	5	18	27	7	14	7	4	3	4	4	3	4		
	1981-82	2	22	14	9	6	13	11	4	5	4	7	3		
OREG	1980-81			4	10	16	16	7	11	8	6	7	7	4	4
	1981-82			4	15	16	14	9	6	7	7	8	6	5	3
S DAK	1980-81			12	18	9	11	7	7	7	8	4	7	5	5
	1981-82			13	18	9	7	7	4	5	7	6	9	6	9
TEX	1980-81	6	43	17	8	7	5	3	3	5	1	1	1		
	1981-82	18	37	19	7	3	3	3	2	3	2	2	1		
WASH	1980-81			5	7	19	16	8	9	10	7	7	7	3	2
	1981-82			3	12	17	15	7	8	11	6	8	5	5	3
U S	1980-81	1.3	8.7	21.0	11.2	11.3	9.0	5.6	5.0	7.0	4.8	4.4	5.0	3.1	2.6
	1981-82	2.0	10.6	16.1	11.9	10.4	8.1	6.6	4.4	6.3	5.1	6.1	5.5	3.6	3.3

FARM MARKETINGS OF FLAXSEED, BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
	PERCENT											
MINN 1980-81	9	15	16	22	6	6	7	2	2	3	6	6
1981-82	0	46	16	9	10	4	2	2	4	5	1	1
N DAK 1980-81	7	8	9	13	22	10	6	5	4	4	5	7
1981-82	5	4	32	15	15	9	4	3	3	3	2	5
S DAK 1980-81	3	22	33	22	5	2	3	2	1	1	3	3
1981-82	7	51	19	5	3	1	1	1	4	2	1	5
U S 1980-81	5.7	15.3	20.6	18.6	11.6	5.8	4.9	3.1	2.4	2.6	4.3	5.1
1981-82	4.7	24.7	25.5	11.2	10.7	5.8	2.8	2.3	3.5	3.0	1.5	4.3

FARM MARKETINGS OF SORGHUM, BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
	PERCENT															
ARIZ 1/ 1980-81		17	1	9	27	34	6	1					5			
1981-82		35	1	3	5	5	45	2	1	1	2					
CALIF 1980-81				12	28	25	12	8	5	3	2	1	1	1	2	
1981-82				8	24	33	14	6	3	4	3	1	1	1	2	
COLO 2/ 1981-82					3	11	14	27	17	6	7	4	5	3	2	1
KANS 1980-81				8	19	21	12	12	5	6	3	3	3	4	4	
1981-82				5	11	20	12	11	6	9	9	8	5	2	2	
MO 1980-81				41	18	13	12	3	2	2	1	3	1	1	3	
1981-82				43	19	11	4	7	6	2	1	2	1	1	3	
NEBR 1980-81					25	21	6	11	4	7	5	3	4	5	5	4
1981-82					13	23	10	19	6	7	5	4	4	3	3	3
N MEX 1980-81				4	30	30	11	9	4	1	1	3	4	2	1	
1981-82				1	8	45	14	15	4	2	2	2	3	3	1	
OKLA 1980-81				5	2	11	25	11	18	1	3	6	8	7		
1981-82				7	8	5	24	15	7	1	4	3	22	2	2	
TEX 1/ 1980-81	20	30	14	3	7	9	4	7	2	2	1	1				
1981-82	3	33	16	4	6	8	5	10	4	3	3	5				
U S 1/ 1980-81	6.5	9.9	4.7	6.2	16.8	17.1	7.8	9.5	3.4	4.4	2.7	2.4	2.3	2.7	2.6	1.0
1981-82	1.1	12.4	6.1	6.1	10.0	16.1	8.7	12.3	5.2	5.4	4.9	5.6	2.5	1.4	1.5	.7

1/ MARKETING SEASON REVISED.
2/ ESTIMATE STARTED 1981-82.

FARM MARKETINGS OF CORN FOR GRAIN BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
		PERCENT													
COLO	1980-81			19	19	12	7	2	10	6	5	7	8	1	4
	1981-82			1	10	17	23	7	8	8	8	6	7	3	2
GA	1980-81	40	19	6	4	4	6	2	3	3	4	5	4		
	1981-82	40	14	10	3	4	6	5	3	3	4	5	3		
ILL	1980-81			13	7	6	20	6	11	8	5	5	6	7	6
	1981-82			8	12	7	15	8	11	9	7	7	7	5	4
IND	1980-81			25	11	6	16	10	6	5	3	3	4	5	6
	1981-82			11	17	7	11	8	8	10	7	7	4	4	6
IOWA	1980-81			17	9	6	14	6	9	7	6	5	7	7	7
	1981-82			12	18	6	9	6	7	8	6	7	7	7	7
KANS	1980-81		9	16	12	10	14	12	5	3	6	3	6	4	
	1981-82		5	12	10	12	16	7	6	9	9	7	3	4	
KY 1/	1980-81			18	9	5	13	11	7	6	4	2	2	5	18
	1981-82		14	22	9	6	15	7	11	5	4	3	2	2	
MICH	1980-81			15	21	10	12	5	6	7	10	4	3	3	4
	1981-82			6	20	12	8	6	9	10	9	7	7	3	3
MINN	1980-81			15	10	6	13	5	6	9	6	8	9	7	6
	1981-82			10	16	5	7	6	7	7	7	11	8	8	8
MO	1980-81		12	18	8	8	9	8	6	5	5	5	7	9	
	1981-82		16	14	16	11	12	7	5	5	3	3	4	4	
NEBR	1980-81			17	10	8	15	8	9	8	5	5	6	5	4
	1981-82			11	13	10	10	5	9	9	7	8	6	6	6
N C	1980-81		49	18	4	3	7	3	4	4	2	2	2	2	
	1981-82		42	19	4	3	6	4	5	5	4	3	2	3	
OHIO	1980-81			26	19	9	12	5	7	5	3	3	3	4	4
	1981-82			8	17	7	10	7	10	10	7	6	6	6	6
PA	1980-81			15	16	10	7	7	6	5	6	8	7	5	8
	1981-82			16	20	5	7	5	7	7	7	7	6	6	7
S DAK	1980-81			27	10	8	12	11	6	4	4	5	4	4	5
	1981-82			14	16	5	5	9	6	8	7	7	8	4	11
TEX	1980-81	4	25	28	9	14	9	2	2	1	1	1	4		
	1981-82	9	12	23	8	8	14	3	3	4	4	2	10		
WIS	1980-81			10	16	10	7	5	5	9	6	6	9	10	7
	1981-82			7	15	16	6	5	9	10	9	7	4	7	5
U S	1980-81	.4	2.0	17.6	10.8	7.2	14.2	6.4	7.8	6.8	5.0	4.7	5.9	5.7	5.5
	1981-82	.5	2.0	10.6	14.6	7.8	10.9	6.5	8.3	8.4	6.7	7.0	6.2	5.4	5.1

1/ MARKETING SEASON CHANGED TO SEP-AUG IN 1981-82.

FARM MARKETINGS OF SOYBEANS, BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
ALA	1980-81	10	30	37	11	4	1	1	2	1	1	1	1
	1981-82	6	35	35	6	6	3	2	3	1	1	1	1
ARK	1980-81	5	12	28	9	17	3	4	2	6	5	5	4
	1981-82	3	16	28	10	15	10	4	4	3	3	2	2
GA	1980-81	2	14	38	20	6	4	4	3	3	2	2	2
	1981-82	1	28	35	13	7	4	4	3	2	1	1	1
ILL	1980-81	10	20	4	3	14	4	13	7	6	5	7	7
	1981-82	7	17	7	5	13	7	9	9	8	5	8	5
IND	1980-81	12	43	6	3	8	6	5	4	3	2	4	4
	1981-82	6	30	15	4	9	6	2	10	5	4	5	4
IOWA	1980-81	11	20	5	4	10	5	10	8	7	4	8	8
	1981-82	8	14	6	5	10	7	8	13	9	6	7	7
KANS	1980-81	10	32	11	3	5	4	5	6	5	6	6	7
	1981-82	5	19	17	12	17	7	8	4	5	2	2	2
KY	1980-81	7	32	15	3	11	4	8	6	4	3	3	4
	1981-82	4	15	23	7	15	6	12	7	5	2	2	2
LA	1980-81	6	31	23	11	8	3	7	4	2	1	2	2
	1981-82	7	22	26	13	13	7	5	3	1	1	1	1
MICH	1980-81	14	25	19	3	5	6	6	5	4	4	4	5
	1981-82	5	15	20	9	9	5	8	12	7	4	3	3
MINN	1980-81	12	24	6	4	9	5	5	9	7	5	7	7
	1981-82	7	13	8	5	5	5	6	13	12	8	9	9
MISS	1980-81	8	22	33	8	15	2	3	2	1	1	3	2
	1981-82	3	20	29	13	12	6	4	4	4	1	2	2
MO	1980-81	10	28	12	5	10	4	7	6	5	3	4	6
	1981-82	7	19	14	8	12	8	7	10	7	2	3	3
NEBR	1980-81	9	16	7	5	10	6	10	8	7	5	7	10
	1981-82	4	18	11	7	13	5	9	10	9	4	5	5
N C	1980-81	1	8	35	23	15	3	4	3	2	2	2	2
	1981-82	1	10	43	14	8	5	4	6	4	1	2	2
OHIO	1980-81	14	36	7	3	9	4	7	5	4	3	4	4
	1981-82	8	15	12	6	9	7	8	13	8	4	5	5
S C	1980-81	7	10	31	28	7	2	2	3	2	2	4	2
	1981-82	2	10	39	14	14	4	3	6	3	2	2	1
TENN	1980-81	4	40	25	5	7	3	5	3	1	2	1	4
	1981-82	2	31	35	10	7	3	4	4	1	1	1	1
U S	1980-81	9.9	25.2	11.4	5.4	10.4	4.3	7.8	5.9	5.0	3.6	5.4	5.7
	1981-82	6.0	18.4	15.6	7.2	10.7	6.4	6.6	9.1	6.7	4.0	4.9	4.4

FARM MARKETINGS OF DRY EDIBLE BEANS, BY STATES, 1980-81 AND 1981-82
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
CALIF	1980-81	6	10	13	13	10	9	8	8	6	6	7	4
	1981-82	5	12	11	9	8	11	10	9	9	6	5	5
COLO	1980-81	11	11	11	8	17	10	11	6	4	5	4	2
	1981-82	11	14	12	5	7	11	9	4	6	7	5	9
IDAHO	1980-81	4	10	13	13	19	11	13	9	3	2	3	
	1981-82	6	10	15	16	10	12	9	4	5	4	5	4
MICH	1980-81	23	26	11	8	7	6	7	3	4	3	1	1
	1981-82	14	25	15	9	8	6	6	4	7	4	1	1
MINN	1980-81	36	34	9	6	6	3	3	2	1			
	1981-82	39	29	13	4	3	5	1	2	2	1	1	
NEBR	1980-81	17	20	14	10	12	9	6	4	2	2	4	
	1981-82	14	16	15	10	6	7	7	3	7	6	5	4
N Y	1980-81	6	18	20	10	7	6	12	7	4	6	2	2
	1981-82	4	11	11	10	13	10	16	5	9	6	3	2
N DAK	1980-81	24	34	16	10	8	3	1	1				
	1981-82	40	20	16	4	2	6	3	2	2	2	2	1
WASH	1980-81	11	18	14	16	10	16	8	2	2	1	1	1
	1981-82	10	23	23	3	1	7	7	5	4	4	10	3
WYO	1980-81	9	13	10	9	20	16	6	6	4	5	2	
	1981-82	31	17	6	3	2	3	8	2	4	12	8	4
U S	1980-81	15.7	19.9	12.6	10.1	10.9	8.0	7.7	4.8	3.5	3.0	2.6	1.2
	1981-82	16.4	17.9	14.3	8.4	6.5	8.0	7.0	4.2	5.8	4.6	3.7	3.2

I N D E X

	<u>PAGE</u>
BEANS, DRY EDIBLE	B- 4
BEANS, BY CLASSES	B- 5
CITRUS FRUIT	B- 2
COTTON	B- 1
COTTONSEED	B- 1
CROP MARKETING SEASONS	B- 7
FARM MARKETINGS	B- 8
PAPAYAS	B- 3
PECANS	B- 3
TOBACCO, BURLEY	B- 1
U S SUMMARY	A- 2

☆ U.S. GOVERNMENT PRINTING OFFICE: 1982-380-929: SRS1007

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

To stop mailing or to change your
address send this sheet with label
infect, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept. of Agriculture, Rm 5829 South
Building, 14th & Independence Ave. S.W.,
Wash., D.C. 20250.

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101
FIRST CLASS**

