

CROP PRODUCTION

SMALL GRAINS

**1983 Annual Summary and
1984 Crop Winter Wheat
and Rye Seedings**



**Crop
Reporting
Board**

**Statistical Reporting
Service**

**U.S. Department
of Agriculture**

**Washington, D.C.
20250**

**December 22, 1983
CrPr 2-2 (83)**

ACREAGE, YIELD, AND PRODUCTION, UNITED STATES--ANNUAL
(DOMESTIC UNITS)

CROP AND UNIT	AREA HARVESTED			YIELD PER ACRE		
	1981	1982	1983	1981	1982	1983
	1,000 ACRES					
OATS BU	9,415	10,618	9,098	54.1	58.4	52.5
BARLEY "	9,158	9,113	9,902	52.3	57.3	52.4
ALL WHEAT "	81,013	78,981	61,492	34.5	35.6	39.4
WINTER "	58,647	58,487	47,686	35.9	36.1	41.8
DURUM "	5,755	4,217	2,492	32.3	35.0	29.3
OTHER SPRING "	16,611	16,277	11,314	30.7	34.0	31.7
RYE "	706	721	923	26.7	29.1	30.5
RICE CWT 1/	3,792.0	3,262.0	2,169.0	4,819	4,708	4,598
	PRODUCTION					
	1981	1982	1983			
	1,000					
OATS BU	509,167	620,509	477,303			
BARLEY "	479,333	522,387	519,026			
ALL WHEAT "	2,798,738	2,812,297	2,425,408			
WINTER "	2,103,538	2,111,806	1,993,888			
DURUM "	185,940	147,503	72,979			
OTHER SPRING "	509,260	552,988	358,541			
RYE "	18,822	20,954	28,152			
RICE CWT 1/	182,742	153,588	99,720			

1/ YIELD IN POUNDS.

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(DOMESTIC UNITS)

ITEM	AREA SEEDED CROP OF			AREA SEEDED AS % OF PREVIOUS YEAR CROP OF		
	1982	1983	1984	1982	1983	1984
	1,000 ACRES			PERCENT		
WINTER WHEAT	66,501	62,503	64,920	100.8	94.0	103.9
RYE	2,631	2,765	2,978	100.7	105.1	107.7

A P P R O V E D:

Richard E. Lyng

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

W. H. Walther, Chairperson,
C. W. Gardner, Acting Secretary,
D. W. Barrowman, R. L. Schulte,
C. Drain, D. S. Findley,
W. T. Brannen, J. S. Buche,
H. L. Castle, F. W. Griffith,
D. T. Halverson, S. A. Kellogg,
G. A. Nelson, V. L. Siegenthaler,
R. M. Tauchen.

ACREAGE, YIELD, AND PRODUCTION, UNITED STATES--ANNUAL
(METRIC UNITS)

CROP	AREA HARVESTED			YIELD PER HECTARE		
	1981	1982	1983	1981	1982	1983
	HECTARES			METRIC TONS		
OATS	3 810 160	4 297 000	3 681 870	1.94	2.10	1.88
BARLEY	3 706 150	3 687 940	4 007 240	2.82	3.08	2.82
ALL WHEAT	32 785 150	31 962 820	24 885 200	2.32	2.39	2.65
WINTER	23 733 850	23 669 100	19 298 050	2.41	2.43	2.81
DURUM	2 328 990	1 706 580	1 008 490	2.17	2.35	1.97
OTHER SPRING	6 722 310	6 587 140	4 578 660	2.06	2.28	2.13
RYE	285 710	291 780	373 530	1.67	1.82	1.91
RICE	1 534 580	1 320 100	877 770	5.40	5.28	5.15
	PRODUCTION					
	1981	1982	1983			
	METRIC TONS					
OATS	7 390 540	9 006 660	6 928 030			
BARLEY	10 436 240	11 373 630	11 300 460			
ALL WHEAT	76 169 170	76 538 180	66 008 790			
WINTER	57 248 920	57 473 940	54 264 740			
DURUM	5 060 460	4 014 370	1 986 160			
OTHER SPRING	13 859 790	15 049 870	9 757 890			
RYE	478 100	532 260	715 090			
RICE	8 289 040	6 966 630	4 523 220			

WINTER WHEAT AND RYE SEEDINGS
UNITED STATES SUMMARY
(METRIC UNITS)

ITEM	AREA SEEDED CROP OF			AREA SEEDED AS % OF PREVIOUS YEAR CROP OF		
	1982	1983	1984	1982	1983	1984
	HECTARES			PERCENT		
WINTER WHEAT	26 912 290	25 294 340	26 272 470	100.8	94.0	103.9
RYE	1 064 740	1 118 970	1 205 170	100.7	105.1	107.7

OATS: Oats production in 1983 is estimated at 477 million bushels (6.93 million metric tons), 23 percent less than the 1982 crop of 621 million bushels (9.01 million metric tons) and the second smallest crop since 1882. A decrease from 1982 in acres harvested for grain and a lower average yield due to hot, dry weather, resulted in the lower 1983 production. The 9.10 million acres (3.68 million hectares) harvested for grain is 14 percent below a year ago and 3 percent below 1981. Yield per harvested acre for grain averaged 52.5 bushels compared with the record high yield of 58.4 bushels a year earlier. The PIK program for corn resulted in extensive use of oats as a cover crop on corn ground. Seeded area totaled 20.3 million acres (8.22 million hectares) in 1983 compared with 14.3 million acres (5.77 million hectares) in 1982. Acres abandoned and used for purposes other than grain accounted for 55 percent of the planted acres compared with 26 percent of the 1982 crop, and 31 percent in 1981.

Planting was frequently disrupted by rain and wet soil during the spring. In two major producing States--South Dakota and Minnesota--development was slower than normal because of cool, wet weather during the early growing season. Hot, dry July-August conditions caused lower yields in Northern Plains.

BARLEY: Barley production in 1983 is estimated at 519 million bushels (11.3 million metric tons), 1 percent below the record high 522 million bushels (11.4 million metric tons) produced in 1982. Average yield per acre was 52.4 bushels, down 4.9 bushels from the record high of 57.3 bushels in 1982. Record high yields were recorded in Arizona, Colorado, Kansas, Nevada, New Mexico, Texas and West Virginia.

Area harvested for grain in 1983 totaled 9.90 million acres (4.01 million hectares), up 9 percent from 1982.

Planting of the 1983 barley crop was delayed in the western States by wet spring weather. North Dakota, the leading producing State, experienced good spring weather which allowed the barley crop to be seeded well ahead of normal. In most States, the crop showed good development until late July when hot, dry weather reduced yields. The crop was harvested under good conditions and generally ahead of normal.

ALL WHEAT: Total production of winter, other spring, and durum wheat in 1983 is estimated at 2.43 billion bushels (66.0 million metric tons). This is 14 percent less than last year's record high crop.

There were 61.5 million acres (24.9 million hectares) harvested for grain, 22 percent below the 79.0 million acres (32.0 million hectares) harvested in 1982. Yield per acre averaged a record high 39.4 bushels, up 3.8 bushels from the previous record high set in 1982.

WINTER WHEAT: Production of the 1983 crop totaled 1.99 billion bushels (54.3 million metric tons) off 6 percent from the record high crop last year. Growers harvested 47.7 million acres (19.3 million hectares) for grain, down 18 percent from 1982's level of 58.5 million acres (23.7 million hectares). Nationally, the record high yield of 41.8 bushels per acre, eclipsed the previous record high of 36.9 bushels set in 1979. A total of 62.5 million acres (25.3 million hectares) were seeded for the 1983 crop.

Seeding was somewhat delayed through most of the fall of 1982, primarily because of dry conditions in the southern Plains. However, excess moisture slowed seeding progress in the Southeast. The crop generally weathered the winter well.

A cool, wet spring slowed development in parts of the Great Plains and Corn Belt. As of June 1, only 57 percent of the acreage was headed in the 15 major producing States compared with the 5-year average of 70 percent. However, development was well ahead of normal in Washington.

Harvest began in the South in late May and progressed rapidly in Illinois and Kansas after slow starts. Kansas harvest was completed earlier than normal. Montana, Washington and Wyoming harvests were all virtually complete by early to mid September.

OTHER SPRING WHEAT: Growers produced 359 million bushels (9.76 million metric tons) of spring wheat other than durum in 1983, 35 percent less than the record high set in 1982 and 30 percent less than production in 1981. The 1983 crop was the smallest since 1974. Yield averaged 31.7 bushels per acre, down 2.3 bushels from last year's record high. Area harvested totaled 11.3 million acres (4.58 million hectares), down 30 percent from the 16.3 million acres (6.59 million hectares) harvested in 1982. Area seeded for 1983 totaled 11.7 million acres (4.75 million hectares), off 29 percent from the 16.6 million acres (6.71 million hectares) seeded a year earlier.

Seeding of the 1983 spring wheat crop was hampered on by cool, wet conditions in most of the Dakota's and Minnesota, but seeding was well ahead of normal in Montana. By June 1, 97 percent of the acreage was planted and 79 percent had emerged--earlier than normal in most major producing States. These figures compare with the 5-year averages for the date of 91 and 75 percent, respectively. Harvest generally progressed well. Montana's harvest started early and was essentially complete by mid September. North Dakota's harvest was 96 percent complete by September 4.

DURUM WHEAT: The 1983 crop is estimated at 73.0 million bushels (1.99 million metric tons), down 51 percent from 1982, and the lowest production level since the 72.9 million bushels (1.98 million metric tons) set in 1972. Harvested yield averaged 29.3 bushels per acre this year, 5.7 bushels and 3.0 bushels below the 1982 and 1981 levels.

Area harvested totaled 2.49 million acres (1.01 million hectares). Area seeded was 2.57 million acres (1.04 million hectares). Both acreage seeded and harvested were off 41 percent from 1982, and were the smallest acreages since 1970.

Seeding started rapidly in North Dakota and by late May, 90 percent of the acres were seeded. This compared with 78 percent normal completion.

The crop rated fair to good through most of season. Some heat stress occurred in late summer, affecting Montana's main growing area in particular.

Harvest progressed well in most areas and was virtually complete by late September.

RYE: Production is estimated at 28.2 million bushels (715 thousand metric tons) in 1983, up 34 percent from last year's 21.0 million bushel (532 thousand metric ton) crop. Growers harvested 923 thousand acres (374 thousand hectares) this year, 28 percent more than in 1982. Nationally, yields averaged a record high 30.5 bushels per acre, up 1.4 bushels per acre from 1982.

Cool temperatures last spring slowed crop development and resulted in some freeze damage in Georgia and South Carolina. Warmer temperatures in June pushed development progress nearer to normal. Harvesting progressed favorably and neared completion by late August.

RICE: Rice production for 1983 is estimated at 99.7 million hundredweight (4.52 million metric tons), down 35 percent from 1982 and 45 percent below the 1981 record high production of 183 million hundredweight (8.29 million metric tons). Growers harvested 2.17 million acres (878 thousand hectares), 34 percent less than the 3.26 million acres (1.32 million hectares) harvested last year. Yield averaged 4598 pounds per acre, compared with 4708 pounds for 1982.

Long grain rice production was 65.0 million hundredweight (2.95 million metric tons), 30 percent less than in 1982. Medium grain rice production was 26.6 million hundredweight (1.21 million metric tons) a 48 percent decline, and short grain production, at 8.11 million hundredweight (368 thousand metric tons), was 9 percent less than the 1982 crop.

Rice seeding was complete in Texas by late May but trailed the average elsewhere because of wet conditions. Cool, wet weather slowed development during May in all States except California. However, warmer weather in early June improved conditions and stands made good growth. July's hot weather pushed the maturity of late fields in Texas but development was slowed by cool nights in California. Rice was in fair to good condition as July ended. By the first week of August, 29 percent of the rice acreage was headed, compared with the 43 percent average. Heading was later than normal in all States during the 1983 season. Hurricane Alicia left rice heavily lodged in Texas late in August. Combining was 26 percent complete in the major States as the month ended, 6 percentage points behind normal. Progress of the harvest in all producing States lagged 1982, but moved to completion at the beginning of November. California rice, which usually follows a later cycle, was about 90 percent harvested by that date.

AREA PLANTED 1981-83

STATE	OATS 1/			BARLEY 1/			ALL WHEAT 1/		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES								
ALA	90	85	80				650	970	600
ARIZ				50	65	40	261	145	135
ARK	50	45	60				1,750	2,000	1,700
CALIF	340	310	310	740	700	560	1,450	1,200	850
COLO	99	115	130	315	240	270	3,511	3,480	4,065
DEL				33	44	61	45	50	45
GA	160	160	155				1,150	1,590	1,150
IDAHO	62	66	69	1,100	1,130	1,030	1,590	1,590	1,490
ILL	255	330	2,100				1,900	1,600	1,550
IND	115	130	380				1,400	1,200	1,100
IOWA	1,200	1,350	4,700				131	115	75
KANS	260	215	150	63	70	100	14,000	14,200	13,200
KY	31	31	28	37	37	34	810	810	790
LA							310	550	430
MAINE	46	43	41						
MD	23	22	19	97	110	100	140	145	136
MICH	360	475	450	27	38	35	840	695	830
MINN	1,600	1,800	2,800	1,050	900	950	3,670	3,240	2,340
MISS							650	1,100	720
MO	190	120	110				3,200	2,500	2,200
MONT	220	260	210	1,400	1,650	1,950	6,040	5,750	4,810
NEBR	550	560	670	30	28	85	3,050	3,100	2,850
NEV				33	35	37	34	32	21
N J	8	7	6	24	28	25	64	69	67
N MEX				38	47	23	700	780	750
N Y	325	320	260				170	145	175
N C	170	155	140	71	75	70	536	650	625
N DAK	1,200	1,300	1,500	2,250	2,080	2,800	11,945	10,735	7,390
OHIO	300	380	450				1,690	1,500	1,250
OKLA	240	190	150	65	50	40	7,900	8,000	7,800
OREG	130	140	115	210	230	270	1,350	1,290	1,140
PA	375	360	330	86	75	75	280	235	230
S C	95	80	64	30	36	27	430	580	440
S DAK	2,250	2,450	2,000	650	560	580	4,110	3,900	3,030
TENN	50	40	35				1,025	1,100	900
TEX	1,500	1,300	1,400	75	60	70	7,800	8,200	7,850
UTAH	26	28	22	169	171	160	282	275	250
VA	48	48	47	116	124	124	420	420	410
WASH	72	68	75	800	850	880	3,180	3,020	2,950
W VA	16	18	16	11	9	10	12	11	11
WIS	1,120	1,180	1,140	33	37	40	130	130	148
WYO	80	85	96	145	155	160	322	325	314
U S	13,656	14,266	20,308	9,748	9,634	10,606	88,928	87,427	76,817

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED 1981-83 CONTINUED

STATE	WINTER WHEAT 2/			DURUM WHEAT			OTHER SPRING WHEAT		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES								
ALA	650	970	600						
ARIZ	45	65	70	216	80	65			
ARK	1,750	2,000	1,700						
CALIF	1,280	1,070	770	170	130	80			
COLO	3,450	3,430	4,000				61	50	65
DEL	45	50	45						
GA	1,150	1,590	1,150						
IDAHO	1,020	990	990				570	600	500
ILL	1,900	1,600	1,550						
IND	1,400	1,200	1,100						
IOWA	131	115	75						
KANS	14,000	14,200	13,200						
KY	810	810	790						
LA	310	550	430						
MD	140	145	136						
MICH	840	695	830						
MINN	130	90	100	140	80	40	3,400	3,070	2,200
MISS	650	1,100	720						
MO	3,200	2,500	2,200						
MONT	2,700	2,450	2,550	490	350	210	2,850	2,950	2,050
NEBR	3,050	3,100	2,850						
NEV	16	16	9				18	16	12
N J	64	69	67						
N MEX	700	780	750						
N Y	170	145	175						
N C	536	650	625						
N DAK	145	175	200	4,600	3,560	2,090	7,200	7,000	5,100
OHIO	1,690	1,500	1,250						
OKLA	7,900	8,000	7,800						
OREG	1,230	1,180	1,050				120	110	90
PA	280	235	230						
S C	430	580	440						
S DAK	1,300	1,350	1,500	260	150	80	2,550	2,400	1,450
TENN	1,025	1,100	900						
TEX	7,800	8,200	7,850						
UTAH	250	240	220				32	35	30
VA	420	420	410						
WASH	2,950	2,730	2,750				230	290	200
W VA	12	11	11						
WIS	100	100	120				30	30	28
WYO	305	300	290				17	25	24
U S	65,974	66,501	62,503	5,876	4,350	2,565	17,078	16,576	11,749

SEE FOOTNOTES ON PAGE B-3.

CONTINUED

AREA PLANTED 1981-83 CONTINUED

STATE	RYE 2/			RICE		
	1981	1982	1983	1981	1982	1983
	1,000 ACRES					
ARK				1,560.0	1,350.0	925.0
CALIF				600.0	540.0	330.0
COLO	44	50	40			
DEL	30	32	30			
GA	450	450	400			
ILL	60	55	65			
IND	40	40	35			
IOWA	21	20	21			
KANS	75	50	65			
KY	55	47	50			
LA				670.0	600.0	390.0
MD	66	70	65			
MICH	130	135	135			
MINN	100	120	200			
MISS				340.0	250.0	162.0
MO	50	35	30	77.0	78.0	63.0
NEBR	75	85	105			
N J	76	80	76			
N Y	100	100	106			
N C	142	145	155			
N DAK	90	110	165			
OHIO	85	80	75			
OKLA	230	200	160			
OREG	40	35	30			
PA	55	60	60			
S C	120	112	107			
S DAK	135	150	250			
TEX	140	155	160	580.0	475.0	320.0
VA	160	175	155			
WIS	44	40	25			
U S	2,613	2,631	2,765	3,827.0	3,293.0	2,190.0

1/ INCLUDES AREA PLANTED IN PRECEDING FALL.

2/ AREA PLANTED IN PRECEDING FALL.

OATS

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHEL S			1,000 BUSHEL S		
ALA	40	40	40	59.0	52.0	49.0	2,360	2,080	1,960
ARK	30	33	50	70.0	70.0	72.0	2,100	2,310	3,600
CAL IF	60	45	45	60.0	62.0	58.0	3,600	2,790	2,610
COLO	35	50	55	50.0	56.0	61.0	1,750	2,800	3,355
GA	75	90	85	60.0	61.0	61.0	4,500	5,490	5,185
IDAHO	46	46	48	60.0	69.0	76.0	2,760	3,174	3,648
ILL	205	200	210	66.0	59.0	60.0	13,530	11,800	12,600
IND	85	95	80	65.0	64.0	57.0	5,525	6,080	4,560
IOWA	960	1,000	750	62.0	56.0	51.0	59,520	56,000	38,250
KANS	180	172	110	50.0	47.0	48.0	9,000	8,084	5,280
KY	6	7	7	48.0	44.0	44.0	288	308	308
MAINE	43	40	37	70.0	60.0	62.0	3,010	2,400	2,294
MD	20	19	16	55.0	58.0	56.0	1,100	1,102	896
MICH	340	450	300	62.0	63.0	52.0	21,080	28,350	15,600
MINN	1,430	1,630	1,350	63.0	66.0	57.0	90,090	107,580	76,950
MO	90	78	54	51.0	41.0	46.0	4,590	3,198	2,484
MONT	110	150	120	44.0	51.0	44.0	4,840	7,650	5,280
NEBR	395	460	310	40.0	58.0	44.0	15,800	26,680	13,640
N J	7	6	5	55.0	56.0	51.0	385	336	255
N Y	280	280	200	64.0	65.0	57.0	17,920	18,200	11,400
N C	83	85	75	56.0	57.0	56.0	4,648	4,845	4,200
N DAK	960	1,150	1,260	46.0	54.0	50.5	44,160	62,100	63,630
OHIO	270	340	240	63.0	70.0	64.0	17,010	23,800	15,360
OKLA	105	90	80	36.0	38.0	49.0	3,780	3,420	3,920
OREG	65	90	75	70.0	75.0	80.0	4,550	6,750	6,000
PA	345	335	300	58.0	59.0	54.0	20,010	19,765	16,200
S C	48	50	40	46.0	58.0	53.0	2,208	2,900	2,120
S DAK	1,640	2,230	1,650	43.0	60.0	48.0	70,520	133,800	79,200
TENN	16	9	9	51.0	45.0	43.0	816	405	387
TEX	410	290	500	46.0	37.0	48.0	18,860	10,730	24,000
UTAH	14	15	13	57.0	68.0	68.0	798	1,020	884
VA	20	17	22	47.0	48.0	50.0	940	816	1,100
WASH	32	30	33	50.0	60.0	62.0	1,600	1,800	2,046
W VA	12	11	10	51.5	51.0	52.0	618	561	520
WIS	907	930	850	58.0	52.0	52.0	52,606	48,360	44,200
WYO	51	55	69	45.0	55.0	49.0	2,295	3,025	3,381
U S	9,415	10,618	9,098	54.1	58.4	52.5	509,167	620,509	477,303

BARLEY

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHEL S			1,000 BUSHEL S		
ARIZ	43	63	38	95.0	105.0	108.0	4,085	6,615	4,104
CALIF	640	620	490	63.0	62.0	60.0	40,320	38,440	29,400
COLO	300	230	255	62.0	74.0	75.0	18,600	17,020	19,125
DEL	25	38	53	52.0	57.0	55.0	1,300	2,166	2,915
IDAHO	1,070	1,080	1,010	59.0	69.0	65.0	63,130	74,520	65,650
KANS	52	57	90	32.0	41.0	50.0	1,664	2,337	4,500
KY	32	30	25	63.0	45.0	33.0	2,016	1,350	825
MD	84	97	90	60.0	59.0	55.0	5,040	5,723	4,950
MICH	26	36	33	52.0	56.0	46.0	1,352	2,016	1,518
MINN	1,030	880	780	56.0	58.0	53.0	57,680	51,040	41,340
MONT	1,320	1,560	1,850	43.0	49.0	42.0	56,760	76,440	77,700
NEBR	25	25	78	39.0	47.0	39.0	975	1,175	3,042
NEV	30	32	34	55.0	80.0	80.0	1,650	2,560	2,720
N J	17	20	19	61.0	63.0	53.0	1,037	1,260	1,007
N MEX	28	37	19	67.0	66.0	75.0	1,876	2,442	1,425
N C	62	63	56	55.0	52.0	49.0	3,410	3,276	2,744
N DAK	2,200	2,040	2,700	48.0	53.0	46.0	105,600	108,120	124,200
OKLA	50	42	34	31.0	32.0	44.0	1,550	1,344	1,496
OREG	195	220	260	60.0	64.0	63.0	11,700	14,080	16,380
PA	76	72	70	54.0	52.0	55.0	4,104	3,744	3,850
S C	27	33	23	43.0	50.0	40.0	1,161	1,650	920
S DAK	590	545	550	34.0	43.0	42.0	20,060	23,435	23,100
TEX	50	35	45	42.0	46.0	55.0	2,100	1,610	2,475
UTAH	154	161	154	72.0	82.0	72.0	11,088	13,202	11,088
VA	97	100	100	61.0	57.0	59.0	5,917	5,700	5,900
WASH	760	810	850	58.0	61.0	64.0	44,080	49,410	54,400
W VA	10	8	9	55.0	49.0	60.0	550	392	540
WIS	31	35	35	50.0	56.0	48.0	1,550	1,960	1,680
WYO	134	144	152	67.0	65.0	66.0	8,978	9,360	10,032
U S	9,158	9,113	9,902	52.3	57.3	52.4	479,333	522,387	519,026

ALL WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHEL S			1,000 BUSHEL S		
ALA	565	825	460	44.0	32.0	33.0	24,860	26,400	15,180
ARIZ	258	143	119	84.7	86.8	93.2	21,844	12,407	11,094
ARK	1,650	1,900	1,500	41.0	38.0	39.0	67,650	72,200	58,500
CAL IF	1,365	1,125	720	78.5	72.6	66.5	107,085	81,625	47,900
COLO	3,108	3,048	3,063	28.3	28.7	39.9	87,877	87,504	122,103
DEL	43	49	44	40.0	42.0	39.0	1,720	2,058	1,716
GA	1,070	1,480	980	43.0	33.0	34.0	46,010	48,840	33,320
IDAHO	1,510	1,500	1,305	59.5	62.8	70.3	89,780	94,200	91,710
ILL	1,850	1,500	1,400	50.0	45.0	47.0	92,500	67,500	65,800
IND	1,350	1,080	970	46.0	43.0	51.0	62,100	46,440	49,470
IOWA	125	100	50	39.0	30.0	38.0	4,875	3,000	1,900
KANS	12,200	13,200	10,800	25.0	35.0	41.5	305,000	462,000	448,200
KY	680	675	560	42.0	39.0	32.0	28,560	26,325	17,920
LA	275	500	250	42.0	38.0	30.0	11,550	19,000	7,500
MD	137	136	123	41.0	45.0	42.0	5,617	6,120	5,166
MICH	830	600	730	50.0	41.0	49.0	41,500	24,600	35,770
MINN	3,610	3,184	2,140	39.9	39.8	36.9	144,025	126,809	78,960
MISS	600	1,050	600	40.0	38.0	34.0	24,000	39,900	20,400
MO	2,750	2,230	1,850	42.0	34.0	38.0	115,500	75,820	70,300
MONT	5,820	5,360	4,455	29.7	34.2	30.7	172,830	183,560	136,930
NEBR	2,900	2,900	2,300	36.0	35.0	43.0	104,400	101,500	98,900
NEV	31	29	18	59.7	65.2	70.0	1,850	1,890	1,260
N J	56	48	45	42.0	41.0	40.0	2,352	1,968	1,800
N MEX	500	530	470	22.0	25.0	29.0	11,000	13,250	13,630
N Y	160	125	160	44.0	43.5	46.0	7,040	5,438	7,360
N C	500	600	480	39.0	36.0	34.0	19,500	21,600	16,320
N DAK	11,690	10,490	7,220	28.4	31.5	27.0	331,700	330,785	194,595
OHIO	1,650	1,250	1,150	44.0	44.0	51.0	72,600	55,000	58,650
OKLA	6,400	6,900	4,300	27.0	33.0	35.0	172,800	227,700	150,500
OREG	1,310	1,200	1,085	59.1	53.8	60.4	77,380	64,500	65,570
PA	270	228	220	36.0	36.0	39.0	9,720	8,208	8,580
S C	410	550	375	35.0	36.0	28.0	14,350	19,800	10,500
S DAK	3,820	3,595	2,727	23.3	27.7	32.9	88,970	99,630	89,729
TENN	850	935	640	44.0	36.0	33.0	37,400	33,660	21,120
TEX	6,550	6,000	4,600	28.0	24.0	35.0	183,400	144,000	161,000
UTAH	265	266	217	36.1	36.0	37.0	9,575	9,572	8,027
VA	390	370	340	44.0	38.0	42.0	17,160	14,060	14,280
WASH	3,050	2,840	2,640	55.2	48.9	64.1	168,350	138,880	169,320
W VA	10	9	9	36.0	36.0	42.0	360	324	378
WIS	121	122	128	45.6	45.9	45.4	5,518	5,596	5,812
WYO	284	309	249	29.7	27.9	33.1	8,430	8,628	8,238
U S	81,013	78,981	61,492	34.5	35.6	39.4	2,798,738	2,812,297	2,425,408

WINTER WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHEL S			1,000 BUSHEL S		
ALA	565	825	460	44.0	32.0	33.0	24,860	26,400	15,180
ARIZ	43	64	64	83.0	84.0	96.0	3,569	5,376	6,144
ARK	1,650	1,900	1,500	41.0	38.0	39.0	67,650	72,200	58,500
CALIF	1,200	1,000	650	77.0	70.0	64.0	92,400	70,000	41,600
COLO	3,050	3,000	3,000	27.5	28.0	39.0	83,875	84,000	117,000
DEL	43	49	44	40.0	42.0	39.0	1,720	2,058	1,716
GA	1,070	1,480	980	43.0	33.0	34.0	46,010	48,840	33,320
IDAHO	960	920	830	58.0	57.0	67.0	55,680	52,440	55,610
ILL	1,850	1,500	1,400	50.0	45.0	47.0	92,500	67,500	65,800
IND	1,350	1,080	970	46.0	43.0	51.0	62,100	46,440	49,470
IOWA	125	100	50	39.0	30.0	38.0	4,875	3,000	1,900
KANS	12,200	13,200	10,800	25.0	35.0	41.5	305,000	462,000	448,200
KY	680	675	560	42.0	39.0	32.0	28,560	26,325	17,920
LA	275	500	250	42.0	38.0	30.0	11,550	19,000	7,500
MD	137	136	123	41.0	45.0	42.0	5,617	6,120	5,166
MICH	830	600	730	50.0	41.0	49.0	41,500	24,600	35,770
MINN	125	86	75	37.0	34.5	35.0	4,625	2,967	2,625
MISS	600	1,050	600	40.0	38.0	34.0	24,000	39,900	20,400
MO	2,750	2,230	1,850	42.0	34.0	38.0	115,500	75,820	70,300
MONT	2,550	2,120	2,260	35.0	38.0	35.0	89,250	80,560	79,100
NEBR	2,900	2,900	2,300	36.0	35.0	43.0	104,400	101,500	98,900
NEV	15	15	8	70.0	70.0	70.0	1,050	1,050	560
N J	56	48	45	42.0	41.0	40.0	2,352	1,968	1,800
N MEX	500	530	470	22.0	25.0	29.0	11,000	13,250	13,630
N Y	160	125	160	44.0	43.5	46.0	7,040	5,438	7,360
N C	500	600	480	39.0	36.0	34.0	19,500	21,600	16,320
N DAK	130	140	170	27.0	34.0	31.0	3,510	4,760	5,270
OHIO	1,650	1,250	1,150	44.0	44.0	51.0	72,600	55,000	58,650
OKLA	6,400	6,900	4,300	27.0	33.0	35.0	172,800	227,700	150,500
OREG	1,200	1,100	1,000	61.0	55.0	62.0	73,200	60,500	62,000
PA	270	228	220	36.0	36.0	39.0	9,720	8,208	8,580
S C	410	550	375	35.0	36.0	28.0	14,350	19,800	10,500
S DAK	1,170	1,100	1,250	26.0	34.0	41.0	30,420	37,400	51,250
TENN	850	935	640	44.0	36.0	33.0	37,400	33,660	21,120
TEX	6,550	6,000	4,600	28.0	24.0	35.0	183,400	144,000	161,000
UTAH	235	233	190	35.0	34.0	35.0	8,225	7,922	6,650
VA	390	370	340	44.0	38.0	42.0	17,160	14,060	14,280
WASH	2,830	2,560	2,450	57.0	49.0	65.0	161,310	125,440	159,250
W VA	10	9	9	36.0	36.0	42.0	360	324	378
WIS	93	94	105	50.0	50.0	49.0	4,650	4,700	5,145
WYO	275	285	228	30.0	28.0	33.0	8,250	7,980	7,524
U S	58,647	58,487	47,686	35.9	36.1	41.8	2,103,538	2,111,806	1,993,888

DURUM WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHELS			1,000 BUSHELS		
ARIZ	215	79	55	85.0	89.0	90.0	18,275	7,031	4,950
CALIF	165	125	70	89.0	93.0	90.0	14,685	11,625	6,300
MINN	135	78	35	40.0	39.0	35.0	5,400	3,042	1,225
MONT	480	340	205	23.0	30.0	20.0	11,040	10,200	4,100
N DAK	4,510	3,450	2,050	29.0	32.5	26.5	130,790	112,125	54,325
S DAK	250	145	77	23.0	24.0	27.0	5,750	3,480	2,079
U S	5,755	4,217	2,492	32.3	35.0	29.3	185,940	147,503	72,979

OTHER SPRING WHEAT

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHELS			1,000 BUSHELS		
COLO	58	48	63	69.0	73.0	81.0	4,002	3,504	5,103
IDAHO	550	580	475	62.0	72.0	76.0	34,100	41,760	36,100
MINN	3,350	3,020	2,030	40.0	40.0	37.0	134,000	120,800	75,110
MONT	2,790	2,900	1,990	26.0	32.0	27.0	72,540	92,800	53,730
NEV	16	14	10	50.0	60.0	70.0	800	840	700
N DAK	7,050	6,900	5,000	28.0	31.0	27.0	197,400	213,900	135,000
OREG	110	100	85	38.0	40.0	42.0	4,180	4,000	3,570
S DAK	2,400	2,350	1,400	22.0	25.0	26.0	52,800	58,750	36,400
UTAH	30	33	27	45.0	50.0	51.0	1,350	1,650	1,377
WASH	220	280	190	32.0	48.0	53.0	7,040	13,440	10,070
WIS	28	28	23	31.0	32.0	29.0	868	896	667
WYO	9	24	21	20.0	27.0	34.0	180	648	714
U S	16,611	16,277	11,314	30.7	34.0	31.7	509,260	552,988	358,541

WHEAT PRODUCTION BY CLASSES, UNITED STATES

YEAR	WINTER			SPRING			TOTAL
	HARD RED	SOFT RED	WHITE	HARD RED	DURUM	WHITE	
	1,000 BUSHELS						
1981	1,116,652	676,467	310,419	467,726	185,940	41,534	2,798,738
1982	1,255,389	613,375	243,042	500,172	147,503	52,816	2,812,297
1983	1,193,200	511,647	289,041	312,674	72,979	45,867	2,425,408

RYE

STATE	AREA HARVESTED			YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
	1,000 ACRES			BUSHEL S			1,000 BUSHEL S		
COLO	10	12	11	19.5	19.0	19.0	195	228	209
DEL	3	4	4	35.0	34.0	34.0	105	136	136
GA	105	70	70	26.0	21.0	21.0	2,730	1,470	1,470
ILL	14	13	12	24.0	23.0	28.0	336	299	336
IND	9	10	10	26.0	26.0	27.0	234	260	270
IOWA	5	4	3	33.0	28.0	31.0	165	112	93
KANS	12	10	10	21.0	24.0	22.0	252	240	220
KY	3	2	3	27.0	28.0	28.0	81	56	84
MD	8	10	8	30.0	29.0	30.0	240	290	240
MICH	19	22	22	28.0	29.0	30.0	532	638	660
MINN	93	100	160	31.0	33.0	31.0	2,883	3,300	4,960
MO	4	3	2	25.0	24.0	24.0	100	72	48
NEBR	44	47	55	21.0	27.0	23.0	924	1,269	1,265
N J	9	11	13	29.0	29.0	30.0	261	319	390
N Y	9	11	13	32.0	31.0	32.0	288	341	416
N C	20	25	22	20.0	21.0	20.0	400	525	440
N DAK	80	100	150	32.0	34.0	34.0	2,560	3,400	5,100
OHIO	5	5	6	30.0	31.0	35.0	150	155	210
OKLA	34	38	30	20.0	23.0	26.0	680	874	780
OREG	6	5	5	25.0	29.0	25.0	150	145	125
PA	11	12	17	33.0	34.0	34.0	363	408	578
S C	33	27	20	22.0	23.0	16.0	726	621	320
S DAK	115	130	230	28.0	36.0	38.0	3,220	4,680	8,740
TEX	25	28	25	19.0	18.0	18.0	475	504	450
VA	13	14	12	28.0	26.0	26.0	364	364	312
WIS	17	8	10	24.0	31.0	30.0	408	248	300
U S	706	721	923	26.7	29.1	30.5	18,822	20,954	28,152

ALASKA

CROP	AREA PLANTED FOR ALL PURPOSES :			AREA HARVESTED		
	1981	1982	1983	1981	1982	1983
	ACRES					
OATS	6,000	3,200	3,100	500	600	600
BARLEY	16,500	8,500	16,000	8,500	7,500	11,900
	YIELD			PRODUCTION		
	1981	1982	1983	1981	1982	1983
	BUSHEL S			1,000 BUSHEL S		
OATS	43.5	52.0	62.5	21.7	31.2	37.5
BARLEY	29.5	42.0	31.0	251.0	315.0	369.0

RICE

STATE	AREA HARVESTED			YIELD			PRODUCTION			
	1981	1982	1983	1981	1982	1983	1981	1982	1983	
	1,000 ACRES			POUNDS			1,000 CWT			
					LONG GRAIN					
ARK	1,293.0	1,134.0	803.0	4,430	4,200	4,200	57,280	47,608	33,726	
CAL IF 1/		14.0	22.0		5,900	5,950		826	1,309	
LA	259.0	269.0	206.0	4,075	4,075	3,700	10,554	10,962	7,622	
MISS	328.0	245.0	161.0	4,400	4,100	4,000	14,432	10,045	6,440	
MO	67.0	71.0	60.0	4,100	4,450	4,100	2,747	3,160	2,460	
TEX	535.0	442.0	308.0	4,750	4,700	4,375	25,413	20,774	13,475	
U S	2,482.0	2,175.0	1,560.0	4,449	4,293	4,169	110,426	93,375	65,032	
					MEDIUM GRAIN					
ARK	223.0	175.0	102.0	4,975	4,800	4,875	11,094	8,400	4,973	
CAL IF	458.0	406.0	199.0	6,850	6,700	7,100	31,373	27,202	14,129	
LA	408.0	329.0	179.0	4,050	4,225	3,950	16,524	13,900	7,071	
MISS	9.0			4,000			360			
MO	8.2	8.5	2.0	3,900	4,700	3,700	320	400	74	
TEX	44.0	32.0	10.0	4,150	4,500	3,300	1,826	1,440	330	
U S	1,150.2	950.5	492.0	5,347	5,402	5,402	61,497	51,342	26,577	
					SHORT GRAIN					
ARK	24.0	21.0	10.0	5,150	4,900	4,600	1,236	1,029	460	
CAL IF	135.0	115.0	107.0	7,075	6,800	7,150	9,551	7,820	7,651	
MO	.8	.5		4,000	4,400		32	22		
U S	159.8	136.5	117.0	6,770	6,499	6,932	10,819	8,871	8,111	
					ALL					
ARK	1,540.0	1,330.0	915.0	4,520	4,290	4,280	69,610	57,037	39,159	
CAL IF	593.0	535.0	328.0	6,900	6,700	7,040	40,924	35,848	23,089	
LA	667.0	598.0	385.0	4,060	4,160	3,820	27,078	24,862	14,693	
MISS	337.0	245.0	161.0	4,390	4,100	4,000	14,792	10,045	6,440	
MO	76.0	80.0	62.0	4,080	4,480	4,090	3,099	3,582	2,534	
TEX	579.0	474.0	318.0	4,700	4,690	4,340	27,239	22,214	13,805	
U S	3,792.0	3,262.0	2,169.0	4,819	4,708	4,598	182,742	153,588	99,720	

1/ ESTIMATES FOR 1981 COMBINED WITH MEDIUM GRAIN.

WINTER WHEAT SEEDINGS: The Nation's farmers seeded 64.9 million acres (26.3 million hectares) of winter wheat this fall for harvest in 1984. This is a 4 percent increase from the 62.5 million acres (25.3 million hectares) seeded for 1983, but down 2 percent from the record 66.5 million acres (26.9 million hectares) seeded for 1982.

In the Great Plains, Kansas acreage increased 2 percent from 1983, while Oklahoma and Texas are down 1 and 6 percent, respectively. Nebraska acreage is up 16 percent; South Dakota's 27 percent. North Dakota acreage jumped 250 percent.

Increases of winter wheat acreage in the Western States averaged 2 percent. Colorado growers decreased seedings, while Arizona and Nevada maintained 1983 levels.

Growers in the Southeast and East have increased acreages an average of 3 percent from last year. Georgia, Mississippi and Tennessee show an aggregate 6 percent rise in acreage.

Acreage seeded is up 9 percent in the East North Central region. Only Ohio declined from 1983. Arkansas was unchanged. Minnesota is up 300 percent--the largest percentage rise in the Nation.

Growers experienced early delays in planting of the 1984 crop mainly due to dry conditions in some parts of the Plains, and late row-crop harvests in the Southeast. Since then, seeding progressed rapidly. By the week ending November 27, 1983, planting progress in the 15 major producing States had reached 97 percent completion; wheat emerged stood at 91 percent. Both measures are only a point behind their respective 5-year averages.

Some areas of Texas need moisture. Nebraska crop condition is varied. Dry soils caused poor germination and spotty stands in parts of the Nebraska panhandle and southwest areas, while excessive growth is of concern in southeast Nebraska. But the overall consensus at mid-December is that the crop is in generally good condition.

WINTER WHEAT

STATE	AREA SEEDED 1/			
	CROP OF			1984
	1982	1983	1984	1983
	1,000 ACRES			PERCENT
ALA	970	600	525	88
ARIZ	65	70	70	100
ARK	2,000	1,700	1,700	100
CALIF	1,070	770	850	110
COLO	3,430	4,000	3,900	98
DEL	50	45	46	102
GA	1,590	1,150	1,250	109
IDAHO	990	990	1,020	103
ILL	1,600	1,550	1,700	110
IND	1,200	1,100	1,170	106
IOWA	115	75	110	147
KANS	14,200	13,200	13,500	102
KY	810	790	720	91
LA	550	430	475	110
MO	145	136	138	107
MICH	695	830	950	114
MINN	90	100	400	400
MISS	1,100	720	900	125
MO	2,500	2,200	2,350	107
MONT	2,450	2,550	2,700	106
NEBR	3,100	2,850	3,300	116
NEV	16	9	9	100
N J	69	67	60	90
N MEX	780	750	770	103
N Y	145	175	205	117
N C	650	625	750	120
N DAK	175	200	700	350
OHIO	1,500	1,250	1,210	97
OKLA	8,000	7,800	7,700	99
OREG	1,180	1,050	1,100	105
PA	235	230	230	100
S C	580	440	420	95
S DAK	1,350	1,500	1,900	127
TENN	1,100	900	780	87
TEX	8,200	7,850	7,400	94
UTAH	240	220	230	105
VA	420	410	400	98
WASH	2,730	2,750	2,800	102
W VA	11	11	12	109
WIS	100	120	170	142
WYO	300	290	300	103
U S	66,501	62,503	64,920	104

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.

RYE SEEDINGS: This fall, growers seeded 2.98 million acres (1.21 million hectares) of rye for all purposes for harvest in 1984. This is 8 percent above the 1983 crop seedings of 2.77 million acres (1.12 million hectares). Georgia acreage is down 5 percent from 1983. Major rye producing States in the North Central area (Minnesota, Nebraska, North Dakota and South Dakota) have increased plantings 22 percent from last year.

Seeding started in late August and progressed smoothly. Some seeding operations were slowed by dry conditions in late September and early October but farmers were able to catch up. Most planting was completed by mid-December. Georgia's seeding was 97 percent complete by December 12. Most fields have good stands and show above normal growth.

RYE				

: AREA SEEDED 1/				
STATE	CROP OF			1984
	1982	1983	1984	1983

	1,000 ACRES			PERCENT
COLO	50	40	50	125
DEL	32	30	29	97
GA	450	400	380	95
ILL	55	65	85	131
IND	40	35	50	143
IOWA	20	21	30	143
KANS	50	65	75	115
KY	47	50	60	120
MD	70	65	62	95
MICH	135	135	140	104
MINN	120	200	200	100
MO	35	30	47	157
NEBR	85	105	235	224
N J	80	76	60	79
N Y	100	106	105	99
N C	145	155	160	103
N DAK	110	165	160	97
OHIO	80	75	60	80
OKLA	200	160	180	113
OREG	35	30	25	83
PA	60	60	80	133
S C	112	107	90	84
S DAK	150	250	280	112
TEX	155	160	115	72
VA	175	155	190	123
WIS	40	25	30	120
U S	2.631	2.765	2.978	108

1/ TOTAL AREA SEEDED FOR ALL PURPOSES.

I N D E X

	<u>PAGE</u>
ALASKA	B- 9
BARLEY	B- 5
OATS	B- 4
PLANTED ACREAGE	B- 1
RICE	B-10
RYE	B- 9
RYE (1984 CROP)	B-13
U S SUMMARY	A- 2
WHEAT, ALL	B- 6
WHEAT, BY CLASSES	B- 8
WHEAT, DURUM	B- 8
WHEAT, OTHER SPRING	B- 8
WHEAT, WINTER	B- 7
WHEAT, WINTER (1984 CROP)	B-12



Crop
Reporting
Board

Statistical Reporting
Service

**U.S. DEPARTMENT OF AGRICULTURE
CROP REPORTING BOARD REPORTS
ORDER FORM**

Report Title	Subscription Fee		Report Title	Subscription Fee	
	Domestic	Foreign		Domestic	Foreign
<input type="checkbox"/> Agr'l Prices (12 issues)	\$27.00	\$33.75	<input type="checkbox"/> Grain Stocks (5 issues)	\$ 9.50	\$11.90
<input type="checkbox"/> Agr'l Price Summaries (2 issues)	9.00	11.25	Grain Stocks (4)	—	—
Agr'l Price Annual	—	—	Soybean Stocks (1)	—	—
Farm Prod. Expenditures	—	—	<input type="checkbox"/> Hogs and Pigs (4 issues)	7.50	9.40
<input type="checkbox"/> Catfish (12 issues)	16.00	20.00	<input type="checkbox"/> Livestock Slaughter (13 issues)	20.00	25.00
<input type="checkbox"/> Cattle (14 issues)	19.00	23.75	Monthly	—	—
Cattle on Feed (12)	—	—	Annual	—	—
Cattle (2)	—	—	<input type="checkbox"/> Milk Production (13 issues)	18.00	22.50
<input type="checkbox"/> Celery (12 issues)	16.00	20.00	Monthly	—	—
<input type="checkbox"/> Cold Storage (13 issues)	23.00	28.75	Milk: Production, Disposition, and Income	—	—
Monthly	—	—	<input type="checkbox"/> Non-Citrus Fruits (2 issues)	5.50	6.90
Annual	—	—	Mid-year supplement	—	—
<input type="checkbox"/> Crop Production (16 issues)	29.00	36.25	Annual	—	—
Monthly	—	—	<input type="checkbox"/> Potatoes & Sweetpotatoes (7 issues)	11.00	13.75
Annual Summary	—	—	Potato Stocks (6)	—	—
Acreage	—	—	Potatoes & Sweetpotatoes (1)	—	—
Prospective Plantings	—	—	<input type="checkbox"/> Poultry Slaughter (12 issues)	18.00	22.50
Small Grains	—	—	<input type="checkbox"/> Rice Stocks (4 issues)	7.00	8.75
<input type="checkbox"/> Dairy Products (13 issues)	20.00	25.00	<input type="checkbox"/> Vegetables (13 issues)	17.00	21.25
Monthly	—	—	Seasonal	—	—
Annual	—	—	Annual	—	—
<input type="checkbox"/> Egg Products (12 issues)	16.00	20.00	Mid-year Report	—	—
<input type="checkbox"/> Eggs, Chickens & Turkeys (16 issues)	23.00	28.75			
Monthly	—	—			
Annual	—	—			
Poultry: Production, Disposition, and Income	—	—			
Hatchery Prod. Annual	—	—			
Turkeys	—	—			

HOW TO ORDER

Check the title of each subscription group you wish to order. Calculate the total charges and enter below with complete name and address information. If address is outside United States, use "Foreign" price. Allow 6 weeks for processing.

ORDER FORM To: Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

Enclosed is \$ _____ check,
 money order, or charge to my
Deposit Account No.

_____-____

Order No. _____



Credit Card Orders Only

Total charges \$ _____ Fill in the boxes below.

Credit Card No. _____

Expiration Date Month/Year _____



Company or personal name _____
Additional address/attention line _____
Street address _____
City _____ State _____ ZIP Code _____
(or Country) _____

PLEASE PRINT OR TYPE

For Office Use Only	
Quantity	Charges
.....	Enclosed
.....	To be mailed
.....	Subscriptions
.....	Postage
.....	Foreign handling
.....	MMAOB
.....	OPNR
.....	UPNS
.....	Discount
.....	Refund

Mail this entire page to: Superintendent of Documents
U.S. Government Printing Office
Washington, D.C. 20402

October 1983



Statistical Reporting Service

**1984
ORDER FORM
CROP REPORTING BOARD REPORTS 1/**

Publication Title	Month Issued	Single Copy Price Domestic	Single Copy Price Foreign	Publication Title	Month Issued	Single Copy Price Domestic	Single Copy Price Foreign
<input type="checkbox"/> Cherry Production	June	1.25	1.75	<input type="checkbox"/> Mink	July	1.25	1.75
<input type="checkbox"/> Cherry Utilization	October	1.25	1.75	<input type="checkbox"/> Minn.-Wis. Milk Price Series	June	1.25	1.75
<input type="checkbox"/> Citrus Fruits	September	1.50	2.00	<input type="checkbox"/> Mushrooms	August	1.25	1.75
<input type="checkbox"/> Com'l Fertilizer Annual	November	2.00	2.50	<input type="checkbox"/> Peanut Stocks & Processing-January 31	March	1.25	1.75
<input type="checkbox"/> Cranberries	August	1.25	1.75	<input type="checkbox"/> Peanut Stocks & Processing-July 31	September	1.25	1.75
<input type="checkbox"/> Crop Values	January	2.00	2.50	<input type="checkbox"/> Sheep and Goats	January	1.25	1.75
<input type="checkbox"/> Farm Labor	August	1.50	2.00	<input type="checkbox"/> Turkey Hatchery	Monthly	18.00 2/	24.00 2/
<input type="checkbox"/> Farm Production Expenditures Summary	June	1.25	1.75	<input type="checkbox"/> Wool and Mohair	March	1.25	1.75
<input type="checkbox"/> Hop Stocks-March 1	March	1.25	1.75	<input type="checkbox"/> Sugar Market Statistics	Quarterly	5.00 2/	6.25 2/
<input type="checkbox"/> Hop Stocks-September 1	September	1.25	1.75				
<input type="checkbox"/> Meat Animals: Production, Disposition & Income	April	1.50	2.00				

2/ 12 month subscription

1/ These publications cannot be obtained from the Superintendent of Documents, Government Printing Office. Orders must be placed directly with the Crop Reporting Board.

HOW TO ORDER

If you wish to order one or more of the above publications, please check the title of each publication you are ordering, calculate the total charges and send this entire form along with your payment to: Crop Reporting Board Publications, Room 5829, South Building, USDA, Washington, D. C. 20250. If mailing address is outside United States, use "Foreign" price.

Single copies of all current or historical CRB publications are available upon request. Call (202) 447-4021 or write CRB Publications to order.

Enclosed is \$ _____ check or money order. Make checks or money orders payable to USDA/SRS. Please DO NOT send cash.

Please send me the item(s) I have indicated above.

Company or Personal Name

Additional Address/Attention line

Street Address

City

State

Zip Code

PLEASE PRINT OR TYPE

Mail this entire page to:

Crop Reporting Board Publications
Room 5829, South Building
USDA
Washington, D.C. 20250

October 1983

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101
FIRST CLASS**



To stop mailing or to change your
address send this sheet with label
intact, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept. of Agriculture, Rm 5829 South
Building, 14th & Independence Ave. S.W.,
Wash., D.C. 20250.