

CROP PRODUCTION



Statistical Reporting
Service

U.S. Department
of Agriculture
Washington, D.C.
20250

Released: January 11, 1984
3:00 P.M. ET

HIGHLIGHTS

ALL COTTON production estimated at 7.72 million bales, 35 percent below 1982 production but 1 percent above the December 1 forecast.

CITRUS production, forecast at 11.6 million tons (10.5 million metric tons), down 17 percent from December 1, 14 percent below last season and 3 percent less than 1981-82.

ORANGE production, forecast at 184 million boxes (7.15 million metric tons), down 17 percent from December 1, 18 percent below last season, but 4 percent more than 1981-82.

GRAPEFRUIT production, excluding California "other areas" crop, forecast at 54.0 million boxes (2.01 million metric tons), down 15 percent from December 1, 6 percent below last season and 20 percent less than 1981-82.

LEMON production, at 26.3 million boxes (905 thousand metric tons), 1 percent below December 1, 5 percent more than last season and 6 percent above 1981-82.

WINTER POTATO production forecast at 2.68 million cwt (121 thousand metric tons), up 22 percent from a year ago and 18 percent above winter 1982.

HAY STOCKS on-farms January 1, 1984 are estimated at 90.7 million tons (82.3 million metric tons), 15 percent less than a year earlier.

* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)
CITRUS FRUITS, PRODUCTION 1/

CROP	1982-83	INDICATED 1983-84	
		DEC 1, 1983	JAN 1, 1984
1,000 BOXES			
ORANGES	225,080	222,500	184,000
LEMONS	24,950	26,450	26,250

1/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

COTTON AND COTTONSEED

CROP AND UNIT		AREA HARVESTED		YIELD PER ACRE 1/	
		1982	INDICATED 1983	1982	INDICATED 1983
1,000 ACRES					
ALL COTTON	BALE	9,728.5	7,330.7	590	506
UPLAND	"	9,658.0	7,270.4	590	504
AMER-PIMA	"	70.5	60.3	672	720
COTTONSEED	TON				
PRODUCTION 2/					
		1982		INDICATED 1983	
1,000					
ALL COTTON	BALE	11,962.6		7,724.8	
UPLAND	"	11,863.9		7,634.3	
AMER-PIMA	"	98.7		90.5	
COTTONSEED	TON	4,744		3,105	

1/ COTTON YIELD IN POUNDS. 2/ COTTON PRODUCTION IN 480-LB NET WEIGHT BALES.

WINTER POTATOES

AREA PLANTED		AREA HARVESTED	
1983	INDICATED 1984	1983	INDICATED 1984
1,000 ACRES			
11.5	13.2	11.3	13.0
YIELD PER ACRE		PRODUCTION	
1983	INDICATED 1984	1983	INDICATED 1984
CWT		1,000 CWT	
194	206	2,193	2,676

HAY STOCKS ON FARMS

MONTH	1983	1984
1,000 TONS		
JAN 1	106,650	90,709
MAY 1	29,052	

UNITED STATES CROP SUMMARY
(METRIC UNITS)
CITRUS FRUITS, PRODUCTION 1/

CROP	1982-83		INDICATED 1983-84	
			DEC 1, 1983	JAN 1, 1984
	METRIC TONS			
ORANGES	8 630 960		8 737 100	7 152 240
LEMONS	859 100		912 630	905 370

1/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

COTTON AND COTTONSEED

CROP	AREA HARVESTED		YIELD PER HECTARE	
	1982	INDICATED 1983	1982	INDICATED 1983
	HECTARES		METRIC TONS	
ALL COTTON	3 937 030	2 966 660	0.66	0.57
UPLAND	3 908 500	2 942 260	0.66	0.56
AMER-PIMA	28 530	24 400	0.75	0.81
COTTONSEED				
	PRODUCTION			
	1982		INDICATED 1983	
	METRIC TONS			
ALL COTTON	2 604 540		1 681 860	
UPLAND	2 583 050		1 662 160	
AMER-PIMA	21 490		19 700	
COTTONSEED	4 303 680		2 816 810	

WINTER POTATOES


1983	AREA PLANTED		AREA HARVESTED	
	1983	INDICATED 1984	1983	INDICATED 1984
	HECTARES			
4 650	5 340	4 570	5 260	
	YIELD PER HECTARE		PRODUCTION	
1983	INDICATED 1984	1983	INDICATED 1984	
	METRIC TONS			
21.77	23.08	99 470	121 380	

HAY STOCKS ON FARMS

MONTH	1983	1984
	METRIC TONS	
JAN 1	96 751 250	82 289 820
MAY 1	26 355 530	

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.

APPROVED:



SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

W. H. Walther, Chairperson,
C. W. Gardner, Acting Secretary,
D. W. Barrowman, R. L. Schulte,
R. M. Foster, R. P. Small,
R. L. Addison, R. T. Bass,
W. T. Brannen, J. S. Buche,
A. R. Budge, T. J. Byram,
D. C. Johnson, D. L. Emslie.

DECEMBER HARVESTING PROGRESS

Torrential rains during early December slowed harvest and flooded low lying areas of the Delta States and Southeast. Standing water damaged some soybeans remaining for harvest in those areas and wet fields continued to delay completion of fieldwork in northern areas. At midmonth, harvest of the remaining acreage of corn and soybeans moved ahead over frozen fields in the Corn Belt until late in the month when snow stopped harvest. Only a few fields remain for harvest in most areas. Sleet and freezing rain halted soybean harvesting in the Southeast as the month ended. Cotton harvesting was ahead of schedule during December and centered on the southern Plains and the Southwest. At the month's end, harvesting was virtually complete except in New Mexico and the southern Plains where snow, ice, and freezing rain prevented completion. Harvest reached 98% completion by December 25, compared with 94% average. Except for the Southwest, Arctic air covered the Nation late in the month and brought record lows in many areas. Freezing temperatures moved into the Rio Grande Valley of Texas and central Florida causing severe damage to citrus and vegetables. Growers salvaged some vegetables and citrus and replanted vegetable fields as the month ended.

DECEMBER WEATHER SUMMARY

A succession of frigid arctic outbreaks pushed into to northern Plains early in the month and by the third week had covered all of the Nation except the Southwest. Many record low temperatures were broken. The third week of the month was one of the coldest of record. Frigid air pushed into the vegetable and citrus areas of southern Texas and then moved eastward and covered much of Florida. Low temperatures below 20°F severely damaged citrus fruit and trees and destroyed vegetables. After three days of freezing weather, afternoon temperatures rose to 80°F in central Florida and tempered the salvage operation. Snow covered the ground in much of the Nation offering a protective blanket to winter grains. Snow cover reached as far south as northern Texas, over the Appalachians and through the Northeast. Freezing rain fell from eastern Texas and Arkansas to northern Georgia and through the East Coast States into the Northeast. In contrast to the severely cold weather the Southwest remained warmer than normal all month. At the end of the month warmer Pacific air moved into the West and temperatures rose to above freezing for the first time in many weeks over the Plateau, the Rockies, and the high Plains. (Prepared by NOAA/USDA Joint Agricultural Weather Facility.)

WINTER WHEAT

Winter wheat seeding was finished in most areas by early December except in California and in some southeastern areas where a small portion of the crop had not been seeded. Nationally, wheat had emerged on 93% of the acreage. Progress lagged normal only in parts of Colorado and Kansas where dry soils had delayed seedings and slowed emergence. Precipitation was needed from western Kansas southward.

Abnormally cold weather pushed into the Nations midsection at midmonth threatening wheat with possible winterkill. However, most areas had sufficient snow cover to protect the crop. Late in the month, Arctic air covered the Nation except in the Southwest. Snow cover provided winter wheat with adequate protection from freezing temperatures in most producing areas, except in the southern Plains and portions of the Pacific Northwest where some winterkill of late-planted stands is expected. Rain and ice delayed completion of seeding across the South. Wheat was in fair to mostly good condition in all producing areas as the month ended. Overwintering conditions were generally good from Kansas northward. Wheat was dormant in Oklahoma and producers in the western part of the State were concerned about possible winterkill of late-planted fields. Growth was limited by freezing temperatures in Texas; some burning of foliage was evident. Stands were in good condition in Montana. Snow cover was adequate and wind damage was minimal.

COTTON: United States production expected to total 7.72 million bales, up 1 percent from December 1 but 35 percent less than last year's production. Upland estimated at 7.63 million bales and American pima at 90.5 thousand bales. Yield per acre at 506 pounds, down 84 pounds from record high 590 pounds in 1982.

Harvested area estimated at 7.33 million acres (2.97 million hectares), up 3 percent from December 1 due to lower than expected abandonment in Texas, but 25 percent below 1982.

Southeastern States production estimated at 394 thousand bales, down 1 percent from December 1 and 59 percent less than last year.

Production in Delta States estimated at 1.99 million bales, virtually unchanged from December 1 but 46 percent less than last year.

Texas and Oklahoma upland production at 2.50 million bales, up 2 percent from last month but down 15 percent from 1982. Favorable growing conditions during October and open harvest weather in November and December reduced expected abandonment in Texas. Acres for harvest estimated at 3.50 million in Texas compared with 3.30 million December 1.

Western States upland production estimated at 2.74 million bales, up 1 percent from last month but down 36 percent from last year. Harvest in final stages. Ginning from modules continues.

Bureau of Census reports 7,214,486 running bales ginned prior to January 1, 1984 compared with 10,574,010 bales ginned to the same date in 1983 and 13,460,093 bales for the 1981 crop.

COTTONSEED: Production based on three year lint-seed ratio estimated at 3.11 million tons (2.82 million metric tons), 35 percent below 1982 production.

ORANGES: U.S. production forecast at 184 million boxes (7.15 million metric tons), down 17 percent from December 1, 18 percent less than last season, but 4 percent above the 1981-1982 season. Forecast all oranges in Florida, 129 million boxes, down 23 percent from last month and 8 percent less than last season's crop. Early and mid-season varieties in Florida, 74.0 million boxes, down 21 percent from December 1 forecast--but 5 percent more than last season. Valencia forecast now 55.0 million boxes, 26 percent below December 1 forecast and 21 percent below last season.

California crop forecast 49.0 million boxes, up 7 percent from last month, but 36 percent less than record high production harvested last season. Navel crop, 30.0 million boxes, up 11 percent from December 1, 25 percent below last season's record high crop. Valencia forecast, 19.0 million boxes, unchanged from December 1, 47 percent less than record high crop last season. The 1982-83 California Valencia crop production has been revised to 35.9 million boxes due to a longer than usual marketing season, which ended December 15, 1983.

Arizona all orange forecast, 3.00 million boxes, 6 percent below December 1 and 21 percent less than last season. Texas crop--3.00 million boxes, down 43 percent from last month, 47 percent below 1982-83.

Changes in U.S. production between January 1 forecast and final production have averaged 16.0 million boxes over past ten seasons, ranging from 580 thousand boxes in 1982-83 to 43.2 million boxes in 1981-82. Freeze in Florida, during January 1982 major cause for 43.2 million box difference between January 1, 1982 and final estimate.

FLORIDA GENERAL CITRUS: Citrus groves located in the lower east coast, lower west coast and south central part of Florida generally had very little damage from freezing temperatures December 25 and 26. Most other citrus growing areas had varying degrees of fruit icing depending on the location and number of hours below 28 degrees--conditions prevailing in many north central and central citrus groves. Soil moisture was generally very good when the freeze occurred, however, temperatures were above normal during all of December prior to the Christmas freeze. It is still too early to determine twig or wood damage. There will be considerable defoliation where temperatures were below 26 degrees for long period of time. The last week of December, harvest of freeze-damaged early and mid-season oranges increased rapidly as all processing plants started operating 24 hours a day, 7 days a week.

FLORIDA FROZEN CONCENTRATED JUICE YIELD: Forecast 1983-84 Florida FCOJ yield is now 1.23 gallons per box at 42.0 degrees Brix equivalent. The yield forecast is an estimate of the season average which will be reported at end of the season by the Florida Citrus Processor's Association. The FCOJ yield projection last month was 1.43 gallons per box. Final season average for 1982-83 was 1.48305 gallons per box and 1.27730 gallons per box for 1981-82 at 42.0 degrees Brix equivalent.

GRAPEFRUIT: Production forecast, including California's "other areas" grapefruit, 54.0 million boxes (2.01 million metric tons), down 15 percent from December 1 forecast, 6 percent less than last season. First forecast California's "other areas" crop will be April 1. Production for California 1982-83 "other areas" crop 3.20 million boxes. Florida all grapefruit forecast 43.0 million boxes--down 7 percent from last month, but 9 percent above 1982-83 crop. Texas forecast, 4.50 million boxes, down 61 percent from December 1, and 60 percent less than last season. California "Desert Valley" forecast remains at 4.20 million boxes, 2 percent more than 1982-83 harvest. Arizona forecast, now 2.30 million boxes, up 5 percent from previous month, but 15 percent less than last season. As of January 1, 13.2 million boxes had been harvested this year, or 24 percent of the U.S. grapefruit crop, compared with 17.1 million boxes, or 28 percent of the U.S. crop January 1, a year ago.

LEMONS: Arizona and California expect 26.3 million boxes (905 thousand metric tons), 1 percent less than December 1, but 5 percent above last season. Harvest is 28 percent complete--slower than last year's pace. Picking continues in all districts with movement from the important southern coastal area to be in full volume by March. Fruit quality and color are excellent.

TANGELOS: Florida crop, excluding K-early citrus fruit, 3.20 million boxes (131 thousand metric tons), unchanged from December 1, 16 percent less than 1982-83. Picking was active during December with about 83 percent complete by month's end.

TANGERINES: Forecast at 4.80 million boxes (181 thousand metric tons), down 17 percent from December 1, 9 percent less than last season. Harvest virtually complete in Florida. Harvest of California desert area tangerines and central valley Satsuma mandarins remains active.

TEMPLES: Florida forecast 2.50 million boxes (103 thousand metric tons), down 44 percent from December 1, 47 percent below last season. As of January 1, only 2 percent had been harvested.

PAPAYAS: Hawaii fresh papaya production forecast at 4.40 million pounds (2000 metric tons) for January, unchanged from December, but 23 percent above year ago. Fresh production expected to decline seasonally in February and March to 3.90 and 3.40 million pounds (1770 and 1540 metric tons), respectively, before increasing to 4.70 million pounds (2130 metric tons) in April.

December production estimated at 4.40 million pounds (2000 metric tons), a 27 percent decline from previous month, but 8 percent above year ago level. Total area in crop increased 1 percent to 3650 acres (1480 hectares) in December a record high for fifth consecutive month. Of this total area, 2285 acres (920 hectares) were harvested, a 4 percent increase from previous month.

HAY STOCKS ON FARMS: Stocks on farms January 1, 1984, 90.7 million tons (82.3 million metric tons), 15 percent less than a year ago, and 9 percent below January 1, 1982. Reduced stocks from January 1, 1983 are due to lower production and increased feeding during harsh winter.

Disappearance May 1, 1983 to January 1, 1984, 81.3 million tons (73.8 million metric tons), 14 percent more than same period a year earlier.

POTATOES: The 1984 winter potato crop forecast 2.68 million cwt (121 thousand metric tons), up 22 percent from 1983 and 18 percent above two years ago.

California winter potato crop 1.34 million cwt, a gain of 6 percent from last year, primarily because of increased acreage. Average yield expected 240 cwt per acre, down 30 cwt per acre from 1983. Planting completed last week of December. Stands and progress good with little damage from holiday freezes. Harvest of early fields expected late January.

In Florida, winter potatoes forecast 1.33 million cwt this year, up 44 percent from 1983. Acreage and expected yield both up from last year, although some fields frost damaged in Martin County.

Revised 1983 spring potato production totaled 18.3 million cwt (831 thousand metric tons), down 11 percent from 1982 and 12 percent from 1981. Area harvested 77.4 thousand acres (31.3 thousand hectares), down 1 percent from both of the last two years. Average yield fell to 237 cwt per acre, after posting a near record 264 cwt in 1982.

COTTON

CROP AND STATE	AREA HARVESTED		YIELD		PRODUCTION 1/		
	1982	IND 1983	1982	IND 1983	1981	1982	IND 1983
	1,000 ACRES		POUNDS		1,000	BALES 2/	
UPLAND							
ALA	285.0	215.0	775	402	422.0	460.0	180.0
ARIZ	465.0	284.0	1,130	1,208	1,556.0	1,095.0	715.0
ARK	390.0	310.0	657	495	604.0	534.0	320.0
CALIF	1,370.0	965.0	1,077	975	3,535.0	3,073.0	1,960.0
FLA	15.0	12.0	627	680	21.3	19.6	17.0
GA	158.0	115.0	714	480	159.0	235.0	115.0
LA	595.0	410.0	702	632	742.0	870.0	540.0
MISS	990.0	675.0	853	640	1,565.0	1,760.0	900.0
MO	151.0	93.0	648	387	168.0	204.0	75.0
NEV	.7	.0	617	0	1.5	.9	.0
N MEX	68.0	48.0	551	630	133.0	78.0	63.0
N C	70.0	59.0	699	358	95.0	102.0	44.0
OKLA	450.0	300.0	254	224	440.0	238.0	140.0
S C	95.0	69.0	783	383	164.0	155.0	55.0
TENN	255.0	215.0	638	335	315.0	339.0	150.0
TEX	4,300.0	3,500.0	301	324	5,645.0	2,700.0	2,360.0
VA	.3	.4	640	360	.3	.4	.3
U S	9,658.0	7,270.4	590	504	15,566.1	11,863.9	7,634.3
AMER-PIMA							
ARIZ	41.6	28.6	760	772	53.7	65.9	46.0
N MEX	9.4	10.9	511	572	7.9	10.0	13.0
TEX	19.5	20.8	561	727	18.0	22.8	31.5
U S	70.5	60.3	672	720	79.6	98.7	90.5
ALL							
ALA	285.0	215.0	775	402	422.0	460.0	180.0
ARIZ	506.6	312.6	1,100	1,169	1,609.7	1,160.9	761.0
ARK	390.0	310.0	657	495	604.0	534.0	320.0
CALIF	1,370.0	965.0	1,077	975	3,535.0	3,073.0	1,960.0
FLA	15.0	12.0	627	680	21.3	19.6	17.0
GA	158.0	115.0	714	480	159.0	235.0	115.0
LA	595.0	410.0	702	632	742.0	870.0	540.0
MISS	990.0	675.0	853	640	1,565.0	1,760.0	900.0
MO	151.0	93.0	648	387	168.0	204.0	75.0
NEV	.7	.0	617	0	1.5	.9	.0
N MEX	77.4	58.9	546	619	140.9	88.0	76.0
N C	70.0	59.0	699	358	95.0	102.0	44.0
OKLA	450.0	300.0	254	224	440.0	238.0	140.0
S C	95.0	69.0	783	383	164.0	155.0	55.0
TENN	255.0	215.0	638	335	315.0	339.0	150.0
TEX	4,319.5	3,520.8	303	326	5,663.0	2,722.8	2,391.5
VA	.3	.4	640	360	.3	.4	.3
U S	9,728.5	7,330.7	590	506	15,645.7	11,962.6	7,724.8

1/ PRODUCTION GINNED AND TO BE GINNED.
2/ 480-LB. NET WEIGHT BALES.

COTTONSEED

STATE	PRODUCTION		
	1981	1982	IND 1983
	1,000 TONS		
U S	6,397	4,744	3,105

HAY STOCKS ON FARMS

STATE	JAN 1			MAY 1	
	1982	1983	1984	1982	1983
	1,000 TONS				
ALA	772	902	718	265	333
ARIZ	207	137	116	109	19
ARK	1,373	1,220	794	452	190
CALIF	2,669	1,608	1,279	471	337
COLO	2,147	2,306	2,322	694	586
CONN	117	131	122	32	40
DEL	26	24	25	9	6
FLA	295	427	319	53	85
GA	613	876	640	143	300
IDAHO	3,073	2,712	2,850	757	489
ILL	2,416	2,639	1,787	665	687
IND	1,421	1,672	1,157	429	374
IOWA	5,757	6,360	3,697	1,563	1,569
KANS	4,067	4,269	3,179	1,335	902
KY	2,775	2,820	1,902	661	611
LA	523	510	389	105	69
MAINE	293	291	269	72	111
MD	287	443	339	88	108
MASS	181	196	187	42	44
MICH	2,220	2,540	2,458	506	788
MINN	5,662	5,206	4,906	1,395	1,405
MISS	874	1,150	999	150	205
MO	5,670	5,551	4,222	1,418	1,241
MONT	4,327	4,595	3,950	865	1,429
NEBR	5,258	5,861	5,151	1,262	1,663
NEV	628	679	758	105	113
N H	147	124	128	32	37
N J	146	183	143	22	37
N MEX	615	581	352	126	152
N Y	3,164	3,645	2,801	791	898
N C	452	465	376	108	100
N DAK	3,761	4,806	4,148	809	1,844
OHIO	1,841	2,363	1,989	347	430
OKLA	2,480	2,318	2,364	694	476
OREG	2,165	1,958	2,185	289	267
PA	2,721	3,243	2,818	590	823
R I	10	11	13	4	5
S C	236	348	259	41	63
S DAK	6,075	7,944	7,513	1,620	3,281
TENN	1,559	1,730	1,431	520	416
TEX	5,219	5,031	4,117	1,601	2,012
UTAH	1,530	1,313	1,084	328	233
VT	769	606	611	175	183
VA	1,279	1,342	1,098	246	285
WASH	1,652	1,473	1,723	508	289
W VA	637	706	657	106	123
WIS	7,849	9,605	8,818	2,211	3,026
WYO	1,788	1,730	1,546	341	368
U S	99,746	106,650	90,709	25,155	29,052

CITRUS FRUIT

1/

CROP	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	AND	UTILIZED	INDICATED	UTILIZED	INDICATED	
STATE	1981-82	1982-83	1983-84	1981-82	1982-83	1983-84
	1,000 UNITS 2/			1,000 UNITS		
ORANGES, EARLY MID & NAVEL 3/:						
ARIZ	900	1,050	900	34	39	34
CALIF	26,500	40,200	30,000	994	1,508	1,125
FLA	74,000	70,200	74,000	3,330	3,159	3,330
TEX	3,610	3,590	2,600	153	152	111
U S	105,010	115,040	107,500	4,511	4,858	4,600
ORANGES, VALENCIA						
ARIZ	2,150	2,750	2,100	81	103	79
CALIF 4/:	15,400	35,900	19,000	578	1,346	713
FLA	51,800	69,300	55,000	2,331	3,118	2,475
TEX	2,330	2,090	400	99	89	17
U S 4/:	71,680	110,040	76,500	3,089	4,656	3,284
ALL ORANGES						
ARIZ	3,050	3,800	3,000	115	142	113
CALIF 4/:	41,900	76,100	49,000	1,572	2,854	1,838
FLA	125,800	139,500	129,000	5,661	6,277	5,805
TEX	5,940	5,680	3,000	252	241	128
U S 4/:	176,690	225,080	184,000	7,600	9,514	7,884
TEMPLES						
FLA	3,200	4,700	2,500	144	211	113
GRAPEFRUIT, WHITE SEEDLESS						
FLA	27,300	21,800	24,000	1,160	926	1,020
GRAPEFRUIT, PINK SEEDLESS						
FLA	14,800	12,800	14,000	629	544	595
OTHER GRAPEFRUIT						
FLA	6,000	4,800	5,000	255	204	213
ALL GRAPEFRUIT						
ARIZ	2,400	2,700	2,300	77	87	74
CALIF 5/:						
DESERT	3,400	4,100	4,200	109	131	134
OTHER AREAS	2,600	3,200		87	107	
TOTAL	6,000	7,300		196	238	
FLA	48,100	39,400	43,000	2,044	1,674	1,828
TEX	13,900	11,200	4,500	556	448	180
U S	70,400	60,600		2,873	2,447	
TANGERINES						
ARIZ	750	880	900	28	33	34
CALIF	1,730	2,120	1,900	65	80	71
FLA	2,500	2,250	2,000	119	107	95
U S	4,980	5,250	4,800	212	220	200
LEMONS						
ARIZ	6,300	5,050	6,000	239	191	228
CALIF	18,500	19,900	20,250	703	756	770
U S	24,800	24,950	26,250	942	947	998
TANGELOS						
FLA	5,100	3,800	3,200	229	171	144

- 1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.
- 2/ NET LBS PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS & TEMPLES-90; TANGERINES- CALIF & ARIZ-75, FLA-95.
- 3/ NAVAL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.
- 4/ CALIFORNIA VALENCIA 1982-83 PRODUCTION REVISED DUE TO LONGER THAN USUAL MARKETING SEASON, WHICH WAS COMPLETED IN DECEMBER 1983.
- 5/ THE FIRST FORECAST FOR CALIF GRAPEFRUIT "OTHER AREAS" WILL BE AS OF APR 1.

POTATOES

SEASONAL GROUP AND STATE	AREA				YIELD		PRODUCTION		
	PLANTED		HARVESTED						
	1983	IND : 1984	1983	IND : 1984	1983	IND : 1984	1982	1983	IND 1984
	1,000 ACRES				CWT		1,000 CWT		
WINTER									
CALIF	4.7	5.6	4.7	5.6	270	240	931	1,269	1,344
FLA	6.8	7.6	6.6	7.4	140	180	1,332	924	1,332
TOTAL	11.5	13.2	11.3	13.0	194	206	2,263	2,193	2,676
SPRING 1/									
ALA	4.5		4.1		125		714	513	
ARIZ	4.9		4.9		260		1,434	1,274	
CALIF	25.5		24.5		340		9,563	8,330	
FLA									
HASTINGS	22.5		22.0		215		5,160	4,730	
OTHER	1.3		1.2		155		252	186	
LA	1.1		1.0		50		88	50	
N C	14.0		13.8		155		2,208	2,139	
TEX	6.1		5.9		185		1,140	1,092	
TOTAL	79.9		77.4		237		20,559	18,314	

1/ 1983 REVISED.

PAPAYAS - HAWAII

MONTH	AREA				FRESH PRODUCTION		
	TOTAL IN CROP		HARVESTED		1982	1983	FORECAST
	1982	1983	1982	1983			1983-84
	ACRES				1,000 POUNDS		
NOV	3,315	3,625	2,140	2,195	3,654	6,011	
DEC	3,045	3,650	2,090	2,285	4,063	4,400	
JAN		3,010		2,030		3,563	4,400
FEB		3,060		2,045		2,821	3,900
MAR		3,110		2,030		2,200	3,400
APR		3,065		2,095		2,516	4,700
CUMULATIVE FRESH PRODUCTION JAN-DEC					44,770	44,900	

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

To stop mailing or to change your
address send this sheet with label
inset, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept. of Agriculture, Rm 5829 South
Building, 14th & Independence Ave S.W.,
Wash., D.C. 20250

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 301
FIRST CLASS**

