
Crop Production



Crop
Reporting
Board

Statistical Reporting
Service

United States
Department of
Agriculture

Washington, D.C. 20250

RELEASED: November 9, 1984
3:00 P.M. ET

HIGHLIGHTS

CORN FOR GRAIN production is forecast at 7.53 billion bushels (191 million metric tons), up fractionally from October 1 and up 81 percent from last year's drought-stricken crop. A crop of this size is 9 percent below the record high crop of 1982. The 90 percent confidence interval for this production forecast is 7.19 to 7.87 billion bushels.

SORGHUM GRAIN production is forecast at 813 million bushels (20.7 million metric tons), up one percent from October 1 and 70 percent from last year.

FEED GRAIN production (corn, sorghum, oats and barley combined) is expected to total 232 million metric tons, up 71 percent from last year but 7 percent below the record high production in 1982.

SOYBEAN production is forecast at 1.90 billion bushels (51.8 million metric tons), 4 percent less than October 1, 13 percent below 1982 but 16 percent above last year. The 90 percent confidence interval for this 1984 production forecast is 1.80 to 2.01 billion bushels.

ALL COTTON production is forecast at 13.3 million bales, 71 percent above last year and 11 percent more than 1982 production. The 90 percent confidence interval for this production forecast is 12.4 to 14.1 million bales.

PEANUT production is forecast at a record high 4.41 billion pounds (2.00 million metric tons), 34 percent above 1983. Production is up 2 percent from the October 1 forecast.

ALL TOBACCO production is forecast at 1.74 billion pounds (788 thousand metric tons), 22 percent above 1983, but down fractionally from the October 1 forecast.

* Soybean Varieties: The table providing information on soybean varieties *
* normally published in this report has been discontinued. With the in- *
* creasing numbers of private varieties in use, the objective yield sample *
* used to collect this data is no longer adequate to provide reliable *
* results. *
* * * * * *
* * * * * *
* A special pecan survey was conducted in Georgia during the last week of *
* October due to extremely dry weather in September and most of October. *
* The results of this survey are shown on page B-12. *
* * * * * *
* * * * * *
* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

INDEX NUMBERS OF CROP PRODUCTION
UNITED STATES, 1974-84 (1977=100)

YEAR	PRODUCTION							
	ALL 1/	FEED GRAINS	HAY AND FORAGE	FOOD GRAINS	SUGAR CROPS	COTTON	TOBACCO	OIL CROPS
1974	84	74	96	91	89	82	104	71
1975	93	91	100	108	114	58	114	86
1976	92	96	94	107	112	74	112	74
1977	100	100	100	100	100	100	100	100
1978	102	108	106	93	101	76	106	105
1979	113	116	108	108	94	102	80	129
1980	101	97	98	121	97	79	93	99
1981	116	121	106	144	107	109	108	114
1982	118	124	110	140	96	85	104	124
1983	87	66	100	116	93	54	75	88
1984	110	113	107	128	95	92	91	108

1/ INCLUDES SOME MISCELLANEOUS CROP PRODUCTION NOT INCLUDED IN SEPARATE GROUPS OF CROPS SHOWN.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.

APPROVED:

William B. Lester

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

R. R. Hancock, Chairperson,
L. D. Jewell, Secretary,
R. D. Allen, J. D. Witzig,
J. L. Olson, B. L. Bloyd,
W. T. Brannen, J. E. Brewster,
T. J. Byram, J. R. Davies,
W. N. Dowdy, R. H. Hettinger,
C. D. James, D. C. Johnson,
S. A. Kellogg, J. P. Nealon,
G. A. Nelson, D. E. Ransom,
L. S. Williams.

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP AND UNIT		AREA PLANTED		AREA HARVESTED	
		1983	INDICATED 1984	1983	INDICATED 1984
1,000 ACRES					
CORN FOR GRAIN	BU	60,177	79,790	51,443	71,064
SORGHUM FOR GRAIN	"	11,695	16,224	9,836	14,209
RICE	CWT 1/	2,190.0	2,851.0	2,169.0	2,816.0
SOYBEANS FOR BEANS	BU	63,779	68,175	62,525	66,833
PEANUTS FOR NUTS	LB	1,411.0	1,557.0	1,373.5	1,528.0
ALL COTTON	BALE 1/	7,946.3	11,049.7	7,367.5	10,394.1
UPLAND	" 1/	7,883.3	10,972.0	7,304.8	10,316.3
AMER-PIMA	" 1/	63.0	77.7	62.7	77.8
COTTONSEED	TON				
DRY EDIBLE BEANS	CWT 1/	1,178.0	1,464.0	1,136.7	1,415.0
TOBACCO	LB			789.0	797.4
SUGARBEETS	TON	1,080.4	1,118.5	1,055.8	1,094.2
SUGARCANE FOR SUGAR AND SEED	"			767.7	743.5
PASTURE AND RANGE FEED 2/	PCT				
DRIED PRUNES (CALIF)	TON				
FILBERTS	"				
CITRUS FRUITS 4/ LEMONS	BOX				

SEE FOOTNOTES ON PAGE A-4.

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP AND UNIT		AREA PLANTED		AREA HARVESTED	
		1983	INDICATED 1984 1/	1983	INDICATED 1984 1/
1,000 ACRES					
OATS	BU	20,290	12,229	9,076	8,088
BARLEY	"	10,419	11,978	9,727	11,229
ALL WHEAT	"	76,419	79,526	61,390	66,194
WINTER	"	62,105	63,829	47,584	51,009
DURUM	"	2,565	3,282	2,492	3,194
OTHER SPRING	"	11,749	12,415	11,314	11,991
RYE	"	2,707	2,956	896	953
FLAXSEED	"	605	575	580	555
SUNFLOWER	LB	3,110	3,604	3,063	3,555
ALL HAY	TON			59,697	62,251
ALFALFA	"			25,710	27,257
ALL OTHER	"			33,987	34,994
POTATOES					
WINTER	CWT	11.5	13.2	11.3	13.0
SPRING	"	82.1	86.3	79.6	84.7
SUMMER	"	104.1	111.9	100.1	107.4
FALL	"	1,074.4	1,118.3	1,051.5	1,089.9
TOTAL	"	1,272.1	1,329.7	1,242.5	1,295.0
SWEETPOTATOES	"	105.3	108.7	102.4	105.9
HOPS	LB			36.9	30.8
APPLES, COM'L	"				
PEACHES	"				
PEARS	TON				
GRAPES	"				
SWEET CHERRIES	"				
TART CHERRIES	LB				
APRICOTS	TON				
NECTARINES (CALIF)	"				
PLUMS (CALIF)	"				
OLIVES (CALIF)	"				
PRUNES AND PLUMS (EXCL. CALIF)	"				
PECANS	LB				
ALMONDS (CALIF)	"				
WALNUTS (CALIF)	TON				
CITRUS FRUITS 3/ ORANGES	BOX				

SEE FOOTNOTES ON PAGE A-4.

(CONTINUED)

UNITED STATES CROP SUMMARY (CONTINUED)
(DOMESTIC UNITS)

CROP AND UNIT	YIELD PER ACRE			PRODUCTION	
	INDICATED			INDICATED	
	1983	1984	1983	OCT 1, 1984	NOV 1, 1984
				1,000	
CORN FOR GRAIN BU	81.0	105.9	4,166,108	7,497,831	7,527,206
SORGHUM FOR GRAIN "	48.7	57.3	479,231	806,632	813,472
RICE CWT 1/	4,598	5,008	99,720	141,196	141,039
SOYBEANS FOR BEANS BU	26.2	28.5	1,635,772	1,971,700	1,901,565
PEANUTS FOR NUTS LB	2,399	2,883	3,295,530	4,304,550	4,405,000
ALL COTTON BALE 1/	506	613	7,771.4	13,271.9	13,271.2
UPLAND " 1/	504	612	7,676.7	13,160.1	13,160.1
AMER-PIMA " 1/	725	685	94.7	111.8	111.1
COTTONSEED TON			3,076	5,296	5,303
DRY EDIBLE BEANS CWT 1/	1,365	1,417	15,518	20,261	20,047
TOBACCO LB	1,811	2,178	1,428,483	1,737,668	1,736,380
SUGARBEETS TON	19.9	20.3	21,009	22,183	22,169
SUGARCANE FOR SUGAR AND SEED "	36.7	37.3	28,161	26,880	27,744
PASTURE AND RANGE FEED 2/ PCT	73	74			
DRIED PRUNES (CALIF) TON			145.0	3/140.0	140.0
FILBERTS TON			8.2	14.0	14.0
CITRUS FRUITS 4/			1983-84	1984-85	1984-85
LEMONS BOX			21,250	26,800	27,500

1/ YIELD IN POUNDS. 2/ PASTURE AND RANGE FEED CONDITION AS OF FIRST OF MONTH. THE 1973-82 AVERAGE IS 75 PERCENT. 3/ SEP 1, 1984. 4/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

CROP AND UNIT	YIELD PER ACRE			PRODUCTION	
	INDICATED			INDICATED	
	1983	1984 1/	1983	1984 1/	1984 1/
				1,000	
OATS BU	52.6	58.4	477,133		472,460
BARLEY "	52.3	53.9	508,344		605,700
ALL WHEAT	39.4	38.8	2,419,824		2,570,300
WINTER "	41.8	39.9	1,988,304		2,036,028
DURUM "	29.3	33.0	72,979		105,403
OTHER SPRING "	31.7	35.8	358,541		428,869
RYE "	30.3	31.7	27,116		30,184
FLAXSEED "	11.9	13.6	6,903		7,555
SUNFLOWER LB	1,044	1,032	3,198,500		3,667,400
ALL HAY TON	2.36	2.47	140,734		154,051
ALFALFA "	3.20	3.40	82,212		92,600
ALL OTHER "	1.72	1.76	58,522		61,451
POTATOES					
WINTER CWT	194	203	2,193		2,640
SPRING "	230	274	18,338		23,248
SUMMER "	187	213	18,701		22,850
FALL "	280	284	294,679		310,048
TOTAL "	269	277	333,911		358,786
SWEETPOTATOES "	118	124	12,083		13,090
HOPS LB	1,846	1,852	68,111		57,044
APPLES, COM'L "			8,314,500		8,233,500
PEACHES LB			1,789,700		2,546,000
PEARS TON			774.7		687.5
GRAPES "			5,494.2		5,019.1
SWEET CHERRIES "			179.7		182.4
TART CHERRIES LB			154,600		299,700
APRICOTS TON			95.1		123.9
NECTARINES (CALIF) "			186.0		170.0
PLUMS (CALIF) "			158.0		210.0
OLIVES (CALIF) "			56.0		105.0
PRUNES AND PLUMS (EXCL CALIF) "			62.2		54.0
PECANS LB			270,000		2/240,400
ALMONDS (CALIF) "			240,000		520,000
WALNUTS (CALIF) TON			199.0		225.0
CITRUS FRUITS 3/			1983-84	1984-85	1984-85
ORANGES BOX			169,310	183,700	

1/ ESTIMATES CARRIED FORWARD FROM EARLIER FORECAST EXCEPT CHERRIES END-OF-SEASON ESTIMATES. 2/ REVISED. 3/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA PLANTED		AREA HARVESTED	
	1983	INDICATED 1984	1983	INDICATED 1984
HECTARES				
CORN FOR GRAIN	24 353 030	32 290 220	20 818 470	28 758 890
SORGHUM FOR GRAIN	4 732 850	6 565 690	3 980 530	5 750 240
RICE	886 270	1 153 770	877 770	1 139 610
SOYBEANS FOR BEANS	25 810 720	27 589 740	25 303 240	27 046 650
PEANUTS FOR NUTS	571 020	630 100	555 840	618 370
ALL COTTON	3 215 790	4 471 700	2 981 550	4 206 380
UPLAND	3 190 290	4 440 260	2 956 180	4 174 900
AMER-PIMA	25 500	31 440	25 370	31 480
COTTONSEED				
DRY EDIBLE BEANS	476 720	592 470	460 010	572 640
TOBACCO			319 300	322 700
SUGARBEETS	437 230	452 650	427 270	442 810
SUGARCANE FOR SUGAR AND SEED			310 680	300 890
DRIED PRUNES (CALIF)				
FILBERTS				
CITRUS FRUITS 2/ LEMONS				

SEE FOOTNOTES ON PAGE A-6.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	AREA PLANTED		AREA HARVESTED	
	1983	INDICATED 1984 1/	1983	INDICATED 1984 1/
HECTARES				
OATS	8 211 160	4 948 950	3 672 970	3 273 130
BARLEY	4 216 470	4 847 380	3 936 420	4 544 260
ALL WHEAT	30 926 000	32 183 380	24 843 920	26 788 050
WINTER	25 133 270	25 830 960	19 256 770	20 642 830
DURUM	1 038 030	1 328 190	1 008 490	1 292 580
OTHER SPRING	4 754 700	5 024 230	4 578 660	4 852 640
RYE	1 095 500	1 196 260	362 600	385 670
FLAXSEED	244 840	232 700	234 720	224 600
SUNFLOWER	1 258 590	1 458 500	1 239 570	1 438 670
ALL HAY			24 158 780	25 192 360
ALFALFA			10 404 580	11 030 640
ALL OTHER			13 754 200	14 161 720
POTATOES				
WINTER	4 650	5 340	4 570	5 260
SPRING	33 230	34 920	32 210	34 280
SUMMER	42 130	45 280	40 510	43 460
FALL	434 800	452 560	425 530	441 070
TOTAL	514 810	538 120	502 830	524 070
SWEET POTATOES	42 610	43 990	41 440	42 860
HOPS			14 930	12 460
APPLES, COM'L				
PEACHES				
PEARS				
GRAPES				
SWEET CHERRIES				
TART CHERRIES				
APRICOTS				
NECTARINES (CALIF)				
PLUMS (CALIF)				
OLIVES (CALIF)				
PRUNES AND PLUMS (EXCL CALIF)				
PECANS				
ALMONDS (CALIF)				
WALNUTS (CALIF)				
CITRUS FRUITS 3/ ORANGES				

SEE FOOTNOTES ON PAGE A-6.

(CONTINUED)

UNITED STATES CROP SUMMARY (CONINUED)
(METRIC UNITS)



CROP	YIELD PER HECTARE:			PRODUCTION		
	1983	INDICATED		1983	INDICATED	
		1984			OCT 1, 1984	NOV 1, 1984
	METRIC TONS					
CORN FOR GRAIN	5.08	6.65	105 824 020	190 453 680	191 199 840	
SORGHUM FOR GRAIN	3.06	3.59	12 173 030	20 489 400	20 663 140	
RICE	5.15	5.61	4 523 220	6 404 540	6 397 420	
SOYBEANS FOR BEANS	1.76	1.91	44 518 420	53 660 880	51 752 120	
PEANUTS FOR NUTS	2.69	3.23	1 494 820	1 952 500	1 998 060	
ALL COTTON	0.57	0.69	1 692 020	2 889 600	2 889 450	
UPLAND	0.57	0.69	1 671 400	2 865 260	2 865 260	
AMER-PIMA	0.81	0.77	20 620	24 340	24 190	
COTTONSEED			2 790 500	4 804 450	4 810 800	
DRY EDIBLE BEANS	1.53	1.59	703 880	919 020	909 310	
TOBACCO	2.03	2.44	647 950	788 190	787 600	
SUGARBEETS	44.61	45.42	19 059 040	20 124 080	20 111 380	
SUGARCANE FOR SUGAR AND SEED	82.23	83.65	25 547 230	24 385 130	25 168 930	
DRIED PRUNES (CALIF)			131 540	1/127 010	127 010	
FILBERTS			7 440	12 700	12 700	
CITRUS FRUITS 2/ LEMONS			1983-84 732 100	1984-85 924 420	1984-85 948 010	

1/ SEP 1, 1984. 2/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

CROP	YIELD PER HECTARE :			PRODUCTION	
	1983	INDICATED		1983	INDICATED
		1984 1/			
	METRIC TONS				
OATS	1.89	2.10	6 925 570	6 857 740	
BARLEY	2.81	2.90	11 067 880	13 187 560	
ALL WHEAT	2.65	2.61	65 856 820	69 952 100	
WINTER	2.81	2.68	54 112 770	55 411 600	
DURUM	1.97	2.22	1 986 160	2 868 600	
OTHER SPRING	2.13	2.41	9 757 890	11 671 900	
RYE	1.90	1.99	688 780	766 710	
FLAXSEED	0.75	0.85	175 340	191 910	
SUNFLOWER	1.17	1.16	1 450 810	1 663 500	
ALL HAY	5.28	5.55	127 671 740	139 752 720	
ALFALFA	7.17	7.62	74 581 470	84 005 310	
ALL OTHER	3.86	3.94	53 090 270	55 747 410	
POTATOES					
WINTER	21.77	22.77	99 470	119 750	
SPRING	25.82	30.76	831 790	1 054 510	
SUMMER	20.94	23.85	848 260	1 036 450	
FALL	31.41	31.88	13 366 340	14 063 470	
TOTAL	30.12	31.05	15 145 870	16 274 170	
SWEETPOTATOES	13.23	13.85	548 070	593 750	
HOPS	2.07	2.08	30 890	25 870	
APPLES, COM'L			3 771 370	3 734 630	
PEACHES			811 790	1 154 840	
PEARS			702 800	623 690	
GRAPES			4 984 250	4 553 250	
SWEET CHERRIES			163 020	165 470	
TART CHERRIES			70 130	135 940	
APRICOTS			86 270	112 400	
NECTARINES (CALIF)			168 740	154 220	
PLUMS (CALIF)			143 340	190 510	
OLIVES (CALIF)			50 800	95 250	
PRUNES AND PLUMS (EXCL CALIF)			56 430	48 990	
PECANS			122 470	2/109 040	
ALMONDS (CALIF)			108 860	235 870	
WALNUTS (CALIF)			180 530	204 120	
CITRUS FRUITS 3/ ORANGES			1983-84 6 566 200	1984-85 7 060 620	

1/ ESTIMATES CARRIED FORWARD FROM EARLIER FORECAST EXCEPT CHERRIES END-OF-SEASON ESTIMATES. 2/ REVISED. 3/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR.



OCTOBER WEATHER SUMMARY

Most of the Nation's precipitation was above normal. The East Coast States, a small area in the central and southern Plains, the Southwest, and the western portion of the northern Plains and Rockies were the driest areas. Much of the Southeast from Florida to southern Virginia had less than half the normal rainfall. Very heavy rain fell from southeastern Texas to the lower Ohio Valley. Downpours in the upper Mississippi Delta damaged some crops. Rain in the central and southern Plains benefited winter grain planting and early growth, but delayed harvest in many other areas. Freezing temperatures ended the growing season from the northern Plains to Nebraska and the western Corn Belt. Temperatures averaged above normal east of the Plains, and below normal in the West. Much of the East was 5-9 degrees warmer than normal, and the West was 5-8 degrees colder than normal. (Prepared by the Joint USDA/NOAA Agricultural Weather Facility.)

WINTER WHEAT SEEDING

Dry conditions delayed seeding of the 1985 winter wheat crop in the Southeast, but long-awaited rain allowed early-month planting in the west-central Plains. Persistent heavy rain throughout October from eastern Texas through the eastern Corn Belt delayed seeding and eroded some fields. Planting was 86 percent complete by November 4, trailing last year's 91 percent and the 92 percent average. As the month ended, seeding was complete in Idaho, Montana, Nebraska, and South Dakota, and was near completion in Colorado and Washington. Seventy-one percent of the seeded acreage emerged, compared with 79 percent for both last year and the average. Stands rated mostly good, but excessive moisture caused some field yellowing in the Texas Blacklands and Delta States.

Kansas winter wheat seeding was 90 percent complete, equal to last year but 7 points behind average. Soil moisture was adequate to surplus, and stands rated mostly good to excellent. Planting was 80 percent finished in Oklahoma, trailing the 90 percent average. However, previous dryness left emergence at only 45 percent, 20 points slower than normal. Texas wheat showed good growth with ample moisture statewide. Seeding operations were 88 percent complete, 5 points ahead of schedule. Sixty-six percent of the acreage emerged, slightly ahead of normal. Wet weather delayed seeding in the eastern Corn Belt. Progress was 44 points behind schedule in Illinois, 31 points behind in Missouri, and 24 points slower than normal in Indiana. Montana planting was finished and 65 percent emerged, 25 points slower than normal. Stands rated mostly fair, but were good in the west and southeast. Seeding and emergence were virtually on schedule in Washington. Wet weather delayed planting in Oregon, where 87 percent of the acreage was seeded, 6 points behind average.


CORN FOR GRAIN: Production of corn for grain is forecast at 7.53 billion bushels (191 million metric tons), up 81 percent from last year's drought-stricken crop, but 9 percent below the record high crop of 1982.

The U.S. average yield per acre is now forecast at 105.9 bushels, up 0.4 bushel from October 1 and up 24.9 bushels from last year's low yield of 81.0 bushels. The current forecast is below the record high yield of 113.2 bushels set in 1982. In the major producing States, Ohio's yield is up 5 bushels, Nebraska is up 3 bushels, and Indiana is up 1 bushel from October 1. In contrast, Wisconsin is off 2 bushels and Michigan is down 5 bushels from a month earlier.

A killing frost occurred across the western Corn Belt in late September but a killing frost did not occur in the eastern Corn Belt until the end of October or the first part of November.

Harvesting of corn was 64 percent complete in the 17 major producing States on November 4. This compares with 89 percent last year and the 72 percent average. Combining was generally on schedule in the western Corn Belt and southeast, but lagged normal in the eastern Corn Belt where wet weather has hampered harvesting. Dry weather is needed to enable the growers to get into the fields to get the remainder of the crop harvested.

U. S. CORN PRODUCTION



SORGHUM FOR GRAIN: Production forecast at 813 million bushels (20.7 million metric tons), up 1 percent from October 1, 70 percent more than a year ago, but 3 percent less than 1982. Average yield, at 57.3 bushels per acre, is up 8.6 bushels from 1983, but down 1.8 bushels from 1982. Yield in Kansas, the Nation's leading sorghum producing State, is 12 bushels above a year earlier. In Texas, the second largest sorghum State, yield is up 3 bushels from last year.

Expected yield per acre increased 4 bushels from October 1 in New Mexico while Nebraska, Oklahoma, and Texas yields increased 1 bushel from October 1. Sixty-two percent of the sorghum grain was harvested by October 28, 80 percent by this date in 1983, 69 percent on the average. Rains during the month of October held harvest progress behind normal in all 7 major producing States except Oklahoma.

RICE: Production is forecast at 141 million hundredweight (6.40 million metric tons), down slightly from the October 1 forecast but up 41 percent from last year's production. Harvested acreage and yield were both above a year earlier.

Nationally, yields are expected to average a record high 5008 pounds per acre, 189 pounds per acre, greater than the previous record of 4819 pounds produced in 1981 and 410 pounds more than the 1983 yield. Prospective yields are above last year in all States, with Texas showing the largest increase.

Harvesting was finished in Louisiana and Texas, and nearing completion in California and Mississippi by November 4. Persistent heavy October rains in Arkansas delayed combining. Only 87 percent was harvested in that State, 11 points behind schedule.

PEANUTS: Production is forecast at a record high 4.41 billion pounds (2.00 million metric tons), 34 percent above 1983 and 2 percent above the October 1 forecast. Yield is expected to average a record high 2883 pounds per acre, 484 pounds above 1983 and up 66 pounds from the October 1 forecast. The previous record high yield of 2693 pounds was set in 1982. Both production and yield are up from 1983 in all States, except Texas.


Southeastern growers (Ala, Fla, Ga, SC) expect their production to total 3.09 billion pounds, 39 percent above the previous year. Production in this area is up 2 percent from the October 1 estimate. Yield is expected to average 3268 pounds per acre, 549 pounds above 1983 and 67 pounds above the October 1 forecast. Production in Georgia is set at 2.16 billion pounds, 38 percent above 1983 and 3 percent above the previous forecast. Yield is expected to average 3400 pounds per acre compared with 2790 pounds per acre in 1983. Yield is up 100 pounds from October 1 in Georgia. Both yield and production would set a new record high for the State. Harvest was virtually complete by November 1. Harvesting conditions were near ideal. Alabama's crop is expected to total 643 million pounds, 41 percent above 1983 but unchanged from October 1. Yield prospects are 425 pounds above 1983 but unchanged from a month earlier forecast. Peanut harvest progressed well, with a crop of good quality. Production is expected to set a new record high with yield tying the record set in 1982. Florida's production, at a record high 243 million pounds, is up 46 percent from 1983. Yield is expected to average 3200 pounds per acre, 420 pounds greater than in 1983.

The Virginia-North Carolina crop is forecast at 728 million pounds, 41 percent above the previous year and 1 percent above October 1. Yield for the area is set at 2900 pounds, 764 pounds above 1983. Production in North Carolina and Virginia is up 40 and 42 percent, respectively. Peanut harvest progressed rapidly in North Carolina during October, as ideal harvest weather prevailed. As of November 4, about 97 percent of the crop had been threshed.

In Texas, Oklahoma, and New Mexico the crop is expected to total 592 million pounds, 5 percent above 1983 and 6 percent above a month earlier forecast. Yield is forecast at 1778 pounds per acre compared with 1781 pounds per acre in 1983. Yield is up 100 pounds in both Texas and Oklahoma from the October 1 forecast.

SOYBEANS: Production is forecast at 1.90 billion bushels (51.8 million metric tons), up 16 percent from last year. Yield forecast at 28.5 bushels per acre is 1.0 bushel below October 1, but 2.3 bushels above last year. Yields in Illinois, Indiana, Kansas, Louisiana, Minnesota, Missouri, South Carolina, Tennessee and Virginia were down 1.0 bushel from October 1. Alabama, Arkansas and Iowa showed a 2.0 bushel decline from the previous forecast, while Mississippi dropped 3.0 bushels. Harvest was slowed in many areas due to rains. As of November 1 combining was only 53 percent complete, compared with 77 percent a year ago and the average of 78 percent.

U. S. SOYBEAN PRODUCTION



COTTON: United States cotton production is expected to total 13.3 million bales, 71 percent above 1983 production and virtually unchanged from the October 1 forecast. Upland production is forecast at 13.2 million bales up 71 percent from last year and American Pima, at 111 thousand bales, is 17 percent above last year.

Upland area for harvest is set at 10.3 million acres (4.17 million hectares), up 41 percent from 1983. American Pima area for harvest at 77.8 thousand acres (31.5 thousand hectares) is up 24 percent from last year.

Production in the Southeastern States is forecast at 945 thousand bales, almost two and one-half times more than 1983 and up 13 percent from the October 1 forecast. Favorable harvest weather during October reduced harvest loss and yields are turning out better than expected. Harvest was about 60 percent complete by November 1.

Delta growers expect to harvest 3.70 million bales, 87 percent above 1983 but down 9 percent from the October 1 forecast. Heavy October rains throughout the Delta caused yield loss and reduced quality. Damage to open cotton was widespread and was heaviest where cotton was fully open and the rains were accompanied by wind. Harvest was in full swing when interrupted by rains about mid-month. Pickers were able to return to fields the last week of October and harvest was again active by November 1. Picking was about one-third finished by November 1. Normally about three-fourths of the Delta crop is harvested by this date.

The Texas and Oklahoma Upland crop is forecast at 4.20 million bales, 66 percent above last year and up 7 percent from October 1. The increase from last month is the result of increased area for harvest in both States and improved yield prospects in Texas. Crop development was slowed by rains and cool temperatures during the last half of October and harvest on the High Plains has been limited mostly to spindle picked cotton. Stripper harvest will become general following a freeze that defoliates plants.

Upland production in the Western States is set at 4.30 million bales, 55 percent above 1983 and unchanged from the October 1 forecast. Harvest was about 60 percent complete by November 1, one week ahead of last year.

Bureau of the Census reports 4,324,271 running bales ginned prior to November 1 compared with 3,348,053 bales ginned to the same date last year and 5,288,435 bales in 1982.

COTTONSEED: Production for 1984, based on a three year average lintseed ratio, is forecast at 5.30 million tons (4.81 million metric tons), 72 percent more than in 1983.

DRY EDIBLE BEANS: Dry bean production is forecast at 20.0 million hundred-weight (909 thousand metric tons), down 1 percent from October 1, but 29 percent above 1983. The expected yield per acre, at 1417 pounds, is down 1 percent from a month earlier but up 4 percent from a year ago.

All dry bean producing States indicated yield levels equal to the October 1 forecast, except Michigan and Wyoming where harvested yields are off 50 pounds from a month ago in both States. Adverse weather conditions during bean development in Michigan caused yields to be below normal. Harvest is complete. Yields in California were limited by the hot, dry weather during the summer. Early snowfall in Colorado during mid-October delayed harvest. Growers almost managed to complete harvest by the first of November, as the weather improved since mid-October.

Harvest was nearly complete in Nebraska by November 1, with crop quality excellent. Only a few scattered fields are still awaiting combining.

TOBACCO: All tobacco production is forecast at 1.74 billion pounds (788 thousand metric tons), 22 percent above last year and virtually the same as the October 1 forecast. Yield this year is expected to total 2178 pounds per acre compared with 1811 pounds per acre last year. Better yields and a slight increase in acres for harvest account for the rise in production from 1983.

Production of tobacco in Kentucky is expected to total 527 million pounds, unchanged from October 1 but 62 percent above 1983. Stripping of burley is active but is running behind average. The burley market is scheduled to open November 19.

North Carolina production is estimated at 585 million pounds, 7 percent above 1983 and unchanged from October 1. Yield per acre at 2150 pounds, also unchanged from October 1, compares with 1969 pounds produced in 1983. Flue-cured Border and Eastern Belt markets are closed; Old and Middle Belt markets closing scheduled for November 8. Quality of the crop improved over last year.

Growers in Tennessee expect to harvest 165 million pounds of tobacco; last year production totaled 118 million pounds. Yield expectation at 2180 pounds is unchanged from a month ago but 559 pounds above last year's yield of 1621 pounds. Excess moisture conditions have caused some sweating of unstripped burley and dark air-cured tobacco.

SUGARBEETS: Sugarbeet production is forecast at 22.2 million tons (20.1 million metric tons), virtually the same as the October 1 forecast but 6 percent above last year's production. The increase from a year ago is the combined result of increased acreage and higher yields. Average yield is forecast at 20.3 tons per acre, the same as October 1 but up 0.4 ton from 1983.

Harvest conditions have been poor in the Red River Valley of Minnesota and North Dakota. Warm temperatures delayed lifting the first 2 weeks of October. Rain and slick fields made harvest difficult the following week. Harvest is expected to be complete early this month.

With favorable weather, fall harvest in California continued through October and is expected to continue as long as the weather permits.

In Michigan, wet weather hampered completion of harvest. Yield prospects remain favorable and sugar content is expected to be above average.

The Nebraska harvest was nearing completion as of November 1. Quality of the crop remains high, despite cold freezing temperature during harvest.

In Montana, harvest is complete. Early frost reduced yields.

SUGARCANE: Production of sugarcane for sugar and seed is forecast at 27.7 million tons (25.2 million metric tons), up 3 percent from the October 1 forecast but down 1 percent from a year ago. The increase from last month reflects the outlook for a larger crop in Florida. Nationally, a 0.6 ton per acre increase in the forecast average yield from last year is more than offset by a 3 percent reduction in acreage.

In Florida, the growing season has been favorable with sufficient rainfall and adequate amounts of sunshine. Cutting for sugar began in mid-October and all mills are in full operation. Harvest is expected to increase through the fall.

The forecast for Hawaii is unchanged from October 1. Oahu and Kauai benefited from heavy shower activity late in October. Maui and Hawaii remained dry. Most plantations are ahead of planned harvest schedules. Dry weather this year has aided harvest and improved sugar yield but has forced reduction in plantings and may impact the 1986 crop, if drought persists.

In Louisiana, planting was nearly complete by the end of October. Harvest operations, scheduled to start slightly later than usual, were further delayed by rain. As of October 28, only 3 percent was cut compared with 23 percent last year and a 19 percent average.

Texas harvest began on schedule in mid-October, but showers in late October stopped field operations. Sucrose content is below normal. Drier weather is needed to insure good sugar yields.

PAPAYAS: Hawaii fresh papaya production in November is forecast at 5.80 million pounds (2630 metric tons), a 4 percent increase from the previous month, but 5 percent below the output of last November. Fresh production during December is expected to decrease to 5.00 million pounds (2270 metric tons). Production should again total 5.00 million pounds (2270 metric tons) during January, then decline to 4.80 million pounds (2180 metric tons) during February.

Fresh production during October is estimated at 5.60 million pounds (2540 metric tons), 17 percent above production during the previous month and 44 percent greater than last October's output. Total area in crop during October decreased to 3610 acres (1460 hectares), as abandoned acreage exceeded newly planted acreage. At the same time, harvested area declined to 2610 acres (1060 hectares).

PASTURE AND RANGE FEED CONDITION: The pasture and range feed condition on November 1 for the 48 contiguous States was 74 percent, 1 point above last year but 1 point below the 1973-82 average for the date. During the month of October, conditions improved significantly in 35 States, 3 States were unchanged and 10 States declined. Drought conditions continue to exist in central Texas and Oklahoma, but have moderated from the "extreme" conditions of the previous months as a result of numerous showers received during the month. Portions of northern Montana and western North Dakota remain in extreme drought conditions. Montana's condition is 56 percent compared with 73 percent last year and the average of 79 percent. In North Dakota, the current condition is 57 percent compared with 72 percent last year and a 66 percent average. Pasture and range condition in northern Florida and central Georgia deteriorated during the month and remain in severe drought condition, despite scattered showers received late in the month. Georgia's condition is 50 percent, compared with 67 percent last year and the average of 64 percent.

PRUNES: The California prune crop (dried basis) is forecast at 140 thousand tons (127 thousand metric tons), unchanged from September 1, but 3 percent less than the 1983 crop. Because of the hot summer harvest was complete by mid-September, two weeks ahead of the normal schedule. The quality of the crop is excellent and size is above normal. The sugar content is higher than normal because of the hot summer. The dry-away ratio is expected to be low this year.

FILBERTS: The forecast of production in Oregon and Washington continues at 14.0 thousand tons (12.7 thousand metric tons), 71 percent greater than the small crop harvested last year, but 26 percent below 1982. Excessive fall rains in the Willamette Valley have plagued an already late harvest season. Muddy conditions have hampered harvest efforts and caused cleaning problems. As of November 1, about 25 percent of the crop was still in the orchards.

GRAPEFRUIT: The forecast for the 1984-85 grapefruit crop, excluding Texas and the California "other areas" crops, is 51.8 million boxes (1.93 million metric tons), unchanged from the October 1 forecast, 12 percent more than both last season and the 1982-83 crop.

There are no changes from October 1 in the production forecasts for California "desert areas" grapefruit at 3.80 million boxes and the Arizona crop at 3.50 million boxes. The California "other areas" grapefruit production, which will be forecast as of April 1, 1985, accounted for 3.10 million boxes harvested last season and 3.20 million boxes in 1982-83.

No forecast is issued on November 1 for the Florida grapefruit production. The crop estimate issued last month at 44.5 million boxes is carried forward in this report. Supplies from Texas are still expected to be insignificant for commercial channels and no crop forecast is being made due to the December 1983 freeze which severely damaged the trees.

LEMONS: The Arizona-California lemon crop (tree crop available for harvest) totals 27.5 million boxes (948 thousand metric tons), 3 percent above the October 1 estimate and 29 percent greater than actual utilized production during the 1983-84 season. In California, the crop is expected to total 22.3 million boxes, 3 percent more than the October 1 forecast and 29 percent above last season. Light picking is underway in southern coastal areas, but the main movement is from the desert area. The Arizona forecast continues at 5.20 million boxes, 30 percent above last season. Volume is moderate due to size being too small at this time. Fruit was sizing and developing normally.

TANGERINES: The U.S. tangerine crop is forecast at 4.15 million boxes (154 thousand metric tons), 14 percent less than last season and 25 percent below 1982-83. The California forecast continues at 1.90 million boxes and the Arizona crop estimate is unchanged at 750 thousand boxes. No forecast is issued on November 1 for the Florida tangerine crop. The October 1 estimate of 1.50 million boxes is carried forward in this report.

FLORIDA GENERAL CITRUS COMMENTS: Citrus groves in Florida were in good condition, but very dry during October. Care-takers and growers were irrigating in all areas of the citrus belt to help prevent wilt and fruit softening. New growth slowed during this past month due generally to the lack of normal rain in most groves. There were several cool nights in October that helped the early maturing fruit turn color on the trees. Harvest of new crop fruit continued to be regulated because of citrus canker concern, but volumes to date are still ahead of last year. The active harvest this season is due to slightly advanced maturity levels with better than average demand for fresh fruit products. Both pink and white grapefruit are being moved in large volumes at this time. Hamlin and Navel early oranges are also moving in fairly large quantities for this time of year. Fresh fruit packers are also shipping Nova tangelos, Robinson tangerines, and K-Early citrus fruit out of Florida to wholesale markets.

CORN FOR GRAIN

STATE	AREA HARVESTED		YIELD		PRODUCTION		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		BUSHEL		1,000 BUSHEL		
ALA	305	380	59.0	65.0	25,080	17,995	24,700
ARIZ 1/	17	26	136.0	140.0	2,376	2,312	3,640
ARK 1/	33	49	80.0	90.0	2,700	2,640	4,410
CALIF 1/	260	370	128.0	140.0	42,900	33,280	51,800
COLO	610	680	122.0	130.0	101,910	74,420	88,400
CONN 2/							
DEL	145	150	75.0	110.0	18,054	10,875	16,500
FLA 1/	122	210	67.0	62.0	13,860	8,174	13,020
GA	735	930	75.0	85.0	69,275	55,125	79,050
IDAHO 1/	65	85	119.0	122.0	8,520	7,735	10,370
ILL	7,900	10,930	79.0	113.0	1,498,640	624,100	1,235,090
IND	4,670	6,000	73.0	115.0	790,020	340,910	690,000
IOWA	8,550	12,700	87.0	113.0	1,578,000	743,850	1,435,100
KANS	880	925	93.0	110.0	139,080	81,840	101,750
KY	960	1,460	48.0	97.0	153,470	46,080	141,620
LA 1/	56	78	90.0	105.0	3,200	5,040	8,190
MAINE 2/							
MD	545	590	68.0	114.0	65,920	37,060	67,260
MASS 2/							
MICH	1,800	2,600	92.0	85.0	293,180	165,600	221,000
MINN	4,370	6,380	84.0	107.0	734,500	367,080	682,660
MISS 1/	55	105	64.0	60.0	5,580	3,520	6,300
MO	1,430	1,780	51.0	78.0	198,970	72,930	138,840
MONT 1/	13	15	105.0	100.0	1,400	1,365	1,500
NEBR	4,850	6,800	96.0	112.0	748,000	465,600	761,600
N H 2/							
N J 1/	90	105	68.0	105.0	11,400	6,120	11,025
N MEX 1/	50	60	140.0	145.0	8,125	7,000	8,700
N Y	600	740	90.0	95.0	70,380	54,000	70,300
N C	1,280	1,650	60.0	90.0	155,430	76,800	148,500
N DAK 1/	435	630	67.0	73.0	35,360	29,145	45,990
OHIO	2,800	3,750	80.0	115.0	456,000	224,000	431,250
OKLA 1/	37	55	112.0	105.0	4,500	4,144	5,775
OREG 1/	33	37	162.0	164.0	6,240	5,346	6,068
PA	1,050	1,300	69.0	106.0	126,100	72,450	137,800
R I 2/							
S C	275	435	62.0	74.0	33,440	17,050	32,190
S DAK	1,970	2,700	53.0	72.0	193,680	104,410	194,400
TENN	480	680	48.0	90.0	56,700	23,040	61,200
TEX	1,080	1,450	97.0	100.0	119,700	104,760	145,000
UTAH 1/	14	15	110.0	120.0	2,006	1,540	1,800
VT 2/							
VA	340	540	48.0	102.0	62,620	16,320	55,080
WASH 1/	110	130	160.0	160.0	24,000	17,600	20,800
W VA 1/	60	76	78.0	98.0	7,840	4,680	7,448
WIS	2,300	3,400	97.0	104.0	361,800	223,100	353,600
WYO 1/	68	68	104.0	110.0	5,145	7,072	7,480
U S	51,443	71,064	81.0	105.9	8,235,101	4,166,108	7,527,206

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.
 2/ ALL ACREAGE HARVESTED IS FOR SILAGE.

SORGHUM FOR GRAIN

STATE	AREA HARVESTED		YIELD		PRODUCTION		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		BUSHEL		1,000 BUSHEL		
ALA 1/	65	150	40.0	44.0	2,924	2,600	6,600
ARIZ	13	12	76.0	80.0	1,185	988	960
ARK	320	590	55.0	70.0	15,780	17,600	41,300
CALIF	45	45	81.0	82.0	5,390	3,645	3,690
COLO	240	300	29.0	35.0	10,230	6,960	10,500
GA 1/	68	110	41.0	45.0	5,670	2,788	4,950
ILL 1/	117	270	56.0	64.0	8,658	6,552	17,280
IND 1/	7	13	55.0	70.0	949	385	910
IOWA 1/	5	6	60.0	70.0	885	300	420
KANS	2,700	3,700	43.0	55.0	207,700	116,100	203,500
KY 1/	41	105	47.0	70.0	2,660	1,927	7,350
LA 1/	180	250	56.0	60.0	7,830	10,080	15,000
MISS 1/	225	350	55.0	60.0	6,160	12,375	21,000
MO	690	1,330	58.0	70.0	63,910	40,020	93,100
NEBR	1,000	1,900	60.0	65.0	128,480	60,000	123,500
N MEX	150	220	42.0	60.0	13,160	6,300	13,200
N C 1/	42	55	33.0	47.0	3,000	1,386	2,585
OKLA	360	460	33.0	37.0	20,400	11,880	17,020
S C 1/	25	32	36.0	45.0	1,610	900	1,440
S DAK	290	450	47.0	48.0	17,250	13,630	21,600
TENN 1/	95	250	53.0	65.0	5,525	5,035	16,250
TEX	3,150	3,600	50.0	53.0	305,250	157,500	190,800
VA 1/	8	11	35.0	47.0	477	280	517
U S	9,836	14,209	48.7	57.3	835,083	479,231	813,472

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

RICE

STATE	AREA HARVESTED		YIELD		PRODUCTION		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		POUNDS		1,000	CWT	
ARK	915.0	1,150.0	4,280	4,600	57,037	39,159	52,900
CALIF	328.0	455.0	7,040	7,300	35,848	23,089	33,215
LA	385.0	528.0	3,820	4,200	24,862	14,693	22,176
MISS	161.0	195.0	4,000	4,300	10,094	6,440	8,385
MO 1/	62.0	70.0	4,090	4,350	3,582	2,534	3,045
TEX	318.0	418.0	4,340	5,100	22,214	13,805	21,318
U S	2,169.0	2,816.0	4,598	5,008	153,637	99,720	141,039

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PEANUTS FOR NUTS

STATE	AREA HARVESTED		YIELD		PRODUCTION 1/		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		POUNDS		1,000	POUNDS	
ALA	180.0	218.0	2,525	2,950	522,150	454,500	643,100
FLA	60.0	76.0	2,780	3,200	153,000	166,800	243,200
GA	562.0	636.0	2,790	3,400	1,517,480	1,567,980	2,162,400
N MEX 2/	11.0	13.0	2,330	2,500	25,220	25,630	32,500
N C	147.0	154.0	2,165	2,900	417,200	318,255	446,600
OKLA	91.0	95.0	1,940	2,100	174,580	176,540	199,500
S C	12.5	14.0	2,000	2,600	30,000	25,000	36,400
TEX	215.0	225.0	1,685	1,600	325,125	362,275	360,000
VA	95.0	97.0	2,090	2,900	275,500	198,550	281,300
U S	1,373.5	1,528.0	2,399	2,883	3,440,255	3,295,530	4,405,000

1/ ESTIMATES COMPRISED OF QUOTA AND NON-QUOTA PEANUTS.

2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

DRY EDIBLE BEANS 1/

CROP AND STATE	AREA HARVESTED		YIELD		PRODUCTION		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		POUNDS		1,000	CWT	
LARGE LIMA							
CALIF	27.0	35.0	1,800	1,860	580	486	651
BABY LIMA							
CALIF	24.0	24.0	2,020	2,060	530	485	494
OTHER							
CALIF	87.0	118.0	1,590	1,650	2,475	1,386	1,947
ALL							
CALIF	138.0	177.0	1,708	1,747	3,585	2,357	3,092
COLO	150.0	170.0	1,120	1,200	2,128	1,680	2,040
IDAHO	88.0	138.0	1,650	1,800	2,594	1,452	2,484
KANS 2/	9.0	11.7	1,400	1,400	280	126	164
MICH	350.0	390.0	1,300	1,100	7,975	4,550	4,290
MINN	39.0	56.0	1,160	1,200	949	452	672
MONT 2/	2.8	8.5	1,320	1,700	118	37	145
NEBR	131.0	150.0	1,670	1,950	3,286	2,188	2,925
N Y	28.0	34.0	1,100	1,300	686	308	442
N DAK	160.0	200.0	1,030	1,150	2,520	1,648	2,300
UTAH 2/	6.9	8.8	600	520	46	41	46
WASH	16.0	34.0	2,220	2,080	766	355	707
WYO	18.0	37.0	1,800	2,000	630	324	740
U S	1,136.7	1,415.0	1,365	1,417	25,563	15,518	20,047

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED.

2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

SOYBEANS FOR BEANS

STATE	AREA HARVESTED		YIELD		PRODUCTION		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		BUSHEL		1,000	BUSHEL	
ALA	1,500	1,370	20.0	21.0	50,000	30,000	28,770
ARK	3,800	4,000	18.5	24.0	105,600	70,300	96,000
DEL 1/	250	255	29.0	30.0	6,480	7,250	7,650
FLA 1/	312	330	25.0	26.0	10,452	7,800	8,580
GA	2,000	1,950	21.0	21.0	63,450	42,000	40,950
ILL	9,050	9,220	29.5	32.0	354,200	266,975	295,040
IND	3,950	4,350	31.0	34.0	173,250	122,450	147,900
IOWA	7,960	8,400	35.0	33.0	306,600	278,600	277,200
KANS	1,520	1,690	16.0	18.0	46,280	24,320	30,420
KY	1,440	1,440	17.0	29.0	51,345	24,480	41,760
LA	2,620	2,330	26.0	27.0	75,400	68,120	62,910
MD	385	430	26.0	28.0	12,035	10,010	12,040
MICH	1,040	1,140	32.5	28.0	35,340	33,800	31,920
MINN	4,600	5,750	33.0	34.0	169,050	151,800	195,500
MISS	3,100	3,250	19.0	23.0	92,300	58,900	74,750
MO	5,150	5,500	20.0	21.0	171,000	103,000	115,500
NEBR	2,070	2,550	28.5	27.0	78,750	58,995	68,850
N J 1/	133	133	23.0	30.0	4,250	3,059	3,990
N C	1,650	1,740	20.0	26.0	52,500	33,000	45,240
N DAK 1/	530	810	27.0	25.0	8,715	14,310	20,250
OHIO	3,280	3,770	32.0	36.0	133,200	104,960	135,720
OKLA 1/	230	220	17.0	15.0	5,040	3,910	3,300
PA 1/	145	170	24.0	31.0	4,185	3,480	5,270
S C	1,430	1,470	16.5	19.0	39,600	23,595	27,930
S DAK	985	1,160	26.5	26.0	24,400	26,103	30,160
TENN	1,970	1,800	16.0	25.0	60,950	31,520	45,000
TEX	420	400	22.5	28.0	23,000	9,450	11,200
VA	610	735	16.0	29.0	19,285	9,760	21,315
WIS 1/	395	470	35.0	35.0	13,640	13,825	16,450
U S	62,525	66,833	26.2	28.5	2,190,297	1,635,772	1,901,565

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST

COTTON

CROP AND STATE	AREA HARVESTED		YIELD		PRODUCTION 1/		
	1983	IND 1984	1983	IND 1984	1982	1983	IND 1984
	1,000 ACRES		POUNDS		1,000	BALES 2/	
UPLAND							
ALA	215.0	298.0	409	660	460.0	183.0	410.0
ARIZ	284.0	477.0	1,225	1,208	1,095.0	725.0	1,200.0
ARK	310.0	430.0	500	614	534.0	323.0	550.0
CALIF	950.0	1,400.0	996	1,029	3,073.0	1,971.0	3,000.0
FLA 3/	12.0	13.5	608	651	19.6	15.2	18.3
GA	115.0	180.0	467	720	235.0	112.0	270.0
KANS 3/	.4	.8	240	480	.1	.2	.8
LA	410.0	645.0	623	729	870.0	532.0	980.0
MISS	675.0	1,040.0	640	762	1,760.0	900.0	1,650.0
MO	93.0	160.0	377	525	204.0	73.0	175.0
NEV 3/	.0	.0	0	0	.9	.0	.0
N MEX	47.0	72.0	715	633	78.0	70.0	95.0
N C	59.0	94.0	350	536	102.0	43.0	105.0
OKLA	300.0	375.0	232	256	238.0	145.0	200.0
S C	69.0	105.0	369	731	155.0	53.0	160.0
TENN	215.0	325.0	337	510	339.0	151.0	345.0
TEX	3,550.0	4,700.0	322	409	2,700.0	2,380.0	4,000.0
VA 3/	.4	1.0	360	480	.4	.3	1.0
U S	7,304.8	10,316.3	504	612	11,864.0	7,676.7	13,160.1
AMER-PIMA							
ARIZ	29.3	49.5	768	735	65.9	46.9	75.8
N MEX	11.1	9.0	683	549	10.0	15.8	10.3
TEX	22.3	19.3	689	622	22.8	32.0	25.0
U S	62.7	77.8	725	685	98.7	94.7	111.1
ALL							
ALA	215.0	298.0	409	660	460.0	183.0	410.0
ARIZ	313.3	526.5	1,183	1,163	1,160.9	771.9	1,275.8
ARK	310.0	430.0	500	614	534.0	323.0	550.0
CALIF	950.0	1,400.0	996	1,029	3,073.0	1,971.0	3,000.0
FLA 3/	12.0	13.5	608	651	19.6	15.2	18.3
GA	115.0	180.0	467	720	235.0	112.0	270.0
KANS	.4	.8	240	480	.1	.2	.8
LA	410.0	645.0	623	729	870.0	532.0	980.0
MISS	675.0	1,040.0	640	762	1,760.0	900.0	1,650.0
MO	93.0	160.0	377	525	204.0	73.0	175.0
NEV 3/	.0	.0	0	0	.9	.0	.0
N MEX	58.1	81.0	709	624	88.0	85.8	105.3
N C	59.0	94.0	350	536	102.0	43.0	105.0
OKLA	300.0	375.0	232	256	238.0	145.0	200.0
S C	69.0	105.0	369	731	155.0	53.0	160.0
TENN	215.0	325.0	337	510	339.0	151.0	345.0
TEX	3,572.3	4,719.3	324	409	2,722.8	2,412.0	4,025.0
VA 3/	.4	1.0	360	480	.4	.3	1.0
U S	7,367.5	10,394.1	506	613	11,962.7	7,771.4	13,271.2

1/ PRODUCTION GINNED AND TO BE GINNED.

2/ 480-LB. NET WEIGHT BALES.

3/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

COTTONSEED

STATE	PRODUCTION		
	1982	1983	IND 1984
	1,000 TONS		
U S	4,744	3,076	5,303

TOBACCO

STATE	AREA HARVESTED		YIELD		PRODUCTION		
		IND		IND			IND
	1983	1984	1983	1984	1982	1983	1984
	ACRES		POUNDS		1,000	POUNDS	
CONN	1,940	1,770	1,781	1,620	4,210	3,456	2,867
FLA	7,800	7,500	2,260	2,400	20,972	17,628	18,000
GA	44,000	39,000	2,190	2,200	105,595	96,360	85,800
IND	8,100	8,600	1,610	2,370	20,210	13,041	20,382
KY	203,300	228,300	1,597	2,310	589,350	324,602	527,373
MD	27,000	24,000	1,100	1,300	37,530	29,700	31,200
MASS	425	500	1,807	1,570	852	768	785
MO 1/	3,100	2,900	2,070	2,200	5,940	6,417	6,380
N C	277,700	272,000	1,969	2,150	700,668	546,869	584,800
OHIO	11,900	11,700	1,485	2,150	31,860	17,668	25,155
PA	12,000	12,000	1,832	2,000	25,885	21,985	24,000
S C	54,000	49,000	2,090	2,200	124,195	112,860	107,800
TENN	72,910	75,500	1,621	2,180	178,117	118,197	164,590
VA	54,190	54,400	1,828	2,170	125,384	99,052	118,048
W VA 1/	2,200	2,300	1,710	1,650	3,590	3,762	3,795
WIS	8,400	7,900	1,919	1,950	20,136	16,118	15,405
U S	788,965	797,370	1,811	2,178	1,994,494	1,428,483	1,736,380

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

SUGARBEETS 1/

STATE	AREA HARVESTED		YIELD		PRODUCTION		
		IND		IND			IND
	1983	1984	1983	1984	1982	1983	1984
	1,000 ACRES		TONS		1,000	TONS	
ARIZ	.0	.0	0.0	0.0	298	0	0
CALIF	169.0	200.0	23.4	25.0	3,852	3,955	5,000
COLO	37.2	45.0	16.2	20.0	920	603	900
IDAHO	143.0	143.0	24.4	23.5	3,182	3,487	3,361
KANS	6.9	7.2	13.7	18.0	170	95	130
MICH	104.0	107.0	19.0	19.0	1,853	1,976	2,033
MINN	259.0	260.0	18.0	17.0	4,738	4,662	4,420
MONT	41.3	24.5	19.8	17.0	850	818	417
NEBR	65.3	72.0	18.9	21.5	926	1,233	1,548
N MEX	.0	.0	0.0	0.0	12	0	0
N DAK	142.2	142.0	16.9	16.5	2,476	2,404	2,343
OHIO	12.6	10.6	17.6	19.5	0	222	207
OREG	11.3	11.6	28.0	28.0	251	316	325
TEX	31.9	37.8	19.5	22.0	556	622	832
WYO	32.1	33.5	19.2	19.5	810	616	653
U S	1,055.8	1,094.2	19.9	20.3	20,894	21,009	22,169

1/ RELATES TO YEAR OF INTENDED HARVEST EXCEPT FOR OVERWINTERED SPRING PLANTED BEETS IN CALIF.

SUGARCANE FOR SUGAR AND SEED

STATE	AREA HARVESTED		YIELD		PRODUCTION		
		IND		IND			IND
	1983	1984	1983	1984	1982	1983	1984
	1,000 ACRES		TONS		1,000	TONS	
FLA	367.9	384.0	31.4	33.0	12,613	11,552	12,672
HAW	99.3	94.0	92.2	98.0	8,997	9,159	9,212
LA	265.0	230.0	23.9	21.0	7,030	6,328	4,830
TEX	35.5	35.5	31.6	29.0	1,130	1,122	1,030
U S	767.7	743.5	36.7	37.3	29,770	28,161	27,744

FILBERTS

STATE	PRODUCTION		
	TOTAL		
	1982	1983	IND 1984
	TONS		
OREG	18,400	8,000	13,700
WASH	1/ 400	200	300
U S	18,800	8,200	14,000

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PRUNES

STATE	PRODUCTION		
	TOTAL		
	1982	1983	IND 1984
	TONS		
CALIF (DRIED BASIS)	126,000	145,000	140,000

PAPAYAS - HAWAII

MONTH	AREA				FRESH PRODUCTION		
	TOTAL IN CROP		HARVESTED		1983	1984	FORECAST
	1983	1984	1983	1984			1984-85
	ACRES				1,000 POUNDS		
SEP	3,540	3,770	2,095	2,840	2,070	4,800	
OCT	3,575	3,610	2,220	2,610	3,897	5,600	
NOV	3,625		2,195		6,124		5,800
DEC	3,650		2,375		5,668		5,000
JAN		3,675		2,365		4,660	5,000
FEB		3,660		2,405		4,700	4,800
CUMULATIVE FRESH PRODUCTION JAN-OCT					34,508	54,860	

CITRUS FRUIT

1/

CROP	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	UTILIZED	INDICATED	UTILIZED	INDICATED	UTILIZED	INDICATED
STATE	1982-83	1983-84	1984-85	1982-83	1983-84	1984-85
	1,000 UNITS 2/			1,000 UNITS		
ORANGES, EARLY MID & NAVEL 3/ 4/						
ARIZ	1,050	550	1,000	39	21	38
CALIF	40,200	33,300	35,000	1,508	1,249	1,313
FLA	70,200	69,700	59,000	3,159	3,136	2,655
TEX	3,590	2,400		152	102	
U S	115,040	105,950	95,000	4,858	4,508	4,006
ORANGES, VALENCIA 4/						
ARIZ	2,750	1,250	1,700	103	47	64
CALIF	35,900	15,000	27,000	1,346	563	1,013
FLA	69,400	47,000	60,000	3,123	2,115	2,700
TEX	2,090	110		89	5	
U S	110,140	63,360	88,700	4,661	2,730	3,777
ALL ORANGES 4/						
ARIZ	3,800	1,800	2,700	142	68	102
CALIF	76,100	48,300	62,000	2,854	1,812	2,326
FLA	139,600	116,700	119,000	6,282	5,251	5,355
TEX	5,680	2,510		241	107	
U S	225,180	169,310	183,700	9,519	7,238	7,783
TEMPLES						
FLA 4/	4,700	2,900	3,700	211	130	167
GRAPEFRUIT, WHITE SEEDLESS						
FLA 4/	21,800	23,000	27,000	926	978	1,148
GRAPEFRUIT, PINK SEEDLESS						
FLA 4/	12,800	13,400	14,000	544	569	595
OTHER GRAPEFRUIT						
FLA 4/	4,800	4,500	3,500	204	191	149
ALL GRAPEFRUIT						
ARIZ	2,700	2,100	3,500	87	67	112
CALIF 5/						
DESERT	4,100	3,340	3,800	131	107	122
OTHER AREAS	3,200	3,100		107	104	
TOTAL	7,300	6,440		238	211	
FLA 4/	39,400	40,900	44,500	1,674	1,738	1,892
TEX 6/	11,200	3,200		448	128	
U S	60,600	52,640		2,447	2,144	
TANGERINES						
ARIZ	1,100	950	750	41	35	28
CALIF	2,150	1,850	1,900	81	70	71
FLA 4/	2,250	2,000	1,500	107	95	71
U S	5,500	4,800	4,150	229	200	170
LEMONS						
ARIZ	5,050	4,000	5,200	191	152	198
CALIF	20,300	17,250	22,300	772	655	847
U S	25,350	21,250	27,500	963	807	1,045
TANGELOS						
FLA 4/	3,800	3,600	3,700	171	162	167

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.

2/ NET LBS PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS & TEMPLES-90; TANGERINES- CALIF & ARIZ-75, FLA-95.

3/ NAVEL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

4/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

5/ THE FIRST FORECAST FOR CALIF GRAPEFRUIT "OTHER AREAS" WILL BE AS OF APR 1.

6/ DUE TO THE SEVERE FREEZE OF DECEMBER 1983 THE 1984-85 TEXAS CITRUS CROPS ARE VERY LIMITED AND FORECASTS WILL NOT BE ISSUED THIS SEASON UNLESS SUFFICIENT COMMERCIAL SUPPLIES BECOME AVAILABLE.

PASTURE AND RANGE FEED CONDITION 1/

STATE	AVERAGE	1983	1984	STATE	AVERAGE	1983	1984
:	1973-82	:	:	:	1973-82	:	:
:	:	:	:	:	:	:	:
	PERCENT				PERCENT		
ALA	70	66	65	NEV	83	105	105
ARIZ	70	96	92	N H	87	80	78
ARK	72	45	81	N J	77	63	77
CALIF	76	91	82	N MEX	75	64	94
COLO	72	82	82	N Y	83	81	83
CONN	84	74	72	N C	76	69	72
DEL	76	75	74	N DAK	66	72	57
FLA	75	81	77	OHIO	84	68	84
GA	64	67	50	OKLA	70	71	56
IDAHO	83	98	93	OREG	85	88	90
ILL	80	65	87	PA	80	67	82
IND	84	61	87	R I	88	88	85
IOWA	79	77	77	S C	64	54	59
KANS	72	64	71	S DAK	66	83	81
KY	86	61	82	TENN	78	60	78
LA	71	69	78	TEX	68	61	53
MAINE	84	78	81	UTAH	77	106	96
MD	75	65	80	VT	84	82	89
MASS	84	74	72	VA	79	65	82
MICH	82	83	88	WASH	81	87	81
MINN	74	81	70	W VA	78	62	79
MISS	72	69	75	WIS	77	87	83
MO	75	64	82	WYO	81	93	88
MONT	79	73	56	U S	75	73	74
NEBR	71	79	75				

1/ GOOD TO EXCELLENT, 80 AND OVER; POOR TO FAIR 65-79; VERY POOR, 50-64; SEVERE DROUGHT, 35-49; EXTREME DROUGHT, UNDER 35.

CORN CROPPING PRACTICES

PLANT POPULATION PER ACRE AND ROW WIDTH

The Statistical Reporting Service collects objective information on corn development during the production period. Counts and measurements are made by trained enumerators during visits to random plots in a scientific sampling of fields in 10 States which account for approximately 82 percent of the 1984 corn production. Information in the following tables represents sample data and averages from these counts. The data, which are subject to sampling fluctuations, are not official Crop Reporting Board estimates but do show trends in corn cropping practices over a period of years.

In 1984, the plant population showed an increase from 1983 in six States, a decrease in four States. Average row widths tended to decrease in 1984 with eight States showing decreases, two States showing increases from last year.

CORN FOR GRAIN: PLANT POPULATION PER ACRE, SELECTED STATES, 1980-84 1/

STATE	1980	1981	1982	1983	1984
NUMBER OF PLANTS					
ILL	21,200	20,700	22,200	22,000	21,900
IND	21,100	19,700	21,700	20,900	21,000
IOWA	20,200	20,800	21,100	21,800	21,400
MICH	19,300	18,800	20,700	19,200	20,600
MINN	19,600	19,500	20,700	20,700	21,200
MO	16,000	16,600	16,800	18,200	17,000
NEBR	19,800	19,300	19,400	20,100	20,300
OHIO	21,400	20,800	21,700	20,800	21,500
S DAK	14,500	13,300	14,800	15,000	14,500
WIS	19,800	20,100	20,900	20,300	20,500

1/ BASED ON STALK COUNTS IN PLOTS SELECTED FOR OBJECTIVE YIELD SAMPLES.

CORN FOR GRAIN: PERCENTAGE DISTRIBUTION BY ROW WIDTH AND AVERAGE
ROW WIDTH FOR SELECTED STATES, 1982-84

STATE AND YEAR	NUMBER OF SAMPLES	ROW WIDTH (INCHES) 1/								AVERAGE ROW WIDTH
		30.5 OR LESS	30.6 -32.5	30.6 -34.5	32.6 -34.5	34.6 -36.5	36.6 -38.5	38.6 -40.5	40.6 & GREATER	
		NUMBER	PERCENT OF SAMPLES							
ILL	1982	222	39.2	9.9	.9	15.8	25.7	7.7	.9	33.9
	1983	210	38.6	9.0	.5	18.1	28.6	5.2	0	33.8
	1984	229	39.7	13.1	1.3	14.9	23.6	7.4	0	33.6
IND	1982	180	48.3	10.0	2.2	17.2	18.3	2.8	1.1	32.9
	1983	171	38.0	14.0	1.8	18.1	21.1	7.0	0	33.5
	1984	167	46.7	18.6	0	12.6	18.6	3.0	.6	32.7
IA	1982	214	24.8	8.4	2.3	8.9	39.7	13.1	2.8	35.3
	1983	193	28.5	8.3	.5	11.9	37.3	11.9	1.6	34.9
	1984	195	37.4	9.2	1.0	8.7	32.8	10.3	.5	34.1
MICH	1982	93	38.7	18.3	3.2	7.5	18.3	8.6	5.4	33.5
	1983	83	39.8	14.5	7.2	4.8	18.1	8.4	7.2	33.5
	1984	87	47.1	21.8	2.3	4.6	16.1	3.5	4.6	32.5
MINN	1982	152	33.6	10.5	2.0	9.2	27.0	15.8	2.0	34.4
	1983	148	41.9	10.2	2.0	10.1	21.6	14.2	0	33.7
	1984	171	36.8	10.5	1.2	14.0	21.1	14.6	1.8	34.0
MO	1982	125	30.4	17.6	1.6	13.6	26.4	10.4	0	34.1
	1983	113	38.9	14.2	.9	6.2	27.4	11.5	.9	33.8
	1984	122	28.7	14.8	.8	13.9	27.1	11.5	3.3	34.5
NEBR	1982	164	28.7	6.1	0	28.1	20.7	14.0	2.4	34.8
	1983	193	32.1	7.3	1.6	20.7	23.3	11.4	3.6	34.5
	1984	195	28.2	9.7	.5	29.2	23.6	8.2	.5	34.4
OHIO	1982	157	47.1	17.2	3.2	11.5	10.8	8.3	1.9	32.7
	1983	156	43.6	16.0	1.9	12.8	18.0	5.8	1.9	32.9
	1984	156	48.7	18.6	1.9	9.6	16.7	4.5	0	32.3
S DAK	1982	83	4.8	8.4	1.2	10.8	41.0	30.1	3.6	37.1
	1983	78	11.5	2.6	0	9.0	37.2	34.6	5.1	37.2
	1984	92	5.4	10.9	0	7.6	43.5	28.3	4.4	37.0
WIS	1982	122	14.8	10.7	.8	15.6	37.7	14.8	5.7	36.0
	1983	129	17.9	6.2	2.3	12.4	34.9	24.0	2.3	36.0
	1984	125	16.0	8.8	2.4	16.8	31.2	20.0	4.8	35.9

1/ SPACINGS BASED ON ROW MEASUREMENTS IN SAMPLE PLOTS SELECTED FOR OBJECTIVE YIELD DETERMINATIONS.

SOYBEANS: ROW SPACING--1984

The Statistical Reporting Service conducted soybean objective yield surveys in 15 States which accounted for about 88 percent of the 1984 U.S. soybean production. Plots were randomly selected from a scientifically drawn sample of soybean fields, which were visited monthly from about August 1 through harvest, to obtain specific counts and measurements.

Sample data and the derived percentages from the surveys presented in the following tables are not official estimates of the Crop Reporting Board but are intended to show trends in soybean production practices.

Average row space measurements in 1984, in the 10 States for which data were available, decreased in all but 3 States. The Ohio average row spacing continued narrower than other North Central States because of the higher percentage of acreage which is drill planted.

MEASURED ROW SPACING OF SOYBEANS: PERCENTAGES DISTRIBUTION AND
AVERAGE WIDTH FOR SELECTED STATES, 1982-84 1/

STATE AND YEAR	NUMBER OF SAMPLES	ROW WIDTH GROUPS (INCHES)					AVERAGE WIDTH 2/ (INCHES)
		10.0 & LESS 2/	10.1- 18.5	18.6- 28.5	28.6- 34.5	34.6 & GREATER	
PERCENT OF PLOTS							
ARK	1982 : 136	11.8	1.5	12.1	25.0	49.6	33.8
	1983 : 135	12.6	1.1	13.7	28.5	44.1	33.4
	1984 : 141	8.9	3.2	15.2	20.9	51.8	32.9
ILL	1982 : 165	17.9	2.4	5.5	47.3	27.0	27.9
	1983 : 167	17.7	7.2	5.7	45.2	24.3	26.8
	1984 : 167	16.8	6.6	3.3	50.6	22.8	27.0
IND	1982 : 104	13.9	7.2	7.2	42.8	28.8	29.3
	1983 : 112	17.9	4.9	4.5	44.6	28.1	28.0
	1984 : 112	15.2	6.3	6.3	53.1	19.2	28.5
IOWA	1982 : 140	2.5	2.5	4.3	46.8	43.9	32.5
	1983 : 151	4.3	4.3	7.0	43.7	40.7	31.6
	1984 : 139	6.1	3.6	7.2	44.6	38.5	31.2
KY	1982 : NA	NA	NA	NA	NA	NA	NA
	1983 : NA	NA	NA	NA	NA	NA	NA
	1984 : NA	NA	NA	NA	NA	NA	NA
LA	1982 : 90	35.6	1.7	7.8	17.8	37.2	33.5
	1983 : 109	25.7	0	9.2	14.2	50.9	34.8
	1984 : 103	19.9	.5	15.0	21.8	42.7	33.8
MINN	1982 : 92	17.4	10.9	7.1	38.0	26.6	26.6
	1983 : 101	13.4	7.9	7.4	51.5	19.8	27.1
	1984 : 105	21.0	5.7	14.3	36.2	22.9	26.2
MISS	1982 : 111	23.9	3.6	7.2	19.4	45.9	33.1
	1983 : 106	14.2	6.1	9.9	22.6	47.2	31.5
	1984 : 108	18.5	6.0	12.5	23.1	39.8	29.1
MO	1982 : 147	22.1	5.8	4.1	35.7	32.3	27.7
	1983 : 153	26.5	8.5	4.9	38.6	21.6	26.1
	1984 : 155	28.7	5.5	6.5	41.6	17.7	25.0
OHIO	1982 : 110	35.0	11.4	3.2	36.8	13.6	22.1
	1983 : 105	37.6	6.7	2.4	40.5	12.9	21.7
	1984 : 115	36.5	14.8	8.3	32.6	7.8	20.3
TENN	1982 : 75	26.0	6.0	14.0	12.7	41.3	28.3
	1983 : 83	21.7	12.7	7.2	27.1	31.3	28.6
	1984 : 85	10.0	6.5	15.9	13.5	54.1	31.8

NA = NOT AVAILABLE. 1/ BASED ON ROW MEASUREMENTS IN PLOTS SELECTED FOR OBJECTIVE YIELD SAMPLES. 2/ BROADCAST SOYBEANS INCLUDED AS 10.0 INCHES AND LESS BUT EXCLUDED IN COMPUTATION OF AVERAGE WIDTH.

SPECIAL FORECAST OF GEORGIA'S PECAN CROP: The Georgia pecan crop as of November 1 is forecast at 115 million pounds, 8 percent less than the October 1 forecast, 15 percent above the 1983 production but 8 percent below the 1982 crop.

A special telephone survey of about 350 producers was conducted during the last week of October. The survey was prompted by extremely dry weather during September and most of October that heightened producer concerns about the extent of tree drop of immature nuts and meat yields of harvested nuts. The November 1 survey was conducted in the same way as the October 1 survey.

PECANS				
CROP AND STATE	PRODUCTION			
	TOTAL		INDICATED	
	1982	1983	OCT 1, 1984	NOV 1, 1984
1,000 POUNDS				
IMPROVED 1/				
GA	105,000	85,000	105,000	95,000
U S	168,200	167,250	181,100	171,100
NATIVE & SEEDLING				
GA	20,000	15,000	20,000	20,000
U S	46,900	102,750	69,300	69,300
ALL				
GA	125,000	100,000	125,000	115,000
U S	215,100	270,000	250,400	240,400

1/ BUDDED, GRAFTED, OR TOPWORKED VARIETIES.

I N D E X

	<u>PAGE</u>
BEANS, DRY EDIBLE	B- 3
CITRUS FRUIT	B- 7
CORN CROPPING PRACTICES	B- 9
CORN FOR GRAIN	B- 1
CORN FOR GRAIN ROW WIDTH	B-10
COTTON	B- 4
COTTONSEED	B- 4
NUTS	B- 6
PAPAYAS	B- 6
PASTURE AND RANGE FEED CONDITION	B- 8
PASTURE AND RANGE FEED CONDITION MAPS	A- 8
PEANUTS FOR NUTS	B- 2
PRUNES	B- 6
RICE	B- 2
SORGHUM FOR GRAIN	B- 2
SOYBEANS FOR BEANS	B- 3
SOYBEANS, ROW SPACING	B-11
SUGARBEETS	B- 5
SUGARCANE FOR SUGAR AND SEED	B- 5
TOBACCO BY STATES	B- 5
U S SUMMARY	A- 3

* U.S. GOVERNMENT PRINTING OFFICE: 1984-460-937:492-SRS





Crop Reporting Board

July 1984

Statistical Reporting Service

ORDER FORM
USDA CROP REPORTING BOARD REPORTS

Report Title	Subscription Fee		Report Title	Subscription Fee	
	Domestic	Foreign		Domestic	Foreign
FIELD CROP SERIES			<input type="checkbox"/> Eggs, Chickens, & Turkeys		
<input type="checkbox"/> Crop Production (monthly/annual) Plus single copies of: Prospective Plantings Acreage Small Grains	\$30.00	\$37.50	Monthly issues plus single copies of: Hatchery Production Annual Layers & Egg Prod. Annual Poultry Prod., Disposition, & Income Turkeys	\$25.00	\$31.25
<input type="checkbox"/> Grain Stocks Four issues plus copy of: Soybean Stocks	12.00	15.00	<input type="checkbox"/> Poultry Slaughter (monthly)	18.00	22.50
<input type="checkbox"/> Potatoes & Sweetpotatoes One issue plus 6 copies of: Potato Stocks	9.50	11.90	DAIRY SERIES		
<input type="checkbox"/> Rice Stocks (4 issues)	6.00	7.50	<input type="checkbox"/> Dairy Products (monthly/annual)	20.00	25.00
FRUIT & VEGETABLE SERIES			<input type="checkbox"/> Milk Production Monthly issues plus single copy of: Milk Prod., Disposition, & Income	18.00	22.50
<input type="checkbox"/> Celery (monthly)	16.00	20.00	OTHER REPORTS		
<input type="checkbox"/> Noncitrus Fruits & Nuts (midyear/annual)	8.50	10.65	<input type="checkbox"/> Agricultural Prices (monthly)	27.00	33.75
<input type="checkbox"/> Vegetables Eleven seasonal issues plus (midyear & annual).	18.00	22.50	<input type="checkbox"/> Catfish (monthly)	18.00	20.00
LIVESTOCK SERIES			<input type="checkbox"/> Cold Storage (monthly/annual)	23.00	28.75
<input type="checkbox"/> Cattle Two issues plus monthly issues of: Cattle on Feed	22.00	27.50	SPECIAL SINGLE COPY REPORTS		
<input type="checkbox"/> Hogs & Pigs (4 issues)	10.00	12.50	<input type="checkbox"/> Scope & Methods of the Statistical Reporting Service SN: 001-000-04369-2	5.00	6.25
<input type="checkbox"/> Livestock Slaughter (monthly/annual)	20.00	25.00	<input type="checkbox"/> Agricultural Statistics, 1983 SN: 001-000-04401-0	13.00	16.25
POULTRY SERIES			<input type="checkbox"/> Usual Planting and Harvesting Dates for U.S. Field Crops SN: 001-000-04416-8	3.00	3.75
<input type="checkbox"/> Egg Products (monthly)	16.00	20.00			

Note: For your convenience in ordering, we have grouped several publications together in packages. For example, when you subscribe to the Crop Production series you will receive 12 monthly copies and an annual summary of that report plus single copies of Prospective Plantings, Acreage, and Small Grains. If you have any questions about ordering, please call (202) 447-4021.

ORDER FORM To: Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

Enclosed is \$ _____ check,
 money order, or charge to my
Deposit Account No.

_____-____

Order No. _____



Credit Card Orders Only

Total charges \$ _____ Fill in the boxes below.

Credit Card No. _____

Expiration Date
Month/Year _____

Company or personal name

Additional address/attention line

Street address

City _____ State _____ ZIP Code _____
(or Country) _____

PLEASE PRINT OR TYPE

For Office Use Only	
Quantity	Charges
.....	Enclosed
.....	To be mailed
.....	Subscriptions
.....	Postage
.....	Foreign handling
.....	MMOB
.....	OPNR
.....	UPNS
.....	Discount
.....	Refund



**ORDER FORM
USDA CROP REPORTING BOARD PUBLICATIONS**

October 1984

(Publications available only from Crop Reporting Board)

FIELD CROP SERIES	Issued	Subscription Fee		POULTRY SERIES	Issued	Subscription Fee	
		Domestic	Foreign			Domestic	Foreign
<input type="checkbox"/> Hop Stocks (2 issues)	Mar. & Sept.	\$2.50	\$3.50	<input type="checkbox"/> Turkey Hatchery	Monthly	\$18.00	\$24.00
<input type="checkbox"/> Peanut Stocks & Processing	Mar. & Sept.	2.50	3.50				
FRUIT & VEGETABLE SERIES				PRICES & EXPENDITURES SERIES			
<input type="checkbox"/> Cherry Production	June	1.25	1.75	<input type="checkbox"/> Agricultural Prices	June	5.00	6.25
<input type="checkbox"/> Cherry Utilization	October	1.25	1.75	<input type="checkbox"/> Annual	January	2.00	2.50
<input type="checkbox"/> Citrus Fruits	September	1.50	2.00	<input type="checkbox"/> Crop Values			
<input type="checkbox"/> Cranberries	August	1.25	1.75	<input type="checkbox"/> Farm Production			
				<input type="checkbox"/> Expenditures (2 issues)	June & July	5.00	6.25
LIVESTOCK SERIES				<input type="checkbox"/> Minnesota-Wisconsin			
<input type="checkbox"/> Meat Animals Production, Disposition, & Income	April	1.50	2.00	<input type="checkbox"/> Milk Prices	June	1.25	1.75
<input type="checkbox"/> Sheep & Goats	January	1.25	1.75				
<input type="checkbox"/> Wool & Mohair	March	1.25	1.75	OTHER CROPS			
				<input type="checkbox"/> Commercial Fertilizer	November	2.00	2.50
				<input type="checkbox"/> Farm Labor	Quarterly	6.00	7.50
1979-83 STATISTICAL BULLETINS				<input type="checkbox"/> Mink	July	1.25	1.75
<input type="checkbox"/> Field Crops, 1978-83	June 1984	5.00	6.25	<input type="checkbox"/> Mushrooms	August	1.25	1.75
<input type="checkbox"/> Stocks of Grains, Oilseeds and Hay, 1978-83	June 1984	6.00	7.50	<input type="checkbox"/> Sugar Market			
<input type="checkbox"/> Potatoes & Sweetpotatoes	June 1984	2.00	2.50	<input type="checkbox"/> Statistics (4 issues)	Quarterly	5.00	6.25
<input type="checkbox"/> Citrus Fruit, 1977/78-81/82	Sept. 1984	1.50	2.00				
<input type="checkbox"/> Hogs & Pigs, 1979-82	Dec. 1984	2.00	2.50				
<input type="checkbox"/> Noncitrus Fruits & Nuts, 1978-82	Jan. 1985	4.00	5.00				
<input type="checkbox"/> Sheep & Goats, 1980-83	Jan. 1985	1.25	1.75				
<input type="checkbox"/> Cattle, 1980-83	Jan. 1985	2.75	3.75				
<input type="checkbox"/> Chickens & Eggs, 1980-83	Jan. 1985	3.75	5.00				
<input type="checkbox"/> Milk Production, 1979-82	Feb. 1985	2.75	3.75				
<input type="checkbox"/> Vegetables, 1978-82	June 1985	To Be Announced					
<input type="checkbox"/> Meat Animals: Prod., Disp., & Income 1979-82	April 1985	2.00	2.50				
<input type="checkbox"/> Poultry: Prod., Disp., & Income 1980-83	April 1985	1.75	2.25				

HOW TO ORDER

- *Check appropriate box.
- *Calculate the total charges for subscription and enter below.
- *If your address is outside the United States, use "foreign" price.
- *Make check or money order payable to USDA/SRS.
- *Do not send cash.
- *Allow 2 weeks for processing.
- *For additional information about reports and ordering, call (202) 447-4021.
- *Mail this entire order form: **CROP REPORTING BOARD PUBLICATIONS
ROOM 5829, SOUTH BUILDING
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

Please send me the item(s) I have indicated above.

Company or Personal Name _____

Additional Address/Attention Line _____

Street Address _____

City _____ State _____ Zip Code _____

Amount Enclosed _____

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

To stop mailing or to change your
address send this sheet with label
intact, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept. of Agriculture, Rm 5829 South
Building, 14th & Independence Ave. S.W.,
Wash., D.C. 20250

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 301
FIRST CLASS**

