
Crop Production

OFFICE COPY



Crop
Reporting
Board

Statistical Reporting
Service

United States
Department of
Agriculture

Washington, D.C. 20250

RELEASED: December 10, 1984
3:00 P.M. ET

HIGHLIGHTS

ALL COTTON production is forecast at 13.4 million bales, 72 percent above 1983 and nearly 1 percent above November 1. The 90 percent confidence interval for this production forecast is 13.0 million to 13.7 million bales.

DRY EDIBLE BEAN production is forecast at 20.5 million cwt (932 thousand metric tons), 32 percent above 1983.

BURLEY TOBACCO production is forecast at 740 million pounds (336 thousand metric tons), 54 percent above 1983.

ORANGE production (excluding Texas) is forecast at 181 million boxes (6.96 million metric tons), down 2 percent from October 1, up 8 percent from last season, but 18 percent less than 1982-83.

GRAPEFRUIT production, excluding Texas and California's "other areas" crop, is 51.8 million boxes (1.93 million metric tons), unchanged from November 1, and 12 percent more than last season.

LEMON production is forecast at 27.5 million boxes (948 thousand metric tons), unchanged from November 1, but 29 percent above last season.

* Requests for a subscription order form covering all available reports *
* should be directed to Crop Reporting Board Publications, Room 5829 - *
* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). *

UNITED STATES CROP SUMMARY
(DOMESTIC UNITS)

| CROP AND UNIT | AREA PLANTED | | AREA HARVESTED | | | |
|-----------------------------|--------------|-------------------|----------------|-------------------|-------------|----------|
| | 1983 | INDICATED 1984 | 1983 | INDICATED 1984 | | |
| 1,000 ACRES | | | | | | |
| ALL COTTON | BALE 1/ | 7,946.3 | 11,049.7 | 7,367.5 | 10,401.1 | |
| UPLAND | " 1/ | 7,883.3 | 10,972.0 | 7,304.8 | 10,323.3 | |
| AMER-PIMA | " 1/ | 63.0 | 77.7 | 62.7 | 77.8 | |
| COTTONSEED | TON | | | | | |
| DRY EDIBLE | | | | | | |
| BEANS 2/ | CWT 1/ | 1,180.0 | 1,476.5 | 1,138.7 | 1,435.8 | |
| BURLEY TOBACCO | LB | | | 292.6 | 317.8 | |
| PECANS | " | | | | | |
| CITRUS FRUITS 3/ | | | | | | |
| ORANGES | BOX | | | | | |
| LEMONS | " | | | | | |
| YIELD PER ACRE : PRODUCTION | | | | | | |
| INDICATED | | | | | | |
| | | 1983 | 1983 | NOV 1, 1984 | DEC 1, 1984 | |
| 1,000 | | | | | | |
| ALL COTTON | BALE 1/ | 506 | 618 | 7,771.4 | 13,271.2 | 13,381.2 |
| UPLAND | " 1/ | 504 | 617 | 7,676.7 | 13,160.1 | 13,270.1 |
| AMER-PIMA | " 1/ | 725 | 685 | 94.7 | 111.1 | 111.1 |
| COTTONSEED | TON | | | 3,076 | 5,303 | 5,343 |
| DRY EDIBLE | | | | | | |
| BEANS 2/ | CWT 1/ | 1,363 | 1,431 | 15,520 | 20,047 | 20,541 |
| BURLEY TOBACCO | LB | 1,645 | 2,329 | 481,439 | | 740,135 |
| PECANS | " | | | 270,000 | 240,400 | 228,700 |
| CITRUS FRUITS 3/ | | | | 1983-84 | 1984-85 | 1984-85 |
| ORANGES | BOX | | | 169,310 | 4/183,700 | 180,650 |
| LEMONS | " | | | 21,250 | 27,500 | 27,500 |

1/ YIELD IN POUNDS. 2/ 1983 REVISED. 3/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR. 4/ OCTOBER 1, 1984.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.

A P P R O V E D :

William B. Leeder

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

R. R. Hancock, Chairperson,
L. D. Jewell, Secretary,
R. D. Allen, J. D. Witzig,
R. P. Small, R. L. Addison,
W. T. Brannen, W. N. Dowdy,
R. L. Griffith, C. D. James,,
D. C. Johnson, A. J. Olson,
L. A. Shaw.

UNITED STATES CROP SUMMARY
(METRIC UNITS)

| CROP | AREA PLANTED | | AREA HARVESTED | |
|--------------------------------|--------------|-----------|----------------|-----------------------|
| | 1983 | INDICATED | 1983 | INDICATED |
| | | 1984 | | 1984 |
| HECTARES | | | | |
| ALL COTTON | 3 215 790 | 4 471 700 | 2 981 550 | 4 209 220 |
| UPLAND | 3 190 290 | 4 440 260 | 2 956 180 | 4 177 740 |
| AMER-PIMA | 25 500 | 31 440 | 25 370 | 31 480 |
| COTTONSEED | | | | |
| DRY EDIBLE BEANS 1/ | 477 530 | 597 520 | 460 820 | 581 050 |
| BURLEY TOBACCO | | | 118 410 | 128 610 |
| PECANS | | | | |
| <u>CITRUS FRUITS 2/</u> | | | | |
| ORANGES | | | | |
| LEMONS | | | | |
| YIELD PER HECTARE : PRODUCTION | | | | |
| | | | INDICATED | |
| | | | Nov 1, | Dec 1, |
| | INDICATED | | 1984 | 1984 |
| 1983 | 1984 | 1983 | 1984 | 1984 |
| METRIC TONS | | | | |
| ALL COTTON | 0.57 | 0.69 | 1 692 020 | 2 889 450 2 913 400 |
| UPLAND | 0.57 | 0.69 | 1 671 400 | 2 865 260 2 889 210 |
| AMER-PIMA | 0.81 | 0.77 | 20 620 | 24 190 24 190 |
| COTTONSEED | | | 2 790 500 | 4 810 800 4 847 090 |
| DRY EDIBLE BEANS 1/ | 1.53 | 1.60 | 703 970 | 909 310 931 720 |
| BURLEY TOBACCO | 1.84 | 2.61 | 218 380 | 335 720 |
| PECANS | | | 122 470 | 109 040 103 740 |
| <u>CITRUS FRUITS 2/</u> | | | 1983-84 | 1984-85 1984-85 |
| ORANGES | | | 6 566 200 | 3/7 060 620 6 956 290 |
| LEMONS | | | 732 100 | 948 010 948 010 |

1/ 1983 REVISED. 2/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR. 3/ OCTOBER 1, 1984.

NOVEMBER WEATHER SUMMARY

Stormy weather was prevalent during most of November over the lower and middle Mississippi and Ohio Valleys and the Pacific Coast. More than 150 percent of normal precipitation hampered outdoor activities in the Delta States and the southern Corn Belt. Over 20 inches of rain was dumped on the Oregon coast. The east central Florida coast was temporarily inundated late in the month by torrential rains from an extra-tropical storm.

In contrast, it was abnormally dry over central sections of the Great Plains and Rocky Mountains, much of the northern Plains, the eastern Seaboard, and extreme southern Texas. Temperaturewise, most of the Nation was near normal. However, it was slightly cooler than usual over the Coastal Plains, central Appalachians, and Sierras. The central and northern Plains were a little warmer than normal. (Prepared by the Joint USDA/NOAA Agricultural Weather Facility.)

ROW CROP HARVEST

After untimely, prolonged rains in early November, fair weather allowed harvest resumption as soils dried across the Delta States and much of the Corn Belt. Heavy rain returned late in the month, hampering soybean and cotton harvesting in the Delta region and completion of row crop combining in the eastern Corn Belt. The Southeast and Great Plains had favorable harvest weather for much of the month. Harvests of most crops lagged normal in the Nation's midsection for the entire month.

Corn harvesting was 64 percent finished in the 17 major producing States at the beginning of November, well behind last year's 89 percent and the 72 percent average. Muddy conditions slowed progress through the month. By early December, combining reached 96 percent completion, compared with complete in 1983 and the 97 percent average. Harvesting was 14 points behind schedule in Ohio and 12 points slower than normal in Pennsylvania, as the month ended.

Soybean combining was 53 percent complete in the 18 major producing States at the beginning of November, seriously behind last year's 77 percent and the 78 percent average. Persistent wet conditions hampered the harvest in the Delta States and eastern Corn Belt for much of the month. As the month ended, combining advanced to 91 percent completion, 4 points behind a year earlier and 5 points slower than normal. Progress trailed normal in 10 producing States: as much as 22 points less than the average in Tennessee and 17 points less in Mississippi. Eastern Corn Belt harvesting was 6 points behind schedule; while in the South-central States, progress was 12 points slower than normal.

Grain sorghum harvesting was 71 percent finished in the 7 major producing States as the month began, 15 points behind last year and 8 points behind normal. Combining made good progress during the month across much of the Great Plains. As November ended, harvesting was 98 percent complete, equaling both last year and the average. Missouri and Texas were the only States slightly trailing their averages by early December.

Cotton picking was 38 percent complete, 13 points behind schedule, at the beginning of November. Persistent heavy rain delayed harvesting, reduced quality, and caused some losses across the Delta States. Picking reached 70 percent completion in the 14 major producing States by early December, compared with 85 percent in 1983 and the 79 percent average. Progress lagged normal in all States except Arizona, California, and Oklahoma. The Texas harvest advanced slowly because of wet fields. A heavy late-month frost opened late maturing bolls southward into West Texas.

WINTER WHEAT SEEDING NEARS COMPLETION

Despite rain delays, wheat seedings reached 98 percent completion by early December, equaling the average. Wet weather hampered planting in the eastern Corn Belt and Delta States for much of the month, while persistent dry conditions delayed progress in the Southeast. Stands had emerged on 93 percent of the seeded acreage by the month's end, equaling the average. Unusually warm late-month temperatures allowed germination and growth of late-seeded wheat fields across much of the Corn Belt. At the end of the month, light snow provided stands limited protection from cold temperatures across the northern Plains. Wind damage ranged from light to none in this region. Cool, wet weather curtailed wheat growth in the Pacific Northwest late in the month. Excessive rain delayed completion of seeding in Oregon at the month's end.

RELIABILITY OF DECEMBER 1 COTTON PRODUCTION FORECAST

The cotton production forecast in this report is based primarily on an objective yield survey made during the last week in November and reports from cotton ginners as of December 1. Some adjustments have been made in harvested acres based on acreage data from ASCS. The objective yield survey provided small plot observations, counts and measurements based on a probability sample. This survey is subject to sampling and non-sampling type errors that are common to all surveys. The forecast is also subject to change due to future weather effects and other factors that cannot be measured currently but directly affect production.

To assist users in evaluating the reliability of the December 1 cotton production forecast, the "Root Mean Square Error", a statistical measure based on past performance, is computed. This is done by expressing the deviations between the December 1 production forecasts and the final estimates as a percent of the final estimates and averaging the squared percentage deviations for the 1964-83 twenty-year period; the square root of this average becomes statistically the "Root Mean Square Error". Probability statements can be made concerning the expected differences in the current forecast relative to the final end-of-season estimate, assuming that factors affecting this year's forecast are not different from those influencing recent years.

The "Root Mean Square Error" for the December 1 cotton production forecast is 1.5 percent. This means that chances are 2 out of 3 that the current production forecast of 13.4 million bales will not be above or below the final estimate by more than 1.5 percent or approximately 201 thousand bales. Chances are 9 out of 10 (90 percent confidence level) that the difference will not exceed 2.6 percent or approximately 348 thousand bales.

Differences between the December 1 forecast and the final estimate during the past 10 years have averaged 165 thousand bales, ranging from 3 thousand to 338 thousand bales. The December 1 forecast has been below the final estimate 7 times and above 3 times.

COTTON: United States production is expected to total 13.4 million bales, up nearly 1 percent from last month's forecast and 72 percent above 1983. Upland production is forecast at 13.3 million bales and American-pima at 111 thousand bales. Upland growers will harvest 10.3 million acres (4.18 million hectares) compared with 7.30 million acres (2.96 million hectares) last year. American-pima area for harvest is estimated at 77.8 thousand acres (31.5 thousand hectares), 24 percent more than 1983.

Production in the Southeastern States is forecast at 1.02 million bales, up 7 percent from November 1, and up 160 percent from last year. Harvest is nearing completion; however, it is running slightly behind normal in all States.

Delta producers expect to harvest 3.74 million bales, 1 percent more than expected last month and 89 percent more than the 1983 production. Harvest continued to lag behind normal as late month rains slowed operations. Yield prospects for Tennessee were down slightly, while all other Delta States showed increases or remained unchanged.

Texas and Oklahoma upland production is forecast at 4.35 million bales, 4 percent above November 1 and 72 percent above 1983. In Texas harvest progress was slowed as growers waited for a killing freeze.

Western States expect an upland production of 4.15 million bales, down 3 percent from last month but 50 percent above 1983. Harvest is nearing completion in Arizona and California ahead of normal and is making normal progress in New Mexico.

The Bureau of the Census reports 8,979,119 running bales ginned prior to December 1, 1984 compared with 6,002,973 bales ginned to the same date in 1983 and 8,822,657 bales in 1982.

COTTONSEED: Production, based on a 3-year average lint-seed ratio, is forecast at 5.34 million tons (4.85 million metric tons), compared with 3.08 million tons (2.79 million metric tons) last year.

BURLEY TOBACCO: Production of burley tobacco is forecast at 740 million pounds (336 thousand metric tons), 54 percent above 1983. Production is up in all States except Missouri. Yield per acre is expected to average 2329 pounds, 684 pounds above the previous year.

Production in Kentucky and Tennessee is up 68 and 39 percent, respectively, from the previous year. Stripping is very active and quality is rated good.

Burley markets opened November 19, about the same time as in 1983.

DRY EDIBLE BEANS: U.S. production totaled 20.5 million cwt (932 thousand metric tons) in 1984, 32 percent above 1983 and 2 percent above the November 1 forecast. Production is up from 1983 mostly because of increased area planted and harvested in all States. Area planted, at 1.48 million acres (598 thousand hectares), rose 25 percent from 1983. Farmers harvested 1.44 million acres (581 thousand hectares), 26 percent more than in 1983. Yield averaged 1431 pounds per acre compared with 1363 pounds per acre the previous year.

Production was up from 1983 for all classes except Cranberry and Garbanzo beans. Percentage increases for major classes were: Navy - 8, Great Northern - 24, Pinto - 63, Red Kidney - 39 and Pink - 32.

Dry bean production in Michigan totaled 4.17 million cwt, 8 percent below 1983. Average yield, at 1070 pounds per acre in Michigan, dropped 230 pounds from 1983. This is the main reason for the decline in production. Growers planted 400 thousand acres in 1984 compared with 360 thousand acres the previous year. Area harvested totaled 390 thousand acres, 11 percent larger than in 1983. The Michigan dry bean crop can best be described as having too much rain early in the growing season and not enough rain from late July to the end of September.

California's production is estimated at 3.10 million cwt, 28 percent above the previous year. Area planted totaled 191 thousand acres, of which 184 thousand acres were harvested. Yields averaged 3 pounds less than in 1983 due largely to hot, dry weather during most of the growing season.

Nebraska's dry edible bean production is up 48 percent from the previous year. Yield averaged 1900 pounds per acre, 230 pounds above 1983.

North Dakota's output totaled 2.52 million cwt, 53 percent above 1983. Acres planted and harvested are up from 1983, 21 and 25 percent, respectively. Yield averaged 1260 pounds per acre, 230 pounds above the previous year.

PECANS: The final production forecast for the U.S. pecan crop is 229 million pounds (104 thousand metric tons), in-shell basis, down 5 percent from November 1, 15 percent less than the 1983 crop, but 6 percent above the 1982 crop. The forecast for New Mexico at 24.0 million pounds is down 11 percent from the October 1 forecast, while Texas at 25.0 million pounds is unchanged. Georgia expects 115 million pounds, the same as the "Special" November 1 forecast, but 15 percent above last year. Oklahoma forecasts 24.0 million pounds, off 4 percent from October 1, while Louisiana at 8.00 million pounds is 20 percent less than the October 1 forecast.

PAPAYAS: Hawaii fresh papaya production in December is forecast at 5.00 million pounds (2270 metric tons), 15 percent below last month's output, and 12 percent less than production last December. Production is expected to remain at 5.00 million pounds (2270 metric tons) in January, before decreasing to 4.80 million pounds (2180 metric tons) in both February and March.

Fresh production during November is estimated at 5.90 million pounds (2680 metric tons), 5 percent above output during the previous month, but 4 percent below November production last year. Total area in crop during November increased to 3740 acres (1510 hectares), while harvested area increased to 2730 acres (1100 hectares).

ORANGES: U.S. production, excluding Texas, is forecast at 181 million boxes (6.96 million metric tons), down 2 percent from the October 1 forecast, but 8 percent above last season, and 18 percent less than 1982-83. The forecast of all oranges in Florida is 119 million boxes, unchanged from the October 1 forecast, 2 percent above last season's crop, but 15 percent below 1982-83. The forecast for early and mid-season varieties in Florida is 59.0 million boxes, 15 percent less than last season and 16 percent below the 1982-83 crop. Harvest of earlies and mids is 5 percent complete. The Valencia forecast remains at 60.0 million boxes, 28 percent more than last season, but 14 percent below 1982-83.

The California all orange crop is forecast at 59.0 million boxes, down 5 percent from October 1, up 22 percent from last season, but 22 percent below the record high 1982-83 crop. The forecast for Navel oranges is 31.0 million boxes, down 11 percent from October 1, 7 percent less than last season and 23 percent below the record high 1982-83 production. Harvest of the Navel crop is 11 percent complete. California's Valencia forecast is 28.0 million boxes, 4 percent more than the October 1 forecast, 87 percent greater than last season, but 22 percent below the record high 1982-83 crop.

The Arizona all orange forecast is 2.65 million boxes, down 2 percent from October 1, but 47 percent more than last season.

Changes in U.S. production between December 1 and final production have averaged 19.9 million boxes over the past ten seasons, ranging from 300 thousand boxes in 1977-78 to 53.2 million boxes in 1983-84. The freeze that occurred in Florida and Texas during December 1983 was the major cause for the 53.2 million box difference between the December 1, 1983 forecast and final production for the 1983-84 season.

FLORIDA FROZEN CONCENTRATED JUICE YIELD: The 1984-85 projection of Frozen Concentrated Orange Juice is 1.46 gallons per box at 42.0 degree Brix. This yield computation is projected to the final amount reported by the Florida Citrus Processors Association at the end of the harvest season. The 1983-84 freeze-reduced final season average yield was 1.28931 gallons per box. In 1982-83, the final was 1.48305 gallons per box.

GRAPEFRUIT: Excluding Texas and California's "other areas" grapefruit, the 1984-85 forecast continues at 51.8 million boxes (1.93 million metric tons), unchanged from the November 1 forecast, 12 percent more than last season. Production for the California "other areas" crop, which will be forecast as of April 1, 1985, accounted for 3.10 million boxes last season. The Florida all grapefruit forecast is 44.5 million boxes--unchanged from the October 1 forecast but 9 percent more than last season. Harvest is 13 percent complete. Arizona's forecast continues at 3.50 million boxes, up 67 percent from last season. California's "Desert Valley" forecast continues at 3.80 million boxes, 14 percent above 1983-84 harvest.

LEMONS: Production in Arizona and California is expected to total 27.5 million boxes (948 thousand metric tons), unchanged from November 1 but 29 percent more than last season's utilized production. Harvest is 20 percent complete. California's forecast continues at 22.3 million boxes, unchanged from November 1 but 29 percent above last season.

TANGELOS: The Florida crop, excluding K-early citrus fruit, is forecast at 3.70 million boxes (152 thousand metric tons), unchanged from the October 1 forecast but 3 percent more than the 1983-84 crop. Harvest is 21 percent complete.

TANGERINES: The U.S. production forecast is 4.00 million boxes (150 thousand metric tons), down 4 percent from November 1 and 17 percent less than last season. Harvest is active in all States. The Florida forecast is 1.45 million boxes, down 3 percent from October 1 forecast and 27 percent less than last season. About 40 percent of the crop has been picked. California's crop at 1.80 million boxes is down 3 percent from last season. Arizona's forecast at 750 thousand boxes is 21 percent less than 1983-84.

TEMPLES: The Florida forecast is 3.70 million boxes (152 thousand metric tons) unchanged from October 1 forecast but 28 percent more than last season. Harvest has not yet started.

FLORIDA GENERAL CITRUS COMMENTS: Florida's citrus groves were generally maintained in good condition during November. There were many irrigation pumps being used to help maintain adequate moisture levels. There was very little new growth due to shorter days, a general lack of rain, and cooler temperatures. Most early maturing citrus varieties have very good natural color and advanced maturity. Harvest of seedless grapefruit was active prior to Thanksgiving week, which was slow, and then showed good movement the last week of the month. Picking of early oranges increased considerably by the end of November, primarily for processing. Movement of tangelos and tangerines was very active throughout the month of November.

COTTON

| CROP AND STATE | AREA HARVESTED | | YIELD | | PRODUCTION 1/ | | |
|----------------|----------------|----------|--------|----------|---------------|----------|----------|
| | 1983 | IND 1984 | 1983 | IND 1984 | 1982 | 1983 | IND 1984 |
| | 1,000 ACRES | | POUNDS | | 1,000 | BALES 2/ | 2/ |
| UPLAND | | | | | | | |
| ALA | 215.0 | 305.0 | 409 | 708 | 460.0 | 183.0 | 450.0 |
| ARIZ | 284.0 | 477.0 | 1,225 | 1,107 | 1,095.0 | 725.0 | 1,100.0 |
| ARK | 310.0 | 430.0 | 500 | 614 | 534.0 | 323.0 | 550.0 |
| CALIF | 950.0 | 1,400.0 | 996 | 1,011 | 3,073.0 | 1,971.0 | 2,950.0 |
| FLA 3/ | 12.0 | 13.5 | 608 | 651 | 19.6 | 15.2 | 18.3 |
| GA | 115.0 | 180.0 | 467 | 733 | 235.0 | 112.0 | 275.0 |
| KANS 3/ | .4 | .8 | 240 | 480 | .1 | .2 | .8 |
| LA | 410.0 | 645.0 | 623 | 759 | 870.0 | 532.0 | 1,020.0 |
| MISS | 675.0 | 1,040.0 | 640 | 762 | 1,760.0 | 900.0 | 1,650.0 |
| MO | 93.0 | 160.0 | 377 | 570 | 204.0 | 73.0 | 190.0 |
| NEV 3/ | .0 | .0 | 0 | 0 | .9 | .0 | .0 |
| N MEX | 47.0 | 72.0 | 715 | 633 | 78.0 | 70.0 | 95.0 |
| N C | 59.0 | 94.0 | 350 | 613 | 102.0 | 43.0 | 120.0 |
| OKLA | 300.0 | 375.0 | 232 | 256 | 238.0 | 145.0 | 200.0 |
| S C | 69.0 | 105.0 | 369 | 777 | 155.0 | 53.0 | 170.0 |
| TENN | 215.0 | 325.0 | 337 | 487 | 339.0 | 151.0 | 330.0 |
| TEX | 3,550.0 | 4,700.0 | 322 | 424 | 2,700.0 | 2,380.0 | 4,150.0 |
| VA 3/ | .4 | 1.0 | 360 | 480 | .4 | .3 | 1.0 |
| U S | 7,304.8 | 10,323.3 | 504 | 617 | 11,864.0 | 7,676.7 | 13,270.1 |
| AMER-PIMA | | | | | | | |
| ARIZ | 29.3 | 49.5 | 768 | 735 | 65.9 | 46.9 | 75.8 |
| N MEX | 11.1 | 9.0 | 683 | 549 | 10.0 | 15.8 | 10.3 |
| TEX | 22.3 | 19.3 | 689 | 622 | 22.8 | 32.0 | 25.0 |
| U S | 62.7 | 77.8 | 725 | 685 | 98.7 | 94.7 | 111.1 |
| ALL | | | | | | | |
| ALA | 215.0 | 305.0 | 409 | 708 | 460.0 | 183.0 | 450.0 |
| ARIZ | 313.3 | 526.5 | 1,183 | 1,072 | 1,160.9 | 771.9 | 1,175.8 |
| ARK | 310.0 | 430.0 | 500 | 614 | 534.0 | 323.0 | 550.0 |
| CALIF | 950.0 | 1,400.0 | 996 | 1,011 | 3,073.0 | 1,971.0 | 2,950.0 |
| FLA 3/ | 12.0 | 13.5 | 608 | 651 | 19.6 | 15.2 | 18.3 |
| GA | 115.0 | 180.0 | 467 | 733 | 235.0 | 112.0 | 275.0 |
| KANS 3/ | .4 | .8 | 240 | 480 | .1 | .2 | .8 |
| LA | 410.0 | 645.0 | 623 | 759 | 870.0 | 532.0 | 1,020.0 |
| MISS | 675.0 | 1,040.0 | 640 | 762 | 1,760.0 | 900.0 | 1,650.0 |
| MO | 93.0 | 160.0 | 377 | 570 | 204.0 | 73.0 | 190.0 |
| NEV 3/ | .0 | .0 | 0 | 0 | .9 | .0 | .0 |
| N MEX | 58.1 | 81.0 | 709 | 624 | 88.0 | 85.8 | 105.3 |
| N C | 59.0 | 94.0 | 350 | 613 | 102.0 | 43.0 | 120.0 |
| OKLA | 300.0 | 375.0 | 232 | 256 | 238.0 | 145.0 | 200.0 |
| S C | 69.0 | 105.0 | 369 | 777 | 155.0 | 53.0 | 170.0 |
| TENN | 215.0 | 325.0 | 337 | 487 | 339.0 | 151.0 | 330.0 |
| TEX | 3,572.3 | 4,719.3 | 324 | 425 | 2,722.8 | 2,412.0 | 4,175.0 |
| VA 3/ | .4 | 1.0 | 360 | 480 | .4 | .3 | 1.0 |
| U S | 7,367.5 | 10,401.1 | 506 | 618 | 11,962.7 | 7,771.4 | 13,381.2 |

1/ PRODUCTION GINNED AND TO BE GINNED.

2/ 480-LB. NET WEIGHT BALES.

3/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

COTTONSEED

| STATE | PRODUCTION | | |
|-------|------------|-------|-------|
| | 1982 | 1983 | 1984 |
| | 1,000 TONS | | |
| U S | 4,744 | 3,076 | 5,343 |

BURLEY TOBACCO

| STATE AND TYPE | AREA HARVESTED | | YIELD | | PRODUCTION | | |
|----------------|----------------|----------|--------|----------|------------|---------|----------|
| | 1983 | IND 1984 | 1983 | IND 1984 | 1982 | 1983 | IND 1984 |
| | ACRES | | POUNDS | | 1,000 | POUNDS | |
| TYPE 31 | | | | | | | |
| IND | 8,100 | 8,600 | 1,610 | 2,350 | 20,210 | 13,041 | 20,210 |
| KY | 186,000 | 210,000 | 1,600 | 2,375 | 551,250 | 297,600 | 498,750 |
| MO 1/ | 3,100 | 2,900 | 2,070 | 2,200 | 5,940 | 6,417 | 6,380 |
| N C | 10,700 | 10,000 | 2,055 | 2,400 | 31,179 | 21,989 | 24,000 |
| OHIO | 10,500 | 10,500 | 1,500 | 2,300 | 28,350 | 15,750 | 24,150 |
| TENN | 60,000 | 62,000 | 1,640 | 2,200 | 148,580 | 98,400 | 136,400 |
| VA | 12,000 | 11,500 | 2,040 | 2,300 | 32,819 | 24,480 | 26,450 |
| W VA 1/ | 2,200 | 2,300 | 1,710 | 1,650 | 3,590 | 3,762 | 3,795 |
| U S | 292,600 | 317,800 | 1,645 | 2,329 | 821,918 | 481,439 | 740,135 |

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

CITRUS FRUIT 1/

| CROP | PRODUCTION BOXES | | | PRODUCTION TON EQUIVALENT | | |
|--------------------------------|------------------|-----------|---------|---------------------------|-----------|---------|
| | UTILIZED | INDICATED | | UTILIZED | INDICATED | |
| AND STATE | 1982-83 | 1983-84 | 1984-85 | 1982-83 | 1983-84 | 1984-85 |
| | 1,000 UNITS 2/ | | | 1,000 UNITS | | |
| ORANGES, EARLY MID & NAVEL 3/: | | | | | | |
| ARIZ | 1,050 | 550 | 950 | 39 | 21 | 36 |
| CALIF | 40,200 | 33,300 | 31,000 | 1,508 | 1,249 | 1,163 |
| FLA | 70,200 | 69,700 | 59,000 | 3,159 | 3,136 | 2,655 |
| TEX 4/: | 3,590 | 2,400 | | 152 | 102 | |
| U S 5/: | 115,040 | 105,950 | 90,950 | 4,858 | 4,508 | 3,854 |
| ORANGES, VALENCIA | | | | | | |
| ARIZ | 2,750 | 1,250 | 1,700 | 103 | 47 | 64 |
| CALIF | 35,900 | 15,000 | 28,000 | 1,346 | 563 | 1,050 |
| FLA | 69,400 | 47,000 | 60,000 | 3,123 | 2,115 | 2,700 |
| TEX 4/: | 2,090 | 110 | | 89 | 5 | |
| U S 5/: | 110,140 | 63,360 | 89,700 | 4,661 | 2,730 | 3,814 |
| ALL ORANGES | | | | | | |
| ARIZ | 3,800 | 1,800 | 2,650 | 142 | 68 | 100 |
| CALIF | 76,100 | 48,300 | 59,000 | 2,854 | 1,812 | 2,213 |
| FLA | 139,600 | 116,700 | 119,000 | 6,282 | 5,251 | 5,355 |
| TEX 4/: | 5,680 | 2,510 | | 241 | 107 | |
| U S 5/: | 225,180 | 169,310 | 180,650 | 9,519 | 7,238 | 7,668 |
| TEMPLES | | | | | | |
| FLA | 4,700 | 2,900 | 3,700 | 211 | 130 | 167 |
| GRAPEFRUIT, WHITE SEEDLESS | | | | | | |
| FLA | 21,800 | 23,000 | 27,000 | 926 | 978 | 1,148 |
| GRAPEFRUIT, PINK SEEDLESS | | | | | | |
| FLA | 12,800 | 13,400 | 14,000 | 544 | 569 | 595 |
| OTHER GRAPEFRUIT | | | | | | |
| FLA | 4,800 | 4,500 | 3,500 | 204 | 191 | 149 |
| ALL GRAPEFRUIT | | | | | | |
| ARIZ | 2,700 | 2,100 | 3,500 | 87 | 67 | 112 |
| CALIF 6/: | | | | | | |
| DESERT | 4,100 | 3,340 | 3,800 | 131 | 107 | 122 |
| OTHER AREAS | 3,200 | 3,100 | | 107 | 104 | |
| TOTAL | 7,300 | 6,440 | | 238 | 211 | |
| FLA | 39,400 | 40,900 | 44,500 | 1,674 | 1,738 | 1,892 |
| TEX 4/: | 11,200 | 3,200 | | 448 | 128 | |
| U S | 60,600 | 52,640 | | 2,447 | 2,144 | |
| TANGERINES | | | | | | |
| ARIZ | 1,100 | 950 | 750 | 41 | 35 | 28 |
| CALIF | 2,150 | 1,850 | 1,800 | 81 | 70 | 68 |
| FLA | 2,250 | 2,000 | 1,450 | 107 | 95 | 69 |
| U S | 5,500 | 4,800 | 4,000 | 229 | 200 | 165 |
| LEMONS | | | | | | |
| ARIZ | 5,050 | 4,000 | 5,200 | 191 | 152 | 198 |
| CALIF | 20,300 | 17,250 | 22,300 | 772 | 655 | 847 |
| U S | 25,350 | 21,250 | 27,500 | 963 | 807 | 1,045 |
| TANGELOS | | | | | | |
| FLA | 3,800 | 3,600 | 3,700 | 171 | 162 | 167 |

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.

2/ NET LBS PER BOX: ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS & TEMPLES-90; TANGERINES- CALIF & ARIZ-75, FLA-95.

3/ NAVEL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

4/ DUE TO THE SEVERE FREEZE OF DECEMBER 1983 THE 1984-85 TEXAS CITRUS CROPS ARE VERY LIMITED AND FORECASTS WILL NOT BE ISSUED THIS SEASON UNLESS SUFFICIENT COMMERCIAL SUPPLIES BECOME AVAILABLE.

5/ EXCLUDES TEXAS FOR 1984-85.

6/ THE FIRST FORECAST FOR CALIF GRAPEFRUIT "OTHER AREAS" WILL BE AS OF APR 1.

PECANS

| CROP AND STATE | PRODUCTION | | |
|-------------------|--------------|---------|----------|
| | TOTAL | | |
| | 1982 | 1983 | IND 1984 |
| | 1,000 POUNDS | | |
| IMPROVED | 1/ | | |
| ALA | : | 14,000 | 17,000 |
| ARK | : | 300 | 1,750 |
| FLA | : | 2,000 | 1,500 |
| GA | : | 105,000 | 85,000 |
| LA | : | 2,500 | 3,000 |
| MISS | : | 3,000 | 5,500 |
| N MEX | : | 25,000 | 29,000 |
| N C | 2/ | 900 | 500 |
| OKLA | : | 300 | 1,000 |
| S C | : | 1,200 | 1,000 |
| TEX | : | 14,000 | 22,000 |
| U S | : | 168,200 | 167,250 |
| NATIVE & SEEDLING | : | | |
| ALA | : | 9,000 | 7,000 |
| ARK | : | 200 | 750 |
| FLA | : | 2,500 | 1,900 |
| GA | : | 20,000 | 15,000 |
| LA | : | 7,500 | 19,000 |
| MISS | : | 1,000 | 2,500 |
| N C | 2/ | 1,000 | 1,100 |
| OKLA | : | 1,700 | 7,000 |
| S C | : | 1,000 | 500 |
| TEX | : | 3,000 | 48,000 |
| U S | : | 46,900 | 102,750 |
| ALL | : | | |
| ALA | : | 23,000 | 24,000 |
| ARK | : | 500 | 2,500 |
| FLA | : | 4,500 | 3,400 |
| GA | : | 125,000 | 100,000 |
| LA | : | 10,000 | 22,000 |
| MISS | : | 4,000 | 8,000 |
| N MEX | : | 25,000 | 29,000 |
| N C | 2/ | 1,900 | 1,600 |
| OKLA | : | 2,000 | 8,000 |
| S C | : | 2,200 | 1,500 |
| TEX | : | 17,000 | 70,000 |
| U S | : | 215,100 | 270,000 |

1/ BUDDED, GRAFTED, OR TOPWORKED VARIETIES.
 2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PAPAYAS - HAWAII

| MONTH | AREA | | | | FRESH PRODUCTION | | |
|-------------------------------------|---------------|-------|-----------|-------|------------------|--------|----------|
| | TOTAL IN CROP | | HARVESTED | | 1983 | 1984 | FORECAST |
| | 1983 | 1984 | 1983 | 1984 | | | 1984-85 |
| | ACRES | | | | 1,000 POUNDS | | |
| OCT | 3,575 | 3,610 | 2,220 | 2,610 | 3,897 | 5,600 | |
| NOV | 3,625 | 3,740 | 2,195 | 2,730 | 6,124 | 5,900 | |
| DEC | 3,650 | | 2,375 | | 5,668 | | 5,000 |
| JAN | | 3,675 | | 2,365 | | 4,660 | 5,000 |
| FEB | | 3,660 | | 2,405 | | 4,700 | 4,800 |
| MAR | | 3,670 | | 2,445 | | 5,700 | 4,800 |
| CUMULATIVE FRESH PRODUCTION JAN-NOV | | | | | 40,632 | 60,760 | |

AREA PLANTED, DRY EDIBLE BEANS

| STATE | 1983 1/ | 1984 | STATE | 1983 1/ | 1984 |
|-------------|---------|-------|-------------|---------|---------|
| 1,000 ACRES | | | 1,000 ACRES | | |
| CALIF | 146.0 | 191.0 | NEBR | 135.0 | 175.0 |
| COLO | 155.0 | 175.0 | N Y | 26.0 | 35.0 |
| IDAHO | 90.0 | 140.0 | N DAK | 170.0 | 205.0 |
| KANS | 11.0 | 13.0 | UTAH | 7.0 | 9.0 |
| MICH | 360.0 | 400.0 | WASH | 16.0 | 35.0 |
| MINN | 42.0 | 52.0 | WYO | 19.0 | 38.0 |
| MONT | 3.0 | 8.5 | U S | 1,180.0 | 1,476.5 |

1/ REVISED.

AREA PLANTED, DRY EDIBLE LIMA BEANS

| CROP AND STATE | 1983 1/ | 1984 |
|------------------|---------|------|
| 1,000 ACRES | | |
| LARGE LIMA-CALIF | 26.5 | 36.0 |
| BABY LIMA-CALIF | 24.0 | 28.0 |

1/ REVISED.

DRY EDIBLE BEANS 1/

| STATE | AREA HARVESTED | | YIELD | | PRODUCTION | | |
|------------|----------------|----------|---------|----------|------------|--------|--------|
| | 2/ 1983 | IND 1984 | 2/ 1983 | IND 1984 | 1982 | 1983 | 1984 |
| | 1,000 ACRES | | POUNDS | | 1,000 CWT | | |
| LARGE LIMA | | | | | | | |
| CALIF | 26.0 | 35.0 | 1,780 | 1,800 | 580 | 463 | 630 |
| BABY LIMA | | | | | | | |
| CALIF | 23.5 | 27.0 | 2,010 | 1,960 | 530 | 472 | 529 |
| OTHER | | | | | | | |
| CALIF | 93.5 | 122.0 | 1,580 | 1,590 | 2,475 | 1,477 | 1,940 |
| ALL | | | | | | | |
| CALIF | 143.0 | 184.0 | 1,687 | 1,684 | 3,585 | 2,412 | 3,099 |
| COLO | 150.0 | 170.0 | 1,120 | 1,210 | 2,128 | 1,680 | 2,057 |
| IDAHO | 88.0 | 138.0 | 1,650 | 1,790 | 2,594 | 1,452 | 2,470 |
| KANS | 9.0 | 12.0 | 1,400 | 1,700 | 280 | 126 | 204 |
| MICH | 350.0 | 390.0 | 1,300 | 1,070 | 7,975 | 4,550 | 4,173 |
| MINN | 39.0 | 50.0 | 1,160 | 1,400 | 949 | 452 | 700 |
| MONT | 2.8 | 8.0 | 1,320 | 1,810 | 118 | 37 | 145 |
| NEBR | 131.0 | 170.0 | 1,670 | 1,900 | 3,286 | 2,188 | 3,230 |
| N Y | 25.0 | 34.0 | 1,020 | 1,250 | 686 | 255 | 425 |
| N DAK | 160.0 | 200.0 | 1,030 | 1,260 | 2,520 | 1,648 | 2,520 |
| UTAH | 6.9 | 8.8 | 600 | 590 | 46 | 41 | 52 |
| WASH | 16.0 | 34.0 | 2,220 | 2,080 | 766 | 355 | 707 |
| WYO | 18.0 | 37.0 | 1,800 | 2,050 | 630 | 324 | 759 |
| U S | 1,138.7 | 1,435.8 | 1,363 | 1,431 | 25,563 | 15,520 | 20,541 |

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED. 2/ REVISED.

DRY EDIBLE BEANS, PRODUCTION BY COMMERCIAL CLASSES
THOUSAND HUNDREDWEIGHT, 1982-84 1/

| STATE | LARGE LIMA | | | BABY LIMA | | | BLACKEYE | | | GARBANZO | | |
|-------|------------|-------|-------|----------------|-------|-------|-------------|--------|--------|-------------------|------|------|
| | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 |
| CALIF | 580 | 463 | 630 | 530 | 472 | 529 | 1,050 | 623 | 840 | 60 | 47 | 14 |
| U S | 580 | 463 | 630 | 530 | 472 | 529 | 1,050 | 623 | 840 | 60 | 47 | 14 |
| STATE | NAVY | | | GREAT NORTHERN | | | SMALL WHITE | | | CRANBERRY | | |
| | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 |
| CALIF | | | | | | | 110 | 34 | 39 | | | |
| IDAHO | | | | 352 | 192 | 230 | | | | 420 | 285 | 140 |
| MICH | 6,497 | 3,750 | 3,591 | | | | | | | | | |
| MINN | 600 | 270 | 415 | | | | | | | | | |
| MONT | | | | 10 | | | | | | | | |
| NEBR | | | | 2,484 | 1,720 | 2,132 | | | | | | |
| N DAK | 840 | 598 | 960 | | | | | | | | | |
| WASH | | | | | | | 147 | 93 | 240 | | | |
| WYO | | | | 50 | 28 | 42 | | | | | | |
| U S | 7,937 | 4,618 | 4,966 | 2,896 | 1,940 | 2,404 | 257 | 127 | 279 | 420 | 285 | 140 |
| STATE | SMALL RED | | | PINK | | | RED KIDNEY | | | BLACK TURTLE SOUP | | |
| | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 |
| CALIF | | | | 220 | 188 | 186 | 865 | 411 | 741 | | | |
| IDAHO | 235 | 147 | 177 | 587 | 429 | 583 | 41 | 16 | 34 | | | |
| MICH | | | | | | | 450 | 250 | 250 | 140 | 30 | 22 |
| MINN | | | | | | | 90 | 70 | 76 | | | |
| MONT | | | | 10 | | 20 | | | | | | |
| NEBR | | | | | | | 84 | 35 | | | | |
| N Y | | | | | | | 497 | 215 | 288 | 119 | 18 | 87 |
| WASH | 294 | 155 | 168 | 63 | 22 | 52 | | | | | | |
| U S | 529 | 302 | 345 | 880 | 639 | 841 | 2,027 | 997 | 1,389 | 259 | 48 | 109 |
| STATE | PINTO | | | OTHER | | | TOTAL | | | | | |
| | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 | 1982 | 1983 | 1984 |
| CALIF | | | | 170 | 174 | 120 | 3,585 | 2,412 | 3,099 | | | |
| COLO | 2,048 | 1,662 | 2,047 | 80 | 18 | 10 | 2,128 | 1,680 | 2,057 | | | |
| IDAHO | 1,228 | 553 | 1,147 | 151 | 115 | 299 | 2,594 | 1,452 | 2,470 | | | |
| KANS | 280 | 126 | 204 | | | | 280 | 126 | 204 | | | |
| MICH | 120 | 28 | 21 | 348 | 207 | 149 | 7,975 | 4,550 | 4,173 | | | |
| MINN | 247 | 100 | 202 | 12 | 12 | 7 | 949 | 452 | 700 | | | |
| MONT | 98 | 35 | 125 | | 2 | | 118 | 37 | 145 | | | |
| NEBR | 718 | 433 | 882 | | | | 216 | 3,286 | 2,188 | 3,230 | | |
| N Y | | | | 70 | 22 | 50 | 686 | 255 | 425 | | | |
| N DAK | 1,596 | 1,020 | 1,500 | 84 | 30 | 60 | 2,520 | 1,648 | 2,520 | | | |
| UTAH | 46 | 41 | 52 | | | | 46 | 41 | 52 | | | |
| WASH | 256 | 78 | 214 | 6 | 7 | 33 | 766 | 355 | 707 | | | |
| WYO | 580 | 296 | 717 | | | | 630 | 324 | 759 | | | |
| U S | 7,217 | 4,372 | 7,111 | 921 | 587 | 944 | 25,563 | 15,520 | 20,541 | | | |

1/ 1983 REVISED.

FARM MARKETING OF FIELD CROPS, UNITED STATES, 1982-83 1/ AND 1983-84
PERCENT OF SALES, BY MONTHS

| MONTH | CROP MARKETING YEAR | | | | | | | |
|-------|---------------------|-------|------------------|-------|-----------|-------|---------|--|
| | 1982-83 | | 1983-84 | | 1982-83 | | 1983-84 | |
| | PERCENT | | | | | | | |
| | HAY | | BARLEY | | FLAXSEED | | | |
| APR | .3 | .6 | | | | | | |
| MAY | 3.6 | 3.9 | .4 | .2 | | | | |
| JUN | 11.5 | 10.6 | 2.9 | 2.0 | | | | |
| JUL | 11.8 | 11.2 | 6.8 | 6.6 | 3.6 | | 3.5 | |
| AUG | 9.9 | 9.2 | 13.9 | 17.8 | 17.1 | | 15.0 | |
| SEP | 7.8 | 7.6 | 11.0 | 13.6 | 33.6 | | 39.4 | |
| OCT | 7.0 | 7.1 | 6.3 | 10.6 | 11.0 | | 14.8 | |
| NOV | 7.8 | 7.6 | 7.0 | 8.3 | 10.2 | | 6.0 | |
| DEC | 7.6 | 8.0 | 8.2 | 6.6 | 4.6 | | 2.9 | |
| JAN | 8.4 | 9.2 | 9.2 | 8.3 | 3.3 | | 4.4 | |
| FEB | 9.4 | 8.4 | 6.3 | 5.4 | 2.1 | | 2.8 | |
| MAR | 7.5 | 7.6 | 6.2 | 5.1 | 1.9 | | 2.8 | |
| APR | 5.6 | 6.8 | 8.0 | 4.8 | 2.9 | | 3.2 | |
| MAY | 1.8 | 2.2 | 7.4 | 6.1 | 2.4 | | 2.2 | |
| JUN | | | 6.4 | 4.6 | 7.3 | | 3.0 | |
| YEAR | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | |
| | OATS | | WHEAT | | PEANUTS | | | |
| MAY | .1 | 2.0 | 1.7 | 1.1 | | | | |
| JUN | 2.3 | 3.8 | 8.5 | 7.4 | | | | |
| JUL | 13.5 | 13.1 | 16.6 | 16.0 | | | | |
| AUG | 24.7 | 20.8 | 13.0 | 15.4 | | | | |
| SEP | 6.6 | 8.1 | 8.5 | 8.5 | 33.1 | | 11.3 | |
| OCT | 4.3 | 6.0 | 5.2 | 5.8 | 50.7 | | 54.7 | |
| NOV | 3.5 | 5.2 | 8.9 | 6.8 | 11.3 | | 25.3 | |
| DEC | 5.6 | 5.1 | 6.5 | 7.9 | 3.4 | | 6.4 | |
| JAN | 6.9 | 7.4 | 8.3 | 7.4 | 1.5 | | 2.3 | |
| FEB | 5.3 | 6.4 | 6.0 | 5.7 | | | | |
| MAR | 5.7 | 5.5 | 6.0 | 6.7 | | | | |
| APR | 7.4 | 5.9 | 4.4 | 5.2 | | | | |
| MAY | 6.2 | 4.8 | 3.1 | 3.9 | | | | |
| JUN | 7.9 | 5.9 | 3.3 | 2.2 | | | | |
| YEAR | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | |
| | SORGHUM | | CORN | | COTTON | | | |
| JUN | 2.3 | 1.6 | | | | | | |
| JUL | 16.2 | 5.8 | | | | | | |
| AUG | 7.3 | 12.6 | .5 | 1.0 | 3.9 | | 3.0 | |
| SEP | 5.8 | 7.0 | 2.1 | 1.8 | 4.9 | | 5.3 | |
| OCT | 9.3 | 13.7 | 11.1 | 13.1 | 13.4 | | 19.2 | |
| NOV | 15.0 | 11.6 | 12.3 | 11.0 | 18.7 | | 22.8 | |
| DEC | 8.0 | 9.2 | 8.5 | 8.3 | 16.2 | | 18.2 | |
| JAN | 11.6 | 9.7 | 12.6 | 14.1 | 13.5 | | 13.6 | |
| FEB | 3.9 | 6.4 | 7.8 | 7.4 | 8.8 | | 6.9 | |
| MAR | 3.9 | 6.4 | 7.6 | 11.0 | 7.6 | | 4.2 | |
| APR | 2.7 | 4.0 | 6.0 | 7.3 | 1.9 | | 2.7 | |
| MAY | 5.1 | 4.1 | 5.9 | 5.5 | 3.2 | | 1.4 | |
| JUN | 2.6 | 1.8 | 7.1 | 5.2 | 4.9 | | 1.2 | |
| JUL | 1.4 | 2.8 | 6.3 | 6.5 | 3.0 | | 1.5 | |
| AUG | 3.6 | 2.6 | 6.8 | 4.3 | | | | |
| SEP | 1.3 | .7 | 5.4 | 3.5 | | | | |
| YEAR | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | |
| | SOYBEANS | | DRY EDIBLE BEANS | | SUNFLOWER | | | |
| SEP | 5.7 | 8.1 | 12.2 | 15.5 | 1.0 | | 4.7 | |
| OCT | 17.6 | 20.2 | 17.5 | 15.2 | 10.7 | | 37.3 | |
| NOV | 14.0 | 12.0 | 8.8 | 10.3 | 24.8 | | 18.5 | |
| DEC | 8.5 | 7.4 | 8.4 | 6.9 | 13.8 | | 9.6 | |
| JAN | 12.6 | 11.7 | 8.8 | 6.8 | 6.8 | | 10.8 | |
| FEB | 6.2 | 5.5 | 6.2 | 7.9 | 4.7 | | 3.4 | |
| MAR | 6.7 | 9.7 | 5.9 | 5.3 | 6.3 | | 3.7 | |
| APR | 5.7 | 6.4 | 6.2 | 5.8 | 9.1 | | 5.9 | |
| MAY | 4.0 | 11.0 | 7.7 | 7.0 | 6.8 | | 2.9 | |
| JUN | 4.3 | 3.2 | 6.8 | 6.5 | 8.6 | | 1.6 | |
| JUL | 7.8 | 2.1 | 6.0 | 5.3 | 4.0 | | .8 | |
| AUG | 6.9 | 2.7 | 5.5 | 7.5 | 3.4 | | .8 | |
| YEAR | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | |

CROP MARKETING SEASONS OF SPECIFIED FIELD CROPS

BARLEY: May 1 to April 30 for Arizona; June 1 to May 31 for California; July 1 to June 30 for all other estimated States.

CORN FOR GRAIN: August 1 to July 31 for Georgia and Texas; September 1 to August 31 for Kansas, Kentucky, Missouri, and North Carolina; October 1 to September 30 for all other estimated States.

DRY EDIBLE BEANS: September 1 to August 31 for all estimated States.

FLAXSEED: July 1 to June 30 for all estimated States.

HAY: April 1 to March 31 for Arizona; May 1 to April 30 for Arkansas, California, Georgia, Kansas, Kentucky, Missouri, Nevada, New Mexico, Oklahoma, Texas, and Utah; June 1 to May 31 for all other estimated States.

OATS: May 1 to April 30 for Texas; June 1 to May 31 for Arkansas, California, and North Carolina; July 1 to June 30 for all other estimated States.

SORGHUM FOR GRAIN: June 1 to May 31 for Texas; July 1 to June 30 for Arizona; August 1 to July 31 for Oklahoma; September 1 to August 31 for California, Kansas, Missouri, and New Mexico; October 1 to September 30 for all other estimated States.

SOYBEANS: September 1 to August 31 for all estimated States.

WHEAT: May 1 to April 30 for Arizona, California, Oklahoma and Texas; June 1 to May 31 for Arkansas, Illinois, Kansas, and Missouri; July 1 to June 30 for all other estimated States.

SUNFLOWER: September 1 to August 31 for Minnesota, North Dakota and South Dakota.

FARM MARKETINGS OF HAY BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY |
|--------------------------------|---------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | PERCENT | | | | | | | | | | | | | |
| ARIZ 1982-83 | 8 | 12 | 16 | 13 | 10 | 10 | 6 | 6 | 4 | 5 | 5 | 5 | | |
| 1983-84 | 14 | 15 | 11 | 4 | 4 | 8 | 6 | 6 | 6 | 6 | 8 | 12 | | |
| ARK 1982-83 | | 4 | 11 | 13 | 13 | 3 | 1 | 3 | 5 | 17 | 18 | 8 | 4 | |
| 1983-84 | | 4 | 18 | 10 | 7 | 2 | 1 | 3 | 8 | 16 | 15 | 11 | 5 | |
| CALIF 1982-83 | | 11 | 17 | 15 | 11 | 10 | 7 | 6 | 5 | 5 | 5 | 4 | 4 | |
| 1983-84 | | 11 | 14 | 16 | 14 | 11 | 7 | 4 | 4 | 3 | 3 | 4 | 9 | |
| COLO 1982-83 | | | 8 | 9 | 9 | 8 | 12 | 12 | 8 | 8 | 7 | 7 | 9 | 3 |
| 1983-84 | | | 6 | 7 | 9 | 9 | 12 | 14 | 12 | 8 | 7 | 7 | 6 | 3 |
| GA 1982-83 | | 3 | 7 | 6 | 9 | 13 | 10 | 7 | 7 | 17 | 9 | 7 | 5 | |
| 1983-84 | | 3 | 7 | 6 | 9 | 10 | 11 | 9 | 10 | 15 | 9 | 7 | 4 | |
| IDAHO 1982-83 | | | 6 | 13 | 8 | 6 | 3 | 7 | 12 | 10 | 13 | 11 | 8 | 3 |
| 1983-84 | | | 8 | 16 | 14 | 4 | 9 | 13 | 9 | 8 | 8 | 5 | 3 | 3 |
| ILL 1982-83 | | | 19 | 13 | 9 | 9 | 4 | 3 | 4 | 5 | 12 | 11 | 8 | 3 |
| 1983-84 | | | 18 | 8 | 5 | 5 | 4 | 3 | 9 | 10 | 16 | 12 | 8 | 2 |
| IND 1982-83 | | | 16 | 10 | 7 | 8 | 5 | 5 | 7 | 9 | 14 | 10 | 6 | 3 |
| 1983-84 | | | 15 | 9 | 6 | 6 | 5 | 4 | 8 | 12 | 13 | 10 | 8 | 4 |
| IOWA 1982-83 | | | 18 | 12 | 14 | 8 | 5 | 3 | 4 | 8 | 12 | 8 | 6 | 2 |
| 1983-84 | | | 14 | 9 | 6 | 6 | 4 | 4 | 8 | 12 | 14 | 10 | 9 | 4 |
| KANS 1982-83 | | 4 | 6 | 10 | 9 | 8 | 8 | 11 | 11 | 11 | 10 | 8 | 4 | |
| 1983-84 | | 4 | 6 | 10 | 8 | 7 | 8 | 12 | 12 | 12 | 9 | 8 | 4 | |
| KY 1982-83 | | 4 | 10 | 10 | 7 | 11 | 4 | 3 | 7 | 11 | 19 | 10 | 4 | |
| 1983-84 | | 4 | 12 | 10 | 6 | 6 | 5 | 4 | 8 | 13 | 19 | 9 | 4 | |
| MICH 1982-83 | | | 12 | 9 | 8 | 5 | 4 | 8 | 9 | 9 | 9 | 10 | 9 | 8 |
| 1983-84 | | | 14 | 10 | 6 | 4 | 5 | 6 | 12 | 9 | 6 | 10 | 11 | 7 |
| MINN 1982-83 | | | 10 | 8 | 11 | 7 | 5 | 6 | 6 | 9 | 13 | 12 | 8 | 5 |
| 1983-84 | | | 5 | 9 | 4 | 6 | 4 | 8 | 9 | 14 | 10 | 9 | 14 | 8 |
| MO 1982-83 | | 4 | 9 | 12 | 10 | 6 | 6 | 9 | 7 | 11 | 13 | 8 | 5 | |
| 1983-84 | | 3 | 16 | 9 | 2 | 4 | 2 | 3 | 6 | 15 | 13 | 19 | 8 | |
| MONT 1982-83 | | | 2 | 14 | 7 | 3 | 5 | 9 | 16 | 8 | 15 | 10 | 8 | 3 |
| 1983-84 | | | 2 | 15 | 13 | 3 | 11 | 14 | 12 | 10 | 10 | 4 | 3 | 3 |
| NEBR 1982-83 | | | 10 | 8 | 8 | 6 | 9 | 11 | 11 | 12 | 9 | 9 | 5 | 2 |
| 1983-84 | | | 8 | 8 | 7 | 6 | 9 | 12 | 11 | 12 | 10 | 9 | 6 | 2 |
| NEV 1982-83 | | 3 | 5 | 7 | 7 | 8 | 9 | 13 | 13 | 13 | 9 | 8 | 5 | |
| 1983-84 | | 2 | 4 | 7 | 7 | 8 | 10 | 13 | 13 | 11 | 10 | 10 | 5 | |
| N MEX 1982-83 | | 9 | 15 | 15 | 14 | 9 | 7 | 4 | 6 | 6 | 6 | 5 | 4 | |
| 1983-84 | | 10 | 13 | 12 | 11 | 10 | 8 | 6 | 7 | 8 | 7 | 5 | 3 | |
| N Y 1982-83 | | | 9 | 12 | 11 | 5 | 6 | 5 | 8 | 11 | 10 | 10 | 9 | 4 |
| 1983-84 | | | 11 | 12 | 9 | 5 | 5 | 5 | 8 | 11 | 10 | 10 | 9 | 5 |
| N DAK 1982-83 | | | 4 | 10 | 6 | 5 | 11 | 13 | 8 | 10 | 11 | 10 | 8 | 4 |
| 1983-84 | | | 1 | 4 | 8 | 7 | 7 | 13 | 9 | 15 | 6 | 14 | 12 | 4 |
| OHIO 1982-83 | | | 12 | 10 | 8 | 7 | 6 | 7 | 9 | 9 | 11 | 11 | 7 | 3 |
| 1983-84 | | | 14 | 10 | 7 | 6 | 5 | 7 | 10 | 11 | 12 | 9 | 6 | 3 |
| OKLA 1982-83 | | 3 | 7 | 15 | 12 | 5 | 4 | 6 | 6 | 14 | 16 | 8 | 4 | |
| 1983-84 | | 3 | 8 | 16 | 9 | 4 | 3 | 8 | 11 | 14 | 12 | 8 | 4 | |
| OREG 1982-83 | | | 17 | 14 | 13 | 10 | 9 | 7 | 4 | 7 | 9 | 7 | 2 | 1 |
| 1983-84 | | | 11 | 8 | 8 | 9 | 9 | 9 | 8 | 11 | 9 | 9 | 6 | 3 |
| PA 1982-83 | | | 13 | 13 | 7 | 6 | 5 | 5 | 8 | 8 | 10 | 10 | 10 | 5 |
| 1983-84 | | | 11 | 10 | 6 | 6 | 5 | 6 | 9 | 10 | 12 | 10 | 9 | 6 |
| S DAK 1982-83 | | | 5 | 4 | 9 | 9 | 13 | 15 | 7 | 9 | 10 | 8 | 8 | 3 |
| 1983-84 | | | 2 | 1 | 4 | 13 | 10 | 8 | 6 | 18 | 11 | 13 | 10 | 4 |
| TEX 1982-83 | | 2 | 9 | 11 | 10 | 7 | 7 | 9 | 9 | 11 | 15 | 6 | 4 | |
| 1983-84 | | 3 | 15 | 14 | 8 | 6 | 6 | 8 | 9 | 11 | 11 | 5 | 4 | |
| UTAH 1982-83 | | 3 | 16 | 14 | 11 | 9 | 8 | 10 | 8 | 8 | 5 | 4 | 4 | |
| 1983-84 | | 2 | 11 | 13 | 11 | 9 | 9 | 8 | 8 | 10 | 7 | 8 | 4 | |
| WASH 1982-83 | | | 14 | 15 | 15 | 11 | 9 | 5 | 6 | 5 | 10 | 5 | 3 | 2 |
| 1983-84 | | | 12 | 11 | 11 | 9 | 9 | 7 | 7 | 10 | 8 | 7 | 5 | 4 |
| WIS 1982-83 | | | 10 | 9 | 5 | 2 | 3 | 9 | 8 | 9 | 11 | 12 | 13 | 9 |
| 1983-84 | | | 6 | 9 | 4 | 2 | 4 | 7 | 7 | 15 | 13 | 11 | 13 | 9 |
| WYO 1982-83 | | | 1 | 6 | 5 | 10 | 6 | 12 | 13 | 13 | 11 | 12 | 8 | 2 |
| 1983-84 | | | 2 | 6 | 9 | 9 | 13 | 16 | 12 | 11 | 10 | 6 | 4 | 2 |
| U S 1982-83 | .3 | 3.6 | 11.5 | 11.8 | 9.9 | 7.8 | 7.0 | 7.8 | 7.6 | 8.4 | 9.4 | 7.5 | 5.6 | 1.8 |
| 1983-84 | .6 | 3.9 | 10.6 | 11.2 | 9.2 | 7.6 | 7.1 | 7.6 | 8.0 | 9.2 | 8.4 | 7.6 | 6.8 | 2.2 |

FARM MARKETINGS OF BARLEY BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN |
|--------------------------------|---------|---------|-----|-----|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | | | |
| ARIZ | 1982-83 | 28 | 50 | 10 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | | |
| | 1983-84 | 30 | 49 | 9 | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | | |
| CALIF | 1982-83 | | 22 | 8 | 4 | 5 | 5 | 3 | 6 | 8 | 3 | 7 | 9 | 20 | |
| | 1983-84 | | 22 | 11 | 6 | 7 | 3 | 4 | 3 | 2 | 2 | 4 | 4 | 32 | |
| COLO | 1982-83 | | | 6 | 23 | 14 | 7 | 8 | 22 | 6 | 6 | 2 | 2 | 1 | 3 |
| | 1983-84 | | | 11 | 23 | 6 | 27 | 15 | 8 | 2 | 2 | 1 | 1 | 2 | 2 |
| IDAHO | 1982-83 | | | 3 | 11 | 20 | 10 | 12 | 8 | 14 | 6 | 4 | 6 | 3 | 3 |
| | 1983-84 | | | 3 | 9 | 18 | 14 | 10 | 8 | 14 | 5 | 4 | 6 | 5 | 4 |
| MINN | 1982-83 | | | 14 | 16 | 4 | 5 | 7 | 7 | 4 | 11 | 8 | 6 | 9 | 9 |
| | 1983-84 | | | 7 | 16 | 15 | 13 | 10 | 8 | 8 | 4 | 4 | 5 | 4 | 6 |
| MONT | 1982-83 | | | 3 | 7 | 11 | 6 | 6 | 11 | 12 | 3 | 10 | 15 | 8 | 8 |
| | 1983-84 | | | 5 | 14 | 17 | 11 | 6 | 7 | 11 | 9 | 7 | 7 | 3 | 3 |
| N DAK | 1982-83 | | | 9 | 19 | 7 | 3 | 5 | 7 | 6 | 9 | 6 | 10 | 8 | 11 |
| | 1983-84 | | | 7 | 22 | 10 | 9 | 9 | 6 | 6 | 6 | 7 | 5 | 5 | 8 |
| OREG | 1982-83 | | | 4 | 13 | 10 | 9 | 13 | 6 | 18 | 7 | 5 | 4 | 7 | 4 |
| | 1983-84 | | | 17 | 19 | 13 | 11 | 6 | 7 | 10 | 8 | 3 | 3 | 2 | 1 |
| S DAK | 1982-83 | | | 17 | 14 | 3 | 7 | 2 | 6 | 7 | 5 | 7 | 7 | 10 | 15 |
| | 1983-84 | | | 15 | 14 | 4 | 2 | 2 | 7 | 5 | 6 | 8 | 10 | 8 | 19 |
| UTAH | 1982-83 | | | 10 | 14 | 17 | 12 | 10 | 8 | 7 | 8 | 5 | 3 | 3 | 3 |
| | 1983-84 | | | 10 | 10 | 16 | 11 | 8 | 10 | 8 | 9 | 9 | 3 | 3 | 3 |
| WASH | 1982-83 | | | 2 | 15 | 21 | 11 | 10 | 9 | 13 | 5 | 5 | 4 | 2 | 3 |
| | 1983-84 | | | 2 | 24 | 21 | 12 | 11 | 7 | 11 | 3 | 3 | 2 | 3 | 1 |
| WYO | 1982-83 | | | 1 | 66 | 18 | 1 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 1 |
| | 1983-84 | | | 2 | 79 | 6 | 1 | 2 | 2 | 1 | 3 | 1 | 1 | 1 | 1 |
| U S | 1982-83 | .4 | 2.9 | 6.8 | 13.9 | 11.0 | 6.3 | 7.0 | 8.2 | 9.2 | 6.3 | 6.2 | 8.0 | 7.4 | 6.4 |
| | 1983-84 | .2 | 2.0 | 6.6 | 17.8 | 13.6 | 10.6 | 8.3 | 6.6 | 8.3 | 5.4 | 5.1 | 4.8 | 6.1 | 4.6 |

FARM MARKETINGS OF OATS, BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN |
|--------------------------|---------|-----|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| PERCENT | | | | | | | | | | | | | | | |
| ARK | 1982-83 | | 50 | 25 | 15 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 1983-84 | | 42 | 20 | 15 | 10 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| CALIF | 1982-83 | | 8 | 17 | 5 | 6 | 14 | 11 | 6 | 13 | 7 | 8 | 3 | 2 | |
| | 1983-84 | | 4 | 4 | 3 | 3 | 8 | 4 | 3 | 4 | 3 | 28 | 33 | 3 | |
| IDAHO | 1982-83 | | | 2 | 7 | 3 | 12 | 7 | 10 | 11 | 12 | 7 | 6 | 19 | 4 |
| | 1983-84 | | | 16 | 3 | 14 | 14 | 7 | 7 | 3 | 9 | 4 | 7 | 12 | 4 |
| ILL | 1982-83 | | | 16 | 30 | 11 | 3 | 1 | 4 | 6 | 9 | 7 | 6 | 3 | 4 |
| | 1983-84 | | | 24 | 13 | 4 | 2 | 5 | 4 | 9 | 10 | 7 | 7 | 7 | 8 |
| IND | 1982-83 | | | 35 | 28 | 5 | 2 | 2 | 1 | 5 | 5 | 5 | 8 | 1 | 3 |
| | 1983-84 | | | 21 | 16 | 7 | 3 | 2 | 2 | 15 | 6 | 8 | 3 | 9 | 8 |
| IOWA | 1982-83 | | | 21 | 35 | 8 | 6 | 3 | 3 | 5 | 3 | 3 | 5 | 4 | 4 |
| | 1983-84 | | | 20 | 25 | 10 | 3 | 2 | 3 | 7 | 6 | 4 | 6 | 6 | 8 |
| MICH | 1982-83 | | | 4 | 34 | 5 | 2 | 3 | 7 | 8 | 7 | 8 | 11 | 6 | 5 |
| | 1983-84 | | | 6 | 37 | 10 | 7 | 5 | 5 | 7 | 8 | 5 | 4 | 4 | 2 |
| MINN | 1982-83 | | | 10 | 33 | 9 | 3 | 3 | 6 | 6 | 4 | 5 | 7 | 7 | 7 |
| | 1983-84 | | | 11 | 22 | 12 | 8 | 4 | 5 | 7 | 4 | 5 | 7 | 6 | 9 |
| MONT | 1982-83 | | | 4 | 7 | 17 | 9 | 4 | 9 | 7 | 7 | 11 | 7 | 9 | 9 |
| | 1983-84 | | | 11 | 6 | 12 | 11 | 8 | 5 | 13 | 8 | 18 | 4 | 2 | 2 |
| NEBR | 1982-83 | | | 19 | 19 | 12 | 4 | 3 | 5 | 5 | 4 | 5 | 5 | 9 | 10 |
| | 1983-84 | | | 17 | 20 | 7 | 4 | 7 | 6 | 13 | 4 | 8 | 4 | 4 | 6 |
| N Y | 1982-83 | | | 8 | 21 | 7 | 11 | 12 | 5 | 5 | 4 | 10 | 8 | 5 | 4 |
| | 1983-84 | | | 11 | 18 | 11 | 5 | 3 | 3 | 8 | 12 | 12 | 7 | 6 | 4 |
| N C | 1982-83 | | 55 | 12 | 6 | 10 | 2 | 3 | 1 | 1 | 4 | 1 | 2 | 3 | |
| | 1983-84 | | 44 | 12 | 2 | 8 | 9 | 4 | 8 | 4 | 5 | 1 | 2 | 1 | |
| N DAK | 1982-83 | | | 11 | 18 | 8 | 6 | 5 | 9 | 6 | 7 | 7 | 9 | 6 | 8 |
| | 1983-84 | | | 5 | 22 | 12 | 10 | 9 | 8 | 8 | 5 | 5 | 5 | 4 | 7 |
| OHIO | 1982-83 | | | 32 | 29 | 6 | 2 | 1 | 3 | 5 | 5 | 6 | 5 | 3 | 3 |
| | 1983-84 | | | 22 | 27 | 6 | 4 | 6 | 4 | 4 | 11 | 7 | 4 | 2 | 3 |
| OREG | 1982-83 | | | 7 | 13 | 8 | 8 | 7 | 7 | 8 | 7 | 7 | 9 | 8 | 11 |
| | 1983-84 | | | 9 | 9 | 15 | 12 | 9 | 15 | 7 | 8 | 8 | 4 | 3 | 1 |
| PA | 1982-83 | | | 15 | 30 | 7 | 6 | 4 | 3 | 6 | 6 | 6 | 6 | 6 | 5 |
| | 1983-84 | | | 9 | 58 | 3 | 3 | 3 | 3 | 4 | 10 | 2 | 2 | 2 | 1 |
| S DAK | 1982-83 | | | 14 | 20 | 3 | 4 | 3 | 6 | 10 | 6 | 6 | 9 | 7 | 12 |
| | 1983-84 | | | 14 | 19 | 5 | 5 | 8 | 7 | 11 | 7 | 5 | 5 | 6 | 8 |
| TEX | 1982-83 | | 7 | 70 | 7 | 4 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | | |
| | 1983-84 | | 30 | 38 | 11 | 4 | 2 | 2 | 5 | 1 | 4 | 1 | 1 | | |
| WIS | 1982-83 | | | 11 | 17 | 7 | 5 | 4 | 6 | 4 | 6 | 5 | 6 | 8 | 21 |
| | 1983-84 | | | 10 | 24 | 4 | 8 | 4 | 4 | 8 | 9 | 5 | 13 | 5 | 6 |
| U S | 1982-83 | | .1 | 2.3 | 13.5 | 24.7 | 6.6 | 4.3 | 3.5 | 5.6 | 6.9 | 5.3 | 5.7 | 7.4 | 6.2 |
| | 1983-84 | | 2.0 | 3.8 | 13.1 | 20.8 | 8.1 | 6.0 | 5.2 | 5.1 | 7.4 | 6.4 | 5.5 | 5.9 | 4.8 |

FARM MARKETINGS OF ALL WHEAT BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | MAY | JUN | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN |
|--------------------------|---------|---------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | | | |
| ARIZ | 1982-83 | 20 | 43 | 7 | 2 | 2 | 3 | 2 | 3 | 5 | 2 | 5 | 6 | | |
| | 1983-84 | 19 | 37 | 24 | 4 | 4 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | | |
| ARK | 1982-83 | | 68 | 18 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 1983-84 | | 59 | 28 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| CALIF | 1982-83 | 9 | 40 | 20 | 3 | 2 | 3 | 3 | 4 | 5 | 4 | 3 | 4 | | |
| | 1983-84 | 10 | 39 | 12 | 5 | 3 | 5 | 4 | 6 | 6 | 3 | 4 | 3 | | |
| COLO | 1982-83 | | | 11 | 15 | 12 | 6 | 10 | 8 | 11 | 7 | 6 | 5 | 4 | 5 |
| | 1983-84 | | | 18 | 16 | 8 | 5 | 6 | 11 | 8 | 7 | 9 | 6 | 4 | 2 |
| IDAHO | 1982-83 | | | 3 | 10 | 16 | 7 | 16 | 7 | 12 | 8 | 6 | 8 | 3 | 4 |
| | 1983-84 | | | 2 | 7 | 14 | 13 | 13 | 9 | 8 | 6 | 5 | 9 | 7 | 7 |
| ILL | 1982-83 | | 15 | 60 | 9 | 3 | 1 | 1 | 1 | 4 | 2 | 1 | 2 | 1 | |
| | 1983-84 | | 2 | 57 | 8 | 4 | 1 | 2 | 3 | 6 | 4 | 7 | 4 | 2 | |
| IND | 1982-83 | | | 72 | 11 | 7 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 |
| | 1983-84 | | | 73 | 9 | 6 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 |
| KANS | 1982-83 | | 6 | 17 | 13 | 7 | 5 | 14 | 10 | 11 | 6 | 6 | 3 | 2 | |
| | 1983-84 | | 5 | 11 | 16 | 8 | 5 | 8 | 10 | 8 | 8 | 10 | 6 | 5 | |
| MICH | 1982-83 | | | 25 | 26 | 6 | 2 | 4 | 5 | 10 | 7 | 7 | 3 | 3 | 2 |
| | 1983-84 | | | 36 | 31 | 5 | 3 | 2 | 6 | 6 | 4 | 3 | 2 | 1 | 1 |
| MINN | 1982-83 | | | 9 | 20 | 8 | 5 | 7 | 5 | 4 | 7 | 11 | 9 | 8 | 7 |
| | 1983-84 | | | 8 | 20 | 11 | 10 | 7 | 7 | 8 | 5 | 7 | 6 | 7 | 4 |
| MO | 1982-83 | | 28 | 41 | 16 | 4 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | |
| | 1983-84 | | 4 | 33 | 48 | 3 | 1 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | |
| MONT | 1982-83 | | | 6 | 8 | 11 | 8 | 8 | 9 | 15 | 9 | 9 | 6 | 5 | 6 |
| | 1983-84 | | | 5 | 15 | 10 | 9 | 9 | 6 | 10 | 8 | 8 | 10 | 7 | 3 |
| NEBR | 1982-83 | | | 20 | 20 | 6 | 4 | 6 | 8 | 12 | 8 | 8 | 3 | 3 | 2 |
| | 1983-84 | | | 21 | 19 | 7 | 4 | 5 | 10 | 8 | 4 | 10 | 6 | 3 | 3 |
| N DAK | 1982-83 | | | 9 | 14 | 15 | 6 | 7 | 4 | 5 | 6 | 8 | 8 | 7 | 11 |
| | 1983-84 | | | 7 | 21 | 13 | 7 | 8 | 7 | 6 | 6 | 7 | 6 | 4 | 8 |
| OHIO | 1982-83 | | | 54 | 15 | 6 | 1 | 1 | 4 | 5 | 4 | 2 | 4 | 2 | 2 |
| | 1983-84 | | | 62 | 13 | 4 | 1 | 2 | 3 | 4 | 2 | 4 | 3 | 1 | 1 |
| OKLA | 1982-83 | 3 | 6 | 18 | 9 | 7 | 5 | 18 | 10 | 9 | 7 | 5 | 3 | | |
| | 1983-84 | 3 | 10 | 12 | 12 | 7 | 4 | 10 | 14 | 10 | 7 | 8 | 3 | | |
| OREG | 1982-83 | | | 4 | 17 | 13 | 11 | 11 | 8 | 12 | 8 | 7 | 4 | 3 | 2 |
| | 1983-84 | | | 3 | 12 | 10 | 10 | 10 | 10 | 11 | 9 | 8 | 8 | 5 | 4 |
| S DAK | 1982-83 | | | 9 | 25 | 7 | 7 | 7 | 6 | 6 | 7 | 8 | 6 | 6 | 6 |
| | 1983-84 | | | 11 | 22 | 9 | 7 | 5 | 8 | 8 | 7 | 6 | 6 | 5 | 6 |
| TEX | 1982-83 | 17 | 38 | 17 | 8 | 3 | 2 | 2 | 3 | 4 | 3 | 2 | 1 | | |
| | 1983-84 | 8 | 41 | 18 | 5 | 3 | 4 | 4 | 4 | 6 | 2 | 3 | 2 | | |
| WASH | 1982-83 | | | 3 | 17 | 12 | 10 | 11 | 7 | 13 | 8 | 8 | 4 | 3 | 4 |
| | 1983-84 | | | 2 | 15 | 17 | 10 | 9 | 10 | 10 | 6 | 5 | 5 | 9 | 2 |
| U S | 1982-83 | 1.7 | 8.5 | 16.6 | 13.0 | 8.5 | 5.2 | 8.9 | 6.5 | 8.3 | 6.0 | 6.0 | 4.4 | 3.1 | 3.3 |
| | 1983-84 | 1.1 | 7.4 | 16.0 | 15.4 | 8.5 | 5.8 | 6.8 | 7.9 | 7.4 | 5.7 | 6.7 | 5.2 | 3.9 | 2.2 |

FARM MARKETINGS OF FLAXSEED, BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN |
|--------------------------|---------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|
| | PERCENT | | | | | | | | | | | |
| MINN 1982-83 | 3 | 41 | 17 | 17 | 13 | 2 | 1 | 1 | 1 | 2 | 1 | 1 |
| 1983-84 | 2 | 42 | 16 | 12 | 11 | 2 | 2 | 2 | 4 | 5 | 1 | 1 |
| N DAK 1982-83 | 4 | 7 | 36 | 11 | 12 | 5 | 3 | 2 | 2 | 4 | 3 | 11 |
| 1983-84 | 4 | 12 | 40 | 16 | 6 | 3 | 5 | 3 | 3 | 3 | 2 | 3 |
| S DAK 1982-83 | 3 | 26 | 37 | 8 | 5 | 5 | 5 | 3 | 2 | 1 | 2 | 3 |
| 1983-84 | 1 | 23 | 46 | 8 | 3 | 3 | 1 | 2 | 1 | 4 | 4 | 4 |
| U S 1982-83 | 3.6 | 17.1 | 33.6 | 11.0 | 10.2 | 4.6 | 3.3 | 2.1 | 1.9 | 2.9 | 2.4 | 7.3 |
| 1983-84 | 3.5 | 15.0 | 39.4 | 14.8 | 6.0 | 2.9 | 4.4 | 2.8 | 2.8 | 3.2 | 2.2 | 3.0 |

FARM MARKETINGS OF SORGHUM, BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | JUN | JUL | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|--------------------------|---------|------|------|-----|------|------|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|
| | PERCENT | | | | | | | | | | | | | | | |
| ARIZ 1982-83 | | 1 | 3 | 5 | 26 | 20 | 13 | 28 | 4 | 0 | 0 | 0 | 0 | | | |
| 1983-84 | | 0 | 2 | 2 | 10 | 26 | 32 | 10 | 3 | 0 | 0 | 10 | 5 | | | |
| CALIF 1982-83 | | | | 6 | 26 | 29 | 10 | 10 | 6 | 6 | 3 | 1 | 1 | 1 | 1 | |
| 1983-84 | | | | 10 | 29 | 24 | 8 | 7 | 2 | 4 | 5 | 1 | 3 | 1 | 6 | |
| COLO 1982-83 | | | | | 6 | 15 | 14 | 17 | 3 | 8 | 10 | 6 | 6 | 2 | 6 | 7 |
| 1983-84 | | | | | 27 | 11 | 9 | 17 | 6 | 8 | 6 | 4 | 5 | 3 | 2 | 2 |
| KANS 1982-83 | | | | 3 | 7 | 22 | 12 | 15 | 6 | 6 | 5 | 6 | 7 | 3 | 8 | |
| 1983-84 | | | | 7 | 14 | 13 | 11 | 8 | 9 | 9 | 7 | 7 | 3 | 5 | 7 | |
| MO 1982-83 | | | | 51 | 20 | 11 | 5 | 5 | 2 | 2 | 1 | 1 | 1 | 1 | 0 | |
| 1983-84 | | | | 25 | 19 | 18 | 6 | 8 | 4 | 9 | 3 | 2 | 2 | 2 | 2 | |
| NEBR 1982-83 | | | | | 12 | 26 | 12 | 13 | 4 | 4 | 4 | 3 | 4 | 3 | 8 | 7 |
| 1983-84 | | | | | 19 | 14 | 11 | 15 | 8 | 9 | 4 | 5 | 3 | 6 | 2 | 4 |
| N MEX 1982-83 | | | | 1 | 10 | 34 | 12 | 16 | 3 | 2 | 1 | 5 | 1 | 1 | 14 | |
| 1983-84 | | | | 4 | 27 | 21 | 11 | 22 | 6 | 1 | 1 | 1 | 2 | 3 | 1 | |
| OKLA 1982-83 | | | 2 | 7 | 15 | 24 | 15 | 11 | 4 | 3 | 6 | 7 | 5 | 1 | | |
| 1983-84 | | | 6 | 5 | 7 | 15 | 17 | 12 | 12 | 8 | 5 | 8 | 2 | 3 | | |
| TEX 1982-83 | 5 | 36 | 16 | 3 | 7 | 6 | 4 | 10 | 3 | 3 | 1 | 6 | | | | |
| 1983-84 | 4 | 15 | 32 | 7 | 9 | 7 | 7 | 8 | 4 | 3 | 2 | 2 | | | | |
| U S 1982-83 | 2.3 | 16.2 | 7.3 | 5.8 | 9.3 | 15.0 | 8.0 | 11.6 | 3.9 | 3.9 | 2.7 | 5.1 | 2.6 | 1.4 | 3.6 | 1.3 |
| 1983-84 | 1.6 | 5.8 | 12.6 | 7.0 | 13.7 | 11.6 | 9.2 | 9.7 | 6.4 | 6.4 | 4.0 | 4.1 | 1.8 | 2.8 | 2.6 | .7 |

FARM MARKETINGS OF CORN FOR GRAIN BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | AUG | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|--------------------------|---------|---------|-----|------|------|-----|------|-----|------|-----|-----|-----|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | | | |
| COLO | 1982-83 | | | 11 | 19 | 14 | 12 | 9 | 5 | 6 | 4 | 8 | 4 | 2 | 6 |
| | 1983-84 | | | 11 | 6 | 9 | 7 | 5 | 12 | 10 | 10 | 10 | 7 | 6 | 7 |
| GA | 1982-83 | 40 | 15 | 9 | 5 | 5 | 7 | 6 | 6 | 2 | 1 | 3 | 1 | | |
| | 1983-84 | 39 | 18 | 14 | 4 | 2 | 2 | 5 | 2 | 3 | 2 | 4 | 5 | | |
| ILL | 1982-83 | | | 11 | 10 | 6 | 22 | 10 | 10 | 6 | 6 | 6 | 5 | 5 | 3 |
| | 1983-84 | | | 12 | 8 | 9 | 18 | 8 | 13 | 6 | 5 | 6 | 6 | 4 | 5 |
| IND | 1982-83 | | | 26 | 14 | 9 | 15 | 10 | 6 | 4 | 3 | 5 | 3 | 2 | 3 |
| | 1983-84 | | | 16 | 12 | 7 | 16 | 9 | 9 | 7 | 5 | 5 | 5 | 4 | 5 |
| IOWA | 1982-83 | | | 5 | 11 | 8 | 9 | 6 | 8 | 7 | 8 | 10 | 9 | 11 | 8 |
| | 1983-84 | | | 13 | 8 | 8 | 17 | 7 | 13 | 8 | 6 | 5 | 6 | 5 | 4 |
| KANS | 1982-83 | | 7 | 18 | 16 | 18 | 13 | 8 | 4 | 3 | 4 | 3 | 3 | 3 | |
| | 1983-84 | | 5 | 12 | 15 | 8 | 8 | 10 | 13 | 6 | 11 | 5 | 3 | 4 | |
| KY | 1982-83 | | 12 | 28 | 11 | 8 | 14 | 9 | 7 | 5 | 2 | 2 | 1 | 1 | |
| | 1983-84 | | 8 | 17 | 7 | 8 | 21 | 11 | 9 | 5 | 2 | 2 | 5 | 5 | |
| MICH | 1982-83 | | | 9 | 18 | 13 | 10 | 9 | 11 | 6 | 6 | 5 | 4 | 5 | 4 |
| | 1983-84 | | | 8 | 28 | 13 | 12 | 9 | 10 | 6 | 4 | 5 | 2 | 2 | 1 |
| MINN | 1982-83 | | | 4 | 14 | 9 | 7 | 8 | 6 | 6 | 7 | 12 | 9 | 9 | 9 |
| | 1983-84 | | | 9 | 12 | 8 | 10 | 5 | 10 | 11 | 8 | 8 | 8 | 7 | 4 |
| MO | 1982-83 | | 10 | 13 | 9 | 6 | 9 | 6 | 12 | 8 | 7 | 7 | 5 | 8 | |
| | 1983-84 | | 11 | 15 | 11 | 10 | 13 | 9 | 7 | 5 | 5 | 5 | 6 | 3 | |
| NEBR | 1982-83 | | | 5 | 10 | 9 | 8 | 6 | 6 | 8 | 7 | 8 | 7 | 13 | 13 |
| | 1983-84 | | | 13 | 10 | 7 | 14 | 6 | 12 | 10 | 5 | 5 | 10 | 5 | 3 |
| N C | 1982-83 | | 45 | 19 | 5 | 4 | 10 | 5 | 3 | 2 | 1 | 2 | 1 | 3 | |
| | 1983-84 | | 39 | 13 | 6 | 5 | 5 | 7 | 6 | 4 | 3 | 2 | 2 | 8 | |
| OHIO | 1982-83 | | | 17 | 16 | 9 | 11 | 8 | 9 | 7 | 6 | 6 | 4 | 3 | 4 |
| | 1983-84 | | | 21 | 17 | 9 | 15 | 9 | 9 | 5 | 4 | 3 | 2 | 4 | 2 |
| PA | 1982-83 | | | 20 | 20 | 12 | 8 | 6 | 9 | 4 | 4 | 4 | 5 | 4 | 4 |
| | 1983-84 | | | 18 | 18 | 6 | 10 | 13 | 7 | 5 | 3 | 4 | 5 | 2 | 9 |
| S DAK | 1982-83 | | | 5 | 16 | 17 | 7 | 6 | 7 | 6 | 6 | 8 | 6 | 7 | 9 |
| | 1983-84 | | | 16 | 14 | 7 | 10 | 6 | 9 | 8 | 9 | 6 | 7 | 5 | 3 |
| TEX | 1982-83 | 8 | 20 | 10 | 9 | 4 | 8 | 4 | 3 | 4 | 2 | 2 | 26 | | |
| | 1983-84 | 16 | 9 | 18 | 7 | 6 | 10 | 3 | 3 | 3 | 2 | 1 | 22 | | |
| WIS | 1982-83 | | | 5 | 17 | 11 | 9 | 5 | 5 | 7 | 7 | 7 | 9 | 14 | 4 |
| | 1983-84 | | | 7 | 14 | 13 | 12 | 9 | 15 | 8 | 6 | 5 | 5 | 3 | 3 |
| U S | 1982-83 | .5 | 2.1 | 11.1 | 12.3 | 8.5 | 12.6 | 7.8 | 7.6 | 6.0 | 5.9 | 7.1 | 6.3 | 6.8 | 5.4 |
| | 1983-84 | 1.0 | 1.8 | 13.1 | 11.0 | 8.3 | 14.1 | 7.4 | 11.0 | 7.3 | 5.5 | 5.2 | 6.5 | 4.3 | 3.5 |

FARM MARKETINGS OF SOYBEANS, BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG |
|--------------------------|---------|---------|------|------|-----|------|-----|-----|-----|------|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | |
| ALA | 1982-83 | 9 | 43 | 23 | 9 | 4 | 1 | 3 | 2 | 2 | 1 | 2 | 1 |
| | 1983-84 | 2 | 39 | 42 | 6 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 |
| ARK | 1982-83 | 1 | 20 | 29 | 10 | 15 | 7 | 6 | 4 | 1 | 1 | 3 | 3 |
| | 1983-84 | 1 | 15 | 35 | 13 | 17 | 4 | 7 | 2 | 3 | 1 | 1 | 1 |
| GA | 1982-83 | 1 | 21 | 35 | 20 | 6 | 3 | 3 | 4 | 1 | 2 | 2 | 2 |
| | 1983-84 | 1 | 21 | 35 | 13 | 5 | 3 | 7 | 4 | 4 | 1 | 5 | 1 |
| ILL | 1982-83 | 8 | 11 | 5 | 6 | 17 | 7 | 10 | 7 | 6 | 6 | 9 | 8 |
| | 1983-84 | 9 | 15 | 3 | 5 | 14 | 7 | 13 | 9 | 13 | 4 | 3 | 5 |
| IND | 1982-83 | 14 | 35 | 6 | 5 | 12 | 6 | 4 | 5 | 2 | 3 | 4 | 4 |
| | 1983-84 | 20 | 25 | 5 | 4 | 8 | 5 | 8 | 8 | 9 | 2 | 2 | 4 |
| IOWA | 1982-83 | 5 | 9 | 8 | 6 | 11 | 6 | 7 | 7 | 6 | 7 | 15 | 13 |
| | 1983-84 | 8 | 19 | 6 | 5 | 14 | 6 | 11 | 6 | 14 | 6 | 2 | 3 |
| KANS | 1982-83 | 4 | 18 | 8 | 7 | 14 | 7 | 10 | 6 | 7 | 6 | 7 | 6 |
| | 1983-84 | 6 | 22 | 10 | 9 | 7 | 6 | 8 | 11 | 16 | 2 | 1 | 2 |
| KY | 1982-83 | 2 | 24 | 21 | 6 | 12 | 9 | 6 | 7 | 3 | 2 | 4 | 4 |
| | 1983-84 | 4 | 15 | 13 | 10 | 19 | 10 | 11 | 5 | 5 | 2 | 3 | 3 |
| LA | 1982-83 | 7 | 28 | 26 | 11 | 11 | 6 | 3 | 2 | 1 | 1 | 2 | 2 |
| | 1983-84 | 4 | 30 | 29 | 11 | 12 | 7 | 4 | 1 | 1 | 1 | | |
| MICH | 1982-83 | 1 | 25 | 22 | 11 | 11 | 6 | 5 | 5 | 2 | 2 | 6 | 4 |
| | 1983-84 | 4 | 34 | 17 | 8 | 6 | 6 | 7 | 6 | 8 | 2 | 1 | 1 |
| MINN | 1982-83 | 5 | 9 | 9 | 6 | 7 | 6 | 5 | 7 | 7 | 9 | 16 | 14 |
| | 1983-84 | 11 | 19 | 11 | 7 | 9 | 4 | 7 | 7 | 15 | 4 | 3 | 3 |
| MISS | 1982-83 | 3 | 17 | 23 | 12 | 15 | 7 | 7 | 4 | 2 | 1 | 5 | 4 |
| | 1983-84 | 3 | 18 | 29 | 15 | 11 | 7 | 7 | 4 | 3 | 1 | 1 | 1 |
| MO | 1982-83 | 3 | 17 | 15 | 10 | 15 | 7 | 8 | 6 | 4 | 3 | 6 | 6 |
| | 1983-84 | 7 | 24 | 11 | 8 | 13 | 6 | 9 | 6 | 9 | 3 | 2 | 2 |
| NEBR | 1982-83 | 4 | 15 | 13 | 9 | 12 | 8 | 6 | 6 | 3 | 4 | 6 | 9 |
| | 1983-84 | 7 | 16 | 8 | 5 | 10 | 6 | 13 | 9 | 16 | 3 | 4 | 3 |
| N C | 1982-83 | 1 | 5 | 43 | 24 | 12 | 5 | 2 | 2 | 2 | 1 | 2 | 1 |
| | 1983-84 | 1 | 7 | 32 | 31 | 8 | 3 | 7 | 4 | 4 | 1 | 1 | 1 |
| OHIO | 1982-83 | 10 | 23 | 7 | 7 | 12 | 5 | 9 | 6 | 3 | 4 | 8 | 6 |
| | 1983-84 | 10 | 25 | 7 | 5 | 10 | 4 | 13 | 8 | 14 | 1 | 1 | 2 |
| S C | 1982-83 | 1 | 3 | 29 | 21 | 25 | 4 | 4 | 3 | 2 | 1 | 4 | 3 |
| | 1983-84 | 1 | 2 | 17 | 31 | 17 | 6 | 10 | 4 | 6 | 2 | 1 | 3 |
| TENN | 1982-83 | 1 | 34 | 20 | 8 | 9 | 7 | 8 | 5 | 3 | 2 | 2 | 1 |
| | 1983-84 | 2 | 34 | 27 | 6 | 9 | 4 | 8 | 3 | 3 | 1 | 1 | 2 |
| U S | 1982-83 | 5.7 | 17.6 | 14.0 | 8.5 | 12.6 | 6.2 | 6.7 | 5.7 | 4.0 | 4.3 | 7.8 | 6.9 |
| | 1983-84 | 8.1 | 20.2 | 12.0 | 7.4 | 11.7 | 5.5 | 9.7 | 6.4 | 11.0 | 3.2 | 2.1 | 2.7 |

FARM MARKETINGS OF DRY EDIBLE BEANS, BY STATES, 1982-83 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG |
|--------------------------|---------|---------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | |
| CALIF | 1982-83 | 12 | 10 | 11 | 10 | 9 | 7 | 7 | 6 | 7 | 7 | 7 | 7 |
| | 1983-84 | 6 | 10 | 13 | 11 | 9 | 8 | 8 | 10 | 8 | 6 | 6 | 5 |
| COLO | 1982-83 | 8 | 8 | 7 | 12 | 12 | 11 | 7 | 5 | 7 | 7 | 8 | 8 |
| | 1983-84 | 19 | 13 | 7 | 6 | 5 | 6 | 4 | 4 | 5 | 6 | 9 | 16 |
| IDAHO | 1982-83 | 5 | 10 | 11 | 8 | 14 | 7 | 10 | 8 | 7 | 7 | 8 | 5 |
| | 1983-84 | 11 | 12 | 13 | 5 | 8 | 8 | 7 | 10 | 11 | 8 | 5 | 2 |
| MICH | 1982-83 | 11 | 24 | 7 | 6 | 7 | 5 | 4 | 6 | 11 | 8 | 5 | 6 |
| | 1983-84 | 16 | 23 | 10 | 7 | 6 | 7 | 4 | 4 | 4 | 6 | 6 | 7 |
| MINN | 1982-83 | 34 | 20 | 8 | 6 | 5 | 3 | 3 | 4 | 5 | 9 | 2 | 1 |
| | 1983-84 | 29 | 19 | 11 | 7 | 3 | 8 | 2 | 4 | 4 | 9 | 3 | 1 |
| NEBR | 1982-83 | 12 | 18 | 10 | 10 | 9 | 6 | 6 | 8 | 5 | 4 | 8 | 4 |
| | 1983-84 | 22 | 13 | 8 | 7 | 8 | 11 | 3 | 3 | 8 | 6 | 3 | 8 |
| N Y | 1982-83 | 3 | 9 | 9 | 10 | 13 | 11 | 8 | 12 | 8 | 11 | 4 | 2 |
| | 1983-84 | 4 | 14 | 11 | 6 | 16 | 10 | 8 | 12 | 6 | 3 | 4 | 6 |
| N DAK | 1982-83 | 23 | 27 | 7 | 8 | 6 | 5 | 5 | 4 | 5 | 5 | 2 | 3 |
| | 1983-84 | 19 | 10 | 10 | 4 | 4 | 7 | 7 | 6 | 11 | 8 | 3 | 11 |
| WASH | 1982-83 | 11 | 16 | 17 | 5 | 10 | 6 | 10 | 4 | 3 | 4 | 6 | 8 |
| | 1983-84 | 11 | 13 | 10 | 4 | 10 | 8 | 14 | 8 | 10 | 4 | 4 | 4 |
| WYO | 1982-83 | 9 | 13 | 10 | 17 | 8 | 3 | 2 | 4 | 8 | 6 | 11 | 9 |
| | 1983-84 | 17 | 11 | 16 | 6 | 5 | 10 | 2 | 4 | 9 | 10 | 3 | 7 |
| U S | 1982-83 | 12.2 | 17.5 | 8.8 | 8.4 | 8.8 | 6.2 | 5.9 | 6.2 | 7.7 | 6.8 | 6.0 | 5.5 |
| | 1983-84 | 15.5 | 15.2 | 10.3 | 6.9 | 6.8 | 7.9 | 5.3 | 5.8 | 7.0 | 6.5 | 5.3 | 7.5 |

FARM MARKETINGS OF SUNFLOWER, BY STATES, 1982-82 AND 1983-84
PERCENT OF SALES, BY MONTHS

| STATE AND MARKETING YEAR | | SEP | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG |
|--------------------------|---------|---------|------|------|------|------|-----|-----|-----|-----|-----|-----|-----|
| | | PERCENT | | | | | | | | | | | |
| MINN | 1982-83 | 1 | 15 | 37 | 8 | 4 | 6 | 2 | 4 | 4 | 8 | 5 | 6 |
| | 1983-84 | 8 | 34 | 15 | 11 | 4 | 11 | 6 | 9 | 1 | 1 | | |
| N DAK | 1982-83 | 1 | 9 | 21 | 15 | 8 | 5 | 7 | 10 | 8 | 9 | 4 | 3 |
| | 1983-84 | 5 | 40 | 20 | 10 | 6 | 3 | 4 | 6 | 2 | 2 | 1 | 1 |
| S DAK | 1982-83 | 1 | 16 | 34 | 13 | 3 | 2 | 7 | 9 | 3 | 7 | 3 | 2 |
| | 1983-84 | 2 | 26 | 13 | 7 | 36 | 2 | 2 | 4 | 8 | | | |
| U S | 1982-83 | 1.0 | 10.7 | 24.8 | 13.8 | 6.8 | 4.7 | 6.3 | 9.1 | 6.8 | 8.6 | 4.0 | 3.4 |
| | 1983-84 | 4.7 | 37.3 | 18.5 | 9.6 | 10.8 | 3.4 | 3.7 | 5.9 | 2.9 | 1.6 | .8 | .8 |

I N D E X

| | <u>PAGE</u> |
|------------------------------|-------------|
| BEANS, DRY EDIBLE | B- 4 |
| BEANS, BY CLASSES | B- 5 |
| CITRUS FRUIT | B- 2 |
| COTTON | B- 1 |
| COTTONSEED | B- 1 |
| CROP MARKETING SEASONS | B- 7 |
| FARM MARKETINGS | B- 8 |
| PAPAYAS | B- 3 |
| PECANS | B- 3 |
| TOBACCO, BURLEY | B- 1 |
| U S SUMMARY | A- 2 |

* U.S. Government Printing Office : 1984 - 460-937/20010

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

To stop mailing or to change your
address send this sheet with label
intact, showing new address, to Crop
Reporting Board Publications, SRS, U.S.
Dept of Agriculture, Rm 5829 South
Building, 14th & Independence Ave S.W.,
Wash., D.C. 20250

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101
FIRST CLASS**

