

---

---

# Crop Production



Crop  
Reporting  
Board

Statistical Reporting  
Service

United States  
Department of  
Agriculture

Washington, D.C. 20250

---

---

RELEASED: December 10, 1985  
3:00 P.M. ET

## HIGHLIGHTS

ALL COTTON production is expected to total 13.8 million bales, down fractionally from the November 1 forecast but 6 percent above 1984. The 90 percent confidence interval for this production forecast is 13.4 million to 14.2 million bales.

DRY EDIBLE BEAN production is forecast at 22.3 million cwt (1.01 million metric tons), up 6 percent from 1984 and 44 percent from 1983.

BURLEY TOBACCO production is forecast at 616 million pounds (279 thousand metric tons), 14 percent below 1984.

ORANGE production is forecast at 184 million boxes (7.16 million metric tons), up fractionally from October 1 and up 16 percent from last season.

GRAPEFRUIT production, excluding California's "other areas" crop, is 51.2 million boxes (1.91 million metric tons), unchanged from November 1, but 1 percent less than last season.

LEMON production is forecast at 21.4 million boxes (738 thousand metric tons), down 1 percent from November 1 and 17 percent from last season.

\*\*\*\*\*  
\* NOTICE \*  
\* See Proposed Program Modification on Page B-5. \*  
\* Requests for a subscription order form covering all available reports \*  
\* should be directed to Crop Reporting Board Publications, Room 5829 - \*  
\* South Building, USDA, Washington, D.C. 20250 (Phone (202) 447-4021). \*  
\*\*\*\*\*

UNITED STATES CROP SUMMARY - AREA PLANTED AND HARVESTED  
(DOMESTIC UNITS)

CROP	AREA PLANTED		AREA HARVESTED	
	1984	1985	1984	INDICATED 1985
	1,000 ACRES			
ALL COTTON	11,145.4	10,739.1	10,379.1	10,339.2
UPLAND	11,065.3	10,652.3	10,299.5	10,252.6
AMER-PIMA	80.1	86.8	79.6	86.6
DRY EDIBLE BEANS 1/	1,501.0	1,579.9	1,460.3	1,488.4
BURLEY TOBACCO			315.7	265.5

1/ 1984 REVISED.

UNITED STATES CROP SUMMARY - YIELD PER ACRE AND PRODUCTION  
(DOMESTIC UNITS)

CROP AND UNIT	YIELD PER ACRE			PRODUCTION	
	1984	INDICATED 1985	1984	NOV 1, 1985	DEC 1, 1985
	1,000				
ALL COTTON BALE 1/	600	641	12,981.8	13,874.9	13,809.9
UPLAND " 1/	599	640	12,851.4	13,727.4	13,662.4
AMER-PIMA " 1/	786	818	130.4	147.5	147.5
COTTONSEED TON			5,149	5,509	5,484
DRY EDIBLE BEANS 2/ CWT 1/	1,443	1,499	21,070	22,070	22,315
BURLEY TOBACCO LB	2,256	2,319	712,209		615,735
PECANS "			232,400	4/262,700	236,300
<u>CITRUS FRUITS 3/</u>			<u>1984-85</u>	<u>1985-86</u>	<u>1985-86</u>
ORANGES BOX			158,350	4/183,550	183,950
LEMONS "			25,800	21,700	21,400

1/ YIELD IN POUNDS. 2/ 1984 REVISED. 3/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR. 4/ OCTOBER 1, 1985.

The CROP PRODUCTION report contains State and National estimates with related information on selected agricultural commodities. These data were prepared and adopted by the Crop Reporting Board which consists of commodity statisticians from the field offices and Washington headquarters.

APPROVED:

*Raymond D. Lett*

ACTING SECRETARY OF AGRICULTURE

CROP REPORTING BOARD:

Raymond R. Hancock, Chairperson,  
L. Duane Jewell, Secretary,  
Rich D. Allen, John D. Witzig,  
Roger M. Foster, Richard P. Small,  
Robert L. Addison, Arvin R. Budge,  
S. Radley Edwards, Clifton D. James,  
Doyle C. Johnson, Steven A. Manheimer,  
Darwin E. Ransom.

UNITED STATES CROP SUMMARY - AREA PLANTED AND HARVESTED  
(METRIC UNITS)

CROP	AREA PLANTED		AREA HARVESTED	
			INDICATED	
	1984	1985	1984	1985
	HECTARES			
ALL COTTON	4 510 440	4 346 010	4 200 310	4 184 170
UPLAND	4 478 020	4 310 880	4 168 100	4 149 120
AMER-PIMA	32 420	35 130	32 210	35 050
DRY EDIBLE BEANS 1/	607 440	639 370	590 970	602 340
BURLEY TOBACCO			127 760	107 450

1/ 1984 REVISED.

UNITED STATES CROP SUMMARY - YIELD PER HECTARE AND PRODUCTION  
(METRIC UNITS)

CROP	YIELD PER HECTARE		PRODUCTION		
			INDICATED		
	1984	INDICATED 1985	1984	NOV 1, 1985	DEC 1, 1985
	METRIC TONS				
ALL COTTON	0.67	0.72	2 826 440	3 020 880	3 006 730
UPLAND	0.67	0.72	2 798 050	2 988 770	2 974 620
AMER-PIMA	0.88	0.92	28 390	32 110	32 110
COTTONSEED			4 671 090	4 997 680	4 975 000
DRY EDIBLE BEANS 1/	1.62	1.68	955 710	1 001 070	1 012 190
BURLEY TOBACCO	2.53	2.60	323 050		279 290
PECANS			105 410	3/119 160	107 180
CITRUS FRUITS 2/			1984-85	1985-86	1985-86
ORANGES			6 095 370	3/7 145 890	7 159 500
LEMONS			889 040	748 430	737 540

1/ 1984 REVISED. 2/ SEASON BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH THE COMPLETION OF HARVEST THE FOLLOWING YEAR. 3/ OCTOBER 1, 1985.

COTTON

CROP AND STATE	AREA HARVESTED		YIELD		PRODUCTION 1/		
	1984	IND 1985	1984	IND 1985	1983	1984	IND 1985
	1,000 ACRES		POUNDS		1,000 BALES 2/		
UPLAND							
ALA	307.0	327.0	699	734	183.0	447.0	500.0
ARIZ	429.0	390.0	1,227	1,231	725.0	1,097.0	1,000.0
ARK	465.0	440.0	632	764	323.0	612.0	700.0
CALIF	1,400.0	1,340.0	999	1,146	1,971.0	2,913.0	3,200.0
FLA 3/	17.0	21.5	847	781	15.2	30.0	35.0
GA	172.0	255.0	784	678	112.0	281.0	360.0
KANS 3/	.5	.8	288	480	.2	.3	.8
LA	645.0	635.0	786	574	532.0	1,056.0	760.0
MISS	1,032.0	1,040.0	767	775	900.0	1,650.0	1,680.0
MO	162.0	152.0	554	616	73.0	187.0	195.0
N MEX	69.0	55.0	605	655	70.0	87.0	75.0
N C	96.0	88.0	600	627	43.0	120.0	115.0
OKLA	375.0	355.0	234	352	145.0	183.0	260.0
S C	104.0	122.0	785	708	53.0	170.0	180.0
TENN	325.0	330.0	498	582	151.0	337.0	400.0
TEX	4,700.0	4,700.0	376	429	2,380.0	3,680.0	4,200.0
VA 3/	1.0	1.3	528	591	.3	1.1	1.6
U S	10,299.5	10,252.6	599	640	7,676.7	12,851.4	13,662.4
AMER-PIMA							
ARIZ	50.3	59.5	841	863	46.9	88.1	107.0
N MEX	10.0	7.7	595	655	15.8	12.4	10.5
TEX	19.3	19.4	744	742	32.0	29.9	30.0
U S	79.6	86.6	786	818	94.7	130.4	147.5
ALL							
ALA	307.0	327.0	699	734	183.0	447.0	500.0
ARIZ	479.3	449.5	1,187	1,182	771.9	1,185.1	1,107.0
ARK	465.0	440.0	632	764	323.0	612.0	700.0
CALIF	1,400.0	1,340.0	999	1,146	1,971.0	2,913.0	3,200.0
FLA 3/	17.0	21.5	847	781	15.2	30.0	35.0
GA	172.0	255.0	784	678	112.0	281.0	360.0
KANS 3/	.5	.8	288	480	.2	.3	.8
LA	645.0	635.0	786	574	532.0	1,056.0	760.0
MISS	1,032.0	1,040.0	767	775	900.0	1,650.0	1,680.0
MO	162.0	152.0	554	616	73.0	187.0	195.0
N MEX	79.0	62.7	604	655	85.8	99.4	85.5
N C	96.0	88.0	600	627	43.0	120.0	115.0
OKLA	375.0	355.0	234	352	145.0	183.0	260.0
S C	104.0	122.0	785	708	53.0	170.0	180.0
TENN	325.0	330.0	498	582	151.0	337.0	400.0
TEX	4,719.3	4,719.4	377	430	2,412.0	3,709.9	4,230.0
VA 3/	1.0	1.3	528	591	.3	1.1	1.6
U S	10,379.1	10,339.2	600	641	7,771.4	12,981.8	13,809.9

1/ PRODUCTION GINNED AND TO BE GINNED.

2/ 480-LB. NET WEIGHT BALES.

3/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

COTTONSEED

STATE	PRODUCTION		
	1983	1984	IND 1985
	1,000 TONS		
U S	3,076	5,149	5,484

BURLEY TOBACCO

STATE AND TYPE	AREA HARVESTED		YIELD		PRODUCTION		
	1984	IND 1985	1984	IND 1985	1983	1984	IND 1985
	ACRES		POUNDS		1,000 POUNDS		
TYPE 31							
IND	8,100	7,100	2,320	2,300	13,041	18,792	16,330
KY	210,000	172,000	2,340	2,400	297,600	491,400	412,800
MO 1/	2,900	2,700	2,015	2,250	6,417	5,844	6,075
N C	9,600	8,700	2,185	2,250	21,989	20,976	19,575
OHIO	10,900	8,000	2,250	2,150	15,750	24,307	17,200
TENN	61,000	55,000	2,030	2,150	98,400	123,830	118,250
VA	10,800	9,700	2,090	2,250	24,480	22,572	21,825
W VA 1/	2,400	2,300	1,870	1,600	3,762	4,488	3,680
U S	315,700	265,500	2,256	2,319	481,439	712,209	615,735

1/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

CITRUS FRUIT 1/

CROP	PRODUCTION BOXES			PRODUCTION TON EQUIVALENT		
	AND	UTILIZED	INDICATED	UTILIZED	INDICATED	
STATE	1983-84	1984-85	1985-86	1983-84	1984-85	1985-86
	1,000 UNITS 2/			1,000 UNITS		
ORANGES, EARLY MID & NAVEL 3/						
ARIZ	550	650	600	21	25	23
CALIF	33,700	26,000	30,000	1,264	975	1,125
FLA	69,700	55,000	71,000	3,136	2,475	3,195
TEX	2,400	0	250	102	0	11
U S	106,350	81,650	101,850	4,523	3,475	4,354
ORANGES, VALENCIA						
ARIZ	1,250	1,800	1,900	47	68	71
CALIF	14,800	26,000	19,000	556	975	713
FLA	47,000	48,900	61,000	2,115	2,201	2,745
TEX	110	0	200	5	0	9
U S	63,160	76,700	82,100	2,723	3,244	3,538
ALL ORANGES						
ARIZ	1,800	2,450	2,500	68	93	94
CALIF	48,500	52,000	49,000	1,820	1,950	1,838
FLA	116,700	103,900	132,000	5,251	4,676	5,940
TEX	2,510	0	450	107	0	20
U S	169,510	158,350	183,950	7,246	6,719	7,892
TEMPLES						
FLA	2,900	3,250	3,500	130	146	158
GRAPEFRUIT, WHITE SEEDLESS						
FLA	23,000	24,800	25,000	978	1,054	1,063
GRAPEFRUIT, PINK SEEDLESS						
FLA	13,400	16,300	16,000	569	693	680
OTHER GRAPEFRUIT						
FLA	4,500	2,900	3,000	191	123	128
ALL GRAPEFRUIT						
ARIZ	2,270	3,700	2,900	72	118	93
CALIF						
DESERT	3,340	3,900	3,800	107	124	122
OTHER AREAS	3,900	4,000		131	134	
TOTAL	7,240	7,900		238	258	
FLA	40,900	44,000	44,000	1,738	1,871	1,871
TEX	3,200	0	500	128	0	20
U S	53,610	55,600		2,176	2,246	
TANGERINES						
ARIZ	1,150	700	700	43	26	26
CALIF	1,850	1,680	1,800	70	63	68
FLA	2,000	1,050	1,100	95	50	52
U S	5,000	3,430	3,600	208	139	146
LEMONS						
ARIZ	4,000	6,000	3,500	152	228	133
CALIF	17,250	19,800	17,900	655	752	680
U S	21,250	25,800	21,400	807	980	813
TANGELOS						
FLA	3,600	3,600	3,200	162	162	144

1/ THE CROP YEAR BEGINS WITH THE BLOOM OF THE FIRST YEAR SHOWN AND ENDS WITH YEAR HARVEST IS COMPLETED.

2/ NET LBS PER BOX; ORANGES-CALIF & ARIZ-75, FLA-90, TEX-85; GRAPEFRUIT-CALIF DESERT & ARIZ-64, CALIF OTHER-67, FLA-85, TEX-80; LEMONS-76; TANGELOS & TEMPLES-90; TANGERINES- CALIF & ARIZ-75, FLA-95.

3/ NAVAL AND MISCELLANEOUS VARIETIES IN CALIFORNIA AND ARIZONA. EARLY AND MIDSEASON VARIETIES IN FLORIDA AND TEXAS, INCLUDING SMALL QUANTITIES OF TANGERINES IN TEXAS.

4/ DUE TO THE SEVERE FREEZE OF DECEMBER 1983 NO COMMERCIAL SUPPLIES WERE HARVESTED FOR THE 1984-85 TEXAS CITRUS CROPS.

5/ THE FIRST FORECAST FOR CALIF GRAPEFRUIT "OTHER AREAS" WILL BE AS OF APR 1.

PECANS

CROP AND STATE	PRODUCTION		
	TOTAL		
	1983	1984	IND 1985
	1,000 POUNDS		
IMPROVED 1/			
ALA	17,000	9,000	14,400
ARK	1,750	1,100	1,000
FLA	1,500	2,200	1,900
GA	85,000	100,000	85,000
LA	3,000	1,500	3,000
MISS	5,500	4,000	4,500
N MEX	29,000	24,000	26,000
N C	500	1,830	400
OKLA 2/	1,000	2,000	1,000
S C	1,000	3,600	900
TEX	22,000	20,000	15,000
U S	167,250	169,230	153,100
NATIVE & SEEDLING			
ALA	7,000	4,000	3,600
ARK	750	400	700
FLA	1,900	2,800	900
GA	15,000	20,000	10,000
LA	19,000	3,500	14,000
MISS	2,500	1,500	1,500
N C	1,100	1,070	200
OKLA 2/	7,000	23,000	9,000
S C	500	1,900	300
TEX	48,000	5,000	43,000
U S	102,750	63,170	83,200
ALL			
ALA	24,000	13,000	18,000
ARK	2,500	1,500	1,700
FLA	3,400	5,000	2,800
GA	100,000	120,000	95,000
LA	22,000	5,000	17,000
MISS	8,000	5,500	6,000
N MEX	29,000	24,000	26,000
N C	1,600	2,900	600
OKLA 2/	8,000	25,000	10,000
S C	1,500	5,500	1,200
TEX	70,000	25,000	58,000
U S	270,000	232,400	236,300

1/ BUDDED, GRAFTED, OR TOPWORKED VARIETIES.

2/ ESTIMATES FOR CURRENT YEAR CARRIED FORWARD FROM EARLIER FORECAST.

PAPAYAS - HAWAII

MONTH	AREA				FRESH PRODUCTION		
	TOTAL IN CROP		HARVESTED		1984	1985	FORECAST
	1984	1985	1984	1985			1985-86
	ACRES				1,000 POUNDS		
OCT	3,850	3,515	2,635	2,430	5,458	4,125	
NOV	3,840	3,615	2,725	2,450	5,999	3,845	
DEC	3,835		2,765		3,756		2,800
JAN		3,980		2,950		3,700	4,000
FEB		3,930		2,820		4,000	4,300
MAR		3,945		3,000		5,080	4,300
CUMULATIVE FRESH PRODUCTION JAN-NOV					63,244	45,450	

AREA PLANTED, DRY EDIBLE BEANS

STATE	1984 1/	1985	STATE	1984 1/	1985
1,000 ACRES			1,000 ACRES		
CALIF	198.0	180.0	NEBR	175.0	160.0
COLO	195.0	225.0	N Y	32.0	35.0
IDAHO	140.0	120.0	N DAK	205.0	260.0
KANS	13.0	17.0	UTAH	9.5	8.5
MICH	400.0	440.0	WASH	35.0	34.0
MINN	52.0	68.0	WYO	38.0	29.0
MONT	8.5	3.4	U S	1,501.0	1,579.9

1/ REVISED.

AREA PLANTED, DRY EDIBLE LIMA BEANS

CROP AND STATE	1984 1/	1985
1,000 ACRES		
LARGE LIMA-CALIF	37.0	46.0
BABY LIMA-CALIF	29.0	27.0

1/ REVISED.

DRY EDIBLE BEANS 1/

CROP AND STATE	AREA HARVESTED		YIELD		PRODUCTION		
	2/ 1984	IND 1985	2/ 1984	IND 1985	1983	2/ 1984	IND 1985
	1,000 ACRES		POUNDS		1,000 CWT		
LARGE LIMA							
CALIF	36.0	45.0	1,800	2,130	463	648	959
BABY LIMA							
CALIF	28.0	26.0	1,950	2,460	472	546	640
OTHER							
CALIF	127.0	104.0	1,590	1,840	1,477	2,024	1,914
ALL							
CALIF	191.0	175.0	1,685	2,007	2,412	3,218	3,513
COLO	190.0	220.0	1,260	1,340	1,680	2,394	2,948
IDAHO	138.0	118.0	1,790	1,700	1,452	2,470	2,006
KANS	12.0	16.0	1,700	1,700	126	204	272
MICH	390.0	410.0	1,100	1,320	4,550	4,290	5,412
MINN	50.0	62.0	1,400	1,400	452	700	868
MONT	8.0	3.0	1,900	1,900	37	152	57
NEBR	170.0	146.0	1,900	1,850	2,188	3,230	2,701
N Y	31.0	33.0	1,200	900	255	372	297
N DAK	200.0	237.0	1,260	1,270	1,648	2,520	3,010
UTAH	9.3	8.4	580	480	41	54	40
WASH	34.0	33.0	2,080	2,150	355	707	710
WYO	37.0	27.0	2,050	1,780	324	759	481
U S	1,460.3	1,488.4	1,443	1,499	15,520	21,070	22,315

1/ EXCLUDES BEANS GROWN FOR GARDEN SEED. 2/ REVISED.

DRY EDIBLE BEANS, PRODUCTION BY COMMERCIAL CLASSES  
THOUSAND HUNDREDWEIGHT, 1983-85 1/

STATE	LARGE LIMA			BABY LIMA			BLACKEYE			GARBANZO		
	1983	1984	1985	1983	1984	1985	1983	1984	1985	1983	1984	1985
CALIF	463	648	959	472	546	640	623	930	775	47	19	16
U S	463	648	959	472	546	640	623	930	775	47	19	16
STATE	NAVY			GREAT NORTHERN			SMALL WHITE			CRANBERRY		
	1983	1984	1985	1983	1984	1985	1983	1984	1985	1983	1984	1985
CALIF							34	43				
IDAHO				192	230	146	74	227	140			
MICH	3,750	3,591	4,355				180	170	125	285	185	261
MINN	270	415	543									
NEBR				1,720	2,132	1,356			90			
N DAK	598	960	1,451									
WASH							93	240	180			
WYO				28	42	29						
U S	4,618	4,966	6,349	1,940	2,404	1,531	381	680	535	285	185	261
STATE	SMALL RED			PINK			RED KIDNEY			BLACK TURTLE SOUP		
	1983	1984	1985	1983	1984	1985	1983	1984	1985	1983	1984	1985
CALIF				188	186	208	411	746	710			
IDAHO	147	177	220	429	583	540	16	34	40			
MICH							250	260	398	30	35	165
MINN							70	80	139			
MONT					20	14						
NEBR							35					
N Y							215	261	205	18	75	72
WASH	155	168	286	22	52	32						
U S	302	345	506	639	841	794	997	1,381	1,492	48	110	237
STATE	PINTO			OTHER			TOTAL					
	1983	1984	1985	1983	1984	1985	1983	1984	1985	1983	1984	1985
CALIF					174	100		205	2,412	3,218	3,513	
COLO 2/	1,662	2,204	2,948		18	190			1,680	2,394	2,948	
IDAHO	553	1,147	820		41	72		100	1,452	2,470	2,006	
KANS	126	204	272						126	204	272	
MICH	28	30	64		27	19		44	4,550	4,290	5,412	
MINN	100	202	182		12	3		4	452	700	868	
MONT	35	132	43		2				37	152	57	
NEBR	433	882	990				216	265	2,188	3,230	2,701	
N Y					22	36		20	255	372	297	
N DAK	1,020	1,500	1,534		30	60		25	1,648	2,520	3,010	
UTAH	41	54	40						41	54	40	
WASH	78	214	199		7	33		13	355	707	710	
WYO	296	717	452						324	759	481	
U S	4,372	7,286	7,544	333	729	676	15,520	21,070	22,315			

1/ 1984 REVISED.

2/ FOR 1985, A SMALL QUANTITY OF OTHER BEANS INCLUDED IN PINTO TO AVOID POSSIBLE DISCLOSURE OF INDIVIDUAL OPERATIONS.



FARM MARKETING OF FIELD CROPS, UNITED STATES, 1983-84 1/ AND 1984-85  
PERCENT OF SALES, BY MONTHS

MONTH	CROP MARKETING YEAR							
	1983-84		1984-85		1983-84		1984-85	
	PERCENT							
	HAY		BARLEY		FLAXSEED			
APR	.6	.5						
MAY	3.9	4.3	.2	.4				
JUN	10.6	10.6	2.0	1.4				
JUL	11.2	11.8	6.6	7.7	3.5		2.1	
AUG	9.2	9.3	17.8	21.8	15.0		16.7	
SEP	7.6	7.8	13.6	12.0	39.4		24.2	
OCT	7.1	7.6	10.6	9.9	14.8		12.3	
NOV	7.6	7.0	8.3	7.4	6.0		9.3	
DEC	8.0	7.9	6.6	5.7	2.9		6.0	
JAN	9.2	9.3	8.3	7.0	4.4		11.0	
FEB	8.4	7.7	5.4	5.2	2.8		3.9	
MAR	7.6	7.7	5.1	5.1	2.8		4.1	
APR	6.8	6.4	4.8	4.8	3.2		2.9	
MAY	2.2	2.1	6.1	5.6	2.2		5.7	
JUN			4.6	6.0	3.0		1.8	
YEAR	100.0	100.0	100.0	100.0	100.0		100.0	
	OATS		WHEAT		PEANUTS			
MAY	2.0		1.1	1.7				
JUN	3.8	.8	7.4	8.5				
JUL	13.1	15.0	16.0	20.8				
AUG	20.8	24.9	15.4	16.8				
SEP	8.1	7.4	8.5	9.1	11.3		36.1	
OCT	6.0	4.8	5.8	6.8	54.7		51.4	
NOV	5.2	3.9	6.8	5.2	25.3		10.6	
DEC	5.1	6.3	7.9	4.3	6.4		1.9	
JAN	7.4	6.6	7.4	7.0	2.3		-	
FEB	6.4	5.9	5.7	4.7				
MAR	5.5	7.5	6.7	4.7				
APR	5.9	6.1	5.2	4.3				
MAY	4.8	5.4	3.9	3.3				
JUN	5.9	5.6	2.2	2.8				
YEAR	100.0	100.0	100.0	100.0	100.0		100.0	
	SORGHUM		CORN		COTTON			
JUN	1.6	3.8						
JUL	5.8	8.6						
AUG	12.6	5.0	1.0	.9	3.0		4.8	
SEP	7.0	5.7	1.8	2.6	5.3		3.1	
OCT	13.7	10.9	13.1	12.7	19.2		14.2	
NOV	11.6	19.8	11.0	16.0	22.8		23.4	
DEC	9.2	12.3	8.3	7.2	18.2		22.2	
JAN	9.7	14.1	14.1	11.2	13.6		13.8	
FEB	6.4	4.4	7.4	6.6	6.9		6.3	
MAR	6.4	4.4	11.0	9.1	4.2		4.5	
APR	4.0	3.5	7.3	7.4	2.7		3.6	
MAY	4.1	2.8	5.5	5.8	1.4		1.1	
JUN	1.8	1.9	5.2	5.4	1.2		1.7	
JUL	2.8	1.2	6.5	6.3	1.5		1.3	
AUG	2.6	1.4	4.3	4.5				
SEP	.7	.2	3.5	4.3				
YEAR	100.0	100.0	100.0	100.0	100.0		100.0	
	SOYBEANS		DRY EDIBLE BEANS		SUNFLOWER			
SEP	8.1	4.2	15.5	16.3	4.7		.1	
OCT	20.2	14.3	15.2	13.0	37.3		15.2	
NOV	12.0	19.9	10.3	10.1	18.5		37.0	
DEC	7.4	9.0	6.9	8.3	9.6		9.8	
JAN	11.7	9.5	6.8	8.5	10.8		5.8	
FEB	5.5	5.5	7.9	5.7	3.4		3.0	
MAR	9.7	8.9	5.3	5.9	3.7		5.0	
APR	6.4	6.9	5.8	7.5	5.9		7.7	
MAY	11.0	4.8	7.0	6.7	2.9		5.8	
JUN	3.2	5.9	6.5	8.1	1.6		6.9	
JUL	2.1	6.1	5.3	5.7	.8		2.7	
AUG	2.7	5.0	7.5	4.2	.8		1.0	
YEAR	100.0	100.0	100.0	100.0	100.0		100.0	

1/ REVISED.

CROP MARKETING SEASONS OF SPECIFIED FIELD CROPS

BARLEY: May 1 to April 30 for Arizona; June to May 31 for California; July 1 to June 30 for all other estimated States.

CORN FOR GRAIN: August 1 to July 31 for Georgia and Texas; September 1 to August 31 for Kansas, Kentucky, Missouri, and North Carolina; October 1 to September 30 for all other estimated States.

DRY EDIBLE BEANS: September 1 to August 31 for all estimated States.

FLAXSEED: July 1 to June 30 for all estimated States.

HAY: April 1 to March 31 for Arizona; May 1 to April 30 for Arkansas, California, Georgia, Kansas, Kentucky, Missouri, Nevada, New Mexico, Oklahoma, Texas, and Utah; June 1 to May 31 for all other estimated States.

OATS: May 1 to April 30 for Texas; June 1 to May 31 for Arkansas, California, and North Carolina; July 1 to June 30 for all other estimated States.

SORGHUM FOR GRAIN: June 1 to May 31 for Texas; July 1 to June 30 for Arizona; August 1 to July 31 for Oklahoma; September 1 to August 31 for California, Kansas, Missouri, and New Mexico; October 1 to September 30 for all other estimated States.

SOYBEANS: September 1 to August 31 for all estimated States.

SUNFLOWER: September 1 to August 31 for Minnesota, North Dakota and South Dakota.

WHEAT: May 1 to April 30 for Arizona, California, Oklahoma and Texas; June 1 to May 31 for Arkansas, Illinois, Kansas, and Missouri; July 1 to June 30 for all other estimated States.

FARM MARKETINGS OF HAY BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY
PERCENT														
ARIZ 1983-84	14	15	11	4	4	8	6	6	6	6	8	12		
1984-85	13	18	7	6	8	10	10	5	6	5	6	6		
ARK 1983-84		4	18	10	7	2	1	3	8	16	15	11	5	
1984-85		4	18	12	12	13	7	5	8	10	8	2	1	
CALIF 1983-84		11	14	16	14	11	7	4	4	3	3	4	9	
1984-85		12	13	14	12	10	9	4	4	3	5	6	8	
COLO 1983-84			6	7	9	9	12	14	12	8	7	7	6	3
1984-85			11	14	9	9	10	9	9	11	7	4	4	3
GA 1983-84		3	7	6	9	10	11	9	10	15	9	7	4	
1984-85		5	9	6	7	12	11	8	7	14	12	6	3	
IDAHO 1983-84			8	16	14	4	9	13	9	8	8	5	3	3
1984-85			8	16	14	4	9	13	9	8	8	5	3	3
ILL 1983-84			18	8	5	5	4	3	9	10	16	12	8	2
1984-85			23	14	8	7	3	3	7	8	9	9	7	2
IND 1983-84			15	9	6	6	5	4	8	12	13	10	8	4
1984-85			21	11	8	6	4	4	8	9	10	9	6	4
IOWA 1983-84			14	9	6	6	4	4	8	12	14	10	9	4
1984-85			24	15	11	6	1	5	8	10	6	7	5	2
KANS 1983-84		4	6	10	8	7	8	12	12	12	9	8	4	
1984-85		3	10	14	9	5	6	7	11	19	9	4	3	
KY 1983-84		4	12	10	6	6	5	4	8	13	19	9	4	
1984-85		3	12	16	10	8	4	6	7	9	15	8	2	
MICH 1983-84			14	10	6	4	5	6	12	9	6	10	11	7
1984-85			17	12	8	4	4	7	9	8	6	10	9	6
MINN 1983-84			5	9	4	6	4	8	9	14	10	9	14	8
1984-85			4	7	4	5	3	3	12	20	11	10	14	7
MO 1983-84		3	16	9	2	4	2	3	6	15	13	19	8	
1984-85		3	13	16	5	4	2	6	6	15	12	12	6	
MONT 1983-84			2	15	13	3	11	14	12	10	10	4	3	3
1984-85			3	9	6	9	10	11	13	11	9	10	6	3
NEBR 1983-84			8	8	7	6	9	12	11	12	10	9	6	2
1984-85			11	12	8	5	6	8	10	17	9	6	5	3
NEV 1983-84		2	4	7	7	8	10	13	13	11	10	10	5	
1984-85		3	5	5	6	9	11	11	8	12	15	9	6	
N MEX 1983-84		10	13	12	11	10	8	6	7	8	7	5	3	
1984-85		9	10	11	11	10	10	5	7	5	5	11	6	
N Y 1983-84			11	12	9	5	5	5	8	11	10	10	9	5
1984-85			10	15	11	6	5	6	9	9	7	9	8	5
N DAK 1983-84			1	4	8	7	7	13	9	15	6	14	12	4
1984-85			1	3	2	9	10	19	12	14	11	9	6	4
OHIO 1983-84			14	10	7	6	5	7	10	11	12	9	6	3
1984-85			17	12	8	6	5	7	10	10	8	8	6	3
OKLA 1983-84		3	8	16	9	4	3	8	11	14	12	8	4	
1984-85		7	10	20	11	5	3	5	8	12	9	6	4	
OREG 1983-84			11	8	8	9	9	9	8	11	9	9	6	3
1984-85			9	8	12	8	14	6	12	7	6	9	3	6
PA 1983-84			11	10	6	6	5	6	9	10	12	10	9	6
1984-85			10	13	6	6	4	6	10	13	9	9	8	6
S DAK 1983-84			2	1	4	13	10	8	6	18	11	13	10	4
1984-85			1	4	1	13	12	18	10	14	10	10	3	4
TEX 1983-84		3	15	14	8	6	6	8	9	11	11	5	4	
1984-85		7	8	10	10	8	10	7	8	7	7	12	6	
UTAH 1983-84		2	11	13	11	9	9	8	8	10	7	8	4	
1984-85		3	11	12	10	10	10	8	7	9	8	7	5	
WASH 1983-84			12	11	11	9	9	7	7	10	8	7	5	4
1984-85			11	11	11	13	10	6	8	8	8	8	4	2
WIS 1983-84			6	9	4	2	4	7	7	15	13	11	13	9
1984-85			5	5	7	1	2	9	6	6	9	16	27	7
WYO 1983-84			2	6	9	9	13	16	12	11	10	6	4	2
1984-85			1	10	9	9	6	15	11	13	8	9	6	3
U S 1983-84	.6	3.9	10.6	11.2	9.2	7.6	7.1	7.6	8.0	9.2	8.4	7.6	6.8	2.2
1984-85	.5	4.3	10.6	11.8	9.3	7.8	7.6	7.0	7.9	9.3	7.7	7.7	6.4	2.1

FARM MARKETINGS OF BARLEY BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1983-84	30	49	9	7	7	2	2	7	2	7	7			
	1984-85	40	44	4	7	7	3	7	7	2	7	7			
CALIF	1983-84		22	11	6	7	3	4	3	2	2	4	4	32	
	1984-85		20	15	7	4	4	5	6	4	7	5	5	18	
COLO	1983-84			11	23	6	27	15	8	2	2	7	7	2	2
	1984-85			23	30	10	7	10	2	3	4	7	5	2	3
IDAHO	1983-84			3	9	18	14	10	8	14	5	4	6	5	4
	1984-85			4	14	15	16	11	8	10	6	5	4	4	3
MINN	1983-84			7	16	15	13	10	8	8	4	4	5	4	6
	1984-85			16	8	11	6	6	5	8	8	8	5	8	11
MONT	1983-84			5	14	17	11	6	7	11	9	7	7	3	3
	1984-85			5	18	13	13	9	6	8	4	6	5	7	6
N DAK	1983-84			7	22	10	9	9	6	6	6	7	5	5	8
	1984-85			8	28	8	6	6	5	6	5	6	6	6	10
OREG	1983-84			17	19	13	11	6	7	10	8	3	3	2	7
	1984-85			5	31	11	13	7	9	13	4	2	2	2	7
S DAK	1983-84			15	14	4	2	2	7	5	6	8	10	8	19
	1984-85			10	24	7	11	5	9	3	6	6	6	5	8
UTAH	1983-84			10	10	16	11	8	10	8	9	9	3	3	3
	1984-85			10	18	15	10	8	7	7	6	6	5	4	4
WASH	1983-84			2	24	21	12	11	7	11	3	3	2	3	7
	1984-85			4	20	23	15	9	5	7	5	3	4	3	2
WYO	1983-84			2	79	6	7	2	2	7	3	7	7	7	7
	1984-85			8	74	6	7	3	2	7	7	7	7	7	7
U S	1983-84	.2	2.0	6.6	17.8	13.6	10.6	8.3	6.6	8.3	5.4	5.1	4.8	6.1	4.6
	1984-85	.4	1.4	7.7	21.8	12.0	9.9	7.4	5.7	7.0	5.2	5.1	4.8	5.6	6.0

FARM MARKETINGS OF OATS, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
PERCENT															
ARK	1983-84		42	20	15	10	5	1	1	1	1	1	1	2	
	1984-85		52	16	3	8	1	1	1	1	1	1	1	14	
CALIF	1983-84		4	4	3	3	8	4	3	4	3	28	33	3	
	1984-85		15	12	11	8	12	8	6	10	5	5	6	2	
IDAHO	1983-84			16	3	14	14	7	7	3	9	4	7	12	4
	1984-85			6	13	12	35	6	3	8	9	4	3	1	
ILL	1983-84			24	13	4	2	5	4	9	10	7	7	7	8
	1984-85			16	28	7	3	1	3	6	7	9	7	7	6
IND	1983-84			21	16	7	3	2	2	15	6	8	3	9	8
	1984-85			15	47	7	2	1	1	2	3	4	12	3	3
IOWA	1983-84			20	25	10	3	2	3	7	6	4	6	6	8
	1984-85			28	26	6	5	3	3	6	3	5	5	5	5
MICH	1983-84			6	37	10	7	5	5	7	8	5	4	4	2
	1984-85			6	35	8	4	3	9	7	7	7	5	6	3
MINN	1983-84			11	22	12	8	4	5	7	4	5	7	6	9
	1984-85			16	27	4	3	2	5	3	9	11	6	7	7
MONT	1983-84			11	6	12	11	8	5	13	8	18	4	2	2
	1984-85			6	7	12	8	6	14	8	5	6	13	7	8
NEBR	1983-84			17	20	7	4	7	6	13	4	8	4	4	6
	1984-85			27	28	6	3	4	2	7	3	6	7	4	3
N Y	1983-84			11	18	11	5	3	3	8	12	12	7	6	4
	1984-85			7	20	18	2	4	6	7	4	11	8	9	4
N C	1983-84		44	12	2	8	9	4	8	4	5	1	2	1	
	1984-85		40	11	10	2	9	7	3	3	5	4	1	5	
N DAK	1983-84			5	22	12	10	9	8	8	5	5	5	4	7
	1984-85			9	22	12	7	8	9	6	5	6	6	4	6
OHIO	1983-84			22	27	6	4	6	4	4	11	7	4	2	3
	1984-85			16	28	11	4	2	5	6	4	8	6	4	6
OREG	1983-84			9	9	15	12	9	15	7	8	8	4	3	1
	1984-85			2	12	22	19	6	8	10	2	6	6	5	2
PA	1983-84			9	58	3	3	3	3	4	10	2	2	2	1
	1984-85			8	19	8	6	1	3	3	3	10	9	6	24
S DAK	1983-84			14	19	5	5	8	7	11	7	5	5	6	8
	1984-85			14	24	6	4	4	9	10	6	7	6	5	5
TEX	1983-84	30	38	11	4	2	2	5	1	1	4	1	1		
	1984-85	12	24	25	11	1	4	2	7	3	2	2	7		
WIS	1983-84			10	24	4	8	4	4	8	9	5	13	5	6
	1984-85			13	30	7	4	3	3	5	7	9	6	7	6
U S	1983-84	2.0	3.8	13.1	20.8	8.1	6.0	5.2	5.1	7.4	6.4	5.5	5.9	4.8	5.9
	1984-85		.8	15.0	24.9	7.4	4.8	3.9	6.3	6.6	5.7	7.5	6.1	5.4	5.6

FARM MARKETINGS OF ALL WHEAT, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
		PERCENT													
ARIZ	1983-84	19	37	24	4	4	3	2	2	2	1	1	1		
	1984-85	30	33	10	1	1	4	10	1	5	1	1	3		
ARK	1983-84		59	28	4	1	1	1	1	1	1	1	1	1	
	1984-85		70	17	4	1	1	1	1	1	1	1	1	1	
CALIF	1983-84	10	39	12	5	3	5	4	6	6	3	4	3		
	1984-85	10	36	18	6	2	3	3	3	5	6	5	3		
COLO	1983-84			18	16	8	5	6	11	8	7	9	6	4	2
	1984-85			19	16	12	9	8	6	10	7	4	4	2	3
IDAHO	1983-84			2	7	14	13	13	9	8	6	5	9	7	7
	1984-85			4	17	17	14	9	8	10	7	5	3	3	3
ILL	1983-84		2	57	8	4	1	2	3	6	4	7	4	2	
	1984-85		14	55	7	7	2	1	2	5	1	3	1	2	
IND	1983-84			73	9	6	1	1	2	2	2	1	1	1	1
	1984-85			72	6	3	10	1	1	2	1	1	1	1	1
KANS	1983-84		5	11	16	8	5	8	10	8	8	10	6	5	
	1984-85		6	29	18	8	6	5	4	9	4	4	4	3	
MICH	1983-84			36	31	5	3	2	6	6	4	3	2	1	1
	1984-85			44	26	6	4	2	4	5	2	2	2	1	2
MINN	1983-84			8	20	11	10	7	7	8	5	7	6	7	4
	1984-85			7	18	10	6	6	6	5	7	8	10	8	9
MO	1983-84		4	33	48	3	1	2	2	1	1	2	2	1	
	1984-85		10	51	18	6	3	2	2	2	1	1	2	2	
MONT	1983-84			5	15	10	9	9	6	10	8	8	10	7	3
	1984-85			5	12	11	9	6	8	9	7	7	8	10	8
NEBR	1983-84			21	19	7	4	5	10	8	4	10	6	3	3
	1984-85			28	25	8	4	3	5	10	8	3	2	2	2
N DAK	1983-84			7	21	13	7	8	7	6	6	7	6	4	8
	1984-85			5	22	11	9	10	5	5	7	6	6	6	8
OHIO	1983-84			62	13	4	1	2	3	4	2	4	3	1	1
	1984-85			58	14	7	3	2	2	5	3	2	2	1	1
OKLA	1983-84	3	10	12	12	7	4	10	14	10	7	8	3		
	1984-85	2	20	20	17	7	4	2	4	7	4	9	4		
OREG	1983-84			3	12	10	10	10	10	11	9	8	8	5	4
	1984-85			3	20	18	13	7	6	12	6	6	5	2	2
S DAK	1983-84			11	22	9	7	5	8	8	7	6	6	5	6
	1984-85			7	29	9	7	6	5	5	5	7	8	6	6
TEX	1983-84	8	41	18	5	3	4	4	4	6	2	3	2		
	1984-85	18	32	30	5	3	2	2	1	4	1	1	1		
WASH	1983-84			2	15	17	10	9	10	10	6	5	5	9	2
	1984-85			3	18	18	14	8	5	11	6	4	5	4	4
U S	1983-84	1.1	7.4	16.0	15.4	8.5	5.8	6.8	7.9	7.4	5.7	6.7	5.2	3.9	2.2
	1984-85	1.7	8.5	20.8	16.8	9.1	6.8	5.2	4.3	7.0	4.7	4.7	4.3	3.3	2.8

FARM MARKETINGS OF FLAXSEED, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
	PERCENT											
MINN 1983-84	2	42	16	12	11	2	2	4	5	1	1	
1984-85	9	22	42	4	4	2	8	1	6	2	2	
N DAK 1983-84	4	12	40	16	6	3	5	3	3	3	2	3
1984-85	2	14	25	12	10	5	13	4	4	3	6	2
S DAK 1983-84	1	23	46	8	3	3	1	2	1	4	4	4
1984-85	3	31	20	9	7	11	3	3	5	2	5	1
U S 1983-84	3.5	15.0	39.4	14.8	6.0	2.9	4.4	2.8	2.8	3.2	2.2	3.0
1984-85	2.1	16.7	24.2	12.3	9.3	6.0	11.0	3.9	4.1	2.9	5.7	1.8

FARM MARKETINGS OF SORGHUM, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
	PERCENT															
ARIZ 1983-84		0	2	2	10	26	32	10	3	0	0	10	5			
1984-85		1	2	2	16	15	16	17	11	8	6	6				
CALIF 1983-84				10	29	24	8	7	2	4	5	1	3	1	6	
1984-85				16	30	29	7	5	3	3	2	1	1	1	2	
COLO 1983-84					27	11	9	17	6	8	6	4	5	3	2	2
1984-85					5	32	23	16	6	4	4	1	3	2	3	1
KANS 1983-84				7	14	13	11	8	9	9	7	7	3	5	7	
1984-85				6	14	22	13	15	8	6	4	4	3	2	3	
MO 1983-84				25	19	18	6	8	4	9	3	2	2	2	2	
1984-85				24	24	19	8	10	3	2	2	3	2	1	2	
NEBR 1983-84					19	14	11	15	8	9	4	5	3	6	2	4
1984-85					12	25	16	20	3	7	6	4	3	2	1	1
N MEX 1983-84				4	27	21	11	22	6	1	1	1	2	3	1	
1984-85				1	7	33	31	17	3	1	2	1	1	2	1	
OKLA 1983-84			6	5	7	15	17	12	12	8	5	8	2	3		
1984-85			20	12	5	22	7	13	3	4	4	3	5	2		
TEX 1983-84	4	15	32	7	9	7	7	8	4	3	2	2				
1984-85	11	25	13	4	5	14	10	11	2	2	2	1				
U S 1983-84	1.6	5.8	12.6	7.0	13.7	11.6	9.2	9.7	6.4	6.4	4.0	4.1	1.8	2.8	2.6	.7
1984-85	3.8	8.6	5.0	5.7	10.9	19.8	12.3	14.1	4.4	4.4	3.5	2.8	1.9	1.2	1.4	.2

FARM MARKETINGS OF CORN FOR GRAIN BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
		PERCENT													
COLO	1983-84			11	6	9	7	5	12	10	10	10	7	6	7
	1984-85			6	17	12	12	5	3	10	11	8	6	3	7
GA	1983-84	39	18	14	4	2	2	5	2	3	2	4	5		
	1984-85	39	23	8	2	3	3	3	4	3	3	1	8		
ILL	1983-84			12	8	9	18	8	13	6	5	6	6	4	5
	1984-85			15	13	6	16	6	10	8	6	5	6	4	5
IND	1983-84			16	12	7	16	9	9	7	5	5	5	4	5
	1984-85			14	23	7	11	8	9	7	5	4	5	3	4
IOWA	1983-84			13	8	8	17	7	13	8	6	5	6	5	4
	1984-85			14	16	6	9	6	9	8	6	7	8	6	5
KANS	1983-84		5	12	15	8	8	10	13	6	11	5	3	4	
	1984-85		11	19	16	12	16	6	5	4	4	2	3	2	
KY	1983-84		8	17	7	8	21	11	9	5	2	2	5	5	
	1984-85		8	16	15	11	16	8	9	7	3	2	2	3	
MICH	1983-84			8	28	13	12	9	10	6	4	5	2	2	1
	1984-85			8	24	8	9	6	12	9	7	6	5	3	3
MINN	1983-84			9	12	8	10	5	10	11	8	8	8	7	4
	1984-85			9	15	6	6	7	7	8	8	9	12	7	6
MO	1983-84		11	15	11	10	13	9	7	5	5	5	6	3	
	1984-85		13	16	16	7	8	6	8	6	5	5	5	5	
NEBR	1983-84			13	10	7	14	6	12	10	5	5	10	5	3
	1984-85			6	13	10	12	9	14	9	7	6	6	5	3
N C	1983-84		39	13	6	5	5	7	6	4	3	2	2	8	
	1984-85		49	23	5	2	3	3	3	2	2	2	1	5	
OHIO	1983-84			21	17	9	15	9	9	5	4	3	2	4	2
	1984-85			7	21	10	11	8	10	8	6	5	5	4	5
PA	1983-84			18	18	6	10	13	7	5	3	4	5	2	9
	1984-85			10	17	7	7	6	9	5	4	6	6	9	14
S DAK	1983-84			16	14	7	10	6	9	8	9	6	7	5	3
	1984-85			13	26	9	6	6	8	6	5	7	7	4	3
TEX	1983-84	16	9	18	7	6	10	3	3	3	2	1	22		
	1984-85	22	16	18	11	9	10	3	2	1	3	1	4		
WIS	1983-84			7	14	13	12	9	15	8	6	5	5	3	3
	1984-85			13	20	7	6	6	7	8	7	5	6	5	10
U S	1983-84	1.0	1.8	13.1	11.0	8.3	14.1	7.4	11.0	7.3	5.5	5.2	6.5	4.3	3.5
	1984-85	.9	2.6	12.7	16.0	7.2	11.2	6.6	9.1	7.4	5.8	5.4	6.3	4.5	4.3



FARM MARKETINGS OF SOYBEANS, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
ALA	1983-84	2	39	42	6	2	2	2	1	1	1	1	1
	1984-85	5	28	42	9	6	2	2	2	1	1	1	1
ARK	1983-84	1	15	35	13	17	4	7	2	3	1	1	1
	1984-85	1	2	39	15	15	5	8	3	4	2	4	2
GA	1983-84	1	21	35	13	5	3	7	4	4	1	5	1
	1984-85	1	29	37	11	5	3	4	3	2	2	2	1
ILL	1983-84	9	15	3	5	14	7	13	9	13	4	3	5
	1984-85	5	11	11	6	12	6	12	9	5	7	9	7
IND	1983-84	20	25	5	4	8	5	8	8	9	2	2	4
	1984-85	7	25	18	4	7	6	7	6	5	5	5	5
IOWA	1983-84	8	19	6	5	14	6	11	6	14	6	2	3
	1984-85	5	14	9	7	8	6	9	8	7	9	10	8
KANS	1983-84	6	22	10	9	7	6	8	11	16	2	1	2
	1984-85	5	20	19	10	11	5	9	5	5	5	3	3
KY	1983-84	4	15	13	10	19	10	11	5	5	2	3	3
	1984-85	2	7	25	8	16	7	14	8	3	3	2	5
LA	1983-84	4	30	29	11	12	7	4	1	1	1		
	1984-85	6	22	29	11	10	9	7	2	2	1	1	
MICH	1983-84	4	34	17	8	6	6	7	6	8	2	1	1
	1984-85	1	16	20	5	7	4	10	12	8	8	7	2
MINN	1983-84	11	19	11	7	9	4	7	7	15	4	3	3
	1984-85	5	13	10	7	8	6	8	9	7	11	10	6
MISS	1983-84	3	18	29	15	11	7	7	4	3	1	1	1
	1984-85	3	14	26	17	14	4	9	5	2	2	2	2
MO	1983-84	7	24	11	8	13	6	9	6	9	3	2	2
	1984-85	3	7	30	11	9	6	9	7	4	5	4	5
NEBR	1983-84	7	16	8	5	10	6	13	9	16	3	4	3
	1984-85	4	11	13	9	11	7	10	10	5	6	9	5
N C	1983-84	1	7	32	31	8	3	7	4	4	1	1	1
	1984-85	1	5	49	19	7	4	5	5	1	2	1	1
OHIO	1983-84	10	25	7	5	10	4	13	8	14	1	1	2
	1984-85	5	22	16	6	7	4	9	7	6	7	5	6
S C	1983-84	1	2	17	31	17	6	10	4	6	2	1	3
	1984-85	2	8	37	24	9	6	4	3	2	1	2	2
TENN	1983-84	2	34	27	6	9	4	8	3	3	1	1	2
	1984-85	1	6	43	18	8	4	8	5	2	3	1	1
U S	1983-84	8.1	20.2	12.0	7.4	11.7	5.5	9.7	6.4	11.0	3.2	2.1	2.7
	1984-85	4.2	14.3	19.9	9.0	9.5	5.5	8.9	6.9	4.8	5.9	6.1	5.0

FARM MARKETINGS OF DRY EDIBLE BEANS, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
CALIF	1983-84	6	10	13	11	9	8	8	10	8	6	6	5
	1984-85	6	11	12	9	8	8	8	9	9	8	6	6
COLO	1983-84	19	13	7	6	5	6	4	4	5	6	9	16
	1984-85	6	5	9	9	6	5	5	7	9	16	14	9
IDAHO	1983-84	11	12	13	5	8	8	7	10	11	8	5	2
	1984-85	7	11	17	7	7	4	6	14	8	7	5	7
MICH	1983-84	16	23	10	7	6	7	4	4	4	6	6	7
	1984-85	16	18	7	7	7	5	5	5	9	11	7	3
MINN	1983-84	29	19	11	7	3	8	2	4	4	9	3	1
	1984-85	44	17	5	11	8	4	2	2	2	3	2	
NEBR	1983-84	22	13	8	7	8	11	3	3	8	6	3	8
	1984-85	25	16	9	7	12	7	5	6	3	4	3	3
N Y	1983-84	4	14	11	6	16	10	8	12	6	3	4	6
	1984-85	4	12	10	9	9	15	9	8	7	7	5	5
N DAK	1983-84	19	10	10	4	4	7	7	6	11	8	3	11
	1984-85	32	9	9	11	10	4	6	7	3	6	2	1
WASH	1983-84	11	13	10	4	10	8	14	8	10	4	4	4
	1984-85	18	24	10	5	7	7	6	8	4	4	5	2
WYO	1983-84	17	11	16	6	5	10	2	4	9	10	3	7
	1984-85	15	12	13	11	13	3	11	7	8	4	2	1
U S	1983-84	15.5	15.2	10.3	6.9	6.8	7.9	5.3	5.8	7.0	6.5	5.3	7.5
	1984-85	16.3	13.0	10.1	8.3	8.5	5.7	5.9	7.5	6.7	8.1	5.7	4.2

FARM MARKETINGS OF SUNFLOWER, BY STATES, 1983-84 AND 1984-85  
PERCENT OF SALES, BY MONTHS

STATE AND MARKETING YEAR		SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG
		PERCENT											
MINN	1983-84	8	34	15	11	4	11	6	9	1	1		
	1984-85	1	18	31	11	2	5	7	5	7	8	3	2
N DAK	1983-84	5	40	20	10	6	3	4	6	2	2	1	1
	1984-85		14	39	9	6	3	5	8	6	7	2	1
S DAK	1983-84	2	26	13	7	36	2	2	4	8			
	1984-85		22	27	14	6	2	4	7	4	6	7	1
U S	1983-84	4.7	37.3	18.5	9.6	10.8	3.4	3.7	5.9	2.9	1.6	.8	.8
	1984-85	.1	15.2	37.0	9.8	5.8	3.0	5.0	7.7	5.8	6.9	2.7	1.0

## NOVEMBER WEATHER SUMMARY

A cold outbreak early in the month was preceded by snowfall which covered most of the important grain areas of the Nation. A second outbreak pushed deep into the West and covered the general area west of a line from New Mexico to central Texas and to Michigan. Freezing temperatures reached into much of California's crop areas. Precipitation fell in all of the Nation. Precipitation was above normal in most areas but some areas, such as southwestern Texas and New Mexico, parts of the Mississippi Delta and the Tennessee Valley, and parts of Florida, measured well below normal amounts. An unusual late season hurricane developed northeast of Cuba, and was named Kate. Kate wreaked havoc along Cuba's northern coast, and then made landfall in the Panhandle of Florida and brought high winds, tornadoes, and deluges of rain to northern Florida and southern Georgia. The remnants of the storm triggered heavy rain northward to southern Pennsylvania. (Prepared by the Joint USDA/NOAA Agricultural Weather Facility.)

## ROW CROP HARVEST

Cold wintery weather, rain and earlier-than-normal snowfall in November prolonged fall row crop harvest. Dry weather aided crop harvest through the Great Plains, across the Corn Belt and in parts of the Southeast the first week of November. Harvest delays were common the rest of November. Crop harvesting progress for most crops began the month behind schedule and remained behind schedule during the entire month. In some areas, crops may not be harvested until next spring because of the early snow accumulations.

Corn harvest began the month 13 points behind normal and was 10 points behind normal as the month ended. On December 1, corn was 87 percent harvested. Harvest ranged from finished in Georgia, North Carolina, and Texas to as much as 30 points slower than normal in South Dakota. In Michigan, harvest reached 75 percent completion on December 1, compared with 97 percent normally. Corn harvest in Wisconsin ended the month 20 points below average.

In the 19 major producing States, soybeans were 87 percent combined on December 1, compared with 91 percent last year and the 95 percent average. Harvest ended the month behind normal in all States except Minnesota and South Dakota. Harvest was nearing completion in the northern Great Plains and portions of the Corn Belt by month's end but trailed considerably behind schedule in the Southeast. Slightly more than one-third of North Carolina's soybeans were harvested, 35 points slower than normal. In Georgia and South Carolina, soybean harvest was 22 and 24 points behind normal, respectively. Missouri's soybean harvest, at 65 percent completion, ended the month 30 points behind normal.

Sorghum harvest approached completion on December 1 with the crop 94 percent harvested. Normally 98 percent would be harvested by this time. Harvest was ahead or slightly behind normal in all States except Missouri, which was 16 points behind normal.

In the 14 major producing States, 73 percent of the cotton acreage was picked by the end of November. Cotton harvest slowed during the month going from 1 point behind normal on November 3 to 4 points behind normal December 1. In the Southeast rain slowed harvest throughout most of November. As the month ended, harvest was ahead of or equaled normal in all States except California, Georgia, Missouri, New Mexico, North Carolina, South Carolina, and Texas. Cotton harvest was 24 points slower than normal in New Mexico and 11 points below average in North Carolina.

## WINTER WHEAT SEEDING

Despite rain delays, wheat seeding was virtually completed during November except in the Southeast and Southwest. Emergence was 90 percent complete, compared with 93 percent normally on December 1. Some of the late planted wheat may not emerge until next spring in the northern producing States. Winter wheat planting was 56 percent completed in Georgia on December 1, 24 points below the average. Wheat seedings were 55 percent finished in California, just slightly ahead of normal as the month ended. Unusually low temperatures and snow covered the northern Plains and northern Rockies much earlier than normal. Ample snow cover protected wheat from the low temperatures during the month. By month's end wheat growth was virtually stopped from the central Plains northward and in the Pacific Northwest.

## RELIABILITY OF DECEMBER 1 COTTON PRODUCTION FORECAST

The cotton production forecast in this report is based primarily on an objective yield survey made during the last week in November and reports from cotton ginners as of December 1. Some adjustments have been made in harvested acres based on acreage data from ASCS. The objective yield survey provided small plot observations, counts and measurements based on a probability sample. This survey is subject to sampling and non-sampling type errors that are common to all surveys. The forecast is also subject to change due to future weather effects and other factors that cannot be measured currently but directly affect production.

To assist users in evaluating the reliability of the December 1 cotton production forecast, the "Root Mean Square Error", a statistical measure based on past performance, is computed. This is done by expressing the deviations between the December 1 production forecasts and the final estimates as a percent of the final estimates and averaging the squared percentage deviations for the 1965-84 twenty-year period; the square root of this average becomes statistically the "Root Mean Square Error". Probability statements can be made concerning the expected differences in the current forecast relative to the final end-of-season estimate, assuming that factors affecting this year's forecast are not different from those influencing recent years.

The "Root Mean Square Error" for the December 1 cotton production forecast is 1.6 percent. This means that chances are 2 out of 3 that the current production forecast of 13.8 million bales will not be above or below the final estimate by more than 1.6 percent or approximately 221 thousand bales. Chances are 9 out of 10 (90 percent confidence level) that the difference will not exceed 2.8 percent or approximately 387 thousand bales.

Differences between the December 1 forecast and the final estimate during the past 10 years have averaged 171 thousand bales, ranging from 3 thousand to 399 thousand bales. The December 1 forecast has been below the final estimate 7 times and above 3 times.

COTTON: All cotton production is expected to total 13.8 million bales, down fractionally from the November 1 forecast but 6 percent above 1984. Upland production is forecast at 13.7 million bales. American-Pima production is forecast at 148 thousand bales. Upland growers expect to harvest 10.3 million acres (4.15 million hectares), down fractionally from last year. American-Pima area for harvest is estimated at 86.6 thousand acres (35.1 thousand hectares), 9 percent more than 1984.

Texas and Oklahoma upland production is forecast at 4.46 million bales, 2 percent below November 1 and 15 percent above 1984. Harvest in Texas has moved ahead at a fast pace as weather permitted and was 55 percent complete by December 1. In Oklahoma, harvest was getting back to full swing after a long, foggy, wet period. By month's end, harvest was 45 percent complete.

Production in the Delta States (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) is forecast at 3.74 million bales, fractionally below the forecast on November 1, and 3 percent below last year. Area for harvest is forecast at 2.60 million acres (1.05 million hectares). Harvest was 97 percent complete in Arkansas, Louisiana 99 percent, Mississippi 97 percent, Missouri 94 percent, and Tennessee 90 percent complete as of December 1.

Western States (Arizona, California, and New Mexico) expect an upland production of 4.28 million bales, up 2 percent from November 1 and 4 percent above 1984. In Arizona, picking was slowed by storms moving across the State during the last two weeks of the month. By December 1, 80 percent of the acreage had been picked at least once. In California, harvest suffered from wet weather at the end of the month. As of December 1, harvest was getting underway in Imperial Valley and was 92 percent complete statewide.

Production in the Southeastern States is forecast at 1.16 million bales, down 3 percent from November 1, but up 13 percent from last year. Area for harvest is estimated at 792 thousand acres (321 thousand hectares), down 5 thousand acres from November 1 but 113 thousand acres above 1984. Wet weather early in the month, caused poor harvesting conditions, and then damage from hurricane Kate late in the month resulted in lower production prospects in Georgia and South Carolina.

The Bureau of the Census reports 10,133,900 running bales ginned prior to December 1, 1985 compared with 8,972,412 bales ginned to the same date in 1984 and 6,002,973 bales in 1983.

**COTTONSEED:** Production, based on a three year average lint-seed ratio, is forecast at 5.48 million tons (4.98 million metric tons), 7 percent above the 1984 production of 5.15 million tons (4.67 million metric tons).

**BURLEY TOBACCO:** Production of burley tobacco is forecast at 616 million pounds (279 thousand metric tons), 14 percent below 1984. Production is down in all States, except Missouri. Yield per acre is expected to average 2319 pounds, 63 pounds more than last year.

Stripping activities are on schedule in Tennessee and slightly advanced in Kentucky. The Burley markets opened November 25 compared with last year's November 19 date.

**DRY EDIBLE BEANS:** U.S. production of dry edible beans totaled 22.3 million cwt (1.01 million metric tons) in 1985, up 6 percent from the previous year and 44 percent above 1983. The average yield, at 1499 pounds per acre, rose 56 pounds (4 percent) from 1984 and is 136 pounds above 1983. Area for harvest is estimated at 1.49 million acres (602 thousand hectares), a gain of .2 percent from last year and 31 percent above two years ago.

Production, by class, shows the following percentage increases from last year: Navy, 28; Pinto, 4; Kidney, 8 percent. Black turtle soup was more than double last year's production. Decreases were shown in: Great Northern, 36 percent; Small White, 21; Pink, 6; and Blackeye, 17 percent.

Michigan production, at 5.41 million cwt, rose 26 percent from 1984. Heavy rains in late August and early September flooded considerable acreage and delayed early harvest. Later yields, however, turned out better than expected, bringing the final yield back up above the level of two years ago.

California dry bean production totaled 3.51 million cwt, up 9 percent from 1984. Acreage for harvest was down 8 percent, but dry fall weather aided harvest and contributed to record-setting yields. The Colorado dry bean crop developed ahead of normal on its way to a production of 2.95 million cwt, up 23 percent from last year. Acreage and yield were both up from 1984.

Nebraska production totaled 2.70 million cwt, 16 percent short of last year. Harvest was wet and late, with snow covering much of the late acreage. North Dakota growers also had trouble getting their crop in, but a sharply higher acreage placed production up 19 percent from last year.

**PECANS:** The final production forecast for the U.S. pecan crop is 236 million pounds (107 thousand metric tons), in-shell basis, down 10 percent from October 1, 2 percent above the 1984 crop, but 12 percent less than the 1983 crop. Forecasts have been reduced from October 1 in nearly all States, due to adverse weather conditions. Southeastern States, as well as Oklahoma and Texas, report losses in yields and quality due to winds and persistent rains. High moisture conditions have hampered harvest and resulted in disease and spoilage of pecans on the ground and nuts that are still on the trees. The Georgia forecast is now 95.0 million pounds, 10 percent lower than October 1, and 21 percent below last year's crop. The forecast for Alabama is 18.0 million pounds, off 2.00 million pounds from the previous forecast. Louisiana, at 17.0 million pounds, and New Mexico, at 26.0 million pounds, are both unchanged from October 1. The forecast is now 10.0 million pounds for Oklahoma and 58.0 million pounds for Texas.

**PAPAYAS:** Hawaii fresh papaya production is forecast at 2.80 million pounds (1270 metric tons) for December. Output is anticipated to rise to 4.00 million pounds (1810 metric tons) in January and increase further to 4.30 million pounds (1950 metric tons) for February, as well as March. Fresh papaya utilization is estimated at 3.85 million pounds (1740 metric tons) during November, a 7 percent decrease from October and 36 percent below last year.

Crop area totaled 3615 acres (1460 hectares) during November, a 3 percent increase from the previous month, but 6 percent less than a year ago. Harvested area, totaling 2450 acres (990 hectares), rose 1 percent from October.

ORANGES: U.S. production is forecast at 184 million boxes (7.16 million metric tons), up fractionally from the October 1 forecast, up 16 percent from last season and 9 percent more than 1983-84. The forecast of all oranges in Florida is 132 million boxes, unchanged from the October 1 forecast, 27 percent above last season's crop, and 13 percent more than 1983-84. The forecast for early and mid-season varieties in Florida is 71.0 million boxes, 29 percent more than last season and 2 percent above the 1983-84 crop. The Valencia forecast, at 61.0 million boxes, is 25 percent more than last season and 30 percent above the 1983-84 crop.

The California all orange crop forecast, at 49.0 million boxes, is unchanged from October 1, 6 percent below last season, but 1 percent above the 1983-84 crop. The forecast for Navel oranges is 30.0 million boxes, the same as the October 1 forecast, 15 percent more than last season, but 11 percent below the 1983-84 production. Harvest of the Navel crop is 10 percent complete. California's Valencia forecast of 19.0 million boxes is unchanged from the October 1 forecast, 27 percent less than last season, but 28 percent more than the 1983-84 crop.

The Arizona orange forecast is 2.50 million boxes, up 19 percent from October 1 and 2 percent more than last season. The Texas orange forecast is unchanged from October 1, at 450 thousand boxes. Last season, there was no commercial fruit harvested in Texas due to the December 1983 freeze.

Changes in U.S. production between December 1 and final production have averaged 21.7 million boxes over the past ten seasons, ranging from 300 thousand boxes in 1977-78 to 53.0 million boxes in 1983-84. The freeze that occurred in Florida and Texas during December 1983 was the major cause for the 53.0 million box difference between the December 1, 1983 and final production for the 1983-84 season.

FLORIDA FROZEN CONCENTRATED JUICE YIELD: The 1985-86 yield projection of Frozen Concentrated Orange Juice is 1.42 gallons per box at 42.0 degree Brix. This yield computation is projected to the final amount reported by the Florida Citrus Processors Association at the end of the harvest season. The 1984-85 freeze-reduced final season average yield was 1.37582 gallons per box. In 1983-84, the FCOJ final yield was 1.28931 gallons per box which was also affected by freezing weather.

GRAPEFRUIT: Excluding California's "other areas" grapefruit, the 1985-86 forecast is 51.2 million boxes (1.91 million metric tons), unchanged from the November 1 forecast but 1 percent less than last season. Production for the California "other areas" crop, which will be forecast as of April 1, 1986, accounted for 4.00 million boxes last season. The Florida all grapefruit forecast is 44.0 million boxes, unchanged from the October 1 forecast and the same as last season. Harvest is 17 percent complete. Arizona's forecast, at 2.90 million boxes, is unchanged from November 1, but is 22 percent below last season. California's "Desert Valley" forecast continues at 3.80 million boxes, 3 percent less than the 1984-85 harvest. The Texas crop forecast continues at 500 thousand boxes. Production is very limited this season due to the severe freeze that occurred in December 1983. Last season, no commercial supplies were available from Texas.

LEMONS: Production in Arizona and California is expected to total 21.4 million boxes (738 thousand metric tons), down 1 percent from November 1, and 17 percent less than last season's utilized production. California's forecast is 17.9 million boxes, down 2 percent from November 1, and 10 percent below last season. The Arizona forecast continues at 3.50 million boxes, 42 percent less than last season. Harvest is nearly 50 percent complete in Arizona, but only 13 percent complete in California.

TANGERINES: The U.S. production forecast is 3.60 million boxes (132 thousand metric tons), unchanged from November 1 but 5 percent more than last season. The Florida crop forecast is 1.10 million boxes, unchanged from October 1 but 5 percent above last season. The forecast is for that portion of the crop expected to reach a size of 210 fruit per 4/5 bushel carton by December 1 for the variety Dancy, and by November 1 for Robinson. (An estimate of utilized production will be shown in the February Crop Production Report). The Dancy tangerine forecast in Florida is 700 thousand boxes and the Robinson forecast is 400 thousand boxes, both unchanged from October 1. The California crop is forecast at 1.80 million boxes and the Arizona crop forecast totals 700 thousand boxes.

TANGELOS: The Florida crop, excluding K-early citrus fruit, is forecast at 3.20 million boxes (131 thousand metric tons), unchanged from the October 1 forecast but 11 percent less than the 1984-1985 crop. Harvest is 22 percent complete.

TEMPLES: The Florida temple forecast is 3.50 million boxes (143 thousand metric tons), unchanged from the October 1 forecast but 8 percent more than last season. Harvest has not yet begun.

FLORIDA CITRUS: Most of Florida's commercial citrus groves are in good condition. November has been drier than normal in most of the citrus belt. Growers and caretakers have been running irrigation equipment to help prevent wilt and fruit softening. The majority of early oranges have good color break and are starting to be picked in increasing quantities. Also, the lower than normal acid levels have resulted in many processing plants starting a week or two earlier than usual. Movement of grapefruit during November was active for both fresh and processed usage. Robinson tangerine harvest slowed considerably by the last of November as supplies were running low. Picking of Dancy tangerines and Orlando tangelos is increasing with very good fresh market demand. Caretakers have been active wrapping and soil banking young trees for the winter season. Most groves have been clean cultivated for winter protection.

\* \* \* \* \*

#### PROGRAM MODIFICATION

The Statistical Reporting Service is proposing to discontinue publishing Pasture and Range Condition maps, Feed Crop Prospects maps, and Pasture and Range Condition data in the Crop Production reports. These data series have decreased in importance over the years and have become increasingly difficult to defend statistically. The pasture and crops maps will be replaced by the crop moisture map prepared by the NOAA/USDA Joint Agricultural Weather Facility. The new map will provide a more accurate description of some of the conditions that affect pastures and crops. Resources saved by this change will be redirected toward maintaining timely and reliable data series important in monitoring changes in the agricultural sector. If this change is adopted, it will become effective with the April 1986 Crop Production report. Comments from data users regarding the proposed changes are invited and should be sent to Chief, Crops Branch, USDA/SRS, Washington, D.C. 20250, by January 15, 1986.

I N D E X

	PAGE
BEANS, DRY EDIBLE .....	A- 7
BEANS, BY CLASSES .....	A- 8
CITRUS FRUIT .....	A- 5
COTTON .....	A- 4
COTTONSEED .....	A- 4
CROP MARKETING SEASONS .....	A-10
FARM MARKETINGS .....	A- 9
PAPAYAS .....	A- 6
PECANS .....	A- 6
RELIABILITY STATEMENT .....	B- 2
TOBACCO, BURLEY .....	A- 4
U S SUMMARY .....	A- 2





March 1985

ORDER FORM
USDA CROP REPORTING BOARD PUBLICATIONS

(Publications available only from Crop Reporting Board)

Table with columns for Series Name, Issued, Subscription Fee Domestic, and Subscription Fee Foreign. Categories include Field Crop Series, Fruit & Vegetable Series, Livestock Series, 1978-83 Statistical Bulletins, Poultry Series, Prices & Expenditures Series, and Other Crops.

HOW TO ORDER

- \*Check appropriate box.
\*Calculate the total charges for subscription and enter below.
\*If your address is outside the United States, use "foreign" price.
\*Make check or money order payable to USDA/SRS.
\*Do not send cash.
\*Allow 2 weeks for processing.
\*For additional information about reports and ordering, call (202) 447-4021.
\*Mail this entire order form: CROP REPORTING BOARD PUBLICATIONS ROOM 5829, SOUTH BUILDING U.S. DEPARTMENT OF AGRICULTURE WASHINGTON, D.C. 20250

Please send me the item(s) I have indicated above.

Company or Personal Name
Additional Address/Attention Line
Street Address
City State Zip Code



March 1985

**ORDER FORM  
CROP REPORTING BOARD REPORTS**

Report Title	Subscription Fee		Report Title	Subscription Fee	
	Domestic	Foreign		Domestic	Foreign
<b>FIELD CROP SERIES</b>					
<input type="checkbox"/> Crop Production (monthly/annual) Plus single copy of Prospective Plantings	\$30.00	\$37.50	<input type="checkbox"/> Eggs, Chickens & Turkeys Monthly issues plus single copies of: Hatchery Production Annual Layers & Egg Prod. Annual Poultry-Prod., Disposition, & Income Turkeys	\$25.00	\$31.25
<input type="checkbox"/> Peanut Stocks & Processing (Monthly)	18.00	22.50	<input type="checkbox"/> Poultry Slaughter (monthly)	18.00	22.50
<input type="checkbox"/> Grain Stocks Four issues plus copy of: Soybean Stocks	12.00	15.00	<b>DAIRY SERIES</b>		
<input type="checkbox"/> Potatoes & Sweetpotatoes One issue plus 6 copies of: Potato Stocks	9.50	11.90	<input type="checkbox"/> Dairy Products (monthly/annual)	20.00	25.00
<input type="checkbox"/> Rice Stocks (4 issues)	6.00	7.50	<input type="checkbox"/> Milk Production Monthly issues plus single copy of: Milk-Prod., Disposition, & Income	19.00	23.75
<b>FRUIT &amp; VEGETABLE SERIES</b>					
<input type="checkbox"/> Celery (monthly)	17.00	21.25	<b>OTHER REPORTS</b>		
<input type="checkbox"/> Noncitrus Fruits & Nuts (midyear/annual)	8.50	10.65	<input type="checkbox"/> Agricultural Prices (monthly)	27.00	33.75
<input type="checkbox"/> Vegetables Twelve seasonal-issues plus an Annual	18.00	22.50	<input type="checkbox"/> Catfish (monthly)	17.00	21.25
<b>LIVESTOCK SERIES</b>					
<input type="checkbox"/> Cattle Two issues plus monthly issues of: Cattle on Feed	22.00	27.50	<input type="checkbox"/> Cold Storage (monthly/annual)	22.00	27.50
<input type="checkbox"/> Hogs & Pigs (4 issues)	10.00	12.50	<b>SPECIAL SINGLE COPY REPORTS</b>		
<input type="checkbox"/> Livestock Slaughter (monthly/annual)	20.00	25.00	<input type="checkbox"/> Scope & Methods of the Statistical Reporting Service SN: 001-000-04369-2	5.00	6.25
<b>POULTRY SERIES</b>					
<input type="checkbox"/> Egg Products (monthly)	18.00	22.50	<input type="checkbox"/> Agricultural Statistics, 1984		
			<input type="checkbox"/> Usual Planting and Harvesting Dates for U.S. Field Crops SN: 001-000-04416-8	3.00	3.75

**Note:** For your convenience in ordering, we have grouped several publications together in packages. For example, when you subscribe to the Crop Production series you will receive 12 monthly copies and an annual summary of that report plus single copies of Prospective Plantings. If you have any questions about ordering, please call (202) 447-4021.

\* Price not yet determined — Call (202) 447-4021.

Mail order form to: Superintendent of Documents  
Government Printing Office  
Washington, DC 20402

Write check payable to Superintendent of Documents.  
Add 25% for foreign address.

Enclosed is \$ \_\_\_\_\_

NAME \_\_\_\_\_

- Check
- Money order
- Charge to my Deposit Account No. \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

For Office Use Only			
Quantity	Charges	Quantity	Charges
— Enclosed —	_____	MMOB	_____
— To be mailed —	_____	OPNR	_____
— Subscriptions —	_____	_____	UPNS
Postage	_____	_____	DISCOUNT
Foreign handling	_____	_____	REFUND

Credit card order only:  VISA  Mastercard

Total charges \$ \_\_\_\_\_  
Credit card no. \_\_\_\_\_  
Expiration date: month/year \_\_\_\_\_



