

# MILK PRODUCTION

NOVEMBER 1968

Release:  
December 11, 1968  
3:00 P.M. (E.S.T.)

## November milk production close to level of year earlier

U. S. milk production in November is estimated at 8,793 million pounds, nearly equal to the 8,814 million pounds a year earlier but 5 percent less than the 1962-66 November average. Total milk production for 1968 through November was 1.3 percent less than a year earlier. Daily average milk production in November decreased about 1 percent from October, the same as a year earlier. November milk production provided 1.45 pounds of milk per person daily for all uses, compared with 1.46 pounds a month earlier and 1.47 pounds a year earlier.

"Effective January 1, 1969, the Statistical Reporting Service plans to discontinue calculation and publication of 5-year averages that appear in this report. The report will contain data for the current and the two preceding years. It is believed that changes in agriculture have decreased the value of the five-year averages for making comparisons."

Table 1.-Milk per cow and milk production by months,  
United States, 1968, with comparisons

Month	Milk per cow			Milk production			Change from 1967
	Average: 1962-66	1967	1968	Average: 1962-66	1967	1968	
	Pounds	Pounds	Pounds	Million Pounds	Million Pounds	Million Pounds	Percent
January .....	644	716	724	10,196	9,847	9,608	-2.4
February .....	611	671	699	9,636	9,203	9,249	+0.5
March .....	698	769	778	10,968	10,517	10,269	-2.4
April .....	713	788	795	11,175	10,734	10,460	-2.6
May .....	778	844	859	12,143	11,470	11,283	-1.6
June .....	750	820	837	11,658	11,095	10,937	-1.4
July .....	692	764	783	10,714	10,315	10,208	-1.0
August .....	651	722	736	10,047	9,709	9,567	-1.5
September .....	614	680	698	9,446	9,124	9,058	-0.7
October .....	623	685	707	9,547	9,167	9,159	-0.1
November .....	603	661	681	9,208	8,814	8,793	-0.2
Jan.-Nov. Total:	---	---	---	114,738	109,995	108,591	-1.3
December .....	641	699		9,759	9,299		
Annual .....	8,021	8,821		124,497	119,294		

Special in this issue  
FORAGE FED TO MILK COWS ---  
1968 SUMMER FEEDING SEASON

### Output per cow 3 percent above a year earlier

Milk output per cow averaged 681 pounds during November, 3 percent more than a year earlier and 13 percent above average for the month. Daily output per cow averaged 22.7 pounds in November, compared with 22.8 pounds a month earlier and 22.0 a year earlier. November production per cow was at record high levels in 45 States, highest in California, at 920 pounds; followed by Arizona, 900 pounds; Massachusetts, 830 pounds; and Connecticut, 820 pounds.

### Grain and Concentrate feeding 5 percent above a year earlier

Grain and concentrates fed on December 1 averaged 10.6 pounds per milk cow, up 5 percent from a year earlier and 20 percent above average. Feeding rates exceeded a year earlier in 37 States and amounted to 11 or more pounds in 18 States. A year earlier, 17 States were feeding 11 or more pounds.

### Milk-feed price ratio 7 percent above a year earlier

The November milk-feed price ratio at 1.83 is 7 percent above a year earlier and 19 percent above average. Higher milk prices and lower ration values caused the increase over a year earlier. The milkfat-feed price ratio for farm separated cream was 25.6 in November, 5 percent below a year earlier but 4 percent above average.

## FORAGE FED TO MILK COWS, 1968 SUMMER FEEDING SEASON

### Summer feeding of forage increases

Feeding of forage to milk cows in the 1968 summer season (June-September) averaged 1.11 tons (hay equivalent) per cow, compared with 1.02 tons a year earlier. Summer forage feeding was heaviest in the Western and East North Central Regions and increased from a year earlier in all regions except the North Atlantic. These feedings rates represent averages per milk cow on farms where some forage was fed during the summer. The rate has a different basis for the winter feeding season when nearly all milk cows are fed forage.

Summer feeding of silage was 0.94 ton per cow, up from the 0.80 ton fed a year earlier, and was above a year earlier in all regions. Rate per cow ranged from 1.27 tons in the East North Central Region to 0.53 ton in the West. The feeding rate for green feed was 0.71 ton per cow, compared with 0.67 ton a year earlier. Hay feeding averaged 0.56 ton per cow during the 1968 summer feeding season compared with 0.53 ton a year earlier. Hay feeding rates were above a year earlier in the West North Central, South Atlantic, and Western Regions, below a year earlier elsewhere. Summer hay feeding rates averaged 1.58 tons per cow in the West--exceeding all other regions of the U. S.

### Alfalfa leading kind of hay

Alfalfa or alfalfa mixtures accounted for 80 percent of the hay fed to milk cows in the summer of 1968, one percent below a year earlier. Alfalfa was the predominant kind of hay in all regions of the U. S. It was highest in the West, where it represented 93 percent of all hay fed, and in the North Central Regions, where over 85 percent of the hay fed was alfalfa.

Clover or mixed clover accounted for 11 percent of the summer-fed hay compared with 8 percent a year earlier. Clover hay amounted to 35 percent or more of the hay fed in New England, Delaware and Maryland, West Virginia, North Carolina and Kentucky. Lespedeza and Coastal Bermuda hay each equalled 1 percent of the U. S. total in 1968. Lespedeza is a relatively important hay in Tennessee, Mississippi and Arkansas, while Coastal Bermuda predominates in South Carolina and Georgia. About 7 percent of the hay fed in the summer of 1968 was classified as other hay.

Corn silage most common

Corn silage accounted for 54 percent of the silage fed to milk cows during the summer, about 4 percent above a year earlier. Corn was the leading summer-fed silage in all regions except in the East North Central, where grass silage was more important. Nationally, grass silage equalled 37 percent of the total summer-fed silage in 1968. Sorghum silage made up 2 percent, and other silage 7 percent of the 1968 total.

Table 2.-Grain and other concentrates fed daily per milk cow in herds kept by reporters, December 1, 1968, with comparisons

State	: Dec. 1, av. : Dec. 1, : Dec. 1, :	State	: Dec. 1, av. : Dec. 1, : Dec. 1, :
	: 1962-66 : 1967 : 1968 :		: 1962-66 : 1967 : 1968 :
	: Lb. : Lb. : Lb. :		: Lb. : Lb. : Lb. :
Maine .....	9.8 11.0 11.5	West Virginia ..	6.4 7.6 7.5
New Hampshire ..	9.8 11.0 10.8	North Carolina ..	9.0 9.8 9.5
Vermont .....	9.0 10.5 10.2	South Carolina ..	7.3 9.0 10.0
Massachusetts ..	10.7 11.5 12.2	Georgia .....	9.6 11.0 12.5
Rhode Island ..	11.3 11.5 12.2	Florida .....	6.6 10.0 10.0
Connecticut ...	10.9 12.2 12.9		
New York .....	10.0 10.9 11.3	Kentucky .....	7.5 8.7 9.7
New Jersey ....	11.1 11.6 12.1	Tennessee .....	7.0 7.3 8.4
Pennsylvania ..	11.6 12.4 13.2	Alabama .....	8.2 11.0 10.5
		Mississippi .....	5.5 9.0 9.0
Ohio .....	10.4 11.9 11.8	Arkansas .....	7.7 9.0 10.7
Indiana .....	9.7 11.7 11.8	Louisiana .....	7.4 10.1 10.5
Illinois .....	8.9 10.1 11.0	Oklahoma .....	8.8 11.0 11.2
Michigan .....	10.4 11.2 11.6	Texas .....	6.8 9.0 9.8
Wisconsin .....	8.5 9.2 10.0		
		Montana .....	5.3 6.7 7.4
Minnesota .....	9.2 10.4 10.6	Idaho .....	6.3 7.6 8.1
Iowa .....	8.4 9.0 10.6	Wyoming .....	5.3 5.1 6.5
Missouri .....	8.0 8.6 9.7	Colorado .....	8.0 10.2 10.5
North Dakota ..	8.2 9.2 9.5	New Mexico .....	7.9 11.0 11.0
South Dakota ..	6.4 8.0 8.6	Arizona .....	8.0 10.5 9.0
Nebraska .....	7.7 8.4 8.5	Utah .....	7.2 8.5 8.6
Kansas .....	8.5 9.8 10.5	Nevada .....	7.4 10.0 11.0
		Washington .....	8.4 9.8 10.3
Delaware .....	10.4 12.5 12.7	Oregon .....	6.1 8.0 9.7
Maryland .....	10.8 12.4 12.8	California .....	10.2 11.5 12.0
Virginia .....	9.5 10.4 10.0	United States ..	8.8 10.1 10.6

Table 3.--Monthly milk per cow and milk production,  
November 1968, with comparisons

State	Monthly milk per cow <sup>1/</sup>			Milk production			
	Nov. av. 1962-66	Nov. 1967	Nov. 1968	Nov. av. 1962-66	Nov. 1967	Nov. 1968	Change from 1967
	Pounds	Pounds	Pounds	Million pounds	Million pounds	Million pounds	Percent
Maine.....	633	660	665	51	48	47	- 2
New Hampshire.....	670	725	730	30	30	28	- 7
Vermont.....	626	660	685	147	142	144	+ 1
Massachusetts.....	756	785	830	62	57	57	0
Rhode Island.....	735	750	760	7.9	6.5	6.1	- 6
Connecticut.....	756	795	820	56	54	55	+ 2
New York.....	688	725	750	806	768	768	0
New Jersey.....	759	790	805	81	66	61	- 8
Pennsylvania.....	669	685	710	547	503	513	+ 2
Ohio.....	696	725	740	402	353	346	- 2
Indiana.....	681	710	735	231	183	182	- 1
Illinois.....	645	685	705	285	238	225	- 5
Michigan.....	728	745	765	429	359	356	- 1
Wisconsin.....	636	685	690	1,323	1,319	1,313	0
Minnesota.....	585	660	670	717	711	710	0
Iowa.....	596	650	670	437	393	371	- 6
Missouri.....	483	600	630	235	234	236	+ 1
North Dakota.....	392	455	480	90	76	69	- 9
South Dakota.....	446	520	540	101	108	109	+ 1
Nebraska.....	512	550	565	134	120	117	- 2
Kansas.....	565	635	650	145	137	134	- 2
Delaware.....	638	690	720	12.3	11.0	10.8	- 2
Maryland.....	646	710	745	124	122	126	+ 3
Virginia.....	540	585	595	146	139	137	- 1
West Virginia.....	440	485	500	40	34	33	- 3
North Carolina.....	541	620	640	121	122	123	+ 1
South Carolina.....	498	555	560	42	41	40	- 2
Georgia.....	480	620	650	79	87	88	+ 1
Florida.....	635	685	670	114	125	122	- 2
Kentucky.....	414	460	480	180	173	178	+ 3
Tennessee.....	386	450	470	154	154	155	+ 1
Alabama.....	401	455	470	71	67	66	- 1
Mississippi.....	318	400	415	86	86	85	- 1
Arkansas.....	394	500	540	56	52	54	+ 4
Louisiana.....	389	440	465	81	82	83	+ 1
Oklahoma.....	551	655	690	104	103	105	+ 2
Texas.....	513	665	655	232	252	236	- 6
Montana.....	485	565	580	28	27	26	- 4
Idaho.....	619	675	700	108	103	106	+ 3
Wyoming.....	537	585	595	12.4	12.0	11.6	- 3
Colorado.....	626	670	680	66	65	66	+ 2
New Mexico.....	593	685	685	23	26	26	0
Arizona.....	811	865	900	42	44	47	+ 7
Utah.....	711	760	790	58	57	60	+ 5
Nevada.....	731	760	780	10.2	10.3	10.7	+ 4
Washington.....	721	750	810	150	146	149	+ 2
Oregon.....	544	595	630	72	69	71	+ 3
California.....	844	875	920	665	686	719	+ 5
Alaska.....	699	755	755	1.62	1.36	1.36	0
Hawaii.....	770	810	810	11.4	11.8	10.8	- 8
United States.....	603	661	681	9,208	8,814	8,793	- 0.2

<sup>1/</sup> Monthly rate based on all milk cows on farms (in milk or dry).

Table 4.-Average milk price received by farmers and value of concentrate ration fed to milk cows, by regions, November 1968, with comparisons

Region	Milk price per 100 pounds				Ration value per 100 pounds			
	Nov. av. 1962-66	Nov. 1967	Oct. 1968	Nov. 1968	Nov. av. 1962-66	Nov. 1967	Oct. 1968	Nov. 1968
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
N. Atl. ....	5.29	5.96	6.46	6.43	3.63	3.66	3.54	3.62
E. N. Cent. ....	4.24	5.02	5.20	5.27	2.82	2.92	2.86	2.92
W. N. Cent. ....	3.86	4.48	4.78	4.81	2.47	2.47	2.50	2.54
S. Atl. ....	5.88	6.52	6.69	6.79	3.40	3.55	3.34	3.38
S. Cent. ....	5.32	6.08	6.25	6.40	3.14	3.30	3.19	3.24
West. ....	4.70	5.17	5.30	5.40	3.20	3.22	3.17	3.20
<u>U. S.</u>								
Milk areas .....	4.68	5.35	5.62	5.67	3.05	3.12	3.04	3.09
Cream areas .....	-	-	-	-	2.55	2.55	2.58	2.62
Milk and cream areas .....	-	-	-	-	3.02	3.10	3.03	3.08

Table 5. Milk-feed and milkfat-feed price ratios, by regions, November 1968, with comparisons

Region	Milk-feed ratio 1/				Milkfat-feed ratio 2/			
	Nov. av. 1962-66	Nov. 1967	Oct. 1968	Nov. 1968	Nov. av. 1962-66	Nov. 1967	Oct. 1968	Nov. 1968
	N. Atl. ....	1.46	1.63	1.82	1.78	-	-	-
E. N. Cent. ....	1.50	1.72	1.82	1.80	20.8	21.0	20.7	20.3
W. N. Cent. ....	1.56	1.81	1.91	1.89	25.9	28.5	27.7	27.0
S. Atl. ....	1.73	1.84	2.00	2.01	-	-	-	-
S. Cent. ....	1.69	1.84	1.96	1.98	17.5	17.3	17.2	16.7
West. ....	1.47	1.61	1.67	1.69	18.9	20.4	20.5	20.3
U. S. ....	1.54	1.71	1.85	1.83	24.6	26.9	26.2	25.6

1/ Pounds of concentrate ration equal in value to 1 pound of whole milk sold by farmers.

2/ Pounds of concentrate ration equal in value to 1 pound of milkfat in cream sold by farmers.

Table 6.-Hay, silage, and green feed fed per milk cow in herds kept by dairy reporters, summer feeding season, 1967 and 1968 <sup>1/</sup>

State and division	Hay		Silage		Green feed <sup>2/</sup>		Hay equiv. of all roughage fed <sup>3/</sup>	
	1967	1968	1967	1968	1967	1968	1967	1968
	Tons	Tons	Tons	Tons	Tons	Tons	Tons	Tons
Me., N. H., Vt. ....	.3	.3	.4	.4	.6	.7	.6	.7
Mass., R. I., Conn. ....	.3	.3	.9	1.0	.6	.5	.8	.8
N. Y. ....	.3	.3	.9	1.0	.7	.5	.8	.8
N. J. ....	.6	.5	1.0	1.2	2.2	1.8	1.7	1.5
Pa. ....	.6	.6	1.0	1.2	.8	.8	1.2	1.3
N. Atl. ....	.42	.41	.89	1.01	.78	.67	.98	.97
Ohio ....	.4	.3	1.2	1.2	.6	.8	1.0	1.0
Ind. ....	.4	.3	1.3	1.0	.4	@	1.0	.9
Ill. ....	.3	.3	1.0	1.2	.7	.7	.9	.9
Mich. ....	.4	.5	1.1	1.4	1.2	1.4	1.2	1.4
Wis. ....	.4	.3	1.1	1.3	.9	1.0	1.1	1.1
E. N. Cent. ....	.39	.33	1.12	1.27	.86	.98	1.05	1.08
Minn. ....	.5	.5	.7	.8	.3	.5	.8	.9
Iowa ....	.3	.4	.6	.9	.4	.7	.6	.9
Mo. ....	.3	.4	@	.8	@	.5	.6	.8
N. Dak. ....	.6	.5	@	@	@	@	.9	.9
S. Dak. ....	.6	.5	1.0	.8	@	.7	1.1	1.0
Nebr. ....	.6	.6	.5	.8	.6	@	1.0	1.1
Kans. ....	.4	.3	@	@	@	@	.7	.6
W. N. Cent. ....	.44	.46	.60	.78	.40	.55	.77	.90
Del., Md. ....	.4	.4	1.1	1.0	1.2	1.5	1.2	1.2
Va. ....	.2	.2	1.1	1.5	.4	.5	.7	.9
W. Va. ....	.3	.4	.6	@	@	@	.6	.9
N. C. ....	.3	.3	1.5	1.7	.4	@	.9	1.0
S. C. ....	.3	.3	.7	1.0	.5	.6	.7	.8
Ga. ....	.3	.3	.8	1.1	.4	@	.7	.9
Fla. ....	@	@	@	@	@	@	@	@
S. Atl. ....	.29	.31	.91	1.09	.57	.71	.78	.91
Ky. ....	.2	.2	.8	1.2	.5	.7	.6	.8
Tenn. ....	.2	.3	.6	1.0	.4	@	.5	.8
Ala. ....	.3	.3	.5	1.2	@	.5	.5	.9
Miss. ....	.2	.2	.5	@	.9	1.0	.7	.8
Ark. ....	.4	.3	@	@	@	@	.6	.5
La. ....	.2	.2	@	@	@	@	.5	.5
Okla. ....	.7	.6	.4	@	.4	@	1.0	.9
Tex. ....	.7	.7	.1	@	.4	.6	.9	.9
S. Cent. ....	.43	.42	.39	.59	.45	.61	.71	.82
Mont. ....	.9	1.0	@	@	@	@	1.1	1.3
Idaho ....	1.1	1.1	@	@	@	@	1.2	1.3
Wyo. ....	1.3	1.1	@	@	@	@	1.6	1.4
Colo. ....	1.2	1.2	.8	1.2	@	@	1.5	1.7
N. Mex. ....	1.3	1.4	@	@	1.9	1.4	2.0	2.0
Ariz. ....	1.3	1.5	@	@	@	@	1.6	1.8
Utah ....	1.2	1.5	.2	.6	.8	@	1.5	1.9
Nev. ....	1.4	1.1	@	@	@	@	1.5	1.2
Wash. ....	.6	.7	.3	.5	.8	.6	1.0	1.1
Oreg. ....	.3	.6	@	@	@	@	.6	.9
Calif. ....	1.8	2.0	.4	.5	.6	.5	2.1	2.3
West. ....	1.39	1.58	.39	.53	.58	.49	1.71	1.92
U. S. ....	.53	.56	.80	.94	.67	.71	1.02	1.11

<sup>1/</sup> Based on tonnage fed during the June-September summer feeding season as reported on November 1, divided by number of milk cows on farms where some kind of roughage was fed.

<sup>2/</sup> Legumes, grasses, small grains, corn, sorghum, etc. cut and fed green.

<sup>3/</sup> Using 3 tons of silage or green feed as equivalent to 1 ton of hay.

@ Number of reports not sufficient to establish a stable average.

Table 7.-Hay: Percentage, by kinds, fed to milk cows in herds kept by dairy reporters  
summer feeding season, 1967 and 1968 <sup>1/</sup>

State and division	Alfalfa or mixed alfalfa		Clover or mixed clover		Lespedeza		Coastal bermuda		Other	
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Me., N. H., Vt. ....	61	47	30	46	-	-	-	-	9	7
Mass., R. I., Conn. ...	52	38	31	52	-	-	-	-	17	10
N. Y. ....	71	65	14	19	-	-	-	-	15	16
N. J. ....	84	81	12	12	-	-	-	-	4	7
Pa. ....	57	52	25	32	-	-	-	-	18	16
N. Atl. ....	63	57	22	29	-	-	-	-	15	14
Ohio ....	74	70	16	22	-	-	-	-	10	8
Ind. ....	82	81	13	18	-	-	-	-	5	1
Ill. ....	92	92	8	7	-	-	-	-	-	1
Mich. ....	94	90	5	8	-	-	-	-	1	2
Wis. ....	87	93	7	6	-	-	-	-	6	1
E. N. Cent. ....	86	89	9	9	-	-	-	-	5	2
Minn. ....	89	83	5	12	-	-	-	-	6	5
Iowa ....	90	93	7	4	-	-	-	-	3	3
Mo. ....	80	85	4	2	4	1	-	-	12	12
N. Dak. ....	88	86	-	-	-	-	-	-	12	14
S. Dak. ....	95	93	-	-	-	-	-	-	5	7
Nebr. ....	94	97	-	-	-	-	-	-	6	3
Kans. ....	94	95	-	-	-	-	-	-	6	5
W. N. Cent. ....	89	87	4	7	1	-	-	-	6	6
Del., Md. ....	60	61	33	39	-	-	-	-	7	-
Va. ....	61	57	15	26	-	1	-	-	24	16
W. Va. ....	32	25	56	59	-	-	-	-	12	16
N. C. ....	21	25	34	36	17	11	-	10	28	18
S. C. ....	6	6	-	1	15	3	51	75	28	15
Ga. ....	9	7	-	-	6	6	59	61	26	26
Fla. ....	@	@	@	@	@	@	@	@	@	@
S. Atl. ....	34	36	21	28	5	4	13	19	27	13
Ky. ....	64	57	21	37	9	3	-	-	6	3
Tenn. ....	56	56	13	23	20	16	-	-	11	5
Ala. ....	13	6	1	1	6	4	39	38	41	51
Miss. ....	13	11	19	15	30	38	7	6	31	30
Ark. ....	33	33	15	18	20	18	1	2	31	29
La. ....	33	37	5	5	2	5	16	18	44	35
Okla. ....	81	83	-	4	2	4	1	-	16	9
Texas ....	57	67	-	-	-	-	16	4	27	29
S. Cent. ....	57	59	4	7	4	6	11	5	24	23
Mont. ....	100	100	-	-	-	-	-	-	-	-
Idaho ....	98	99	2	1	-	-	-	-	-	-
Wyo. ....	100	100	-	-	-	-	-	-	-	-
Colo. ....	100	98	-	-	-	-	-	-	-	2
N. Mex. ....	99	97	1	-	-	-	-	-	-	3
Ariz. ....	100	95	-	-	-	-	-	-	-	5
Utah ....	99	98	-	-	-	-	-	-	1	2
Nev. ....	98	100	-	-	-	-	-	-	2	-
Wash. ....	80	79	17	13	-	-	-	-	3	8
Oreg. ....	71	69	22	27	-	-	-	-	7	4
Calif. ....	95	93	1	4	-	-	-	-	4	3
West. ....	95	93	2	4	-	-	-	-	3	3
U. S. ....	81	80	8	11	1	1	1	1	9	7

<sup>1/</sup> For June-September summer feeding period as reported November 1.  
 @ Number of reports not sufficient to establish a stable average.

OFFICIAL BUSINESS

Table 8.-Silage: Percentage, by kinds, fed to milk cows in herds kept by dairy reporters, summer feeding season, 1967 and 1968 1/

State and division	Corn silage		Grass Silage		Sorghum silage		Other silage	
	1967	1968	1967	1968	1967	1968	1967	1968
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Me., N.H., Vt. ....	38	57	52	31	-	-	10	12
Mass., R. I., Conn. ....	62	53	28	30	-	-	10	17
N. Y. ....	51	57	49	39	-	-	-	4
N. J. ....	62	61	26	33	-	-	12	6
Pa. ....	54	64	33	28	-	-	13	8
N. Atl. ....	53	60	40	33	-	-	7	7
Ohio ....	32	33	62	64	-	-	6	3
Ind. ....	39	34	55	66	1	-	5	-
Ill. ....	28	27	62	66	4	5	6	2
Mich. ....	53	46	41	48	1	3	5	3
Wis. ....	53	50	38	45	-	-	9	5
E. N. Cent. ....	47	44	45	51	1	1	7	4
Minn. ....	61	67	22	28	1	2	16	3
Iowa ....	55	50	19	30	-	-	26	20
S. Dak. ....	68	58	22	28	2	3	8	11
W. N. Cent. ....	59	58	20	29	5	5	16	8
S. Atl. ....	56	59	24	23	2	2	18	16
S. Cent. ....	55	57	16	18	15	10	14	15
West. ....	67	67	20	20	3	3	10	10
U. S. ....	52	54	36	37	2	2	10	7

1/ For June-September summer feeding season, as reported on November 1. Data are shown only for those States where the reported amount fed was sufficient to provide a stable breakdown by kinds.