HD
9437
U5
A421

POULTRY

Slaughtered Under Federal Inspection and
Poultry Used in Canning and Other Processed Foods
June 1961

August 3, 1961

Canned and processed poultry - Poultry used in canning and other processed foods during June 1961 totaled 51,402,000 pounds ready-to-cook weight, compared with 26,960,000 pounds in June 1960. The quantity used in June consisted of 36,554,000 pounds of chickens, 10,164,000 pounds of turkeys and 4,684,000 pounds of other poultry.

Inspected poultry - The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during June 1961 totaled 195,754,000, compared with 154,427,000 during June 1960. The number of head and pounds (live weight) inspected by classes were: young chickens, 180,656,000 head, 610,831,000 pounds; mature chickens, 7,801,000 head, 38,744,000 pounds; fryer-roaster turkeys, 1,240,000 head, 10,875,000 pounds; young turkeys, 3,401,000 head, 55,652,000 pounds; old turkeys, 1,280,000 head, 24,777,000 pounds; ducks, 1,376,000 head, 8,668,000 pounds.

Certified poultry - During June 1961, the quantity of poultry certified as wholesome was 548,369,000 pounds ready-to-cook weight, of which 424,561,000 pounds were iced and 123,808,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 442,429,000 pounds; mature chickens, 26,757,000 pounds; fryer-roaster turkeys, 8,479,000 pounds; young turkeys, 44,660,000 pounds; old turkeys, 19,681,000 pounds; ducks, 6,181,000 pounds; and other poultry, 182,000 pounds.

Ante-mortem condemnations amounted to 1,558,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of live pounds inspected: young chickens 0.21 percent, mature chickens 0.37 percent, fryer-roaster turkeys 0.13 percent, young turkeys 0.14 percent, old turkeys 0.14 percent, and ducks 0.09 percent.

Post-mortem condemnations totaled 11,701,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of the quantities inspected: young chickens, 1.74 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.25 percent; young turkeys, 1.18 percent; old turkeys, 1.71 percent; and ducks, 2.12 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service — Crop Reporting Board

Pou 2-1 (8-61) — Washington, D. C.

Poultry: Slaughtered under Federal inspection, June 1961 with comparisons

Class	Number inspected					Pounds inspected (live weight)					Average live weight				
	May	June		Jan.-June		May	June		Jan.-June		May	June		Jan.-June	
	1961	1960	1961	1960	1961	1961	1960	1961	1960	1961	1961	1960	1961	1960	1961
	Thou.	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	170,894	142,820	180,656	736,556	855,515	581,055	471,322	610,831	2,451,344	2,918,679	3.40	3.30	3.38	3.33	3.41
Mature chickens	7,860	6,399	7,801	36,843	44,379	41,522	32,594	38,744	184,898	220,185	5.28	5.09	4.97	5.02	4.96
Total chickens	178,754	149,219	188,457	773,399	899,894	622,577	503,916	649,575	2,636,242	3,138,864	3.48	3.38	3.45	3.41	3.49
Fryer-roasters	1,409	1,074	1,240	5,912	7,428	12,305	9,169	10,875	50,303	65,072	8.73	8.54	8.77	8.51	8.76
Young turkeys	1,915	1,710	3,401	5,470	8,891	30,154	26,569	55,652	87,401	154,686	15.75	15.53	16.36	15.98	17.40
Old turkeys	657	1,133	1,280	1,893	2,563	13,073	21,858	24,777	36,566	50,078	19.90	19.29	19.36	19.32	19.54
Total turkeys	3,981	3,917	5,921	13,275	18,882	55,532	57,596	91,304	174,270	269,836	13.95	14.70	15.42	13.13	14.29
Ducks	1,127	1,291	1,376	4,446	4,147	7,185	7,938	8,668	27,769	26,286	6.38	6.15	6.30	6.25	6.34
Other poultry	---	---	---	---	---	135	129	340	564	859	---	---	---	---	---
Total poultry	---	---	---	---	---	685,429	569,579	749,887	2,838,845	3,435,845	---	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	May 1961			June 1960			June 1961			January - June 1960			January - June 1961		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	382,086	39,244	421,330	312,543	27,226	339,769	397,885	44,544	442,429	1,626,808	136,734	1,763,542	1,912,718	194,174	2,106,892
Mature chickens	20,035	8,936	28,971	15,514	7,021	22,535	16,721	10,036	26,757	94,090	36,935	131,025	104,912	48,873	153,785
Total chickens	402,121	48,180	450,301	328,057	34,247	362,304	414,606	54,580	469,186	1,720,898	173,669	1,894,567	2,017,630	243,047	2,260,677
Fryer-roasters	2,024	7,403	9,427	2,357	4,712	7,069	2,335	6,144	8,479	9,179	29,835	39,014	10,236	40,509	50,745
Young turkeys	4,056	20,269	24,325	2,912	18,539	21,451	5,737	38,923	44,660	9,400	61,154	70,554	17,804	106,362	124,166
Old turkeys	772	10,321	11,093	1,741	15,738	17,479	1,739	17,942	19,681	2,722	26,498	29,220	3,316	37,231	40,547
Total turkeys	6,852	37,993	44,845	7,010	38,989	45,999	9,811	63,009	72,820	21,301	117,487	138,788	31,356	184,102	215,458
Ducks	142	4,845	4,987	207	5,644	5,851	136	6,045	6,181	1,355	18,578	19,933	959	17,580	18,539
Other poultry	1	70	71	---	67	67	8	174	182	15	285	300	18	446	464
Total poultry	409,116	91,088	500,204	335,274	78,947	414,221	424,561	123,808	548,369	1,743,569	310,019	2,053,588	2,049,963	445,175	2,495,138

Poultry: Condemnations of poultry slaughtered under Federal inspection, June 1961 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Pounds (N.Y. dressed wt.)		Percent 2/		Pounds (N.Y. dressed wt.)	
	June		June		January - June		June		June		January - June	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds
Young chickens	1,017	1,277	0.22	0.21	5,756	6,168	8,736	9,541	2.06	1.74	61,756	51,724
Mature chickens	118	144	.36	.37	582	670	715	898	2.45	2.58	3,784	4,882
Total chickens	1,135	1,421	.23	.22	6,338	6,838	9,451	10,439	2.09	1.79	65,540	56,606
Fryer-roasters	18	14	.19	.13	119	123	75	122	.91	1.25	398	687
Young turkeys	31	78	.12	.14	103	176	246	592	1.03	1.18	767	1,620
Old turkeys	26	36	.12	.14	47	71	266	381	1.35	1.71	473	873
Total turkeys	75	128	.13	.14	269	370	587	1,095	1.13	1.33	1,638	3,180
Ducks	4	8	.04	.09	20	25	112	165	1.56	2.12	367	467
Other poultry	1	1	.44	.21	1	1	1	2	.71	.65	6	4
Total	1,215	1,558	.21	.21	6,628	7,234	10,151	11,701	1.98	1.74	67,551	60,257

Poultry: Inspected for canning and other processed foods, June 1961 with comparisons 4/

Class	Pounds used ready-to-cook weight					Pounds condemned ready-to-cook weight				
	May	June		January - June		May	June		January - June	
	1961	1960	1961	1960	1961	1961	1960	1961	1960	1961
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	19,309	6,512	18,249	35,988	98,522	3.1	20.0	8.6	61.9	56.4
Mature chickens	21,357	13,584	18,305	93,551	120,019	20.0	14.5	4.7	169.0	82.7
Turkeys	7,111	6,833	10,164	36,233	54,343	.7	5.1	3.7	45.5	24.1
Other poultry 3/	5,311	31	4,684	98	21,953	5.2	---	3.4	---	18.5
Total	53,088	26,960	51,402	165,870	294,837	29.0	39.6	20.4	276.4	181.7

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.
4/ In June 1961 data on poultry parts and fat used in canning are no longer available by class of poultry. The 4,684,000 pounds shown above as other, includes 3,281,000 pounds of parts, 1,271,000 pounds of fat, and 132,000 pounds of duck and other poultry.

Young chickens: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl.	15,975	15,473	58,982	58,468	3.69	3.78	41,309	41,200	816	997	1.54	1.90
E.N.Cent.	5,168	5,927	17,784	20,697	3.44	3.49	12,961	14,817	139	223	.87	1.20
W.N.Cent.	4,184	6,119	13,257	19,854	3.17	3.24	9,390	14,166	253	366	2.13	2.05
S.Atl.	60,048	76,293	200,551	258,783	3.34	3.39	145,058	189,559	4,074	3,645	2.26	1.57
S.Cent.	52,963	71,920	165,323	236,153	3.12	3.28	119,841	170,529	3,206	3,924	2.16	1.85
West.	4,482	4,924	15,425	16,876	3.44	3.43	11,210	12,158	248	386	1.79	2.55
U.S.	142,820	180,656	471,322	610,831	3.30	3.38	339,769	442,429	8,736	9,541	2.06	1.74
Maine	5,513	5,189	20,826	20,177	3.78	3.89	14,077	14,193	322	351	1.72	1.94
Mass. 3/	---	608	---	2,487	---	4.09	---	1,714	---	64	---	2.86
Conn.	1,553	1,516	5,259	5,317	3.39	3.51	3,490	3,549	96	103	2.03	2.14
N.J. 3/	32	---	146	---	4.50	---	1,553	---	2	---	1.38	---
Pa.	6,857	6,759	25,105	25,180	3.66	3.73	18,537	18,187	287	411	1.27	1.82
Ohio	1,618	1,906	5,554	6,704	3.43	3.52	4,072	4,686	37	71	.73	1.19
Ind.	1,780	2,116	5,894	7,028	3.31	3.32	4,297	5,123	47	71	.88	1.13
Ill.-Mich. 4/	258	276	1,059	1,166	4.10	4.22	744	831	6	11	.63	1.06
Wis.	1,511	1,629	5,278	5,799	3.49	3.56	3,848	4,177	49	70	1.03	1.35
Minn.	248	772	820	2,663	3.31	3.45	621	2,037	5	38	.74	1.59
Iowa	130	106	629	510	4.85	4.80	473	384	2	1	.36	.40
Mo.	3,716	5,121	11,515	16,291	3.10	3.18	8,076	11,454	241	322	2.33	2.20
Del.	6,588	7,413	23,921	27,519	3.63	3.71	17,662	20,355	515	342	2.39	1.38
Md.	8,242	9,950	30,001	35,852	3.64	3.60	21,525	25,808	444	482	1.65	1.49
Va.	4,480	5,670	13,758	17,676	3.07	3.12	9,997	12,685	144	408	1.16	2.57
N.C.	13,657	18,155	45,092	61,980	3.30	3.41	32,896	45,287	471	642	1.16	1.15
S.C.	933	1,654	3,032	5,529	3.25	3.34	2,179	4,002	50	76	1.85	1.52
Ga.	25,048	31,605	81,143	104,350	3.24	3.30	58,254	77,075	2,412	1,640	3.31	1.75
Ky.	2,123	2,936	7,070	9,977	3.33	3.40	4,935	7,055	76	121	1.20	1.35
Tenn.	5,527	5,841	17,696	20,009	3.20	3.43	12,753	14,609	418	312	2.63	1.74
Ala.	14,205	17,752	45,206	59,861	3.18	3.37	32,801	43,561	752	1,171	1.85	2.18
Miss.	7,763	12,201	23,904	39,981	3.08	3.28	17,604	28,861	622	580	2.90	1.62
Ark.	14,617	21,301	44,437	67,502	3.04	3.17	32,276	48,430	826	1,176	2.07	1.94
La.-Okla. 4/	2,723	2,716	8,502	8,893	3.12	3.27	6,149	6,445	184	137	2.90	1.72
Texas	6,004	9,173	18,508	29,930	3.08	3.26	13,323	21,568	329	427	1.98	1.59
Idaho	399	440	1,245	1,317	3.12	2.99	1,008	972	13	13	1.20	1.07
Utah	82	63	273	228	3.32	3.59	203	168	2	2	.76	.92
Wash.	714	665	2,466	2,217	3.46	3.33	1,718	1,540	23	21	1.05	1.06
Oreg.	621	626	2,144	2,149	3.45	3.43	1,515	1,510	29	27	1.50	1.37
Calif.	2,666	3,130	9,296	10,965	3.49	3.50	6,765	7,968	181	323	2.17	3.28

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States
June 1961

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	37,873	123,947	75,115	17,187	1,040	17	3,383	7,820	9,377	808	74	5,569	282,210
E.N.Cent.	10	3,262	22,806	23,399	7,694	738	1	1,890	5,601	4,290	726	3	5,374	75,794
W.N.Cent.	---	3,429	32,789	54,556	15,268	293	---	1,112	9,628	6,385	729	14	433	124,636
S.Atl.	1	90,983	242,802	471,402	61,604	3,774	67	7,646	40,763	42,138	6,482	1,729	218,979	1,188,370
S.Cent.	---	47,308	241,722	589,548	49,718	4,701	70	12,236	53,164	53,447	5,583	3,021	168,898	1,229,416
West.	---	1,513	35,534	48,303	9,527	853	605	1,487	3,473	6,098	1,407	21	14,595	123,416
U.S.	11	184,368	699,600	1,262,323	160,998	11,399	760	27,754	120,449	121,735	15,735	4,862	413,848	3,023,842
Maine	---	8,829	44,836	10,261	7,017	445	---	1,964	2,165	3,931	114	---	454	80,016
Mass.	---	4,190	8,581	1,886	1,130	24	---	188	571	346	113	---	417	17,446
Conn.	---	5,479	10,211	8,551	2,987	69	3	192	995	1,832	2	---	514	30,835
Pa.	---	15,621	54,883	45,953	4,520	370	14	736	3,287	2,546	488	72	2,960	131,450
Ohio	1	1,716	10,455	5,577	2,787	204	---	304	1,825	1,739	209	2	371	25,190
Ind.	5	967	7,061	8,586	2,783	425	1	321	1,008	784	189	1	2,604	24,735
Ill.-Mich 1/	---	189	1,295	292	132	15	---	190	569	142	1	---	3	2,828
Wis.	4	390	3,995	8,944	1,992	94	---	1,075	2,199	1,625	327	---	2,396	23,041
Minn.	---	399	1,863	2,495	423	84	---	188	1,855	1,937	97	---	228	9,569
Iowa	---	23	147	31	30	9	---	11	35	54	71	---	---	411
Mo.	---	2,969	30,480	51,560	14,775	192	---	894	7,675	4,304	401	14	140	113,404
Del.	---	21,455	42,081	25,736	10,893	386	35	504	2,074	1,683	207	---	1,590	106,644
Md.	---	20,416	49,281	48,794	13,805	587	---	754	4,406	2,824	563	23	6,978	148,431
Va.	---	10,521	52,644	70,505	8,527	173	1	823	1,684	3,705	476	1	267	149,327
N.C.	---	17,022	27,306	42,197	10,600	1,150	1	2,147	11,157	9,775	1,909	138	98,710	222,112
S.C.	---	474	2,067	3,767	489	30	2	340	2,475	1,624	238	141	10,991	22,638
Ga.	---	19,384	64,[illegible]	272,103	16,264	1,372	20	2,901	18,226	22,096	3,081	1,426	97,951	519,014
Ky.	---	1,146	17,[illegible]	18,382	3,509	94	20	897	2,096	1,104	505	25	90	45,727
Tenn.	---	2,879	17,553	45,637	5,206	195	---	857	4,243	3,779	181	4	29,565	110,099
Ala.	---	5,285	28,383	225,980	5,771	644	4	1,222	8,547	13,347	696	315	92,390	382,584
Miss.	---	8,406	14,473	88,560	4,363	493	3	1,985	11,677	12,694	1,402	2,223	24,667	170,946
Ark.	---	13,633	112,039	139,635	15,864	1,515	38	4,368	20,385	11,108	1,715	335	20,697	341,332
La.-Okla. 1/	---	2,590	14,023	18,019	1,797	467	---	514	1,892	2,157	246	4	52	41,761
Texas	---	13,369	37,392	53,335	13,208	1,293	5	2,393	4,324	9,258	838	115	1,437	136,967
Idaho	---	24	1,995	865	155	9	---	291	578	267	49	---	1,342	5,575
Utah	---	16	138	46	159	---	---	20	61	5	4	1	---	450
Wash.	---	253	2,830	1,796	380	48	1	94	115	285	11	1	1,368	7,182
Oreg.	---	228	982	3,555	449	18	604	105	156	405	63	---	1,457	8,022
Calif.	---	992	29,589	[illegible],041	8,384	778	---	977	2,563	5,136	1,280	19	10,428	102,187

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
									Pounds (NYD)		Percent 2/	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl.	1,128	1,394	6,154	7,328	5.46	5.26	4,243	5,044	116	135	2.11	2.05
E.N.Cent.	1,158	1,362	5,399	5,921	4.66	4.35	3,771	4,074	103	122	2.13	2.30
W.N.Cent.	1,548	1,680	7,348	8,033	4.75	4.78	4,793	5,459	188	225	2.85	3.13
S.Atl.	1,145	1,308	6,493	7,434	5.67	5.68	4,713	5,268	125	139	2.14	2.08
S.Cent.	735	940	4,243	5,260	5.77	5.60	2,956	3,676	116	151	3.05	3.20
West.	685	1,117	2,957	4,768	4.32	4.27	2,059	3,236	67	126	2.53	2.95
U.S.	6,399	7,801	32,594	38,744	5.09	4.97	22,535	26,757	715	898	2.45	2.58
Maine	163	251	1,113	1,660	6.82	6.61	819	1,211	20	29	2.05	1.96
Conn.	73	82	499	514	6.83	6.24	337	363	4	7	.96	1.35
N.Y.	147	156	804	758	5.47	4.87	535	554	8	6	1.11	.99
N.J.	421	432	1,750	1,715	4.16	3.97	1,172	1,058	59	54	3.79	3.58
Pa.	127	271	756	1,457	5.93	5.38	550	1,011	9	21	1.28	1.64
Ohio	256	354	1,215	1,593	4.76	4.50	860	1,061	20	36	1.88	2.51
Ind.	356	478	1,707	2,128	4.80	4.46	1,358	1,522	30	40	1.95	2.09
Ill.	337	415	1,586	1,714	4.70	4.13	973	1,247	33	40	2.34	2.61
Mich.	11	26	52	115	4.57	4.51	39	78	1	1	2.24	1.63
Wis.	198	89	839	371	4.24	4.18	541	166	18	5	2.37	1.37
Minn.	719	791	3,227	3,423	4.49	4.33	1,956	2,278	98	112	3.39	3.68
Iowa	73	105	320	482	4.38	4.60	230	338	7	9	2.26	1.99
Mo.	343	402	1,877	2,283	5.47	5.68	1,325	1,610	30	41	1.78	2.01
Nebr.	354	315	1,636	1,433	4.62	4.55	1,083	951	46	55	3.12	4.31
Kans. 3/	---	64	---	397	---	6.20	---	272	---	8	---	2.25
Del.	19	53	147	365	7.87	6.93	106	261	2	5	1.40	1.33
Md. 3/	---	313	---	1,268	---	---	---	886	---	24	---	2.11
Va.	106	152	652	900	6.12	5.93	478	635	14	22	2.38	2.72
N.C.	356	332	2,130	1,947	5.98	5.87	1,579	1,359	28	35	1.48	2.02
S.C.	41	30	248	186	6.12	6.24	175	130	5	4	2.37	2.54
Ga.	356	419	2,232	2,712	6.26	6.48	1,619	1,959	55	48	2.76	2.01
Ky. 3/	22	---	109	---	4.95	---	76	---	4	---	3.67	---
Tenn.	142	144	785	804	5.52	5.58	536	551	29	11	4.17	1.56
Ala.	97	209	569	1,069	5.87	5.12	417	796	14	43	2.84	4.57
Miss.	24	89	174	417	7.20	4.71	127	280	3	9	2.13	2.52
Ark.	65	81	460	564	7.05	6.92	333	393	10	18	2.52	3.44
La.-Okla. 4/	181	190	1,013	1,191	5.60	6.27	677	839	28	30	3.08	2.81
Texas	203	216	1,132	1,145	5.58	5.30	790	771	27	39	2.65	3.85
Idaho	12	17	58	81	4.93	4.70	41	57	1	1	1.15	2.22
Utah	25	38	97	154	3.91	4.08	70	110	2	3	1.93	1.99
Wash.	53	84	240	367	4.53	4.37	156	236	6	10	2.60	2.97
Oreg.	59	96	258	432	4.41	4.51	181	304	9	11	3.98	2.96
Calif.	534	877	2,292	3,709	4.29	4.23	1,604	2,512	50	101	2.45	3.06

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States
June 1961

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	44	2,912	11,653	16	5,943	6,242	113	448	608	1,632	106	84	2,618	32,419
E.N.Cent.	2,804	5,243	7,650	233	3,763	4,443	184	768	865	1,256	77	12	3,468	30,766
W.N.Cent.	11,733	5,024	17,884	149	5,285	3,447	719	790	860	2,355	216	19	2,353	50,834
S.Atl.	13	2,361	8,606	192	4,456	2,109	3	419	814	1,427	170	5	7,894	28,469
S.Cent.	74	4,749	9,508	187	4,309	933	168	371	489	2,305	133	---	9,840	33,066
West.	---	933	12,253	236	6,376	6,781	31	573	901	1,265	268	24	5,504	35,145
U.S.	14,668	21,222	67,554	1,013	30,132	23,955	1,218	3,369	4,537	10,240	970	144	31,677	210,699
Maine	---	298	2,088	1	1,328	423	---	117	71	322	13	1	134	4,796
Conn.	---	155	682	1	269	138	---	26	7	39	---	---	---	1,317
N.Y.	4	96	601	---	242	218	2	44	112	57	43	48	---	1,467
N.J.	35	1,324	4,791	4	1,999	4,145	110	99	195	856	10	---	2,469	16,037
Pa.	3	621	2,748	8	886	690	1	68	104	187	28	27	10	5,381
Ohio	737	1,454	2,951	3	1,724	1,588	118	134	410	297	14	---	172	9,602
Ind.	338	806	2,285	217	703	2,063	31	176	166	345	14	3	2,929	10,076
Ill.	1,528	2,849	1,994	9	1,113	574	33	426	249	491	48	3	314	9,631
Mich.	2	20	175	4	18	93	---	12	23	71	1	6	---	425
Wis.	199	114	245	---	205	125	2	20	17	52	---	---	53	1,032
Minn.	5,470	2,466	9,278	53	2,689	2,418	487	363	336	1,506	135	16	1,096	26,313
Iowa	475	329	870	6	321	149	2	82	105	154	1	---	---	2,494
Mo.	1,152	807	2,891	41	1,069	443	131	175	126	314	29	1	827	8,006
Nebr.	4,426	1,270	4,318	31	825	314	98	103	157	244	46	2	409	12,243
Kans.	162	152	527	18	379	119	1	63	135	136	5	---	21	1,718
Del.	---	172	264	13	100	41	---	1	20	19	2	---	---	632
Md.	12	509	3,238	---	1,094	235	---	227	310	89	77	---	99	5,890
Va.	---	421	2,070	34	1,735	319	---	64	74	156	4	---	---	4,877
N.C.	---	1,031	1,137	9	761	243	1	53	228	510	78	---	3,109	7,160
S.C.	---	3	19	---	16	6	---	9	10	43	2	2	613	723
Ga.	---	223	1,852	136	733	1,249	1	63	167	605	7	3	3,794	8,833
Tenn.	1	282	1,459	53	297	77	10	37	55	245	52	---	27	2,595
Ala.	---	69	283	13	93	33	---	53	130	275	1	---	8,534	9,484
Miss.	---	41	432	---	150	221	1	71	7	226	18	---	987	2,154
Ark.	---	161	1,377	77	267	109	---	33	50	183	2	---	277	2,536
La.-Okla. 1/	66	1,012	2,864	11	640	256	147	59	117	407	43	---	15	5,637
Texas	---	3,135	2,954	33	2,822	221	10	116	126	957	17	---	---	10,391
Idaho	---	51	219	14	40	16	---	6	17	31	---	---	4	398
Utah	---	47	299	3	255	71	---	18	23	4	20	1	---	741
Wash.	---	72	1,274	---	388	226	---	22	26	103	5	---	777	2,893
Oreg.	---	57	349	1	1,054	281	1	28	61	415	4	---	796	3,047
Calif.	---	706	10,111	218	4,632	6,187	30	497	767	712	239	23	3,927	28,049

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl.	96	110	883	1,128	9.20	10.25	689	843	9	6	1.14	0.59
E.N.Cent.	242	310	3,672	4,757	15.17	15.35	2,924	3,799	18	37	.55	.87
W.N.Cent.	483	1,011	7,052	15,025	14.60	14.86	5,654	12,208	44	120	.69	.89
S.Atl.	125	303	2,188	4,984	17.50	16.45	1,758	3,935	17	44	.86	.98
S.Cent.	124	346	1,951	5,826	15.73	16.84	1,532	4,639	46	47	2.62	.90
West.	640	1,321	10,823	23,932	16.91	18.12	8,894	19,236	112	338	1.15	1.57
U.S.	1,710	3,401	26,569	55,652	15.54	16.36	21,451	44,660	246	592	1.03	1.18
Pa.	91	99	805	959	8.87	9.68	629	726	8	5	1.11	.68
Ohio	68	80	1,028	1,229	15.16	15.32	823	971	6	6	.62	.56
Ind.	73	77	1,197	1,288	16.30	16.63	969	1,053	6	8	.56	.65
Ill.-Mich. 3/ 4/	25	---	436	---	17.44	---	340	---	1	---	.26	---
Wis.	75	145	1,011	2,106	13.40	14.54	792	1,667	5	22	.52	1.13
Minn.	258	620	3,836	9,200	14.34	14.85	3,069	7,546	26	76	.76	.92
Iowa	177	290	2,439	4,147	13.76	14.31	1,957	3,340	9	26	.43	.71
Mo.	13	36	227	633	17.46	17.58	182	496	2	6	.98	1.06
Nebr. 3/	14	---	225	---	16.48	---	184	---	3	---	1.35	---
Kans. 3/	---	30	---	446	---	14.87	---	351	---	8	---	1.99
Va.	24	99	379	1,544	15.53	15.62	288	1,152	6	17	1.74	1.23
N.C.	60	118	1,172	2,220	19.44	18.83	965	1,803	6	19	.53	.94
S.C.	21	37	413	700	19.52	18.69	329	570	3	5	.78	.81
Ark. 3/	37	---	480	---	12.89	---	385	---	8	---	1.91	---
Texas	70	123	1,170	2,178	16.76	17.68	915	1,758	35	17	3.32	.89
Colo. 3/	---	118	---	2,066	---	17.56	---	1,686	---	11	---	.56
Utah	95	204	1,556	3,277	16.39	16.07	1,258	2,639	15	42	1.04	1.44
Oreg.	17	43	243	701	14.53	16.19	194	571	3	9	1.27	1.30
Calif.	491	953	8,484	17,829	17.29	18.71	7,007	14,301	92	274	1.20	1.71

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States
June 1961

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	4	389	18	34	1	---	13	9	41	---	6	---	515
E. N. Cent.	6	25	813	629	252	1	---	31	81	104	6	3	351	2,302
W. N. Cent.	19	61	3,819	1,653	481	26	---	129	272	472	356	8	1,161	8,457
S. Atl.	---	7	1,350	187	534	16	---	23	102	120	68	---	182	2,589
S. Cent.	---	44	1,389	624	175	9	5	27	105	128	4	2	202	2,714
West.	---	56	7,408	2,984	3,896	88	1	385	262	406	178	8	1,506	17,178
U. S.	25	197	15,168	6,095	5,372	141	6	608	831	1,271	612	27	3,402	33,755
Pa.	---	3	345	18	30	1	---	9	8	32	---	6	---	452
Ohio	6	15	192	16	58	---	---	2	17	4	---	3	3	316
Ind.	---	---	192	99	10	---	---	3	12	15	1	---	37	369
Wis.	---	10	381	502	183	1	---	24	50	75	5	---	311	1,542
Minn.	16	32	2,550	911	312	23	---	77	172	367	354	1	992	5,807
Iowa	---	---	838	664	42	2	---	24	49	56	2	7	108	1,792
Mo.	---	4	172	38	63	---	---	8	23	11	---	---	1	320
Kans.	3	4	177	18	42	---	---	5	28	26	---	---	3	306
Va.	---	2	538	160	240	---	---	11	70	39	62	---	---	1,122
N.C.	---	1	558	---	176	7	---	11	5	56	5	---	167	986
S.C.	---	---	198	10	66	1	---	---	16	3	---	---	6	300
Texas	---	26	537	155	91	2	4	18	43	57	1	2	---	936
Colo.	---	1	220	35	69	1	---	12	24	20	61	---	---	443
Utah	---	---	956	682	596	---	---	102	34	24	52	7	---	2,453
Oreg.	---	---	185	2	111	---	---	18	17	13	1	1	1	349
Calif.	---	55	5,985	2,263	3,102	86	1	253	187	346	64	---	1,504	13,846

Fryer-roaster turkeys: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl.	5	2	40	18	8.00	9.00	30	14	---	---	---	---
E.N.Cent.	168	335	1,505	3,248	8.96	9.70	1,173	2,564	8	23	0.59	0.79
W.N.Cent.	494	453	4,228	3,949	8.56	8.72	3,296	3,144	27	53	.71	1.49
S.Atl.	309	251	2,692	2,100	8.71	8.37	1,999	1,556	32	35	1.32	1.85
S.Cent.	34	48	267	373	7.85	7.77	204	288	3	1	1.25	.30
West.	64	151	437	1,187	6.83	7.86	367	913	5	10	1.27	.94
U.S.	1,074	1,240	9,169	10,875	8.54	8.77	7,069	8,479	75	122	.91	1.25
Ohio	45	37	374	315	8.38	8.59	291	242	2	2	.48	.71
Wis.	123	298	1,131	2,933	9.18	9.84	882	2,322	6	21	.61	.79
Minn.	369	389	3,177	3,393	8.62	8.72	2,492	2,707	21	51	.73	1.70
Iowa 3/	75	---	640	---	8.53	---	489	---	2	---	.33	---
Va.	301	239	2,630	2,001	8.73	8.36	1,951	1,476	31	35	1.32	1.93
Ark.	22	34	155	260	7.20	7.61	119	198	2	1	1.23	.73
Calif.	51	118	347	904	6.77	7.65	298	691	3	10	.90	1.15

Fryer-roaster turkeys: Number condemned post mortem by cause, by regions and selected States, June 1961

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflamatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	---	5	3	---	---	---	1	---	1	---	---	---	10
E.N.Cent.	2	7	680	614	378	7	---	44	128	111	7	---	518	2,496
W.N.Cent.	16	26	5,733	658	190	3	---	92	178	592	102	3	51	7,644
S.Atl.	---	10	1,501	2,228	280	---	---	66	98	83	3	---	---	4,269
S.Cent.	---	4	135	71	5	---	---	1	11	19	---	---	24	270
West.	---	8	324	32	94	5	1	46	140	156	11	---	184	1,001
U.S.	18	55	8,378	3,606	947	15	1	250	555	962	123	3	777	15,690
Ohio	2	5	133	8	24	---	---	2	20	24	---	---	---	218
Wis.	---	2	547	606	354	7	---	42	108	87	7	---	518	2,278
Minn.	16	26	5,679	611	100	3	---	73	168	569	101	3	30	7,379
Va.	---	9	1,487	2,228	260	---	---	62	98	83	3	---	---	4,230
Ark.	---	2	105	70	4	---	---	1	8	8	---	---	24	222
Calif.	---	7	293	32	85	3	---	42	71	135	---	---	171	839

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961	1960	1961
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl.	9	17	142	322	15.78	18.94	113	258	1	1	0.78	0.35
E.N.Cent.	83	130	1,572	2,464	18.94	18.95	1,248	1,967	17	34	1.20	1.54
W.N.Cent.	311	319	5,871	5,933	18.88	18.60	4,671	4,679	80	85	1.52	1.60
S.Atl.	69	54	1,245	1,006	18.04	18.63	1,018	782	14	12	1.25	1.33
S.Cent.	155	144	2,782	2,684	17.95	18.64	2,219	2,121	31	40	1.24	1.66
West.	506	616	10,246	12,368	20.25	20.08	8,210	9,874	123	209	1.33	1.88
U. S.	1,133	1,280	21,858	24,777	19.29	19.36	17,479	19,681	266	381	1.35	1.71
Ohio	35	57	639	1,067	18.45	18.63	506	853	8	10	1.34	1.11
Wis.	27	30	508	541	18.91	18.14	398	429	6	13	1.38	2.63
Minn.	128	103	2,386	1,938	18.63	18.83	1,926	1,544	33	30	1.56	1.75
Iowa	51	48	994	886	19.63	18.47	762	705	7	11	.84	1.33
Va.	20	33	373	580	18.77	17.72	298	441	4	9	1.20	1.81
Texas	111	108	1,975	2,049	17.85	19.06	1,593	1,627	20	31	1.11	1.67
Calif.	355	448	7,143	9,129	20.12	20.39	5,719	7,275	89	170	1.39	2.07

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1961

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	1	30	---	6	1	---	5	8	2	2	---	---	55
E.N.Cent.	2	14	348	431	380	18	4	31	18	61	3	8	107	1,425
W.N.Cent.	---	66	1,738	341	743	101	---	58	192	158	11	15	96	3,519
S.Atl.	---	8	280	24	245	3	---	5	39	30	6	---	22	662
S.Cent.	---	319	1,170	99	378	13	---	13	30	88	---	---	6	2,116
West.	---	23	4,790	699	2,107	126	4	254	162	227	1	48	1,043	9,484
U. S.	2	431	8,356	1,594	3,859	262	8	366	449	566	23	71	1,274	17,261
Ohio	2	6	157	37	160	13	---	4	1	11	1	---	---	392
Wis.	---	6	70	320	156	1	---	9	11	14	1	---	82	670
Minn.	---	41	667	205	296	17	---	23	21	89	6	5	17	1,387
Iowa	---	---	233	76	26	1	---	11	36	22	5	5	10	425
Va.	---	6	200	22	145	1	---	2	38	21	4	---	---	439
Texas	---	314	958	27	239	6	---	9	28	76	---	---	1	1,658
Calif.	---	22	4,020	290	1,700	119	4	211	99	132	1	15	1,034	7,647

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON 25, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Albert R. Mann Library
Acquisitions Division
5353 Ithaca, N.Y.

Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

****

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.