POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
July 1962

August 30, 1962

Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in July 1962 totaled 33,798,000 pounds ready-to-cook weight, compared with 28,848,000 pounds in July 1961. The quantity used July 1962 consisted of 6,173,000 pounds of young chickens, 14,597,000 pounds of mature chickens, 10,708,000 pounds of turkeys, and 2,320,000 pounds of other poultry.

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during July 1962 amounted to 179,037,000, compared with 182,520,000 in July 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 164,542,000 head, 547,502,000 pounds; mature chickens, 8,172,000 head, 39,122,000 pounds; fryer-roaster turkeys, 1,171,000 head, 10,144,000 pounds; young turkeys, 3,614,000 head, 58,986,000 pounds; old turkeys, 295,000 head, 5,227,000 pounds; and ducks 1,243,000 head, 7,858,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in July 1962 totaled 488,343,000 pounds ready-to-cook weight of which 379,901,000 pounds were iced and 108,442,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 397,007,000 pounds; mature chickens, 26,511,000 pounds; fryer-roaster turkeys, 7,865,000 pounds; young turkeys, 47,144,000 pounds; old turkeys, 4,166,000 pounds; ducks, 5,535,000 pounds; and other poultry, 115,000 pounds.

Ante-mortem condemnations amounted to 2,001,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.32 percent; mature chickens, 0.42 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.12 percent; old turkeys, 0.09 percent; and ducks, 0.01 percent.

Post-mortem condemnations in July 1962 amounted to 10,137,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.67 percent; mature chickens, 2.76 percent; fryer-roaster turkeys, 1.41 percent; young turkeys, 1.23 percent; old turkeys, 1.53 percent; and ducks 1.26 percent. In July 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.69 percent; mature chickens, 2.65 percent; fryer-roaster turkeys, 1.84 percent; young turkeys, 1.19 percent; old turkeys, 1.61 percent; and ducks, 2.19 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (8-62)
Crop Reporting Board
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, July 1962 with comparisons

Class	Number inspected					Pounds inspected (live weight)					Average live weight				
	June	July		January-July		June	July		January-July		June	July		Jan.-July	
	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Lbs.	Lbs.	Lbs.	Lbs.	Lbs.
Young chickens	171,849	167,482	164,542	1,022,997	1,029,298	580,770	567,666	547,502	3,486,345	3,499,899	3.38	3.39	3.33	3.41	3.40
Mature chickens	8,217	6,741	8,172	51,120	55,746	40,611	33,432	39,122	253,617	274,767	4.94	4.96	4.79	4.96	4.93
Total chickens	80,066	174,223	172,714	1,074,117	1,085,044	621,381	601,098	586,624	3,739,962	3,774,166	3.45	3.45	3.40	3.48	3.48
Fryer-roasters	901	1,244	1,171	8,672	6,618	7,576	10,794	10,144	75,866	57,353	8.41	8.68	8.66	8.75	8.67
Young turkeys	1,884	5,402	3,614	14,293	9,644	31,938	86,957	58,986	241,643	172,096	16.95	16.10	16.32	16.91	17.84
Old turkeys	864	350	295	2,913	2,198	16,640	5,870	5,227	55,948	42,563	19.26	16.77	17.72	19.21	19.36
Total turkeys	3,649	6,996	5,080	25,878	18,460	56,154	103,621	74,357	373,457	272,012	15.39	14.81	14.64	14.43	14.74
Ducks	1,114	1,301	1,243	5,448	5,158	7,175	8,179	7,858	34,465	33,085	6.44	6.29	6.32	6.33	6.41
Other poultry	---	---	---	---	---	217	179	216	1,038	1,136	---	---	---	---	---
Total poultry	---	---	---	---	---	684,927	713,077	669,055	4,148,922	4,080,399	---	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	June 1962			July 1961			July 1962			January-July 1961			January-July 1962		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	375,725	45,723	421,448	373,682	38,678	412,360	355,383	41,624	397,007	2,286,400	232,852	2,519,252	2,250,767	277,061	2,527,528
Mature chickens	18,050	9,848	27,898	15,064	7,887	22,951	17,652	8,859	26,511	119,976	56,760	176,736	128,078	61,854	189,932
Total chickens	93,775	55,571	449,346	388,746	46,565	435,311	373,035	50,483	423,518	2,406,376	289,612	2,695,988	2,378,845	338,915	2,717,760
Fryer-roasters	1,717	4,118	5,835	2,193	6,164	8,357	1,591	6,274	7,865	12,429	46,673	59,102	10,730	33,991	44,721
Young turkeys	2,836	22,692	25,528	4,961	64,036	68,997	4,748	42,396	47,144	22,765	170,398	193,163	18,418	118,876	137,294
Old turkeys	1,392	11,736	13,128	469	4,184	4,653	424	3,742	4,166	3,785	41,415	45,200	3,168	30,502	33,670
Total turkeys	5,945	38,546	44,491	7,623	74,384	82,007	6,763	52,412	59,175	38,979	258,486	297,465	32,316	183,369	215,685
Ducks	90	4,928	5,018	68	5,672	5,740	101	5,434	5,535	1,027	23,252	24,279	896	22,474	23,370
Other poultry	1	114	115	2	94	96	2	113	115	20	540	560	10	597	607
Total poultry	399,811	99,159	498,970	396,439	126,715	523,154	379,901	108,442	488,343	2,446,402	571,890	3,018,292	2,412,067	545,355	2,957,422

Poultry: Condemnations of poultry slaughtered under Federal Inspection, July 1962 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Pounds (N.Y. dressed wt.)		Percent 2/		Pounds (N.Y. dressed wt.)	
	July		July		January-July		July		July		January-July	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds
Young chickens	1,666	1,735	0.29	0.32	7,834	8,261	8,589	8,226	1.69	1.67	60,313	72,760
Mature chickens	131	165	.39	.42	801	961	794	966	2.65	2.76	5,676	6,171
Total chickens	1,797	1,900	.30	.32	8,635	9,222	9,383	9,192	1.74	1.75	65,989	78,931
Fryer-roasters	12	26	.11	.25	135	190	179	128	1.84	1.41	866	679
Young turkeys	111	68	.13	.12	287	243	931	654	1.19	1.23	2,551	2,381
Old turkeys	10	5	.17	.09	81	63	85	72	1.61	1.53	958	788
Total turkeys	133	99	.13	.13	503	496	1,195	854	1.28	1.28	4,375	3,848
Ducks	5	1	.06	.01	30	5	161	89	2.19	1.26	628	388
Other poultry 3/	---	1	---	.42	1	3	1	2	.62	1.03	5	8
Total	1,935	2,001	.27	.30	9,169	9,726	10,740	10,137	1.68	1.69	70,997	83,175

Poultry: Inspected for canning and other processed foods, July 1962 with comparisons 4/

Class	Pounds used ready-to-cook weight					Pounds condemned ready-to-cook weight				
	June	July		January-July		June	July		January-July	
	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	8,150	5,529	6,173	46,062	47,960	6	3	3	45	36
Mature chickens	16,395	13,348	14,597	128,161	120,726	6	2	14	82	93
Turkeys	11,264	7,667	10,708	51,885	70,465	8	3	5	26	36
Other poultry 5/	2,880	2,304	2,320	22,651	22,871	4	6	8	23	23
Total	38,689	28,848	33,798	248,759	262,022	24	14	30	176	188

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.
4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)
5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young Chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	13,799	13,913	51,653	52,282	3.74	3.76	36,663	37,562	735	722	1.58	1.54
E. N. Cent.	4,966	3,803	17,639	12,876	3.55	3.39	12,768	9,370	171	119	1.08	1.03
W. N. Cent.	5,722	4,830	18,600	15,427	3.25	3.19	13,333	11,105	307	240	1.84	1.73
S. Atl.	72,149	70,843	244,623	237,952	3.39	3.36	180,100	173,568	3,274	3,336	1.49	1.56
S. Cent.	66,500	67,205	220,366	215,157	3.31	3.20	158,885	155,582	3,808	3,465	1.93	1.80
West.	4,346	3,948	14,785	13,808	3.40	3.50	10,611	9,820	294	344	2.21	2.78
U. S.	167,482	164,542	567,666	547,502	3.39	3.33	412,360	397,007	8,589	8,226	1.69	1.67
Maine	4,861	5,372	18,475	20,312	3.80	3.78	13,325	14,996	288	318	1.73	1.74
Mass.	532	686	2,042	2,529	3.84	3.69	1,462	1,813	49	32	2.67	1.42
Conn.	1,263	906	4,468	3,210	3.54	3.54	3,012	2,225	65	50	1.63	1.72
N. J. 5/ 3/	---	34	---	159	---	4.64	---	27	---	---	---	---
Pa.	5,892	6,262	22,001	23,644	3.73	3.78	15,776	16,941	294	297	1.49	1.39
Ohio	1,551	902	5,652	3,104	3.64	3.44	4,108	2,268	57	32	1.11	1.12
Ind.	1,777	1,485	5,903	4,659	3.32	3.14	4,291	3,379	44	48	.82	1.14
Ill.-Mich. 4/	310	197	1,394	735	4.50	3.73	998	524	15	5	1.20	.76
Wis.	1,328	1,219	4,690	4,378	3.53	3.59	3,371	3,199	55	34	1.29	.87
Minn.	773	827	2,643	2,844	3.42	3.44	2,073	2,087	42	35	1.82	1.36
Iowa	81	95	365	354	4.51	3.74	270	254	1	1	.37	.26
Mo.	4,743	3,869	15,150	12,106	3.19	3.13	10,664	8,671	260	202	1.91	1.86
Del.	7,178	7,366	26,402	27,326	3.68	3.71	19,120	20,213	328	360	1.38	1.47
Md.	9,646	9,271	34,834	34,058	3.61	3.67	25,161	24,501	437	414	1.40	1.35
Va.	4,767	5,158	15,123	15,329	3.17	2.97	10,879	10,980	232	152	1.71	1.10
N. C.	17,247	17,411	57,826	58,527	3.35	3.36	43,200	42,816	621	727	1.20	1.39
S. C.	1,702	1,718	5,688	5,616	3.34	3.27	4,116	4,014	104	110	2.04	2.21
Ga.	30,160	28,963	100,021	94,229	3.32	3.25	74,171	68,966	1,502	1,547	1.67	1.83
Ky.	2,453	2,365	8,371	7,843	3.41	3.32	5,896	5,547	82	101	1.09	1.44
Tenn.	5,462	4,914	18,565	16,211	3.40	3.30	13,503	11,956	298	196	1.79	1.35
Ala.	17,071	16,558	58,134	53,957	3.41	3.26	42,408	39,214	1,201	868	2.31	1.80
Miss.	10,785	11,198	35,704	35,351	3.31	3.16	25,919	26,122	580	605	1.81	1.91
Ark.	19,274	20,069	62,050	63,061	3.22	3.14	44,074	44,738	1,119	1,134	2.01	2.01
La.-Okla.	2,859	3,007	9,431	9,529	3.30	3.17	6,855	6,951	152	153	1.80	1.79
Texas	8,596	9,094	28,111	29,205	3.27	3.21	20,230	21,054	376	408	1.49	1.56
Idaho	409	372	1,228	1,201	3.00	3.22	919	881	12	14	1.09	1.35
Utah 5/	38	---	131	---	3.42	---	94	---	---	---	.66	---
Wash.	577	849	2,019	3,056	3.50	3.60	1,419	2,181	20	23	1.10	.82
Oreg.	543	---	1,852	---	3.41	---	1,316	---	26	---	1.55	---
Calif.	2,779	2,679	9,555	9,383	3.44	3.50	6,863	6,632	236	306	2.75	3.64

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Combined to avoid disclosure of individual operations. 5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young Chickens: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	2	36,778	63,395	27,308	23,241	801	9	2,247	4,927	8,781	1,123	2	50	168,664
E. N. Cent.	---	2,627	11,661	11,047	4,105	273	17	775	1,971	2,452	429	0	1,451	36,808
W. N. Cent.	---	2,506	18,878	25,645	14,265	316	1	1,399	4,631	8,085	327	2	276	76,331
S. Atl.	---	109,987	131,052	267,277	46,812	2,888	9	7,975	40,528	69,073	5,823	3,574	367,332	1,052,330
S. Cent.	2	54,602	171,875	412,498	30,993	4,092	11	12,921	59,805	77,013	7,770	1,591	206,941	1,040,114
West.	---	2,186	26,682	58,531	12,716	1,117	1	1,128	1,814	4,373	1,316	2	13,437	123,303
U. S.	4	208,686	423,543	802,306	132,132	9,487	48	26,445	113,676	169,777	16,788	5,171	589,487	2,497,550
Maine	---	9,968	21,869	11,664	11,945	269	---	1,189	2,027	4,329	100	---	17	63,377
Mass.	---	435	4,345	336	686	138	---	191	305	504	166	---	15	7,121
Conn.	---	5,633	4,948	842	1,402	56	2	86	113	1,059	30	---	---	14,171
N. J.	---	32	18	---	17	8	---	---	---	1	---	---	---	76
Pa.	2	19,555	29,502	12,402	7,077	300	6	654	2,336	2,648	827	1	18	75,328
Ohio	---	974	3,703	3,566	912	117	9	110	437	531	76	---	270	10,705
Ind.	---	1,370	5,099	4,179	2,151	40	---	262	496	1,156	285	---	306	15,344
Ill.-Mich 1/	---	96	635	21	5	15	---	76	239	67	6	---	27	1,187
Wis.	---	187	2,224	3,281	1,037	101	8	327	799	698	62	---	848	9,572
Minn.	---	421	2,019	2,322	577	90	---	138	1,134	523	---	---	23	7,247
Iowa	---	---	11	---	22	17	---	48	7	114	36	1	---	256
Mo.	---	2,085	16,644	23,320	13,054	208	1	1,162	3,490	7,372	291	1	253	67,881
Del.	---	32,157	30,688	24,045	13,926	591	---	446	2,577	2,232	327	7	49	107,045
Md.	---	26,972	39,083	20,710	10,981	881	2	858	5,031	3,696	546	258	9,031	118,049
Va.	---	7,968	26,327	9,027	6,394	125	---	247	829	1,798	333	4	55	53,107
N. C.	---	11,560	12,551	52,591	5,453	522	2	2,813	12,686	16,289	1,362	439	111,724	227,992
S. C.	---	334	343	11,861	50	19	1	289	1,886	2,864	291	97	15,611	33,646
Ga.	---	29,839	20,756	146,968	9,732	737	3	3,257	17,096	41,395	2,963	2,769	227,743	503,258
Ky.	2	845	5,779	17,118	847	54	---	598	2,448	1,326	684	97	3,041	32,839
Tenn.	---	4,609	7,802	7,814	835	84	---	1,046	5,490	8,240	325	96	23,732	60,073
Ala.	---	9,643	9,551	138,155	511	363	---	1,576	10,481	17,747	1,663	333	87,232	277,255
Miss.	---	10,364	9,398	75,677	619	418	4	2,262	5,520	17,651	1,254	759	60,656	184,582
Ark.	---	15,055	85,563	125,807	15,482	1,217	1	3,509	23,606	16,102	1,686	175	25,966	314,169
La.-Okla. 1/	---	3,211	18,282	15,987	3,035	530	2	1,272	1,914	3,761	563	4	141	48,702
Texas	---	10,875	35,500	31,940	9,664	1,426	4	2,658	10,346	12,186	1,595	127	6,173	122,494
Idaho	---	43	591	2,513	115	473	---	125	438	422	223	---	685	5,628
Wash.	---	215	4,041	443	390	40	---	58	105	238	54	---	962	6,546
Calif.	---	1,813	22,004	55,571	12,176	604	1	939	1,257	3,698	1,038	2	11,784	110,887

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	1,109	1,312	5,952	6,676	5.37	5.09	4,056	4,535	112	106	2.10	1.76
E. N. Cent.	1,108	1,495	4,774	6,368	4.31	4.26	3,165	4,306	103	154	2.40	2.69
W. N. Cent.	1,868	2,507	8,549	11,171	4.58	4.46	5,846	7,444	255	321	3.33	3.21
S. Atl.	1,058	1,117	6,073	6,285	5.74	5.63	4,347	4,420	112	130	2.06	2.31
S. Cent.	818	780	4,628	4,415	5.66	5.66	3,184	3,027	123	140	2.96	3.54
West.	780	961	3,456	4,207	4.43	4.38	2,353	2,779	89	115	2.87	3.05
U. S.	6,741	8,172	33,432	39,122	4.96	4.79	22,951	26,511	794	966	2.65	2.76
Maine	202	192	1,342	1,240	6.65	6.45	983	911	21	26	1.75	2.32
Conn. 3/	56	---	354	---	6.36	---	242	---	7	---	1.99	---
N. Y.	93	112	452	492	4.85	4.40	327	340	4	7	.99	1.56
N. J.	328	548	1,323	2,181	4.04	3.98	816	1,337	43	41	3.64	2.07
Pa.	259	222	1,373	1,283	5.30	5.77	930	896	22	18	1.79	1.58
Ohio	264	411	1,187	1,763	4.50	4.29	827	1,204	29	41	2.75	2.54
Ind.	411	444	1,763	1,963	4.29	4.42	991	1,355	31	51	1.93	2.84
Ill.	325	490	1,370	2,005	4.22	4.09	1,126	1,346	35	46	2.87	2.56
Mich.	31	34	130	142	4.19	4.20	89	92	3	2	2.08	1.54
Wis.	77	116	324	495	4.18	4.26	132	309	5	14	1.61	2.98
Minn.	816	1,110	3,445	4,565	4.22	4.11	2,329	2,981	132	164	4.29	4.00
Iowa	122	246	542	1,067	4.46	4.34	387	733	13	25	2.60	2.67
Mo.	457	649	2,409	3,332	5.27	5.13	1,702	2,274	38	64	1.77	2.15
Nebr.	413	469	1,826	1,969	4.42	4.20	1,209	1,290	62	60	3.77	3.38
Kans. 3/	49	---	278	---	5.67	---	187	---	8	---	3.21	---
Del.	47	39	348	299	7.39	7.75	255	220	5	5	1.47	1.91
Md. 3/	255	---	1,053	---	4.13	---	738	---	18	---	1.91	---
Va.	100	137	592	765	5.91	5.60	418	537	14	15	2.71	2.14
N. C.	294	333	1,742	1,921	5.92	5.77	1,235	1,334	30	37	1.98	2.14
S. C.	28	14	168	85	6.00	6.19	111	61	3	2	2.31	2.26
Ga.	322	306	2,092	2,038	6.50	6.65	1,537	1,452	40	44	2.12	2.43
Tenn.	194	139	1,107	897	5.71	6.46	754	613	14	23	1.41	2.90
Ala.	141	56	806	377	5.71	6.79	590	274	22	8	3.04	2.40
Miss.	57	36	344	232	6.05	6.39	230	169	7	5	2.18	2.28
Ark.	89	59	626	407	7.04	6.89	430	279	19	19	3.47	5.07
La.-Okla.	113	162	691	882	6.12	5.44	475	601	21	38	3.39	4.82
Texas	214	233	983	1,153	4.60	4.95	658	768	39	37	4.41	3.57
Idaho	7	12	33	62	5.03	4.97	23	42	1	1	2.74	2.27
Utah	33	45	123	163	3.69	3.64	89	116	2	2	1.85	.91
Wash.	72	145	311	651	4.35	4.50	203	426	7	13	2.53	2.24
Oreg. 3/	78	---	347	---	4.46	---	251	---	10	---	2.96	---
Calif.	589	757	2,637	3,322	4.48	4.38	1,783	2,189	69	99	2.92	3.32

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by region and selected States, July 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	23	2,846	10,835	48	4,832	3,796	2	251	581	1,699	238	22	0	25,173
E. N. Cent.	3,359	4,361	12,983	70	3,669	7,103	77	877	819	2,605	359	11	4,929	41,222
W. N. Cent.	16,782	5,724	18,163	93	9,314	6,780	398	1,426	1,874	4,150	696	20	13,255	78,675
S. Atl.	11	1,252	7,230	46	3,280	1,240	2	351	759	1,552	296	32	11,218	27,269
S. Cent.	42	3,248	8,683	257	5,853	1,834	95	423	464	3,744	34	6	7,446	32,129
West.	5	493	10,815	137	5,896	6,893	11	665	652	1,375	243	21	4,112	31,318
U. S.	20,222	17,924	68,709	651	32,844	27,646	585	3,993	5,149	15,125	1,866	112	40,960	235,786
Maine	---	323	1,554	---	1,274	177	---	25	41	868	11	---	---	4,273
N. Y.	---	257	654	1	264	387	---	51	104	41	178	6	---	1,943
N. J.	23	1,453	5,530	8	1,567	2,338	---	82	287	326	23	11	---	11,648
Pa.	---	447	2,086	30	952	470	2	47	89	347	14	5	---	4,489
Ohio	426	1,340	2,665	1	1,894	2,030	45	162	286	526	100	11	1,466	10,952
Ind.	627	1,621	4,843	6	339	2,017	11	291	438	386	60	---	2,648	13,287
Ill.	1,650	704	4,608	1	858	2,223	21	347	79	1,564	199	---	769	13,023
Mich.	41	3	130	58	13	129	---	21	10	19	---	---	33	457
Wis.	615	693	737	4	565	704	---	56	6	110	---	---	13	3,503
Minn.	7,363	1,738	5,336	18	3,753	4,573	104	750	725	1,667	570	11	11,081	37,689
Iowa	1,301	354	2,336	6	828	231	15	109	98	302	11	2	1,420	7,013
Mo.	929	1,996	5,492	43	2,800	1,272	206	297	999	1,194	59	4	396	15,687
Nebr.	6,954	1,626	4,297	3	1,751	676	73	251	35	953	56	3	351	17,029
Del.	---	61	346	1	193	43	---	3	15	18	1	---	---	681
Va.	---	204	1,959	7	732	302	---	3	61	91	4	---	---	3,363
N. C.	---	88	1,393	15	395	138	---	79	343	776	249	1	5,022	8,499
S. C.	---	5	4	---	9	7	2	3	5	30	---	---	257	322
Ga.	---	211	538	19	422	410	---	53	140	460	3	31	5,479	7,766
Tenn.	---	168	1,786	97	68	98	---	89	51	971	8	---	2,584	5,920
Ala.	---	22	138	9	27	32	---	7	71	138	1	1	980	1,426
Miss.	---	11	103	4	86	8	---	22	37	90	1	---	438	800
Ark.	---	146	1,164	62	615	122	2	27	32	633	---	---	278	3,081
La.-Okla.	35	984	3,173	20	2,788	415	92	114	179	811	9	4	38	8,662
Texas	---	1,901	2,232	62	2,195	264	---	154	88	933	15	1	2,097	9,942
Idaho	---	33	116	13	22	36	---	7	5	35	---	---	39	306
Utah	---	44	186	---	38	51	---	8	15	5	1	---	---	348
Wash.	5	122	1,727	---	298	576	3	19	23	194	51	---	902	3,920
Calif.	---	265	8,786	124	5,444	6,230	8	631	597	1,141	191	21	3,171	26,609

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	116	23	1,411	380	12.16	16.52	1,110	296	9	---	0.71	---
E. N. Cent.	593	329	9,673	4,772	16.31	14.50	7,797	3,842	63	28	.72	0.65
W. N. Cent.	2,029	1,166	31,854	17,473	15.70	14.99	25,488	14,097	375	157	1.31	1.00
S. Atl.	439	240	6,435	4,056	14.66	16.90	5,029	3,216	67	34	1.16	.93
S. Cent.	459	273	7,960	4,321	17.34	15.83	6,320	3,431	77	48	1.08	1.24
West.	1,766	1,583	29,624	27,984	16.77	17.68	23,253	22,262	340	387	1.28	1.54
U. S.	5,402	3,614	86,957	58,986	16.10	16.32	68,997	47,144	931	654	1.19	1.23
Pa. 3/	96	15	1,086	248	11.27	16.41	859	196	9	---	.90	---
Ohio	97	34	1,733	574	17.81	16.77	1,383	458	8	3	.54	.61
Ind.	197	77	3,278	1,108	16.61	14.47	2,714	922	18	6	.60	.68
Ill.-Mich. 4/	47	34	857	494	18.23	14.53	691	402	7	3	.91	.68
Wis.	252	184	3,805	2,596	15.08	14.08	3,009	2,060	30	16	.90	.67
Minn.	1,067	697	16,233	10,234	15.22	14.68	13,088	8,236	199	104	1.36	1.13
Iowa	703	337	11,354	5,163	16.15	15.33	9,011	4,177	120	37	1.17	.80
Mo. 5/	70	---	1,142	---	16.31	---	875	---	20	---	1.95	---
Nebr.	117	95	2,047	1,544	17.47	16.23	1,655	1,262	25	12	1.33	.92
Kans. 5/	40	---	586	---	14.65	---	461	---	9	---	---	---
Va.	201	74	2,581	1,281	12.82	17.33	1,921	974	39	11	1.64	1.01
N. C.	130	126	2,313	2,298	17.73	18.30	1,878	1,860	18	21	.85	1.06
S. C.	63	12	1,024	237	16.32	19.08	820	188	7	1	.81	.60
Ga.	18	16	263	146	14.67	9.27	215	118	2	1	.61	.63
Ark.	147	40	2,609	533	17.74	13.48	2,048	411	27	8	1.13	1.74
Texas	203	170	3,277	2,787	16.14	16.39	2,619	2,227	33	28	1.11	1.11
Colo.	183	149	3,077	3,165	16.83	21.29	2,516	2,502	16	10	.59	.36
Utah	365	219	5,472	3,530	14.99	16.13	4,378	2,852	40	26	.82	.80
Wash. 5/	13	---	185	---	14.11	---	140	---	2	---	1.28	---
Oreg.	82	51	1,362	851	16.59	16.68	1,072	670	22	12	1.76	1.47
Calif.	1,111	1,149	19,388	20,245	17.45	17.62	15,030	16,082	260	338	1.50	1.86

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.
4/ Combined to avoid disclosure of individual operations.
5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	1	21	3	8	---	---	1	---	8	---	---	---	42
E. N. Cent.	---	10	502	331	208	6	---	24	223	80	11	1	479	1,875
W. N. Cent.	---	33	4,575	3,301	594	28	1	137	668	513	318	5	638	10,811
S. Atl.	---	5	518	98	526	1	---	14	78	115	6	---	710	2,071
S. Cent.	---	40	1,735	699	336	7	1	8	81	139	14	117	105	3,282
West.	---	117	6,127	5,861	4,271	77	40	1,069	430	897	61	22	2,685	21,657
U. S.	---	206	13,478	10,293	5,943	119	42	1,253	1,480	1,752	410	145	4,617	39,738
Pa.	---	1	15	3	4	---	---	---	---	1	---	---	---	24
Ohio	---	2	32	41	28	1	---	---	9	5	---	---	66	184
Ind.	---	3	156	113	6	---	---	1	94	10	---	1	29	413
Ill.-Mich. 1/	---	---	46	32	21	5	---	1	45	16	---	---	13	179
Wis.	---	5	268	145	153	---	---	22	75	49	11	---	371	1,099
Minn.	---	21	2,524	2,648	280	19	1	84	530	363	288	---	467	7,225
Iowa	---	---	1,626	494	92	7	---	33	129	111	15	4	102	2,613
Nebr.	---	11	309	146	146	2	---	13	6	24	15	1	69	742
Va.	---	3	261	27	133	---	---	1	50	6	2	---	---	483
N. C.	---	1	187	41	361	1	---	8	15	101	4	---	709	1,428
S. C.	---	---	23	27	18	---	---	3	5	1	---	---	1	78
Ga.	---	1	42	3	11	---	---	2	3	6	---	---	---	68
Ark.	---	3	181	239	5	---	---	---	21	16	---	117	36	618
Texas	---	36	1,128	355	198	6	1	8	41	57	5	---	65	1,900
Colo.	---	---	61	40	151	11	---	7	26	36	2	---	8	342
Utah	---	---	499	246	455	---	---	118	53	20	9	---	---	1,400
Oreg.	---	9	357	37	189	6	---	8	53	2	4	20	9	694
Calif.	---	108	5,171	5,517	3,472	60	40	933	295	830	46	2	2,661	19,135

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	2	15	21	110	10.50	7.33	16	82	---	1	---	1.78
E. N. Cent.	278	305	2,540	2,724	9.14	8.93	2,005	2,158	20	17	0.88	.69
W. N. Cent.	460	490	4,023	4,377	8.75	8.93	3,185	3,422	49	70	1.35	1.79
S. Atl.	356	257	2,884	2,094	8.10	8.14	2,100	1,552	100	31	3.86	1.65
S. Cent.	28	52	221	437	7.89	8.40	169	344	2	4	1.01	1.02
West.	120	52	1,105	402	9.21	7.73	882	307	8	5	.81	1.38
U. S.	1,244	1,171	10,794	10,144	8.68	8.66	8,357	7,865	179	128	1.84	1.41
Ohio 4/	---	50	---	400	---	8.03	---	311	---	2	---	.52
Wis.	242	255	2,225	2,324	9.21	9.10	1,761	1,847	19	15	.96	.70
Minn.	375	444	3,288	3,955	8.76	8.91	2,605	3,100	44	65	1.49	1.82
Iowa 4/	33	---	271	---	8.10	---	214	---	2	---	.97	---
Va.	325	257	2,629	2,094	8.09	8.14	1,892	1,552	100	31	4.21	1.62
Ark. 4/	---	52	---	434	---	8.28	---	342	---	4	---	.98
Calif.	104	40	968	309	9.32	7.65	776	234	7	4	.74	1.42

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	191	---	28	1	---	15	2	1	---	---	---	240
E. N. Cent.	---	2	330	92	143	2	1	23	86	85	8	---	692	1,464
W. N. Cent.	---	72	4,374	1,021	518	4	---	148	218	812	221	1	278	7,667
S. Atl.	---	6	2,067	397	317	---	---	10	96	47	13	---	---	2,953
S. Cent.	---	---	215	20	42	---	---	11	20	72	32	---	19	431
West.	---	3	323	36	36	2	---	11	10	53	2	---	17	493
U. S.	---	85	7,500	1,566	1,084	9	1	218	432	1,070	276	1	1,006	13,248
Ohio	---	1	74	5	29	---	---	4	23	15	1	---	16	168
Wis.	---	1	256	87	114	2	1	19	63	70	7	---	676	1,296
Minn.	---	72	4,318	940	154	4	---	126	205	744	220	1	271	7,055
Va.	---	6	2,067	397	315	---	---	10	96	47	13	---	---	2,951
Ark.	---	---	202	18	22	---	---	11	20	72	32	---	15	392
Calif.	---	3	259	35	31	2	---	7	4	49	2	---	17	409

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.
4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old Turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, July 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	12	13	202	258	16.83	19.85	158	209	1	1	0.55	0.43
E. N. Cent.	50	61	903	1,077	18.06	17.66	720	853	13	13	1.60	1.34
W. N. Cent.	91	71	1,502	1,206	16.51	16.99	1,193	976	35	20	2.60	1.85
S. Atl.	83	71	1,066	1,135	12.84	15.99	842	890	13	16	1.36	1.57
S. Cent.	9	12	135	216	15.00	18.00	106	173	2	3	1.65	1.54
West.	105	67	2,062	1,335	19.64	19.95	1,634	1,065	21	19	1.13	1.58
U. S.	350	295	5,870	5,227	16.77	17.72	4,653	4,166	85	72	1.61	1.53
Ohio	28	40	508	697	18.16	17.50	410	560	5	6	1.10	.98
Wis.	21	17	370	299	17.46	17.08	291	234	8	6	2.24	2.30
Minn.	64	57	1,076	966	16.93	16.88	857	780	28	18	2.84	2.07
Iowa	10	10	156	180	16.28	18.12	124	148	2	2	1.50	1.30
Va.	53	41	665	621	12.65	15.28	524	485	8	6	1.36	1.14
Texas 3/	---	10	---	176	---	18.29	---	142	---	3	---	1.53
Calif.	97	67	1,854	1,335	19.11	19.95	1,469	1,065	19	19	1.12	1.54

Old Turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	38	---	16	4	---	---	1	---	1	---	---	62
E. N. Cent.	1	22	149	72	258	1	---	5	22	21	2	---	155	708
W. N. Cent.	1	---	443	301	99	13	---	10	33	48	1	4	53	1,006
S. Atl.	---	1	249	31	113	2	---	1	31	11	---	---	172	611
S. Cent.	---	4	44	---	39	2	---	1	17	9	---	1	67	184
West.	---	4	179	25	262	3	---	10	6	31	---	---	223	743
U. S.	2	33	1,102	429	787	25	---	27	110	120	4	5	670	3,314
Ohio	---	15	104	8	128	1	---	4	7	11	2	---	33	313
Wis.	1	7	32	56	125	---	---	1	14	9	---	---	122	367
Minn.	1	---	391	277	89	12	---	8	28	47	1	4	46	904
Iowa	---	---	42	23	7	1	---	2	1	1	---	---	7	84
Va.	---	1	227	31	70	2	---	1	23	8	---	---	---	363
Texas	---	1	19	---	22	---	---	1	1	7	---	---	67	118
Calif.	---	4	179	25	262	3	---	10	6	31	---	---	223	743

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C.

OFFICIAL BUSINESS

POSTAGE AND FEES PAID

Albert R. Mann Library
8-24-61 Acquisitions Div.
ML-PS Ithaca, N. Y.

Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

****

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.