ALBERT R. MANN
LIBRARY
DEC 12 1962

POULTRY
Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
October 1962

November 30, 1962

Inspected Poultry

The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during October 1962 amounted to 195,112,000, compared with 184,260,000 in October 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 161,116,000 head, 562,187,000 pounds; mature chickens, 17,160,000 head, 80,906,000 pounds; fryer-roaster turkeys, 1,840,000 head, 16,167,000 pounds; young turkeys, 13,964,000 head, 279,908,000 pounds; old turkeys, 64,000 head, 1,179,000 pounds; and ducks 968,000 head, 6,255,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in October 1962 totaled 705,371,000 pounds ready-to-cook weight of which 417,418,000 pounds were iced and 287,953,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 408,585,000 pounds; mature chickens, 54,504,000 pounds; fryer-roaster turkeys, 12,494,000 pounds; young turkeys, 223,722,000 pounds; old turkeys, 942,000 pounds; ducks, 4,435,000 pounds; and other poultry 689,000 pounds.

Canned and Processed Poultry

Poultry inspected and used for canning and other processed food in October 1962 totaled 53,986,000 pounds ready-to-cook weight, compared with 40,584,000 pounds in October 1961. The quantity used in October 1962 consisted of 7,331,000 pounds of young chickens, 24,037,000 pounds of mature chickens, 18,982,000 pounds of turkeys, and 3,636,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,548,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.16 percent; mature chickens, 0.30 percent; fryer-roaster turkeys, 0.15 percent; young turkeys, 0.13 percent; old turkeys, 0.03 percent; and ducks, 0.01 percent.

Post-mortem condemnations in October 1962 amounted to 15,471,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.76 percent; mature chickens, 3.03 percent; fryer-roaster turkeys, 1.60 percent; young turkeys, 1.60 percent; old turkeys, 1.23 percent; and ducks 1.40 percent. In October 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.84 percent; mature chickens, 3.03 percent; fryer-roaster turkeys, 1.55 percent; young turkeys, 1.65 percent; old turkeys, 2.01 percent; and ducks, 2.54 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service — Crop Reporting Board

Pou 2-1 (11-62) — Washington, D. C.

Poultry: Slaughtered under Federal inspection, October 1962 with comparisons

Class	Number inspected					Pounds inspected (live weight)					Average live weight				
	Sept.	October		Jan.-Oct.		Sept.	October		Jan.-Oct.		Sept.	Oct.		Jan.-Oct.	
	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	138,840	150,470	161,116	1,497,637	1,500,815	473,543	532,185	562,187	5,117,498	5,108,194	3.41	3.54	3.49	3.42	3.40
Mature chickens	11,585	16,024	17,160	93,829	94,418	55,772	75,227	80,906	460,135	458,533	4.81	4.69	4.71	4.90	4.86
Total chickens	150,425	166,494	178,276	1,591,466	1,595,233	529,315	607,412	643,093	5,577,633	5,566,727	3.52	3.65	3.61	3.50	3.49
Fryer-roasters	1,283	1,893	1,840	13,925	11,253	10,774	16,599	16,167	120,187	97,198	8.40	8.77	8.79	8.63	8.64
Young turkeys	10,449	14,958	13,964	50,288	42,241	193,592	295,444	279,908	910,660	782,364	18.53	19.75	20.04	18.11	18.52
Old turkeys	44	72	64	3,257	2,488	776	1,328	1,179	61,814	47,276	17.64	18.44	18.42	18.98	19.00
Total turkeys	11,776	16,923	15,868	67,470	55,982	205,142	313,371	297,254	1,092,661	926,838	17.42	18.52	18.73	16.19	16.56
Ducks	951	843	968	8,609	8,290	6,052	5,345	6,255	54,162	53,009	6.36	6.34	6.46	6.29	6.39
Other poultry	---	---	---	---	---	559	750	913	2,965	2,916	---	---	---	---	---
Total poultry	---	---	---	---	---	741,068	926,878	947,515	6,727,421	6,549,490	---	---	---	---	---

Pounds certified (ready-to-cook weights)

Class	September 1962			October 1961			October 1962			January- October 1961			January-October 1962		
	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total	Iced	Frozen	Total
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	302,581	40,949	343,530	339,835	45,400	385,235	361,460	47,125	408,585	3,341,684	363,285	3,704,969	3,286,108	409,522	3,695,630
Mature chickens	24,731	13,137	37,868	33,542	17,382	50,924	35,039	19,465	54,504	211,213	106,014	317,227	208,754	105,451	314,205
Total chickens	327,312	54,086	381,398	373,377	62,782	436,159	396,499	66,590	463,089	3,552,897	469,299	4,022,196	3,494,862	514,973	4,009,835
Fryer-roasters	1,939	6,357	8,296	2,732	10,077	12,809	1,738	10,756	12,494	20,698	72,644	93,342	17,050	58,418	75,468
Young turkeys	12,244	142,002	154,246	15,417	219,019	234,436	19,069	204,653	223,722	56,304	669,202	725,506	57,828	566,768	624,596
Old turkeys	69	546	615	195	861	1,056	---	942	942	4,216	45,661	49,877	3,325	34,096	37,421
Total turkeys	14,252	148,905	163,157	18,344	229,957	248,301	20,807	216,351	237,158	81,218	787,507	868,725	78,203	659,282	737,485
Ducks	85	4,141	4,226	242	3,492	3,734	106	4,329	4,435	1,539	36,539	38,078	1,146	36,243	37,389
Other poultry	5	394	399	3	584	587	6	683	689	30	2,102	2,132	24	1,854	1,878
Total poultry	341,654	207,526	549,180	391,966	296,815	688,781	417,418	287,953	705,371	3,635,684	1,295,447	4,931,131	3,574,235	1,212,352	4,786,587

Poultry: Condemnations of poultry slaughtered under Federal Inspection, October 1962 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Pounds (N.Y. dressed wt.)		Percent 2/		Pounds (N.Y. dressed wt.	
	October		October		January-October		October		October		January-October	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds
Young chickens	896	907	0.17	0.16	11,439	11,736	8,820	8,912	1.84	1.76	85,961	97,632
Mature chickens	257	244	0.34	0.30	1,530	1,559	2,042	2,201	3.03	3.03	10,993	11,044
Total chickens	1,153	1,151	0.19	0.18	12,969	13,295	10,862	11,113	1.99	1.92	96,954	108,676
Fryer-roasters	20	24	0.12	0.15	195	245	232	233	1.55	1.60	1,517	1,259
Young turkeys	377	371	0.13	0.13	1,148	1,036	4,369	4,026	1.65	1.60	11,744	10,639
Old turkeys 3/	2	-	0.12	0.03	87	65	24	13	2.01	1.23	1,062	857
Total turkeys	399	395	0.13	0.13	1,430	1,346	4,625	4,272	1.64	1.60	14,323	12,755
Ducks	4	1	0.07	0.01	44	7	122	79	2.54	1.40	1,057	631
Other poultry	1	1	0.19	0.06	3	5	8	7	1.18	0.85	28	21
Total	1,557	1,548	0.17	0.16	14,446	14,653	15,617	15,471	1.88	1.82	112,362	122,083

Poultry: Inspected for canning and other processed foods, October 1962 with comparisons 4/

Class	Pounds used ready-to-cook weight					Pounds condemned ready-to-cook weight				
	September	October		January-October		September	October		January-October	
	1962	1961	1962	1961	1962	1962	1961	1962	1961	1962
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	6,861	6,099	7,331	65,158	72,311	9	30	6	94	71
Mature chickens	16,320	19,763	24,037	180,958	178,918	34	30	12	130	161
Turkeys	13,739	11,505	18,982	80,726	115,781	10	4	15	33	70
Other poultry 5/	1,865	3,217	3,636	31,047	30,674	4	8	7	39	39
Total	38,785	40,584	53,986	357,889	397,684	57	72	40	296	341

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Dashes mean less than 500 pounds.
4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)
5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	12,879	13,862	50,949	54,588	3.96	3.94	36,233	39,320	747	848	1.63	1.73
E. N. Cent.	4,592	3,415	17,244	12,271	3.76	3.59	12,522	8,954	188	121	1.21	1.10
W. N. Cent.	5,985	4,680	21,237	16,576	3.55	3.54	15,182	12,017	376	228	1.97	1.53
S. Atl.	62,357	68,885	220,285	241,242	3.53	3.50	160,725	176,479	3,358	3,729	1.70	1.72
S. Cent.	60,816	66,209	208,076	222,968	3.42	3.37	150,270	161,413	3,916	3,673	2.09	1.83
West.	3,841	4,065	14,394	14,542	3.75	3.58	10,303	10,402	235	313	1.82	2.40
U. S.	150,470	161,116	532,185	562,187	3.54	3.49	385,235	408,585	8,820	8,912	1.84	1.76
Maine	5,001	5,745	19,980	22,989	4.00	4.00	14,335	17,008	316	399	1.76	1.93
Mass.	446	547	1,954	2,222	4.39	4.06	1,405	1,562	38	51	2.16	2.54
Conn.	974	889	3,805	3,153	3.91	3.55	2,510	2,164	56	47	1.62	1.64
N. J. 3/	24	31	111	147	4.70	4.78	15	32	---	---	---	.22
Pa.	5,338	6,166	20,686	24,225	3.88	3.93	14,929	17,429	297	328	1.60	1.51
Ohio	1,412	845	5,322	3,034	3.77	3.59	3,888	2,224	57	31	1.19	1.17
Ind.	1,618	1,136	5,796	3,777	3.58	3.32	4,180	2,739	54	30	1.03	.87
Ill.-Mich. 4/	256	197	1,264	784	4.94	3.98	914	519	21	11	1.85	1.56
Wis.	1,306	1,237	4,862	4,676	3.72	3.78	3,540	3,431	56	49	1.29	1.18
Minn.	1,057	939	4,058	3,593	3.84	3.83	2,982	2,659	81	46	2.21	1.44
Iowa	264	181	1,843	1,174	6.99	6.47	1,389	859	13	20	.79	1.94
Mo.	4,591	3,538	15,087	11,733	3.29	3.32	10,628	8,441	280	161	2.07	1.53
Del.	6,662	7,105	25,321	27,689	3.80	3.90	18,558	20,448	321	468	1.41	1.88
Md.	9,411	9,013	35,358	34,551	3.76	3.83	25,175	24,954	466	438	1.47	1.41
Va.	4,326	4,184	13,962	13,018	3.23	3.11	9,956	9,361	259	161	2.06	1.37
N. C.	15,037	18,246	52,876	63,190	3.52	3.46	38,806	46,377	615	790	1.29	1.39
S. C.	1,683	1,780	5,844	6,117	3.47	3.44	4,263	4,408	120	183	2.29	3.34
Ga.	24,403	27,689	84,198	93,798	3.45	3.39	62,003	68,863	1,544	1,654	2.04	1.96
Ky.	2,245	2,284	7,869	7,833	3.50	3.43	5,588	5,574	85	103	1.19	1.46
Tenn.	4,858	5,280	17,005	18,157	3.50	3.44	12,306	13,295	403	266	2.64	1.63
Ala.	14,743	16,705	50,999	57,304	3.46	3.43	37,538	42,014	1,137	915	2.48	1.78
Miss.	10,064	11,086	34,401	36,688	3.42	3.31	25,040	26,933	664	568	2.15	1.72
Ark.	18,444	19,579	62,409	65,013	3.38	3.32	44,244	46,116	1,108	1,287	1.98	2.20
La.-Okla. 4/	2,372	2,473	8,073	8,389	3.40	3.39	5,862	6,136	136	138	1.87	1.83
Texas	8,090	8,802	27,320	29,584	3.38	3.36	19,692	21,345	383	396	1.56	1.49
Idaho	432	409	1,546	1,430	3.58	3.50	1,116	1,060	17	13	1.16	1.02
Utah 3/ 5/	---	42	---	160	---	3.76	---	120	---	---	---	---
Wash.	650	703	2,348	2,551	3.61	3.63	1,647	1,818	25	19	1.15	.82
Calif.	2,588	2,911	9,843	10,401	3.80	3.57	7,076	7,404	183	281	2.08	3.01

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Combined to avoid disclosure of individual operations. 5/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuber-culosis	Leu-cosis	Septi-cemia	Airsac-culitis	Inflam-matory	Tumors	Para-sites	Bruises	Cadaver	Contam-ination	Over-scald	Decom-position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	43,500	75,940	48,320	22,501	716	8	2,297	5,690	7,216	1,056	98	319	208,161
E. N. Cent.	---	1,988	9,823	12,009	3,088	249	7	862	2,581	2,757	278	---	3,840	37,482
W. N. Cent.	---	1,676	14,359	19,145	10,664	561	4	995	2,922	5,910	221	---	9,922	66,379
S. Atl.	---	132,374	143,887	333,259	52,682	3,009	18	9,080	42,417	62,697	3,863	1,353	354,235	1,138,874
S. Cent.	---	56,813	114,506	422,045	31,844	4,215	26	11,704	58,584	71,004	7,962	1,959	262,775	1,043,437
West.	---	1,585	19,106	46,167	6,545	1,470	2	829	1,735	5,264	513	14	23,988	107,218
U. S.	---	237,936	377,621	881,445	127,324	10,220	65	25,767	113,929	154,848	13,893	3,424	655,079	2,601,551
Maine	---	11,252	32,787	26,522	14,811	189	---	1,164	2,313	3,261	188	92	167	92,746
Mass.	---	2,837	6,240	1,432	701	72	---	91	251	310	21	---	48	12,003
Conn.	---	6,129	3,486	663	679	54	1	171	66	1,196	77	---	1	12,523
N. J.	---	34	3	---	8	12	---	1	---	---	---	---	---	58
Pa.	---	22,258	31,618	17,208	5,507	375	6	594	2,954	2,188	770	6	86	83,570
Ohio	---	272	1,933	2,291	1,049	53	1	144	679	665	74	---	3,259	10,420
Ind.	---	1,037	3,292	2,245	887	54	---	193	437	467	125	---	235	8,972
Ill.-Mich. 1/	---	132	980	290	106	11	---	46	677	894	47	---	1	3,184
Wis.	---	547	3,618	7,183	1,046	131	6	479	788	731	32	---	345	14,906
Minn.	---	58	1,348	1,454	832	117	---	184	921	1,022	9	---	3,666	9,611
Iowa	---	210	1,157	702	989	207	---	68	30	213	27	---	67	3,670
Mo.	---	1,408	11,844	16,985	8,842	232	1	740	1,967	4,631	182	---	6,152	52,984
Del.	---	47,476	38,690	34,186	9,298	796	---	677	3,231	3,276	833	---	642	139,105
Md.	---	40,131	38,740	13,052	9,006	892	1	1,089	4,858	5,037	264	2	7,304	120,376
Va.	---	8,661	26,463	8,472	7,050	80	---	226	674	1,872	843	6	149	54,496
N. C.	---	12,187	13,849	61,818	8,118	460	15	3,024	14,195	13,937	609	39	106,662	234,913
S. C.	---	375	569	36,418	232	13	1	242	1,634	2,252	125	32	16,012	57,905
Ga.	---	21,729	23,042	177,080	18,849	739	1	3,720	17,433	35,822	1,189	1,274	219,707	520,585
Ky.	---	829	5,643	14,052	867	95	---	1,024	2,514	2,551	328	---	4,054	31,957
Tenn.	---	5,191	4,413	11,175	731	56	---	719	8,750	13,430	1,823	96	34,333	80,717
Ala.	---	11,010	7,210	133,901	556	337	4	1,412	9,824	13,993	889	483	84,498	264,117
Miss.	---	15,848	14,357	54,702	659	482	1	2,053	7,857	12,917	1,507	734	48,173	159,290
Ark.	---	8,466	32,390	166,842	15,697	1,265	14	3,564	19,958	14,265	1,881	502	84,819	349,663
La.-Okla. 1/	---	3,522	13,597	15,405	2,819	567	2	691	2,375	3,391	270	18	218	42,875
Texas	---	11,947	36,896	25,968	10,515	1,413	5	2,241	7,306	10,457	1,264	126	6,680	114,818
Idaho	---	61	1,311	1,268	32	26	---	126	263	189	103	---	882	4,261
Utah	---	44	56	4	10	9	1	4	5	6	1	---	1	141
Wash.	---	247	2,991	597	389	22	---	63	196	397	90	14	792	5,798
Calif.	---	1,233	14,748	44,298	6,114	1,413	1	636	1,271	4,672	319	---	22,313	97,018

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	2,912	3,060	14,489	15,012	4.98	4.91	9,694	10,139	235	208	1.81	1.54
E. N. Cent.	2,597	2,483	11,318	10,736	4.36	4.32	7,648	7,317	282	294	2.78	3.05
W. N. Cent.	6,549	7,011	28,451	30,078	4.34	4.29	18,843	19,509	982	1,008	3.85	3.74
S. Atl.	1,870	2,221	10,287	12,514	5.50	5.63	7,329	8,950	237	284	2.57	2.53
S. Cent.	1,117	1,356	6,576	8,219	5.89	6.06	4,601	5,731	182	253	3.08	3.43
West.	979	1,029	4,106	4,347	4.19	4.22	2,809	2,858	124	154	3.36	3.95
U. S.	16,024	17,160	75,227	80,906	4.69	4.71	50,924	54,504	2,042	2,201	3.03	3.03
Maine	365	423	2,307	2,703	6.32	6.39	1,686	1,965	49	41	2.37	1.69
Conn.	93	94	599	586	6.43	6.21	415	405	10	9	1.84	1.68
N. Y.	308	336	1,444	1,417	4.69	4.21	948	968	22	22	1.68	1.75
N. J.	1,391	1,327	5,632	5,236	4.05	3.95	3,474	3,248	86	62	1.71	1.31
Pa.	295	500	1,610	2,722	5.46	5.44	1,095	1,880	19	37	1.26	1.55
Ohio	548	591	2,475	2,580	4.52	4.37	1,727	1,778	70	72	3.16	3.11
Ind.	1,035	764	4,578	3,467	4.42	4.54	2,791	2,386	91	88	2.23	2.82
Ill.	705	788	2,916	3,261	4.13	4.14	2,605	2,200	96	92	3.68	3.15
Mich.	25	29	113	125	4.55	4.34	63	76	4	2	3.11	2.16
Wis.	284	311	1,236	1,303	4.35	4.19	462	877	21	40	1.89	3.41
Minn.	3,202	3,320	13,607	13,685	4.25	4.12	8,910	8,669	563	516	4.62	4.20
Iowa	643	1,063	2,770	4,589	4.31	4.32	1,907	3,085	75	115	3.02	2.80
Mo.	763	841	3,515	4,109	4.61	4.89	2,500	2,786	80	86	2.55	2.34
N.Dak.-S.Dak. 3/	474	431	2,216	1,938	4.68	4.50	1,424	1,260	76	83	3.82	4.77
Nebr.	1,406	1,345	6,047	5,680	4.30	4.22	3,907	3,656	179	205	3.31	4.03
Kans. 4/	61	---	296	---	4.85	---	195	---	9	---	3.39	---
Del.	61	64	409	480	6.75	7.49	295	348	4	9	1.15	2.15
Md.	568	648	2,276	2,552	4.01	3.94	1,604	1,839	59	71	2.92	3.10
Va.	198	219	1,120	1,263	5.65	5.77	789	905	24	25	2.38	2.15
N. C.	446	573	2,645	3,445	5.93	6.01	1,869	2,413	56	69	2.33	2.23
S. C.	63	59	383	365	6.11	6.19	276	265	12	9	3.29	2.59
Ga.	514	644	3,356	4,320	6.53	6.71	2,429	3,117	80	100	2.68	2.57
Ky. 4/	25	---	156	---	6.25	---	108	---	2	---	1.67	---
Tenn.	227	291	1,274	1,816	5.62	6.25	880	1,251	22	63	1.85	3.85
Ala.	246	248	1,473	1,472	6.00	5.93	1,072	1,066	44	34	3.34	2.58
Miss.	101	168	684	939	6.79	5.59	485	667	15	22	2.40	2.61
Ark.	148	255	1,013	1,863	6.83	7.31	710	1,295	30	57	3.24	3.42
La.-Okla. 3/	95	76	586	443	6.17	5.83	406	302	23	21	4.37	5.28
Texas	275	245	1,390	1,308	5.05	5.34	940	894	46	48	3.65	4.07
Idaho	18	21	88	93	4.99	4.46	60	63	2	3	3.26	3.65
Utah	112	54	417	198	3.74	3.71	291	142	4	1	1.18	.84
Wash.	94	116	423	500	4.48	4.31	273	320	10	17	2.76	3.79
Calif.	730	830	3,077	3,504	4.22	4.22	2,113	2,294	101	132	3.67	4.22

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Combined to avoid disclosure of individual operations. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	137	6,040	19,906	35	10,689	7,513	6	802	1,683	3,016	390	266	22	50,505
E. N. Cent.	12,320	9,384	22,652	117	8,713	10,177	715	1,625	2,622	6,046	218	570	4,890	80,049
W. N. Cent.	66,440	15,388	45,468	349	27,429	16,174	1,137	3,138	5,755	12,084	2,696	274	67,302	263,634
S. Atl.	30	2,753	14,744	378	7,384	2,840	5	730	2,012	3,259	580	3	25,864	60,582
S. Cent.	61	3,235	13,238	682	7,186	2,264	267	459	1,073	7,104	110	98	18,772	54,549
West.	1	831	15,085	269	6,615	7,631	259	1,370	665	1,907	61	13	10,292	44,999
U.S.	78,989	37,631	131,093	1,830	68,016	46,599	2,389	8,124	13,810	33,416	4,055	1,224	127,142	554,318
Maine	2	582	2,597	19	2,427	386	---	71	80	765	22	---	---	6,951
Conn.	---	168	756	4	727	162	---	11	---	80	---	---	---	1,908
N. Y.	---	527	2,119	---	1,210	1,086	1	245	599	222	154	247	---	6,410
N. J.	85	3,241	7,400	6	2,706	4,403	1	263	713	848	127	7	---	19,800
Pa.	48	673	4,501	5	2,072	806	1	81	209	792	26	10	1	9,225
Ohio	1,700	3,012	3,560	6	3,012	2,155	637	153	1,058	1,664	16	9	2,923	19,905
Ind.	2,104	2,711	10,057	24	2,103	3,841	17	313	604	1,267	45	---	1,110	24,196
Ill.	4,894	1,294	7,424	29	1,395	2,426	49	1,058	777	2,864	149	560	653	23,572
Mich.	133	57	231	9	38	133	---	12	25	16	7	1	2	664
Wis.	3,489	2,310	1,380	49	2,165	1,622	12	89	158	235	1	---	202	11,712
Minn.	25,786	4,510	17,483	116	12,626	11,403	668	1,230	3,391	6,539	1,814	13	42,992	128,571
Iowa	6,497	1,923	9,529	24	2,355	1,080	102	326	836	1,524	182	---	6,862	31,240
Mo.	2,031	1,433	5,489	69	2,839	955	234	636	725	1,074	83	2	4,072	19,642
N.Dak.-S.Dak. 1/	5,740	1,347	4,254	9	2,993	1,033	12	289	434	429	5	-	8,609	25,154
Nebr.	26,386	6,162	8,548	38	6,528	1,669	121	649	355	2,502	612	258	4,767	58,595
Del.	---	205	740	8	344	114	---	7	23	27	9	---	---	1,477
Md.	30	1,725	8,417	4	4,206	798	---	491	923	338	202	---	151	17,285
Va.	---	319	2,818	71	1,629	599	---	11	154	198	45	---	---	5,844
N. C.	---	125	1,362	97	557	257	---	97	576	1,154	306	1	10,513	15,045
S. C.	---	19	61	12	34	54	---	14	43	99	1	---	1,218	1,555
Ga.	---	345	1,329	139	592	999	5	105	289	1,417	17	2	13,751	18,990
Tenn.	---	482	4,282	233	1,705	243	---	133	229	2,178	44	21	3,900	13,450
Ala.	---	173	340	9	125	170	---	22	263	306	5	1	5,948	7,362
Miss.	---	65	1,769	62	43	109	---	32	115	1,759	4	15	1,277	5,250
Ark.	---	241	2,152	319	1,183	253	---	73	183	1,170	17	16	3,432	9,039
La.-Okla. 1/	56	201	1,745	21	119	482	264	24	108	432	1	---	138	4,591
Texas	---	2,058	2,910	33	2,996	542	3	138	167	1,107	39	45	2,710	12,748
Idaho	---	55	600	19	56	109	---	11	18	47	---	---	19	934
Utah	1	80	243	5	41	78	---	8	2	15	12	---	---	485
Wash.	---	191	2,778	-	396	355	---	21	41	362	5	---	1,462	5,611
Calif.	---	468	11,385	243	6,056	7,086	258	1,329	601	1,480	44	5	8,811	37,766

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl.	239	255	6,239	5,293	18.96	20.76	4,730	4,182	43	64	0.77	1.34
E. N. Cent.	2,156	1,939	41,616	38,704	19.30	19.96	33,326	31,194	405	330	1.08	.95
W. N. Cent.	5,958	5,508	116,469	108,687	19.55	19.73	92,636	87,479	1,789	1,388	1.71	1.42
S. Atl.	934	912	16,808	16,867	18.00	18.49	13,113	13,264	205	266	1.36	1.75
S. Cent.	1,810	1,737	36,993	35,285	20.44	20.29	28,931	27,940	651	562	1.96	1.77
West.	3,771	3,613	77,319	75,072	20.50	20.78	61,700	59,663	1,276	1,416	1.84	2.10
U.S.	14,958	13,964	295,444	279,908	19.75	20.04	234,436	223,722	4,369	4,026	1.65	1.60
Pa.	266	196	4,997	4,166	18.75	21.29	3,772	3,327	32	44	.71	1.20
Ohio	399	308	8,239	6,190	20.66	20.10	6,542	4,992	44	33	.59	.60
Ind.	665	608	13,200	12,535	19.86	20.61	10,752	10,204	160	115	1.34	1.02
Ill.-Mich. 3/	397	435	8,264	9,081	20.82	20.88	6,603	7,236	94	84	1.26	1.03
Wis.	695	588	11,913	10,898	17.14	18.54	9,429	8,762	107	98	1.00	1.00
Minn.	2,787	2,690	52,053	50,784	18.68	18.88	41,405	41,015	808	652	1.73	1.43
Iowa	1,277	1,201	25,936	24,175	20.30	20.13	20,737	19,606	355	338	1.52	1.55
Mo.	931	688	18,970	14,876	20.38	21.62	14,956	11,704	340	192	1.99	1.44
N.Dak.-S.Dak. 3/	267	288	4,980	5,840	18.65	20.28	4,000	4,713	70	49	1.56	.64
Nebr.	420	466	9,149	9,633	21.76	20.65	7,328	7,779	120	101	1.46	1.17
Kans.	276	175	5,381	3,379	19.50	19.31	4,210	2,662	96	56	1.99	1.85
Va.	349	350	5,796	6,301	16.60	17.98	4,257	4,729	109	172	2.09	3.03
N. C.	320	360	6,176	6,943	19.30	19.28	4,990	5,589	49	70	.88	1.11
S. C.	94	52	1,919	1,052	20.35	20.39	1,549	853	19	7	1.14	.75
Ga.	89	108	1,849	1,914	20.85	17.74	1,487	1,571	20	12	1.21	.73
Ky.	275	254	5,685	5,009	20.68	19.72	4,391	3,933	75	58	1.47	1.28
Ark.	513	435	10,692	9,242	20.84	21.27	8,273	7,258	264	181	2.74	2.18
Okla.	326	310	6,480	6,108	19.96	19.71	5,075	4,920	101	75	1.74	1.37
Texas	644	703	13,188	14,349	20.47	20.42	10,467	11,380	203	244	1.71	1.90
Colo.	365	340	7,477	7,927	20.48	23.34	6,002	6,512	51	53	.76	.74
Utah	672	637	14,928	14,295	22.23	22.43	12,128	11,560	150	101	1.12	.79
Wash. 4/	66	---	1,342	---	20.48	---	1,033	---	16	---	1.30	---
Oreg.	203	206	4,208	4,293	20.75	20.88	3,346	3,427	62	66	1.65	1.71
Calif.	2,437	2,327	48,847	46,507	20.04	19.99	38,769	36,527	995	1,171	2.27	2.80

1/ Average weight based on unrounded data.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
3/ Combined to avoid disclosure of individual operations.
4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	13	1,913	730	380	2	---	36	132	59	4	1	30	3,300
E. N. Cent	---	57	5,630	4,794	1,345	47	2	149	651	566	210	18	1,584	15,053
W. N. Cent	---	413	21,612	30,999	3,391	97	6	699	1,772	2,293	674	88	12,834	74,878
S. Atl.	---	43	4,274	5,380	2,463	12	1	64	190	275	31	1	1,664	14,398
S. Cent.	---	238	8,762	9,768	4,118	34	3	176	280	798	23	5	4,200	28,405
West	---	47	11,294	29,643	15,269	105	1	1,082	837	2,102	295	29	15,996	76,700
U.S.	---	811	53,485	81,314	26,966	297	13	2,206	3,862	6,093	1,237	142	36,308	212,734
Pa.	---	4	1,538	54	227	2	---	13	73	35	4	1	16	1,967
Ohio	---	13	486	297	241	18	---	28	111	135	25	4	189	1,547
Ind.	---	6	2,095	1,714	304	4	---	16	73	104	10	1	320	4,647
Ill.-Mich. 1/	---	5	1,676	1,037	242	9	---	41	313	198	123	2	73	3,719
Wis.	---	33	1,373	1,746	558	16	2	64	154	129	52	11	1,002	5,140
Minn.	---	64	7,707	16,642	1,021	68	6	269	836	1,126	409	15	7,801	35,964
Iowa	---	272	8,336	6,730	588	15	---	118	397	440	136	64	1,345	18,441
Mo. 1/	---	7	2,087	4,502	1,008	2	---	43	186	342	8	---	2,045	10,230
N.Dak.-S.Dak.	---	5	989	1,321	117	4	---	63	180	27	29	---	69	2,804
Nebr.	---	62	1,823	1,125	561	6	---	166	74	260	49	2	1,083	5,211
Kans.	---	3	670	679	96	2	---	40	99	98	43	7	491	2,228
Va.	---	15	2,629	4,973	1,052	---	---	12	117	49	10	---	---	8,857
N. C.	---	23	997	229	1,038	6	---	39	40	187	14	---	1,525	4,098
S. C.	---	---	188	40	108	---	---	4	14	8	---	---	116	478
Ga.	---	5	283	136	228	5	1	9	3	31	1	1	23	726
Ky.	---	20	1,579	687	393	2	---	36	97	186	3	---	153	3,156
Ark.	---	12	221	4,173	206	6	---	38	26	245	4	---	3,330	8,261
Okla.	---	18	1,815	1,139	588	3	---	38	27	161	5	2	3	3,799
Texas	---	188	5,003	3,709	2,912	23	3	64	129	201	10	3	714	12,959
Colo.	---	---	126	270	955	3	---	21	111	30	42	4	69	1,631
Utah	---	6	2,273	1,492	1,189	4	---	178	169	171	2	1	21	5,506
Oreg.	---	6	1,751	1,112	647	34	---	25	84	117	---	24	187	3,987
Calif.	---	34	6,940	25,853	12,477	63	1	823	457	1,719	251	---	15,682	64,300

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected 1961	Number inspected 1962	Pounds inspected (live weight) 1961	Pounds inspected (live weight) 1962	Average live weight inspected 1/ 1961	Average live weight inspected 1/ 1962	Total pounds certified (Ready-to-cook wt.) 1961	Total pounds certified (Ready-to-cook wt.) 1962	Post-mortem condemnations: Pounds (NYD) 1961	Post-mortem condemnations: Pounds (NYD) 1962	Post-mortem condemnations: Percent 2/ 1961	Post-mortem condemnations: Percent 2/ 1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N. Atl. 3/	13	67	118	595	9.08	8.86	90	435	---	5	---	0.93
E. N. Cent.	332	373	3,067	3,281	9.24	8.80	2,379	2,620	30	30	1.09	1.02
W. N. Cent.	825	889	7,296	7,833	8.84	8.81	5,710	6,125	108	110	1.65	1.56
S. Atl.	578	413	4,891	3,618	8.46	8.76	3,669	2,668	86	81	1.96	2.49
S. Cent.	103	41	863	356	8.38	8.68	685	280	5	2	.64	.62
West.	42	57	364	484	8.67	8.49	276	366	3	5	.92	1.15
U.S.	1,893	1,840	16,599	16,167	8.77	8.79	12,809	12,494	232	233	1.55	1.60
Ohio	67	46	581	394	8.65	8.49	442	305	4	3	.73	.78
Wis.	233	299	2,176	2,641	9.36	8.82	1,685	2,114	24	26	1.19	1.08
Minn.	596	731	5,380	6,512	9.02	8.91	4,214	5,087	87	99	1.79	1.69
Iowa	131	92	1,102	757	8.42	8.18	855	601	12	7	1.13	.98
Va.	554	406	4,682	3,552	8.46	8.74	3,500	2,618	86	81	1.96	2.54
Ark. 4/	---	36	---	310	---	8.63	---	243	---	2	---	.62
Calif.	35	51	310	439	8.85	8.59	233	330	3	5	1.30	1.38

Fryer-Roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	228	---	9	1	---	5	16	17	---	---	---	278
E. N. Cent.	---	16	1,108	315	187	2	---	44	145	215	16	---	1,181	3,229
W. N. Cent.	---	5	1,976	5,534	198	6	---	139	440	678	48	2	3,210	12,236
S. Atl.	---	6	1,725	6,362	222	---	---	7	117	140	12	---	30	8,621
S. Cent.	---	2	12	22	6	---	---	4	6	93	---	---	44	189
West.	---	2	144	44	38	3	---	16	15	101	5	---	126	494
U.S.	---	33	5,193	12,277	660	12	---	215	739	1,244	81	2	4,591	25,047
Ohio	---	1	79	21	15	---	---	8	49	79	8	---	12	272
Wis.	---	14	986	249	171	2	---	35	92	123	8	---	1,160	2,840
Minn.	---	5	1,475	4,978	115	6	---	121	331	600	45	1	3,078	10,755
Iowa	---	---	338	89	15	---	---	15	66	23	3	1	91	641
Va.	---	6	1,723	6,362	222	---	---	7	112	140	12	---	---	8,584
Ark.	---	2	---	19	6	---	---	3	5	86	---	---	44	165
Calif.	---	1	139	43	35	3	---	14	14	97	5	---	126	477

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, October 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations: Pounds (NYD)		Post-mortem condemnations: Percent 2/	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent	Percent
N.Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---
E.N.Cent.	24	4	424	77	17.67	19.25	341	61	5	1	1.31	1.44
W.N.Cent.	24	33	388	512	16.17	15.52	307	407	9	9	2.58	1.95
S.Atl.	3	1	53	19	17.67	19.00	43	15	1	---	2.10	---
S.Cent.	9	7	229	214	25.44	30.57	180	168	2	1	.97	.52
West.	12	19	234	357	19.50	18.79	185	291	7	2	3.34	.62
U.S.	72	64	1,328	1,179	18.44	18.42	1,056	942	24	13	2.01	1.23
Wis. 4/	8	---	137	---	17.89	---	108	---	2	---	1.55	---
Minn.	24	23	386	366	15.87	15.57	305	291	9	8	2.56	2.43
Calif. 4/	12	---	234	---	19.28	---	185	---	7	---	2.97	---

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, October 1962

Region and State	Tuberculosis	Leucosis	Septicemia	Airsacculitis	Inflammatory	Tumors	Parasites	Bruises	Cadaver	Contamination	Overscald	Decomposition	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E.N.Cent.	---	---	7	17	9	---	---	3	1	2	---	---	22	61
W.N.Cent.	---	3	93	301	47	1	---	3	5	4	---	---	111	568
S.Atl.	---	---	16	---	9	---	---	---	---	---	---	---	---	25
S.Cent.	---	---	17	1	7	---	---	---	2	---	---	---	4	31
West.	---	---	62	---	9	---	---	---	3	8	7	4	23	116
U.S.	---	3	195	319	81	1	---	6	11	14	7	4	160	801
Minn.	---	3	84	274	40	1	---	2	5	3	---	---	99	511

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON 25, D. C.

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Albert R. Mann Library
8-24-61 Acquisitions Div.
ML-PS Ithaca, N. Y.

Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

****

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.