POULTRY

Slaughtered under Federal Inspection and Poultry Used in Further Processing
JULY 1969

ALBERT R. MANN
LIBRARY
ITHACA, N. Y. 14850

SEP 15 1969

Release:
September 3, 1969
3:00 P.M. EDT

Inspected Poultry - There were 1,031 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during July under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 6 percent more than the previous month and 5 percent more than July 1968.

The number of head and pounds live weight inspected by classes were: Young chickens 226,408,000 head, 789,254,000 pounds; mature chickens, 10,995,000 head, 50,178,000 pounds; fryer-roaster turkeys, 787,000 head, 7,347,000 pounds; young turkeys, 9,503,000 head, 169,250,000 pounds; old turkeys, 314,000 head, 5,935,000 pounds; and ducks, 1,395,000 head, 8,472,000 pounds.

Poultry Certified As Wholesome in July totaled 751,888,000 pounds ready-to-cook weight of which 560,256,000 pounds were chilled and 191,632,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 568,359,000; mature chickens, 31,867,000; fryer-roaster turkeys, 5,677,000; young turkeys, 135,115,000; old turkeys, 4,680,000; ducks, 6,002,000; and other poultry, 188,000 pounds.

Further Processed - Poultry inspected and used for further processing in July totaled 95,687,000 pounds ready-to-cook weight, compared with 84,859,000 pounds in July 1968. The July 1969 total consisted of 23,992,000 pounds of young chickens, 29,860,000 pounds of mature chickens, 35,363,000 pounds of turkeys, and 6,472,000 pounds of other poultry.

Poultry Cut-Up and Packaged during July totaled 172,659,000 pounds ready-to-cook weight compared with 130,079,000 pounds a year earlier. The breakdown by classes was: Young chickens, 158,334,000 pounds; mature chickens, 313,000 pounds; turkeys, 13,339,000 pounds; and other poultry, 673,000 pounds.

Ante-Mortem Condemnations during July were 5,711,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens, 0.60 percent; mature chickens, 1.02 percent; fryer-roaster turkeys, 0.29 percent; young turkeys, 0.23 percent; old turkeys, 0.24 percent; and ducks, 0.02 percent.

Post-Mortem Condemnations in July were 26,960,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 2.99 percent; mature chickens, 5.24 percent; fryer-roaster turkeys, 1.90 percent; young turkeys, 1.99 percent; old turkeys, 3.44 percent; and ducks, 1.44 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (9-69)
Crop Reporting Board
Washington, D. C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1969 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS1/	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS2/	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
NUMBER INSPECTED 3/										
JUNE 1969	225,345	12,688	238,033	656	5,313	376	6,345	1,368	---	---
JULY 1968	220,169	11,190	231,359	994	8,046	304	9,344	1,279	---	---
JULY 1969	226,408	10,995	237,403	787	9,503	314	10,604	1,395	---	---
JAN.-JULY 1968	1,359,438	88,664	1,448,102	6,389	19,727	1,294	27,410	5,591	---	---
JAN.-JULY 1969	1,453,905	93,236	1,547,141	5,238	22,070	1,080	28,388	6,333	---	---
POUNDS INSPECTED 4/										
JUNE 1969	800,900	59,348	860,248	5,953	93,959	7,605	107,517	8,541	279	976,585
JULY 1968	767,500	51,950	819,450	8,921	139,939	5,716	154,576	7,817	392	982,235
JULY 1969	789,254	50,178	839,432	7,347	169,250	5,935	182,532	8,472	353	1,030,789
JAN.-JULY 1968	4,801,633	403,157	5,204,790	57,106	367,773	25,480	450,359	35,265	1,777	5,692,191
JAN.-JULY 1969	5,190,743	426,802	5,617,545	48,340	407,549	21,165	477,054	39,460	1,658	6,135,717
AVERAGE LIVEWEIGHT5/										
JUNE 1969	3.55	4.68	3.61	9.08	17.68	20.21	16.95	6.24	---	---
JULY 1968	3.49	4.64	3.54	8.98	17.39	18.83	16.54	6.11	---	---
JULY 1969	3.49	4.56	3.54	9.33	17.81	18.89	17.21	6.07	---	---
JAN.-JULY 1968	3.53	4.55	3.59	8.94	18.64	19.68	16.43	6.31	---	---
JAN.-JULY 1969	3.57	4.58	3.63	9.23	18.47	19.59	16.80	6.23	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
JUNE 1969, 2,278; JULY 1968, 1,994; AND JULY 1969, 1,740.
2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
JUNE 1969, 519; JULY 1968, 209; AND JULY 1969, 357.
3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1969 WITH COMPARISONS 1/

		YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
JUNE 1969											
	CHILLED	520,317	28,241	548,558	773	10,013	1,066	11,852	366	21	560,797
	FROZEN	53,628	9,545	63,173	3,811	64,794	4,971	73,576	5,616	133	142,498
	TOTAL	573,945	37,786	611,731	4,584	74,807	6,037	85,428	5,982	154	703,295
JULY 1968											
	CHILLED	498,388	24,277	522,665	1,995	14,054	1,298	17,347	217	20	540,249
	FROZEN	52,473	9,337	61,810	4,898	96,763	3,252	104,913	5,347	187	172,257
	TOTAL	550,861	33,614	584,475	6,893	110,817	4,550	122,260	5,564	207	712,506
JULY 1969											
	CHILLED	512,773	24,397	537,170	1,284	20,323	1,174	22,781	275	30	560,256
	FROZEN	55,586	7,470	63,056	4,393	114,792	3,506	122,691	5,727	158	191,632
	TOTAL	568,359	31,867	600,226	5,677	135,115	4,680	145,472	6,002	188	751,888
JANUARY-JULY 1968											
	CHILLED	3,081,414	200,408	3,281,822	9,620	57,285	3,690	70,595	1,183	100	3,353,700
	FROZEN	345,348	61,708	407,056	34,498	233,851	16,626	284,975	24,109	846	716,986
	TOTAL	3,426,762	262,116	3,688,878	44,118	291,136	20,316	355,570	25,292	946	4,070,686
JANUARY-JULY 1969											
	CHILLED	3,342,886	207,196	3,550,082	10,641	59,030	4,428	74,099	1,894	58	3,626,133
	FROZEN	364,502	65,161	429,663	26,814	265,001	12,299	304,114	25,987	835	760,599
	TOTAL	3,707,388	272,357	3,979,745	37,455	324,031	16,727	378,213	27,881	893	4,386,732

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1969 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVEWEIGHT):										
JULY 1968:	3,755	431	4,186	16	319	12	347	1	1	4,535
JULY 1969:	4,758	516	5,274	22	398	14	434	2	1	5,711
JAN.-JULY 1968:	15,550	3,048	18,598	127	842	76	1,045	7	6	19,656
JAN.-JULY 1969:	20,054	3,561	23,615	109	974	76	1,159	10	5	24,789
PERCENT 1/										
JULY 1968:	.48	.82	.51	.17	.22	.20	.22	.01	.41	.46
JULY 1969:	.60	1.02	.62	.29	.23	.24	.23	.02	.41	.55
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
JULY 1968:	21,598	2,144	23,742	157	2,301	141	2,599	84	3	26,429
JULY 1969:	21,164	2,339	23,503	125	3,035	183	3,343	110	3	26,960
JAN.-JULY 1968:	165,142	17,012	182,154	1,020	7,531	671	9,222	356	17	191,749
JAN.-JULY 1969:	173,143	20,191	193,334	912	8,397	724	10,033	541	16	203,924
PERCENT 2/										
JULY 1968:	3.14	4.62	3.23	1.95	1.83	2.74	1.87	1.19	.97	3.00
JULY 1969:	2.99	5.24	3.13	1.90	1.99	3.44	2.04	1.44	1.06	2.92

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1969 WITH COMPARISONS

	YOUNG CHICKENS		MATURE CHICKENS		TURKEYS		OTHER POULTRY 1/		TOTAL POULTRY	
	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP
POUNDS USED READY-TO-COOK WEIGHT 2/										
JUNE 1969	21,694	138,598	33,385	186	31,425	12,843	5,847	370	92,351	151,997
JULY 1968	18,191	118,418	30,481	416	31,687	11,156	4,500	89	84,859	130,079
JULY 1969	23,992	158,334	29,860	313	35,363	13,339	6,472	673	95,687	172,659
JANUARY-JULY 1968	155,833	804,277	223,342	4,685	193,011	63,268	42,791	910	614,977	873,140
JANUARY-JULY 1969	147,499	935,550	231,837	4,614	241,559	82,773	47,773	2,750	668,668	1,025,687
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
JUNE 1969	117	1,012	48	5	45	9	55	5	265	1,031
JULY 1968 3/	142	1,290	61	2	27	8	28	---	258	1,300
JULY 1969	148	995	33	---	29	---	60	---	270	1,005
JANUARY-JULY 1968 3/	542	6,289	557	15	163	41	343	2	1,605	6,347
JANUARY-JULY 1969	902	6,288	275	---	236	---	229	---	1,642	6,366

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE INDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
2/ 1,000 POUNDS.
3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	14,989	14,912	57,209	59,432	3.82	3.99	40,991	43,013	1,868	1,893	3.65	3.55
E. N. CENTRAL	2,737	2,774	10,208	10,700	3.73	3.86	7,492	7,867	177	245	1.93	2.55
W. N. CENTRAL	5,286	5,592	18,475	19,059	3.49	3.41	13,140	13,743	420	534	2.53	3.13
S. ATLANTIC	91,627	95,749	321,545	340,431	3.51	3.56	229,476	244,060	10,580	10,249	3.68	3.36
S. CENTRAL	101,521	102,364	345,942	342,083	3.41	3.34	249,766	247,267	8,172	7,780	2.63	2.54
WEST	4,009	5,017	14,121	17,549	3.52	3.50	9,996	12,409	381	463	3.00	2.94
U. S.	220,169	226,408	767,500	789,254	3.49	3.49	550,861	568,359	21,598	21,164	3.14	2.99
MAINE	6,464	6,781	25,460	26,956	3.94	3.98	18,412	20,011	837	736	3.67	3.04
PENNSYLVANIA	7,444	7,296	27,797	29,289	3.73	4.01	19,709	20,757	944	1,058	3.79	4.03
INDIANA	1,208	1,224	4,314	4,338	3.57	3.55	3,196	3,230	68	72	1.75	1.85
WISCONSIN	1,505	1,461	5,755	5,768	3.82	3.95	4,196	4,209	106	159	2.05	3.07
MINNESOTA	---	822	---	3,203	---	3.90	---	2,463	---	44	---	1.53
MISSOURI	4,536	4,762	15,698	15,780	3.46	3.31	11,044	11,224	383	486	2.71	3.44
DELAWARE	8,235	8,840	30,069	33,807	3.65	3.82	21,312	24,097	1,079	991	4.00	3.28
MARYLAND	13,300	15,182	48,173	57,209	3.62	3.77	34,739	41,378	1,586	1,682	3.68	3.27
VIRGINIA	7,188	7,777	23,917	26,535	3.33	3.41	16,315	18,362	803	628	3.74	2.64
NORTH CAROLINA	24,680	24,133	88,508	88,075	3.59	3.65	63,741	63,228	2,267	2,314	2.86	2.93
SOUTH CAROLINA	2,587	2,632	8,804	8,768	3.40	3.33	6,193	6,177	374	300	4.76	3.83
GEORGIA	33,448	33,356	114,807	113,251	3.43	3.40	81,972	81,390	4,335	4,073	4.22	4.02
TENNESSEE	6,126	5,574	20,756	19,477	3.39	3.49	15,171	14,062	464	585	2.49	3.38
ALABAMA	25,090	25,720	87,467	88,685	3.49	3.45	62,673	64,045	2,457	2,266	3.13	2.85
MISSISSIPPI	15,936	15,946	54,272	52,915	3.41	3.32	40,462	39,299	946	863	1.94	1.82
ARKANSAS	32,438	32,872	107,247	105,830	3.31	3.22	76,204	75,254	2,437	2,434	2.53	2.57
LOUISIANA	4,684	4,965	16,558	17,077	3.54	3.44	11,886	12,549	414	331	2.79	2.17
TEXAS	14,354	14,354	49,831	48,324	3.47	3.37	36,218	35,057	1,260	1,074	2.82	2.49
WASHINGTON	1,158	1,131	4,280	4,302	3.69	3.81	2,998	3,001	80	98	2.08	2.54
CALIFORNIA	2,333	2,711	8,249	9,645	3.54	3.56	5,863	6,935	248	268	3.35	3.10

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1969

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	260,750	115,263	19,724	7,752	1,249	4,446	13,698	23,377	1,791	16,477	464,527
E. N. CENTRAL	---	17,256	15,778	8,174	617	102	1,602	4,758	5,337	1,626	1,380	56,630
W. N. CENTRAL	---	34,861	29,177	28,743	2,231	741	3,137	5,901	12,091	826	5,776	123,484
S. ATLANTIC	---	1,509,474	422,407	201,108	30,169	8,466	39,153	89,235	297,426	32,319	106,474	2,736,231
S. CENTRAL	---	648,042	455,018	259,223	45,848	11,081	54,776	92,953	199,626	21,353	96,801	1,884,721
WEST	---	63,119	29,440	8,497	564	135	1,466	4,309	6,100	1,360	9,743	124,733
U. S.	---	2,533,502	1,067,083	525,469	87,181	21,774	104,580	210,854	543,957	59,275	236,651	5,390,326
MAINE	---	88,570	58,941	3,117	6,748	319	1,252	7,963	8,076	596	5,086	180,668
PENNSYLVANIA	---	163,037	49,578	16,125	682	683	2,676	5,051	12,344	1,079	9,922	261,177
INDIANA	---	6,493	4,705	2,095	203	26	596	1,848	1,592	222	51	17,831
WISCONSIN	---	9,757	10,582	6,053	413	52	982	2,709	3,519	1,397	1,236	36,700
MINNESOTA	---	2,589	3,354	395	127	66	257	245	1,830	4	2,061	10,928
MISSOURI	---	31,987	25,681	28,334	2,104	666	2,880	5,656	10,252	821	3,715	112,096
DELAWARE	---	183,816	41,556	15,580	2,840	618	2,616	8,324	15,453	3,486	9,604	283,893
MARYLAND	---	280,554	71,524	29,695	4,648	1,054	3,722	16,366	25,218	8,815	6,613	448,209
VIRGINIA	---	100,192	40,344	15,564	429	479	2,256	5,286	5,833	1,940	5,018	177,341
NORTH CAROLINA	---	185,304	123,552	48,170	11,082	3,227	14,803	23,309	107,924	7,144	34,660	559,175
SOUTH CAROLINA	---	45,294	10,180	17,065	589	277	1,471	3,251	5,978	1,191	4,463	89,759
GEORGIA	---	674,527	124,948	70,191	9,947	2,613	13,432	30,411	132,094	9,615	42,011	1,109,789
TENNESSEE	---	57,517	28,797	3,828	1,100	568	1,915	5,059	32,238	1,127	15,017	147,166
ALABAMA	---	310,394	80,546	19,136	7,020	3,132	10,375	29,743	48,175	7,679	25,221	541,421
MISSISSIPPI	---	60,198	24,350	38,174	4,400	1,895	6,473	7,210	19,744	2,241	17,270	181,955
ARKANSAS	---	128,585	196,039	147,157	17,264	2,810	16,029	30,776	66,153	5,554	21,209	631,576
LOUISIANA	---	15,751	33,505	3,013	3,856	579	3,880	1,986	6,159	1,320	2,870	72,919
TEXAS	---	65,000	79,516	21,508	11,498	1,876	12,689	15,874	20,514	2,491	14,247	245,213
WASHINGTON	---	4,917	5,316	3,259	333	63	682	1,400	987	100	1,589	18,646
CALIFORNIA	---	39,057	18,714	3,413	188	53	491	1,818	3,800	1,117	3,327	71,978

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,079	1,216	5,482	6,016	5.08	4.95	3,639	3,886	194	251	3.97	4.67
E. N. CENTRAL	1,467	1,556	6,156	6,588	4.20	4.23	3,976	4,081	240	232	4.37	3.95
W. N. CENTRAL	2,386	2,598	10,441	11,416	4.38	4.39	6,765	7,096	497	612	5.34	6.03
S. ATLANTIC	2,494	2,305	12,290	10,670	4.93	4.63	7,851	6,864	458	529	4.18	5.56
S. CENTRAL	2,128	1,931	10,755	9,714	5.05	5.03	7,226	6,437	432	417	4.50	4.83
WEST	1,636	1,389	6,826	5,774	4.17	4.16	4,157	3,503	323	298	5.29	5.81
U. S.	11,190	10,995	51,950	50,178	4.64	4.56	33,614	31,867	2,144	2,339	4.62	5.24
MAINE	182	259	1,208	1,588	6.65	6.13	858	1,063	54	54	5.01	3.80
NEW JERSEY	605	705	2,516	2,992	4.16	4.24	1,551	1,837	98	156	4.39	5.84
PENNSYLVANIA	57	55	398	416	6.92	7.52	279	294	9	9	2.58	2.51
OHIO	370	368	1,610	1,612	4.35	4.37	1,024	966	53	62	3.67	4.36
INDIANA	453	535	1,803	2,121	3.98	3.96	1,239	1,362	66	70	4.10	3.72
MINNESOTA	1,047	1,056	3,851	4,077	3.68	3.86	2,447	2,421	184	233	5.35	6.41
IOWA 3/	---	27	---	129	---	4.74	---	85	---	6	---	4.98
MISSOURI	713	838	4,014	4,676	5.63	5.58	2,732	3,133	158	207	4.41	4.96
MARYLAND 3/	520	---	2,119	---	4.07	---	1,352	---	86	---	4.55	---
VIRGINIA	86	76	635	552	7.37	7.29	428	390	20	15	3.45	3.11
NORTH CAROLINA	205	200	1,322	1,508	6.44	7.53	880	1,022	44	47	3.69	3.49
GEORGIA	885	961	4,526	4,234	5.11	4.40	2,982	2,686	139	213	3.44	5.62
ALABAMA	110	266	880	1,285	8.01	4.83	614	828	49	62	6.19	5.40
MISSISSIPPI	1,282	1,139	5,735	5,398	4.47	4.74	3,893	3,555	195	219	3.81	4.55
ARKANSAS	184	108	1,335	737	7.25	6.84	910	515	54	30	4.52	4.64
LOUISIANA 3/	---	14	---	99	---	7.04	---	72	---	4	---	5.07
OKLAHOMA 3/	77	---	365	---	4.76	---	231	---	13	---	3.86	---
TEXAS	422	313	2,064	1,522	4.89	4.87	1,307	995	110	81	5.97	5.97
WASHINGTON	129	171	546	673	4.24	3.93	347	438	29	28	5.90	4.63
CALIFORNIA	1,479	1,164	6,112	4,893	4.13	4.21	3,690	2,928	291	263	5.31	6.04

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1969

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	2,071	22,536	46	244	16,369	1,403	1,433	3,307	140	5,809	53,358
E. N. CENTRAL	463	4,416	17,625	237	19	23,993	1,490	2,076	5,101	182	5,347	60,949
W. N. CENTRAL	4,207	8,333	43,982	1,427	227	59,200	6,430	3,228	11,156	821	12,508	151,519
S. ATLANTIC	74	4,403	40,404	474	1,684	29,715	3,645	8,402	17,502	527	12,560	119,390
S. CENTRAL	---	11,393	29,539	52	297	21,830	2,779	2,553	7,056	193	17,320	93,012
WEST	---	1,361	27,436	16	474	32,807	2,382	1,151	5,765	467	5,637	77,496
U. S.	4,744	31,977	181,522	2,252	2,945	183,914	18,129	18,843	49,887	2,330	59,181	555,724
MAINE	---	521	5,407	6	93	1,617	181	303	522	31	875	9,556
NEW JERSEY	---	1,085	15,037	2	124	11,946	1,090	771	1,797	109	4,177	36,138
PENNSYLVANIA	---	227	679	15	6	184	20	22	79	---	159	1,391
OHIO	133	1,558	1,863	7	---	4,453	501	446	2,763	91	3,035	14,850
INDIANA	33	641	7,299	2	11	9,509	237	1,347	1,038	51	1,033	21,201
MINNESOTA	1,857	2,588	14,276	570	141	31,886	2,373	972	3,708	456	6,704	65,531
IOWA	5	56	533	14	---	743	71	44	91	2	---	1,559
MISSOURI	849	2,053	19,309	200	77	8,609	1,981	734	3,222	237	3,542	40,813
VIRGINIA	---	307	1,251	6	112	164	67	35	200	19	33	2,194
NORTH CAROLINA	---	551	2,209	89	195	1,029	161	157	958	12	742	6,103
GEORGIA	---	1,029	17,787	123	736	12,357	1,221	4,978	8,919	109	4,925	52,184
ALABAMA	---	3,437	6,091	3	24	591	233	260	927	33	728	12,327
MISSISSIPPI	---	823	15,093	1	69	19,481	2,220	1,453	3,723	135	11,984	54,982
ARKANSAS	---	224	2,438	21	66	193	64	140	571	---	220	3,937
LOUISIANA	---	63	417	2	8	11	12	8	16	---	25	562
TEXAS	---	6,649	4,113	20	109	1,433	184	605	869	10	4,113	18,105
WASHINGTON	---	230	3,074	3	3	528	407	338	1,306	36	840	6,765
CALIFORNIA	---	1,083	23,419	12	471	31,761	1,913	770	4,345	413	4,284	68,471

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	100	132	1,672	2,366	16.72	17.92	1,344	1,897	16	22	1.06	1.03
E. N. CENTRAL	733	759	12,408	13,782	16.92	18.15	9,856	11,046	155	203	1.39	1.64
W. N. CENTRAL	2,927	3,383	49,172	57,628	16.80	17.04	39,405	46,319	776	954	1.75	1.84
S. ATLANTIC	1,071	1,401	18,573	24,951	17.35	17.81	14,292	19,710	391	569	2.34	2.54
S. CENTRAL	1,626	1,593	29,182	28,876	17.94	18.13	23,070	22,736	639	661	2.44	2.55
WEST	1,589	2,235	28,932	41,647	18.21	18.64	22,850	33,407	324	626	1.24	1.67
U. S.	8,046	9,503	139,939	169,250	17.39	17.81	110,817	135,115	2,301	3,035	1.83	1.99
PENNSYLVANIA	93	131	1,564	2,362	16.73	17.98	1,259	1,895	14	22	1.01	1.02
OHIO	291	140	4,950	2,536	16.99	18.06	3,941	2,027	49	29	1.11	1.26
INDIANA	197	252	3,237	4,272	16.43	16.95	2,608	3,381	30	51	1.03	1.32
WISCONSIN	187	292	3,041	5,255	16.26	17.99	2,362	4,258	52	73	1.91	1.54
MINNESOTA	1,355	1,566	22,143	27,228	16.34	17.39	17,771	21,806	294	431	1.47	1.76
IOWA	749	893	13,038	14,874	17.41	16.65	10,452	11,966	175	226	1.49	1.69
MISSOURI	652	761	11,315	12,574	17.36	16.51	9,035	10,181	270	259	2.65	2.29
VIRGINIA	374	460	7,084	8,129	18.96	17.67	5,067	6,283	203	153	3.19	2.09
NORTH CAROLINA	523	766	8,568	12,930	16.39	16.89	6,887	10,353	132	330	1.72	2.84
ARKANSAS 3/	737	---	13,510	---	18.33	---	10,652	---	290	---	2.39	---
TEXAS	676	644	12,005	11,268	17.75	17.51	9,556	8,880	270	275	2.50	2.72
COLORADO	225	305	4,275	6,175	19.01	20.22	3,460	5,065	53	61	1.38	1.09
UTAH	301	420	5,393	7,795	17.89	18.58	4,281	6,262	37	111	.76	1.58
CALIFORNIA	943	1,346	17,178	24,548	18.22	18.23	13,443	19,596	206	405	1.33	1.83

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1969

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	13	550	241	43	1	3	109	45	1	6	1,012
E. N. CENTRAL	---	56	4,384	2,489	524	23	162	531	470	19	211	8,869
W. N. CENTRAL	1	145	28,555	10,589	1,495	52	931	2,251	3,133	397	976	48,525
S. ATLANTIC	---	293	11,619	7,510	1,101	34	424	703	3,007	178	1,528	26,397
S. CENTRAL	---	27	17,724	8,914	2,435	62	306	635	1,000	147	1,363	32,613
WEST	---	124	18,287	4,402	3,030	93	505	1,127	1,441	353	91	29,453
U. S.	1	658	81,119	34,145	8,628	265	2,331	5,356	9,096	1,095	4,175	146,869
PENNSYLVANIA	---	13	540	238	38	1	3	109	45	1	6	994
OHIO	---	1	721	150	103	---	23	48	67	4	64	1,181
INDIANA	---	3	1,037	965	198	2	34	182	191	11	87	2,710
WISCONSIN	---	41	2,038	455	199	12	101	141	159	4	19	3,169
MINNESOTA	1	48	12,949	3,545	696	22	196	1,293	1,616	235	330	20,931
IOWA	---	41	6,992	2,260	241	19	311	123	487	84	174	10,732
MISSOURI	---	53	7,726	4,315	88	10	407	812	778	78	400	14,667
VIRGINIA	---	124	4,615	2,000	93	11	70	200	197	38	47	7,395
NORTH CAROLINA	---	152	5,502	4,740	928	20	290	412	2,447	94	1,173	15,758
TEXAS	---	9	6,172	5,997	715	52	119	342	284	9	1,347	15,046
COLORADO	---	3	1,280	327	30	10	153	381	126	8	3	2,321
UTAH	---	2	3,643	461	724	2	160	290	566	52	15	5,915
CALIFORNIA	---	119	12,009	3,480	1,223	76	105	401	710	285	65	18,473

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC 4/	10	13	88	134	8.80	10.31	70	105	1	---	1.26	---
E. N. CENTRAL	118	111	1,115	1,048	9.46	9.41	875	825	21	12	2.08	1.23
W. N. CENTRAL	422	309	3,827	2,856	9.07	9.25	3,023	2,243	46	37	1.34	1.42
S. ATLANTIC	253	311	2,289	2,945	9.04	9.48	1,679	2,221	62	67	3.00	2.55
S. CENTRAL 4/	38	2	332	18	8.70	7.70	256	15	8	---	2.83	1.01
WEST	153	41	1,270	346	8.29	8.50	990	268	19	9	1.68	2.75
U. S.	994	787	8,921	7,347	8.98	9.33	6,893	5,677	157	125	1.95	1.90
WISCONSIN 3/	115	---	1,097	---	9.50	---	861	---	21	---	2.11	---
MINNESOTA	414	308	3,757	2,849	9.08	9.26	2,968	2,238	45	36	1.34	1.42
VIRGINIA	253	200	2,289	1,870	9.04	9.37	1,679	1,377	62	32	3.00	1.89
CALIFORNIA	131	26	1,101	238	8.43	9.21	855	182	17	7	1.71	3.32

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1969

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	51	3	---	---	1	---	12	---	---	67
E. N. CENTRAL	---	1	385	33	9	1	9	52	98	2	---	590
W. N. CENTRAL	---	---	2,302	141	4	---	33	97	464	4	13	3,058
S. ATLANTIC	---	5	2,684	2,777	56	8	99	125	418	25	296	6,493
S. CENTRAL	---	---	4	---	---	---	---	6	7	---	---	17
WEST	---	48	606	135	221	---	7	19	23	33	34	1,126
U. S.	---	54	6,032	3,089	290	9	149	299	1,022	64	343	11,351
MINNESOTA	---	---	2,300	140	4	---	33	97	463	4	13	3,054
VIRGINIA	---	1	2,278	312	10	1	33	106	149	25	79	2,994
CALIFORNIA	---	48	529	130	219	---	2	4	14	33	2	981

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	6	23	92	436	15.33	18.96	74	345	1	8	1.20	2.04
E. N. CENTRAL	53	37	1,062	706	20.17	19.13	847	551	29	26	3.02	4.16
W. N. CENTRAL	43	55	802	1,026	18.49	18.50	633	813	29	37	4.01	4.02
S. ATLANTIC	75	73	1,329	1,362	17.71	18.63	1,040	1,055	40	62	3.33	5.03
S. CENTRAL 4/	36	---	672	---	18.54	---	549	---	14	---	2.36	---
WEST	91	126	1,759	2,405	19.31	19.13	1,407	1,916	28	50	1.78	2.32
U. S.	304	314	5,716	5,935	18.83	18.89	4,550	4,680	141	183	2.74	3.44
MINNESOTA	35	51	629	946	18.23	18.53	498	750	26	34	4.53	4.04
NORTH CAROLINA 3/	---	73	---	1,362	---	18.63	---	1,055	---	62	---	5.03
CALIFORNIA 3/	---	51	---	1,003	---	19.50	---	804	---	19	---	2.14

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1969

REGION AND STATE	TUBERCULOSIS	LEUKOSIS	SEPTICEMIA	AIRSACCULITIS	SYNOVITIS	TUMORS	BRUISES	CADAVER	CONTAMINATION	OVERSCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	10	179	76	3	1	---	20	13	---	18	320
E. N. CENTRAL	---	20	419	211	277	14	21	12	52	---	27	1,053
W. N. CENTRAL	---	11	880	420	1	13	35	23	155	18	16	1,572
S. ATLANTIC	---	39	1,082	1,214	45	46	20	28	245	7	139	2,865
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	26	1,749	97	19	88	121	111	142	4	34	2,391
U. S.	---	106	4,309	2,018	345	162	197	194	607	29	234	8,201
MINNESOTA	---	11	854	334	1	13	35	23	153	18	16	1,458
NORTH CAROLINA	---	39	1,082	1,214	45	46	20	28	245	7	139	2,865
CALIFORNIA	---	---	631	17	3	74	13	29	112	---	33	912

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

POSTAGE & FEES PAID
United States Department of Agriculture

7227 ARMLAD A122 20009 0001
ALBERT R MANN LIBRARY
ACQUISITIONS DIV

ITHACA NY 14850

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.