poultry

Slaughtered under Federal Inspection
and Poultry Used in Further Processing

October 1971

Release:
December 2, 1971
3:00 P. M. EST

Inspected Poultry - There were 1,270 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during October 1971 under Poultry Inspection Act carried on by United States Department of Agriculture. This is 1 percent more than the previous month but 4 percent less than October 1970.

The number of head and pounds live weight inspected by classes were: young chickens- 234,308,000 head, 871,836,000 pounds; mature chickens - 14,988,000 head, 66,694,000 pounds; fryer-roaster turkeys - 1,187,000 head, 10,869,000 pounds; young turkeys - 15,095,000 head, 314,065,000 pounds; old turkeys - 15,000 head, 276,000 pounds; and ducks - 999,000 head, 6,319,000 pounds.

Poultry Certified Wholesome in October totaled 928,750,000 pounds ready-to-cook weight of which 640,422,000 pounds were chilled and 288,328,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 624,503,000; mature chickens, 42,287,000; fryer-roaster turkeys, 8,436,000; young turkeys, 247,328,000; old turkeys, 214,000; ducks, 4,497,000; and other poultry, 1,485,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 140,706,000 pounds ready-to-cook weight, compared with 138,798,000 pounds in October 1970. The October 1971 total consisted of 33,696,000 pounds young chickens, 33,943,000 pounds mature chickens, 65,522,000 pounds of turkeys, and 7,545,000 pounds of other poultry.

Poultry cut-up and packaged totaled 201,207,000 pounds ready-to-cook weight, compared with 200,730,000 pounds in October 1970. The breakdown by class was: young chickens, 176,998,000 pounds; mature chickens, 950,000; turkeys, 23,001,000; and other poultry, 258,000 pounds.

Ante-Mortem Condemnations during October were 3,627,000 pounds live weight. Condemnations by class as a percent of quantities inspected were: young chickens, 0.29; mature chickens, 0.69; fryer-roaster turkeys, 0.15; young turkeys, 0.17; old turkeys 0.23; and ducks, 0.04.

Post-Mortem Condemnations in October were 35,314,000 pounds (NYD weight). Condemnations by class as a percent of quantities inspected were: young chickens, 2.97; mature chickens, 6.00; fryer-roaster turkeys, 1.84; young turkeys, 2.88; old turkeys, 4.68; and ducks, 1.90.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE CROP REPORTING BOARD
Pou 2-1 (12-71) WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1971 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS1/	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS2/	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
NUMBER INSPECTED 3/										
SEPTEMBER 1971	239,038	16,386	255,424	921	14,771	47	15,739	1,200	---	---
OCTOBER 1970	237,617	16,852	254,469	1,226	16,203	26	17,455	1,114	---	---
OCTOBER 1971	234,308	14,988	249,296	1,187	15,095	15	16,297	999	---	---
JAN.-OCT. 1970	2,363,646	145,739	2,509,385	9,033	71,053	986	81,072	10,238	---	---
JAN.-OCT. 1971	2,341,960	152,980	2,494,940	10,119	75,908	1,117	87,144	9,539	---	---
POUNDS INSPECTED 4/										
SEPTEMBER 1971	878,832	73,909	952,741	8,303	290,151	824	299,278	7,442	480	1,259,941
OCTOBER 1970	888,396	74,916	963,312	11,442	339,630	469	351,541	7,040	1,780	1,323,673
OCTOBER 1971	871,836	66,694	938,530	10,869	314,065	276	325,210	6,319	2,138	1,272,197
JAN.-OCT. 1970	8,556,842	671,709	9,228,551	82,828	1,384,171	19,100	1,486,099	63,934	4,102	10,782,686
JAN.-OCT. 1971	8,571,781	690,076	9,261,857	91,967	1,477,795	21,903	1,591,665	59,929	5,030	10,918,481
AVERAGE LIVEWEIGHT5/										
SEPTEMBER 1971	3.68	4.51	3.73	9.01	19.64	17.59	19.02	6.20	---	---
OCTOBER 1970	3.74	4.45	3.79	9.33	20.96	18.00	20.14	6.32	---	---
OCTOBER 1971	3.72	4.45	3.76	9.16	20.81	18.47	19.96	6.33	---	---
JAN.-OCT. 1970	3.62	4.61	3.68	9.17	19.48	19.37	18.33	6.24	---	---
JAN.-OCT. 1971	3.66	4.51	3.71	9.09	19.47	19.60	18.26	6.28	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
SEPTEMBER 1971, 3,006; OCTOBER 1970, 2,424; AND OCTOBER 1971, 2,436.
2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
SEPTEMBER 1971, 55; OCTOBER 1970, 5; AND OCTOBER 1971, 17.
3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), OCTOBER 1971 WITH COMPARISONS 1/

		YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
SEPTEMBER 1971											
	CHILLED	572,471	37,111	609,582	1,146	38,089	36	39,273	175	48	649,078
	FROZEN	58,399	10,107	68,506	5,261	190,679	610	196,550	5,077	232	270,365
	TOTAL	630,870	47,218	678,088	6,409	228,768	646	235,823	5,252	280	919,443
OCTOBER 1970											
	CHILLED	568,145	37,878	606,023	1,888	42,228	70	44,186	203	84	650,496
	FROZEN	65,213	9,501	74,714	6,977	225,481	291	232,749	4,818	1,139	313,420
	TOTAL	633,358	47,379	680,737	8,865	267,709	361	276,935	5,021	1,223	963,916
OCTOBER 1971											
	CHILLED	566,956	34,225	601,181	2,125	36,776	57	38,958	246	37	640,422
	FROZEN	57,547	8,062	65,609	6,311	210,552	157	217,020	4,251	1,448	288,328
	TOTAL	624,503	42,287	666,790	8,436	247,328	214	255,978	4,497	1,485	928,750
JANUARY-OCTOBER 1970											
	CHILLED	5,477,005	323,283	5,800,288	14,333	184,781	3,550	202,664	1,930	302	6,005,184
	FROZEN	609,735	104,800	714,535	49,741	908,447	11,562	969,750	43,449	2,181	1,729,915
	TOTAL	6,086,740	428,083	6,514,823	64,074	1,093,228	15,112	1,172,414	45,379	2,483	7,735,099
JANUARY-OCTOBER 1971											
	CHILLED	5,560,482	343,666	5,904,148	16,516	193,704	3,222	213,442	2,316	384	6,120,290
	FROZEN	543,688	94,814	638,502	54,585	970,675	13,903	1,039,163	40,314	2,687	1,720,666
	TOTAL	6,104,170	438,480	6,542,650	71,101	1,164,379	17,125	1,252,605	42,630	3,071	7,840,956

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1971 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVEWEIGHT)										
OCTOBER 1970	2,615	501	3,116	29	616	1	646	5	1	3,768
OCTOBER 1971	2,585	461	3,046	17	556	1	574	3	4	3,627
JAN.-OCT. 1970	40,182	6,033	46,215	190	3,097	67	3,354	64	12	49,645
JAN.-OCT. 1971	35,100	6,064	41,164	178	3,237	69	3,484	32	13	44,693
PERCENT 1/										
OCTOBER 1970	.29	.66	.32	.24	.18	.30	.18	.06	.07	.28
OCTOBER 1971	.29	.69	.32	.15	.17	.23	.17	.04	.20	.28
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED)										
OCTOBER 1970	29,307	4,390	33,697	229	9,262	21	9,512	131	13	43,352
OCTOBER 1971	23,301	3,575	26,876	181	8,125	12	8,318	108	13	35,314
JAN.-OCT. 1970	301,552	34,700	336,252	1,485	34,528	653	36,666	1,052	35	374,004
JAN.-OCT. 1971	284,504	34,920	319,424	1,665	36,649	853	39,167	957	44	359,591
PERCENT 2/										
OCTOBER 1970	3.67	6.55	3.90	2.22	3.03	4.94	3.01	2.07	.79	3.65
OCTOBER 1971	2.97	6.00	3.19	1.84	2.88	4.68	2.84	1.90	.68	3.09

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, OCTOBER 1971 WITH COMPARISONS

	YOUNG CHICKENS		MATURE CHICKENS		TURKEYS		OTHER POULTRY 1/		TOTAL POULTRY	
	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP	FURTHER PROCESSED	CUT UP
POUNDS USED READY-TO-COOK WEIGHT 2/										
SEPTEMBER 1971	33,972	181,444	33,588	211	60,641	21,110	6,361	285	134,562	203,050
OCTOBER 1970	31,352	174,750	39,669	841	60,688	24,923	7,089	216	138,798	200,730
OCTOBER 1971	33,696	176,998	33,943	950	65,522	23,001	7,545	258	140,706	201,207
JANUARY-OCTOBER 1970	284,102	1,541,602	320,261	7,275	390,022	153,578	69,325	1,478	1,063,710	1,703,933
JANUARY-OCTOBER 1971	317,745	1,712,268	359,630	4,685	460,808	159,417	69,347	2,854	1,207,530	1,879,224
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
SEPTEMBER 1971	457	1,312	97	---	46	252	22	2	622	1,566
OCTOBER 1970	289	1,319	71	80	35	133	94	9	489	1,541
OCTOBER 1971	523	1,530	39	5	40	276	16	2	618	1,813
JANUARY-OCTOBER 1970	2,504	10,316	687	347	1,379	2,162	339	81	4,909	12,906
JANUARY-OCTOBER 1971	3,837	12,518	494	23	396	1,660	259	25	4,986	14,226

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE INDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,554	13,336	56,664	55,997	4.18	4.20	40,652	39,952	1,952	1,983	3.84	3.94
E. N. CENTRAL	2,727	2,779	11,153	10,838	4.09	3.90	8,191	7,899	278	337	2.78	3.46
W. N. CENTRAL	6,874	7,285	27,025	28,036	3.93	3.85	19,332	20,045	929	710	3.82	2.82
S. ATLANTIC	98,103	93,788	370,200	355,570	3.77	3.79	263,266	255,519	12,605	9,584	3.79	3.00
S. CENTRAL	110,849	112,488	402,962	403,441	3.64	3.59	287,608	288,284	12,888	10,234	3.56	2.82
WEST	5,510	4,632	20,392	17,954	3.70	3.88	14,309	12,804	655	453	3.58	2.81
U. S.	237,617	234,308	888,396	871,836	3.74	3.72	633,358	624,503	29,307	23,301	3.67	2.97
MAINE	6,104	5,802	26,055	24,929	4.27	4.30	19,080	18,150	684	540	2.92	2.41
PENNSYLVANIA	6,871	7,021	28,052	28,701	4.08	4.09	19,837	20,225	1,142	1,353	4.53	5.25
OHIO 3/	---	279	---	1,082	---	3.88	---	780	---	60	---	6.21
INDIANA	1,217	1,220	4,531	4,524	3.72	3.71	3,353	3,334	109	123	2.67	3.02
WISCONSIN	1,466	1,274	6,325	5,201	4.32	4.08	4,626	3,785	161	154	2.82	3.29
MINNESOTA	849	824	3,632	3,530	4.28	4.28	2,723	2,621	76	109	2.34	3.44
MISSOURI	5,289	5,648	19,828	20,998	3.75	3.72	14,079	14,977	708	458	3.97	2.43
DELAWARE	7,919	7,724	32,097	30,780	4.05	3.99	22,828	21,928	1,051	915	3.64	3.31
MARYLAND	14,858	11,371	59,528	44,916	4.01	3.95	42,622	32,244	1,954	1,350	3.66	3.35
VIRGINIA	7,383	9,837	26,153	36,471	3.54	3.71	18,035	25,854	700	1,132	2.97	3.45
NORTH CAROLINA	25,189	23,476	95,252	91,535	3.78	3.90	68,028	65,733	2,717	2,350	3.18	2.86
SOUTH CAROLINA	3,032	2,958	11,013	10,220	3.63	3.45	7,447	7,322	534	230	5.41	2.51
GEORGIA	34,978	33,583	128,194	123,925	3.66	3.69	91,570	89,768	5,183	3,222	4.50	2.89
TENNESSEE	5,187	5,993	18,093	22,134	3.49	3.69	13,088	16,161	579	628	3.56	3.16
ALABAMA	29,186	31,152	106,243	112,006	3.64	3.60	75,221	80,175	4,456	2,757	4.67	2.74
MISSISSIPPI	19,596	19,648	73,250	71,160	3.74	3.62	52,964	50,798	1,912	1,838	2.90	2.87
ARKANSAS	31,785	33,079	112,405	114,794	3.54	3.47	79,471	81,215	3,294	2,852	3.26	2.76
LOUISIANA	4,317	4,170	16,013	15,380	3.71	3.69	11,657	11,146	403	420	2.80	3.04
TEXAS	16,750	14,727	62,121	54,525	3.71	3.70	44,568	39,196	1,915	1,488	3.44	3.04
WASHINGTON 3/	613	---	2,361	---	3.85	---	1,697	---	50	---	2.37	---
CALIFORNIA	3,026	2,030	11,703	8,345	3.87	4.11	8,393	6,036	313	190	2.97	2.53

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1971

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	153,716	84,582	61,430	3,726	1,125	5,053	15,152	25,172	2,735	12,382	365,073
E. N. CENTRAL	---	45,076	25,316	3,111	1,880	164	2,394	2,080	6,254	799	1,262	88,336
W. N. CENTRAL	---	57,414	42,203	20,610	8,847	916	4,473	3,025	13,703	1,303	10,050	162,544
S. ATLANTIC	---	1,087,554	400,806	296,921	46,455	8,285	43,559	63,063	206,876	22,107	122,298	2,297,924
S. CENTRAL	---	798,409	508,829	407,184	78,736	15,231	62,279	124,888	231,751	26,123	106,459	2,359,889
WEST	---	43,662	29,080	16,023	460	608	1,436	5,606	4,529	771	10,736	112,911
U. S.	---	2,185,831	1,090,816	805,279	140,104	26,329	119,194	213,814	488,285	53,838	263,187	5,386,677
MAINE	---	32,403	35,813	2,507	2,877	466	1,415	3,747	5,386	805	1,626	87,045
PENNSYLVANIA	---	118,018	44,860	57,235	816	572	3,246	11,172	16,841	1,901	10,214	264,875
OHIO	---	13,042	1,880	396	105	40	197	435	932	22	24	17,073
INDIANA	---	22,276	10,063	547	20	56	592	553	839	264	53	35,263
WISCONSIN	---	9,751	13,366	2,167	1,755	68	1,605	1,092	4,483	513	1,185	35,985
MINNESOTA	---	14,674	4,452	193	143	58	289	254	2,364	169	6,362	28,958
MISSOURI	---	30,689	28,372	14,433	3,655	355	2,409	2,075	8,636	1,033	3,509	95,166
DELAWARE	---	118,563	23,407	38,710	8,181	268	1,858	5,242	12,549	3,078	4,922	216,778
MARYLAND	---	189,403	51,749	34,326	2,964	592	3,892	7,207	22,288	3,655	3,189	319,265
VIRGINIA	---	136,630	70,064	96,462	1,160	318	4,439	5,265	9,612	2,675	2,987	329,612
NORTH CAROLINA	---	197,849	98,993	66,140	11,150	2,773	15,595	18,295	57,630	3,883	48,846	521,154
SOUTH CAROLINA	---	19,404	7,564	2,843	1,671	294	2,283	2,948	7,297	220	7,210	51,734
GEORGIA	---	367,326	130,862	50,902	19,999	3,824	14,177	20,953	89,405	8,574	48,478	754,500
TENNESSEE	---	87,914	30,428	9,771	2,035	414	2,342	5,075	15,655	526	9,124	163,284
ALABAMA	---	262,382	118,938	86,680	10,155	5,256	13,156	28,365	83,263	8,548	28,593	645,336
MISSISSIPPI	---	177,653	46,584	95,269	6,999	2,852	7,514	13,128	37,542	3,371	27,990	418,902
ARKANSAS	---	146,430	173,661	143,844	33,528	4,149	17,594	39,935	59,131	7,516	24,607	650,395
LOUISIANA	---	12,792	31,743	18,751	5,665	690	4,079	3,723	9,679	436	4,588	92,146
TEXAS	---	97,857	89,779	45,945	18,577	1,655	14,736	23,168	22,966	5,235	8,662	328,580
CALIFORNIA	---	21,244	9,651	5,672	52	566	339	1,853	1,192	204	644	41,417

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	2,289	2,049	11,269	10,021	4.92	4.89	7,224	6,511	700	521	6.95	5.82
E. N. CENTRAL	1,804	1,805	7,289	6,750	4.04	3.74	4,448	4,035	328	323	5.02	5.36
W. N. CENTRAL	4,146	4,119	17,816	17,546	4.30	4.26	11,033	10,806	1,153	1,003	7.25	6.41
S. ATLANTIC	4,355	3,242	19,098	15,144	4.39	4.67	12,271	9,987	1,005	705	5.88	5.20
S. CENTRAL	2,527	2,042	12,325	10,212	4.88	5.00	8,116	6,647	667	585	6.04	6.40
WEST	1,731	1,731	7,119	7,021	4.11	4.06	4,287	4,301	537	438	8.45	6.99
U. S.	16,852	14,988	74,916	66,694	4.45	4.45	47,379	42,287	4,390	3,575	6.55	6.00
MAINE	413	289	2,426	1,821	5.87	6.30	1,679	1,254	89	63	4.11	3.85
NEW JERSEY	1,342	1,149	5,713	4,747	4.26	4.13	3,435	2,885	444	300	8.73	7.07
PENNSYLVANIA	71	76	508	555	7.13	7.27	357	395	14	13	3.03	2.66
OHIO	285	257	1,131	1,059	3.96	4.12	647	624	65	54	6.41	5.66
INDIANA	675	626	2,675	2,408	3.96	3.84	1,675	1,453	100	83	4.18	3.87
MINNESOTA	1,468	1,752	5,670	6,536	3.86	3.73	3,432	3,908	410	403	8.10	6.89
MISSOURI	1,102	1,114	6,367	6,348	5.78	5.70	4,272	4,213	326	282	5.72	4.98
MARYLAND 3/	---	506	---	2,206	---	4.36	---	1,390	---	145	---	7.39
VIRGINIA 3/	90	---	638	---	7.10	---	444	---	34	---	5.89	---
NORTH CAROLINA	216	94	1,564	657	7.24	6.97	1,051	447	59	29	4.19	4.87
GEORGIA	3,021	2,347	12,708	10,916	4.21	4.65	8,176	7,278	639	457	5.61	4.67
ALABAMA	336	66	1,618	465	4.82	7.03	1,068	308	95	19	6.55	4.62
MISSISSIPPI	1,464	1,196	7,239	5,822	4.95	4.87	4,803	3,775	390	343	6.02	6.58
ARKANSAS	87	307	615	1,681	7.06	5.47	410	1,136	35	97	6.30	6.48
TEXAS	515	407	2,259	1,854	4.39	4.56	1,430	1,159	120	107	5.95	6.44
WASHINGTON	74	78	391	330	5.30	4.21	258	226	13	13	3.66	4.50
CALIFORNIA	1,420	1,408	5,726	5,620	4.03	3.99	3,428	3,374	434	379	8.49	7.54

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1971

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	1	3,526	36,688	15	387	29,510	3,209	2,438	7,645	99	14,594	98,112
E. N. CENTRAL	1,189	7,324	28,697	320	296	23,899	2,815	4,827	10,448	602	5,777	86,194
W. N. CENTRAL	16,805	14,415	85,453	3,267	448	73,844	10,548	6,443	21,922	488	21,576	255,209
S. ATLANTIC	110	4,267	52,389	788	628	33,345	6,080	6,571	30,596	722	9,559	145,055
S. CENTRAL	---	3,411	43,779	327	877	26,447	6,868	3,248	14,028	369	18,645	117,999
WEST	---	1,131	48,364	93	66	51,506	2,625	944	5,300	271	9,871	120,171
U. S.	18,105	34,074	295,370	4,810	2,702	238,551	32,145	24,471	89,939	2,551	80,022	822,740
MAINE	---	628	3,462	3	96	1,141	388	157	828	18	142	6,863
NEW JERSEY	1	1,765	24,923	1	17	21,147	2,103	1,677	3,567	64	13,921	69,186
PENNSYLVANIA	---	182	1,031	3	4	180	13	110	186	---	62	1,771
OHIO	111	1,623	3,154	5	---	2,092	596	259	1,498	---	1,747	11,085
INDIANA	128	1,190	8,809	---	---	10,473	311	603	4,489	3	2,094	28,100
MINNESOTA	7,385	5,329	29,742	1,387	157	42,712	3,809	1,821	10,348	70	15,403	118,163
MISSOURI	463	3,349	28,404	519	259	6,116	2,103	1,917	3,393	122	2,182	48,827
MARYLAND	110	1,547	9,075	362	153	8,624	2,191	1,562	10,237	69	1,370	35,300
NORTH CAROLINA	---	227	1,148	25	55	766	71	76	439	8	1,165	3,980
GEORGIA	---	1,983	36,063	323	384	19,547	2,973	4,747	18,206	517	6,666	91,409
ALABAMA	---	205	996	11	25	168	39	161	562	33	372	2,572
MISSISSIPPI	---	1,574	26,133	18	561	12,964	5,562	1,270	7,462	225	6,506	62,275
ARKANSAS	---	760	8,896	249	164	3,114	321	1,343	4,145	5	4,793	23,790
TEXAS	---	725	5,386	33	99	9,849	820	404	1,741	101	6,915	26,073
WASHINGTON	---	112	1,638	---	---	386	162	51	253	22	1,073	3,697
CALIFORNIA	---	456	40,494	77	61	48,659	2,026	678	3,732	112	7,698	103,993

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	348	363	7,069	7,373	20.31	20.31	5,577	5,750	109	106	1.71	1.60
E. N. CENTRAL	2,148	1,855	45,143	38,103	21.01	20.54	35,859	30,216	830	537	2.04	1.56
W. N. CENTRAL	5,634	5,559	117,709	114,568	20.89	20.61	92,750	90,895	3,132	2,857	2.96	2.77
S. ATLANTIC	2,088	1,875	42,267	36,786	20.24	19.62	32,718	28,496	1,701	1,404	4.48	4.25
S. CENTRAL	2,275	2,226	48,813	47,080	21.46	21.15	37,926	36,288	1,989	1,656	4.53	3.91
WEST	3,710	3,217	78,629	70,155	21.19	21.81	62,879	55,683	1,501	1,565	2.12	2.48
U. S.	16,203	15,095	339,630	314,065	20.96	20.81	267,709	247,328	9,262	8,125	3.03	2.88
PENNSYLVANIA	348	338	7,062	6,930	20.30	20.49	5,571	5,439	109	95	1.72	1.53
OHIO	474	547	10,080	11,508	21.27	21.04	7,875	9,130	161	152	1.77	1.46
INDIANA	775	669	15,567	12,836	20.08	19.19	12,355	10,116	295	175	2.10	1.51
WISCONSIN	654	464	13,192	9,341	20.17	20.12	10,515	7,487	275	147	2.31	1.74
MINNESOTA	2,860	2,767	57,235	54,615	20.02	19.74	45,201	43,306	1,377	1,323	2.67	2.69
IOWA	1,203	1,211	25,861	26,359	21.50	21.77	20,355	21,020	675	557	2.90	2.35
MISSOURI	1,191	1,304	25,804	27,815	21.67	21.33	20,336	21,898	863	839	3.72	3.36
VIRGINIA	630	577	12,735	11,189	20.22	19.40	9,518	8,547	586	429	5.12	4.26
NORTH CAROLINA	1,098	1,057	21,094	19,411	19.21	18.37	16,683	15,269	808	710	4.27	4.07
ARKANSAS	1,090	1,230	23,480	25,958	21.54	21.11	18,172	19,849	1,066	1,106	5.05	4.74
TEXAS	1,036	826	22,289	17,290	21.51	20.94	17,300	13,390	852	454	4.25	2.92
COLORADO	484	352	10,504	7,653	21.72	21.75	8,288	5,905	256	159	2.71	2.31
UTAH	631	605	14,886	15,061	23.59	24.89	12,164	12,119	225	325	1.68	2.40
CALIFORNIA	2,257	1,973	45,855	41,312	20.32	20.94	36,551	32,903	926	890	2.24	2.39

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1971

REGION AND STATE	TUBER-CULOSIS	LEU-KOSIS	SEPTI-CEMIA	AIRSAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAM-INATION	OVER-SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	10	1,929	1,293	144	7	27	41	261	---	18	3,730
E. N. CENTRAL	1	74	12,774	4,656	1,233	10	351	657	1,379	294	952	22,381
W. N. CENTRAL	---	521	74,380	35,460	4,336	48	1,275	2,717	7,924	285	1,390	128,336
S. ATLANTIC	---	207	23,607	24,702	2,449	8	925	1,319	3,895	412	2,925	60,449
S. CENTRAL	---	242	22,927	21,076	19,692	75	795	958	2,190	62	1,120	69,137
WEST	---	127	27,216	24,342	11,282	30	602	1,802	1,723	473	490	68,087
U. S.	1	1,181	162,833	111,529	39,136	178	3,975	7,494	17,372	1,526	6,895	352,120
PENNSYLVANIA	---	9	1,849	1,262	142	2	18	38	192	---	6	3,518
OHIO	---	3	3,261	768	228	9	55	93	522	55	17	5,011
INDIANA	1	31	3,483	2,147	210	---	110	240	582	147	253	7,204
WISCONSIN	---	34	4,241	712	563	1	183	212	258	89	676	6,969
MINNESOTA	---	516	40,172	14,937	3,361	6	554	1,568	4,658	146	214	66,132
IOWA	---	3	16,067	5,173	235	31	359	196	1,749	17	148	23,978
MISSOURI	---	1	15,600	13,194	709	2	336	732	1,283	85	1,028	32,970
VIRGINIA	---	1	12,057	6,752	662	---	212	411	812	25	36	20,968
NORTH CAROLINA	---	110	8,731	14,807	1,646	8	489	494	2,186	15	2,440	30,926
ARKANSAS	---	178	14,149	14,651	17,016	14	308	272	1,512	28	232	48,360
TEXAS	---	46	6,751	5,256	2,458	53	460	489	364	6	888	16,771
COLORADO	---	8	1,785	3,134	652	---	29	693	79	1	---	6,381
UTAH	---	7	4,809	3,973	1,537	5	206	333	655	88	243	11,856
CALIFORNIA	---	101	16,055	14,659	6,491	11	277	631	891	383	80	39,579

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	15	12	138	124	9.20	10.33	109	95	3	2	2.41	1.79
E. N. CENTRAL	124	38	1,201	341	9.65	9.08	943	268	22	4	2.02	1.15
W. N. CENTRAL	617	677	5,828	6,388	9.44	9.44	4,598	5,052	102	91	1.95	1.58
S. ATLANTIC	345	366	3,168	3,188	9.18	8.71	2,373	2,387	77	69	2.72	2.41
S. CENTRAL	10	6	101	61	9.97	10.50	78	48	2	2	2.42	3.56
WEST	115	88	1,006	767	8.76	8.67	764	586	23	13	2.50	1.81
U. S.	1,226	1,187	11,442	10,869	9.33	9.16	8,865	8,436	229	181	2.22	1.84
WISCONSIN 3/	61	---	617	---	10.12	---	481	---	14	---	2.50	---
MINNESOTA	558	656	5,279	6,183	9.46	9.43	4,159	4,891	93	88	1.96	1.58
VIRGINIA	258	271	2,298	2,327	8.91	8.60	1,709	1,717	46	48	2.22	2.29
CALIFORNIA	86	73	760	656	8.83	8.94	569	503	17	11	2.54	1.89

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1971

REGION AND STATE	TUBERCULOSIS	LEUKOSIS	SEPTICEMIA	AIRSACCULITIS	SYNOVITIS	TUMORS	BRUISES	CADAVER	CONTAMINATION	OVERSCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	199	18	---	---	---	---	30	---	---	247
E. N. CENTRAL	---	---	100	1	2	---	13	22	31	2	11	182
W. N. CENTRAL	---	11	5,430	1,861	27	3	59	364	1,294	40	31	9,120
S. ATLANTIC	---	1	3,961	820	149	1	122	373	810	13	246	6,496
S. CENTRAL	---	---	71	2	---	---	1	10	89	2	---	175
WEST	---	---	683	46	23	---	16	16	186	47	19	1,036
U. S.	---	12	10,444	2,748	201	4	211	785	2,440	104	307	17,256
MINNESOTA	---	11	5,251	1,856	27	3	55	362	1,252	40	28	8,885
VIRGINIA	---	---	3,117	320	75	---	107	358	705	13	41	4,736
CALIFORNIA	---	---	567	37	22	---	5	12	176	47	11	877

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED1/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS POUNDS (NYD)		POST-MORTEM CONDEMNATIONS PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC 3/	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL 3/	3	---	76	---	24.31	---	57	---	3	---	4.42	---
W. N. CENTRAL	4	3	66	43	15.85	16.37	52	34	2	1	3.02	1.68
S. ATLANTIC	11	8	197	156	18.27	20.73	148	119	14	9	7.75	6.59
S. CENTRAL 3/	---	---	---	---	---	---	---	---	---	---	---	---
WEST	8	5	131	76	16.30	16.05	104	61	2	2	1.99	2.46
U. S.	26	15	469	276	18.00	18.47	361	214	21	12	4.94	4.68

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1971

REGION AND STATE	TUBERCULOSIS	LEUKOSIS	SEPTICEMIA	AIRSACCULITIS	SYNOVITIS	TUMORS	BRUISES	CADAVER	CONTAMINATION	OVERSCALD	OTHER	TOTAL
	NUMBER											
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	16	2	1	---	---	---	12	---	---	31
S. ATLANTIC	---	1	142	71	1	---	8	1	30	6	72	332
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	119	1	8	---	4	2	4	---	---	138
U. S.	---	1	277	74	10	---	12	3	46	6	72	501

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE

FIRST-CLASS MAIL

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.