

Poultry Slaughter



United States
Department of
Agriculture

Washington, D.C.

Released May 3, 1994, by the Agricultural Statistics Board. This summary relates to preliminary inspection totals for March 1994 and updated February 1994 totals.

Ready-to-Cook Weight Up 7 Percent

Poultry Certified Wholesome during March (ready-to-cook weight), totaled 2.48 billion pounds, up 7 percent from the amount certified in March 1993. Updated totals for February 1994 show that 2.15 billion pounds were certified. The January through March cumulative total of pounds certified, at 6.91 billion pounds, was up 5 percent from the same period the previous year.

The preliminary total Live Weight of Poultry Inspected during March 1994 was 3.39 billion pounds. Inspections included 2.79 billion pounds of young chickens, 72.6 million pounds of mature chickens, 509 million pounds of turkeys, and 11.8 million pounds of ducks.

Young chickens slaughtered during March 1994 averaged 4.66 pounds per bird, 2 percent higher than the average live weight a year ago. The average live weight of mature chickens was down slightly from 4.71 pounds per bird the previous year to 4.69 pounds. Turkeys slaughtered during March 1994 averaged 22.7 pounds per bird, up 2 percent from March 1993.

Ante-mortem condemnations during March 1994 totaled 11.7 million pounds. Condemnations were 0.35 percent of the live weight inspected, compared with 0.32 percent a year earlier. Post-mortem condemnations, at 55.4 million pounds (N.Y. dressed weight), were 1.82 percent of quantities inspected, compared with 1.76 percent a year earlier.

March 1994 contained 23 weekdays and four Saturdays, the same as March 1993. Each weekday represents approximately 5 percent of the month's total.

For information call Joel Moore at (202) 720-3244. Office hours are 8:00 a.m. to 4:30 p.m. ET.

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, March 1994 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature <u>2/</u>	Total		
	1,000 Head				
Number Inspected					
Feb 1994	523,073	13,457	536,530	1,677	-----
Mar 1993	573,434	13,760	587,194	1,732	-----
Mar 1994	599,507	15,469	614,976	1,777	-----
Jan-Mar 1993	1,613,200	42,030	1,655,229	4,732	-----
Jan-Mar 1994	1,679,587	44,089	1,723,676	5,189	-----
	1,000 Pounds				
Live Weight					
Feb 1994	2,427,375	64,866	2,492,241	11,161	271
Mar 1993	2,618,849	64,858	2,683,707	11,841	326
Mar 1994	2,794,597	72,598	2,867,195	11,828	324
Jan-Mar 1993	7,380,385	197,757	7,578,142	32,047	1,017
Jan-Mar 1994	7,821,458	207,106	8,028,564	34,717	934
	Pounds				
Average Live Weight					
Feb 1994	4.64	4.82	4.65	6.66	-----
Mar 1993	4.57	4.71	4.57	6.83	-----
Mar 1994	4.66	4.69	4.66	6.66	-----
Jan-Mar 1993	4.58	4.71	4.58	6.77	-----
Jan-Mar 1994	4.66	4.70	4.66	6.69	-----

See footnotes at end of table.

-- continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, March 1994 with Comparisons ^{1/} (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young ^{3/}	Old	Total Turkeys	
	1,000 Head				
Number Inspected					
Feb 1994	19	19,011	150	19,180	-----
Mar 1993	---	21,616	209	21,825	-----
Mar 1994	15	22,242	149	22,406	-----
Jan-Mar 1993	39	59,432	468	59,939	-----
Jan-Mar 1994	35	60,115	442	60,592	-----
	1,000 Pounds				
Live Weight					
Feb 1994	174	432,653	3,731	436,558	2,940,231
Mar 1993	---	480,704	5,249	485,953	3,181,827
Mar 1994	138	504,838	3,806	508,782	3,388,129
Jan-Mar 1993	353	1,333,657	11,781	1,345,791	8,956,997
Jan-Mar 1994	312	1,373,567	11,298	1,385,177	9,449,391
	Pounds				
Average Live Weight					
Feb 1994	8.95	22.76	24.90	22.76	-----
Mar 1993	---	22.24	25.12	22.27	-----
Mar 1994	8.98	22.70	25.62	22.71	-----
Jan-Mar 1993	9.13	22.44	25.16	22.45	-----
Jan-Mar 1994	8.97	22.85	25.56	22.86	-----

^{1/} Federally inspected only. Totals may not add due to rounding.

^{2/} Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: March 1993: 4,014, March 1994: 4,371.

^{3/} Of the Young Turkeys inspected, the number reported in thousands as young breeders was: March 1993: 86, March 1994: 114.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type.
 United States, March 1994 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Feb 1994					
Chilled	1,620,783	37,521	1,658,304	3,013	32
Frozen	137,204	1,947	139,151	5,067	141
Total	1,757,987	39,468	1,797,455	8,080	173
Mar 1993					
Chilled	1,752,719	37,931	1,790,650	2,255	48
Frozen	144,370	2,003	146,373	5,809	172
Total	1,897,089	39,934	1,937,023	8,064	220
Mar 1994					
Chilled	1,857,150	42,183	1,899,333	2,905	71
Frozen	168,931	1,991	170,922	5,580	132
Total	2,026,081	44,173	2,070,255	8,486	203
Jan-Mar 1993					
Chilled	4,942,984	116,206	5,059,190	7,252	121
Frozen	416,486	6,165	422,651	15,276	536
Total	5,359,470	122,371	5,481,841	22,528	656
Jan-Mar 1994					
Chilled	5,212,253	120,172	5,332,426	8,717	163
Frozen	457,750	5,739	463,489	16,255	439
Total	5,670,003	125,911	5,795,914	24,972	602

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type.
 United States, March 1994 with Comparisons ^{1/} (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Feb 1994					
Chilled	---	172,411	1,938	174,349	1,835,698
Frozen	129	166,578	822	167,529	311,888
Total	129	338,989	2,760	341,878	2,147,586
Mar 1993					
Chilled	---	188,002	3,244	191,247	1,984,200
Frozen	---	190,837	814	191,651	344,004
Total	---	378,840	4,058	382,897	2,328,204
Mar 1994					
Chilled	---	196,915	1,933	198,848	2,101,157
Frozen	102	201,023	924	202,050	378,684
Total	102	397,938	2,857	400,897	2,479,841
Jan-Mar 1993					
Chilled	---	500,715	6,850	507,565	5,574,127
Frozen	261	549,658	2,197	552,116	990,579
Total	261	1,050,372	9,048	1,059,681	6,564,707
Jan-Mar 1994					
Chilled	---	546,444	5,466	551,910	5,893,215
Frozen	231	534,992	2,970	538,193	1,018,376
Total	231	1,081,436	8,436	1,090,103	6,911,591

^{1/} Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, March 1994 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Feb 1994	9.596	1.375	10.970	11	1
Mar 1993	8.116	854	8.971	9	1
Mar 1994	9.136	1,212	10.348	15	1
Jan-Mar 1993	23.312	2.813	26.125	29	5
Jan-Mar 1994	30.342	4,600	34.942	39	3
Percent <u>2/</u>					
Mar 1993	0.31	1.32	0.33	0.07	0.33
Mar 1994	0.33	1.67	0.36	0.12	0.21
	1,000 Pounds				
Post-Mortem (N.Y. Dressed Weight)					
Feb 1994	36,214	3,012	39,225	192	2
Mar 1993	37,807	3,040	40,847	195	3
Mar 1994	40,956	3,169	44,125	206	4
Jan-Mar 1993	105,477	9,542	115,018	563	11
Jan-Mar 1994	115,898	9,494	125,392	611	10
Percent <u>3/</u>					
Mar 1993	1.60	5.21	1.69	1.83	1.17
Mar 1994	1.63	4.85	1.71	1.93	1.50

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, March 1994 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Feb 1994	2	1,431	52	1,485	12,467
Mar 1993	---	1,308	47	1,355	10,335
Mar 1994	---	1,335	23	1,358	11,721
Jan-Mar 1993	1	4,148	104	4,253	30,412
Jan-Mar 1994	2	4,327	106	4,434	39,418
Percent <u>2/</u>					
Mar 1993	---	0.27	0.90	0.28	0.32
Mar 1994	0.29	0.26	0.59	0.27	0.35
	1,000 Pounds				
Post-Mortem (N.Y. Dressed Weight)					
Feb 1994	2	9,703	306	10,011	49,431
Mar 1993	---	9,130	361	9,491	50,536
Mar 1994	2	10,800	283	11,085	55,420
Jan-Mar 1993	4	25,982	736	26,723	142,316
Jan-Mar 1994	4	29,817	896	30,718	156,730
Percent <u>3/</u>					
Mar 1993	---	2.11	7.63	2.17	1.76
Mar 1994	1.67	2.38	8.26	2.42	1.82

1/ Federally inspected only. Totals may not add due to rounding.

2/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

3/ Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, March 1993-94

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected ^{1/}	
	1993	1994	1993	1994	1993	1994
	-----	1,000	-----	1,000 Pounds	---	Pounds
AL	75,560	80,428	332,511	376,638	4.40	4.68
AR	93,015	93,842	413,017	424,655	4.44	4.53
CA	17,581	19,995	93,919	101,574	5.34	5.08
DE	21,699	23,071	111,546	124,561	5.14	5.40
FL	12,105	11,869	51,316	51,721	4.24	4.36
GA	75,067	79,100	339,750	375,790	4.53	4.75
LA	12,302	14,196	51,971	64,133	4.22	4.52
MD	17,507	18,168	80,122	82,983	4.58	4.57
MS	43,400	47,002	200,057	214,433	4.61	4.56
MO	17,727	17,178	74,831	72,723	4.22	4.23
NC	51,996	51,674	266,859	262,219	5.13	5.07
PA	8,220	8,276	40,240	43,423	4.90	5.25
SC	15,958	18,037	61,487	73,109	3.85	4.05
TN	13,110	13,275	58,095	57,379	4.43	4.32
TX	33,910	34,595	153,000	156,464	4.51	4.52
VA	29,675	30,409	136,939	142,698	4.61	4.69
WA	2,918	3,620	14,188	15,667	4.86	4.33
US	573,434	599,507	2,618,849	2,794,597	4.57	4.66

^{1/} Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, March 1993-94

State	Total Certified <u>1/</u>		Post-Mortem Condemnations			
			N.Y. Dressed Weight		Percent <u>2/</u>	
	1993	1994	1993	1994	1993	1994
	----- 1,000 Pounds -----		-- Percent --			
AL	241,375	273,287	5,754	6,658	1.92	1.96
AR	292,838	300,244	5,210	5,566	1.40	1.46
CA	67,061	72,470	1,485	1,754	1.76	1.92
DE	79,652	89,603	1,965	2,281	1.96	2.03
FL	36,352	35,927	464	404	1.01	0.87
GA	247,829	278,723	4,655	5,509	1.52	1.63
LA	39,294	45,505	668	903	1.43	1.56
MD	55,293	58,518	1,096	1,130	1.52	1.51
MS	152,578	162,965	2,898	2,802	1.61	1.45
MO	53,460	52,588	1,131	1,145	1.68	1.75
NC	196,162	191,446	3,435	3,717	1.43	1.58
PA	28,564	29,683	742	918	2.05	2.35
SC	44,731	52,933	842	917	1.52	1.39
TN	41,747	40,784	630	552	1.20	1.07
TX	115,364	117,207	2,571	2,240	1.87	1.59
VA	95,121	103,371	1,391	1,441	1.13	1.12
WA	10,489	11,583	328	350	2.57	2.48
US	1,897,089	2,026,081	37,807	40,956	1.60	1.63

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1994

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
Number						
AL	---	11,568	251,072	151,784	4,420	22,232
AR	---	17,873	372,508	171,125	8,622	17,689
CA	---	10,584	107,529	12,832	1,257	13,417
DE	---	33,193	114,546	91,022	---	---
FL	---	---	19,490	12,793	---	---
GA	---	14,817	183,983	123,790	1,156	29,559
LA	---	5,304	56,063	28,496	---	4,576
MD	---	26,326	80,245	28,049	125	---
MS	---	2,767	122,870	96,270	1,790	9,015
MO	---	7,829	83,182	28,984	2,371	3,027
NC	---	29,383	142,855	77,219	201	48,740
PA	---	---	45,155	27,269	---	4,024
SC	---	2,107	27,683	55,621	289	8,041
TN	---	---	46,045	11,620	---	3,732
TX	---	2,752	133,167	60,180	601	4,317
VA	---	14,817	82,947	49,683	113	---
WA	---	---	26,149	913	---	839
US	---	205,047	2,075,754	1,069,926	32,355	232,159
Number						
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
AL	16,044	34,355	85,344	8,976	181,403	767,198
AR	14,759	29,291	62,912	3,390	137,076	835,245
CA	1,298	---	3,574	---	---	150,491
DE	7,121	15,634	14,136	2,254	20,802	298,708
FL	1,117	3,417	6,130	760	21,262	64,969
GA	12,896	32,968	34,545	8,506	136,332	578,552
LA	2,416	3,418	6,531	---	---	106,804
MD	2,975	8,745	---	126	15,433	162,024
MS	6,589	20,585	27,880	3,923	93,239	384,928
MO	1,486	3,558	8,990	1,157	44,023	184,607
NC	4,853	32,451	25,800	6,137	117,804	485,443
PA	2,318	2,680	---	378	17,995	99,819
SC	3,226	13,930	11,215	1,100	33,707	156,919
TN	2,059	6,007	6,044	297	18,388	94,192
TX	1,479	8,131	9,189	---	12,714	232,530
VA	3,612	8,655	25,302	2,247	37,498	224,874
WA	---	780	330	---	15,733	44,744
US	92,862	246,698	415,239	44,728	1,031,883	5,446,651

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, March 1993-94

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected ^{1/}	
	1993	1994	1993	1994	1993	1994
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	13,760	15,469	64,858	72,598	4.71	4.69

^{1/} Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, March 1993-94

State	Total Certified ^{1/}		Post-Mortem Condemnations			
	Certified ^{1/}		N.Y. Dressed Weight		Percent ^{2/}	
	1993	1994	1993	1994	1993	1994
----- 1,000 Pounds -----		--- Percent ---				
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	39,934	44,173	3,040	3,169	5.21	4.85

^{1/} Ready-to-cook weights.

^{2/} Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1994

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	---	3,573	237,380	9,275	648	117,751
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	28,705	47,177	142,293	4,255	41,865	632,922

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, March 1993-94

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected <u>1/</u>	
	1993	1994	1993	1994	1993	1994
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
AR	1,789	2,166	39,058	43,501	21.83	20.08
CA	1,396	1,588	30,473	32,861	21.83	20.70
IA	942	960	26,893	29,081	28.56	30.28
MN	2,920	2,823	56,555	59,648	19.37	21.13
MO	1,901	1,705	37,666	39,461	19.82	23.14
NC	4,407	4,489	99,448	100,323	22.57	22.35
PA	---	---	---	---	---	---
VA	3,070	3,057	57,968	57,729	18.88	18.89
US	21,616	22,242	480,704	504,838	22.24	22.70

1/ Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, March 1993-94

State	Total Certified <u>1/</u>		Post-Mortem Condemnations			
	1993	1994	N.Y. Dressed Weight		Percent <u>2/</u>	
	----- 1,000 Pounds -----				-- Percent --	
AR	31,588	35,355	908	877	2.58	2.24
CA	24,207	26,822	437	525	1.59	1.78
IA	20,729	22,685	626	978	2.59	3.74
MN	44,805	46,303	1,482	1,777	2.91	3.31
MO	30,011	31,309	819	1,100	2.42	3.10
NC	78,875	79,157	1,419	1,675	1.59	1.86
PA	---	---	---	---	---	---
VA	46,056	45,309	730	777	1.40	1.50
US	378,840	397,938	9,130	10,800	2.11	2.38

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1994

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
AR	---	---	9,623	---	---	---
CA	---	---	8,231	54	---	---
IA	---	---	---	7,329	---	---
MN	---	---	18,806	---	734	---
MO	---	---	17,039	3,833	---	---
NC	---	---	11,336	---	---	14
PA	---	---	---	1,262	---	4
VA	---	---	6,240	---	---	---
US	---	185	107,236	42,477	6,537	178
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
AR	---	691	1,566	---	3,076	14,956
CA	---	---	---	---	---	8,285
IA	---	---	301	---	---	7,630
MN	230	859	1,484	---	---	22,113
MO	---	---	---	250	598	21,720
NC	389	1,308	---	80	515	13,642
PA	---	---	347	---	280	1,893
VA	31	1,108	185	---	812	8,376
US	1,847	6,888	10,334	1,477	9,860	187,019

Old Turkeys (Breeders) Slaughtered: Number Condemned Post-Mortem by Cause,
 United States, March 1994

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
US	---	---	3,393	729	38	36

	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
US	41	90	254	---	1,989	6,570

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection Form (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revision were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used to Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

	Page
Definitions.....	17
Mature Chickens Number Inspected, Live Weight, and Average Live Weight, U.S., March 1993-1994.....	11
Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., March 1993-1994.....	12
Mature Chickens Pounds Certified and Post-Mortem Condemnations, U.S., March 1993-1994.....	11
Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., March 1993-1994.....	15
Poultry Chilled and Frozen Pounds Certified (RTC) by Type, U.S., March 1994.....	4
Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., March 1994.....	6
Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., March 1994.....	2
Reliability Statement.....	16
Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., March 1993-1994.....	8
Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., March 1993-1994.....	10
Young Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., March 1993-1994.....	9
Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., March 1993-1994.....	13
Young Turkeys (Mature) Post-Mortem Condemnations by Cause, Selected States and U.S., March 1993-1994.....	14
Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., March 1993-1994.....	13

