

Poultry Slaughter



National
Agricultural
Statistics
Service

United States
Department of
Agriculture

Washington, D.C.

Released March 3, 1995, by the Agricultural Statistics Board. This summary relates to preliminary inspection totals for January 1995 and updated December 1994 totals.

Ready-to-Cook Weight Up 8 Percent

Poultry Certified Wholesome during January (ready-to-cook weight), totaled 2.48 billion pounds, up 8 percent from the amount certified in January 1994. Updated totals for December 1994 show that 2.43 billion pounds were certified.

The preliminary total Live Weight of Poultry Inspected during January 1995 was 3.39 billion pounds. Inspections included 2.81 billion pounds of young chickens, 69.4 million pounds of mature chickens, 493 million pounds of turkeys, and 11.1 million pounds of ducks.

Young chickens slaughtered during January 1995 averaged 4.68 pounds per bird, up slightly from 4.67 pounds per bird a year ago. The average live weight of mature chickens increased 5 percent from 4.59 pounds per bird the previous year to 4.81 pounds. Turkeys slaughtered during January 1995 averaged 24.0 pounds per bird, up 4 percent from January 1994.

Ante-mortem condemnations during January 1995 totaled 12.8 million pounds. Condemnations were 0.38 percent of the live weight inspected, compared with 0.49 percent a year earlier. Post-mortem condemnations, at 57.8 million pounds (N.Y. dressed weight), were 1.90 percent of quantities inspected, compared with 1.85 percent a year earlier.

January 1995 contained 22 weekdays (including two holiday) and four Saturdays, while January 1994 contained 21 weekdays (including one holiday) and five Saturdays. Each weekday represents approximately 5 percent of the month's total.

For information call James E. Brewster at (202) 720-8784. Office hours are 8:00 a.m. to 4:30 p.m. ET.

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, January 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature <u>2/</u>	Total		
	1,000 Head				
Number Inspected					
Dec 1994	581,276	14,234	595,509	1,691	-----
Jan 1994	557,199	15,162	572,361	1,735	-----
Jan 1995	600,412	14,433	614,845	1,645	-----
Jan-Jan 1994	557,199	15,162	572,361	1,735	-----
Jan-Jan 1995	600,412	14,433	614,845	1,645	-----
	1,000 Pounds				
Live Weight					
Dec 1994	2,720,836	69,680	2,790,516	11,454	416
Jan 1994	2,601,209	69,642	2,670,851	11,727	339
Jan 1995	2,810,995	69,370	2,880,365	11,056	362
Jan-Jan 1994	2,601,209	69,642	2,670,851	11,727	339
Jan-Jan 1995	2,810,995	69,370	2,880,365	11,056	362
	Pounds				
Average Live Weight					
Dec 1994	4.68	4.90	4.69	6.78	-----
Jan 1994	4.67	4.59	4.67	6.76	-----
Jan 1995	4.68	4.81	4.68	6.72	-----
Jan-Jan 1994	4.67	4.59	4.67	6.76	-----
Jan-Jan 1995	4.68	4.81	4.68	6.72	-----

See footnotes at end of table.

-- continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, January 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young <u>3/</u>	Old	Total Turkeys	
	1,000 Head				
Number Inspected					
Dec 1994	---	21,598	129	21,728	-----
Jan 1994	---	18,892	144	19,036	-----
Jan 1995	---	20,402	159	20,561	-----
Jan-Jan 1994	---	18,892	144	19,036	-----
Jan-Jan 1995	---	20,402	159	20,561	-----
	1,000 Pounds				
Live Weight					
Dec 1994	---	499,291	3,320	502,613	3,304,999
Jan 1994	---	436,653	3,760	440,413	3,123,331
Jan 1995	---	489,741	3,684	493,425	3,385,209
Jan-Jan 1994	---	436,653	3,760	440,413	3,123,331
Jan-Jan 1995	---	489,741	3,684	493,425	3,385,209
	Pounds				
Average Live Weight					
Dec 1994	----	23.12	25.65	23.13	-----
Jan 1994	----	23.11	26.20	23.14	-----
Jan 1995	----	24.00	23.13	24.00	-----
Jan-Jan 1994	----	23.11	26.20	23.14	-----
Jan-Jan 1995	----	24.00	23.13	24.00	-----

- 1/ Federally inspected only. Totals may not add due to rounding.
2/ Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: January 1994: 4,089. January 1995: 4,528.
3/ Of the Young Turkeys inspected, the number reported in thousands as young breeders was: January 1994: 89. January 1995: 49.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
United States, January 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Dec 1994					
Chilled	1,807,569	41,298	1,848,867	2,968	91
Frozen	171,641	1,658	173,299	5,204	169
Total	1,979,209	42,956	2,022,166	8,172	260
Jan 1994					
Chilled	1,735,041	40,469	1,775,511	2,798	60
Frozen	152,003	1,801	153,803	5,608	165
Total	1,887,044	42,270	1,929,314	8,406	225
Jan 1995					
Chilled	1,870,908	39,850	1,910,758	2,683	57
Frozen	168,165	2,187	170,352	5,232	168
Total	2,039,073	42,037	2,081,110	7,915	225
Jan-Jan 1994					
Chilled	1,735,041	40,469	1,775,511	2,798	60
Frozen	152,003	1,801	153,803	5,608	165
Total	1,887,044	42,270	1,929,314	8,406	225
Jan-Jan 1995					
Chilled	1,870,908	39,850	1,910,758	2,683	57
Frozen	168,165	2,187	170,352	5,232	168
Total	2,039,073	42,037	2,081,110	7,915	225

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
 United States, January 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
1,000 Pounds					
Dec 1994					
Chilled	---	204,824	873	205,698	2,057,624
Frozen	---	190,196	1,595	191,792	370,464
Total	---	395,020	2,468	397,490	2,428,088
Jan 1994					
Chilled	---	177,588	1,595	179,183	1,957,551
Frozen	---	167,390	1,225	168,615	328,192
Total	---	344,978	2,820	347,798	2,285,743
Jan 1995					
Chilled	---	198,324	1,767	200,092	2,113,589
Frozen	---	187,898	1,049	188,947	364,699
Total	---	386,222	2,816	389,039	2,478,288
Jan-Jan 1994					
Chilled	---	177,588	1,595	179,183	1,957,551
Frozen	---	167,390	1,225	168,615	328,192
Total	---	344,978	2,820	347,798	2,285,743
Jan-Jan 1995					
Chilled	---	198,324	1,767	200,092	2,113,589
Frozen	---	187,898	1,049	188,947	364,699
Total	---	386,222	2,816	389,039	2,478,288

1/ Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, January 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Ante-Mortem (Live Weight)					
Dec 1994	8.923	898	9,821	10	3
Jan 1994	11,574	2,013	13,587	13	1
Jan 1995	10,464	1,115	11,579	13	2
Jan-Jan 1994	11,574	2,013	13,587	13	1
Jan-Jan 1995	10,464	1,115	11,579	13	2
Percent <u>2/</u>					
Jan 1994	0.44	2.89	0.51	0.11	0.30
Jan 1995	0.37	1.61	0.40	0.12	0.52
1,000 Pounds					
Post-Mortem (N.Y. Dressed Weight)					
Dec 1994	43,301	3,320	46,621	190	8
Jan 1994	38,881	3,313	42,194	213	3
Jan 1995	44,319	3,329	47,648	186	6
Jan-Jan 1994	38,881	3,313	42,194	213	3
Jan-Jan 1995	44,319	3,329	47,648	186	6
Percent <u>3/</u>					
Jan 1994	1.66	5.29	1.76	2.02	0.96
Jan 1995	1.75	5.33	1.84	1.87	1.92

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, January 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Dec 1994	---	1,075	21	1,096	10,930
Jan 1994	---	1,563	31	1,594	15,195
Jan 1995	---	1,201	17	1,218	12,812
Jan-Jan 1994	---	1,563	31	1,594	15,195
Jan-Jan 1995	---	1,201	17	1,218	12,812
Percent <u>2/</u>					
Jan 1994	----	0.36	0.83	0.36	0.49
Jan 1995	----	0.25	0.46	0.25	0.38
Post-Mortem (N.Y. Dressed Weight)					
1,000 Pounds					
Dec 1994	---	9,197	226	9,423	56,243
Jan 1994	---	9,318	307	9,625	52,034
Jan 1995	---	9,729	245	9,973	57,814
Jan-Jan 1994	---	9,318	307	9,625	52,034
Jan-Jan 1995	---	9,729	245	9,973	57,814
Percent <u>3/</u>					
Jan 1994	----	2.37	9.07	2.43	1.85
Jan 1995	----	2.21	7.38	2.25	1.90

1/ Federally inspected only. Totals may not add due to rounding.

2/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

3/ Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, January 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected ^{1/}	
	1994	1995	1994	1995	1994	1995
	-----	1,000	-----	1,000 Pounds	-----	Pounds
AL	73,765	70,486	346,654	332,081	4.70	4.71
AR	88,364	87,804	400,032	399,882	4.53	4.55
CA	19,343	19,557	96,216	96,965	4.97	4.96
DE	21,389	23,495	111,511	125,518	5.21	5.34
FL	11,817	12,121	52,151	53,634	4.41	4.42
GA	74,295	81,872	355,589	393,489	4.79	4.81
LA	13,352	13,807	61,330	63,788	4.59	4.62
MD	16,109	16,843	73,094	75,285	4.54	4.47
MS	43,198	51,635	199,262	239,001	4.61	4.63
MO	16,668	18,871	72,325	79,649	4.34	4.22
NC	49,076	54,351	248,852	278,640	5.07	5.13
PA	7,195	7,833	35,636	38,805	4.95	4.95
SC	16,256	19,734	64,558	80,509	3.97	4.08
TN	12,189	13,569	52,558	59,761	4.31	4.40
TX	32,451	35,700	146,677	159,464	4.52	4.47
VA	28,174	30,519	133,224	139,392	4.73	4.57
WA	2,847	3,207	13,918	15,082	4.89	4.70
US	557,199	600,412	2,601,209	2,810,995	4.67	4.68

^{1/} Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, January 1994-95

State	Total Certified <u>1/</u>		Post-Mortem Condemnations				
			N.Y. Dressed Weight		Percent <u>2/</u>		
	1994	1995	1994	1995	1994	1995	
		1,000 Pounds		-- Percent --			
AL	249,596	239,407	6,495	6,321	2.08	2.12	
AR	282,516	282,009	5,238	5,686	1.45	1.58	
CA	70,448	70,442	1,630	2,265	1.88	2.60	
DE	81,508	90,004	2,111	2,591	2.10	2.29	
FL	37,156	38,596	536	616	1.14	1.28	
GA	261,867	289,220	5,000	5,979	1.56	1.69	
LA	44,588	45,486	866	939	1.57	1.64	
MD	51,954	52,276	1,032	1,317	1.57	1.94	
MS	150,503	181,066	2,818	3,411	1.57	1.59	
MO	51,923	57,637	1,054	1,087	1.62	1.52	
NC	181,470	207,816	3,551	4,135	1.59	1.65	
PA	25,302	27,208	724	992	2.26	2.84	
SC	46,946	58,528	817	1,047	1.41	1.45	
TN	37,546	42,198	644	581	1.36	1.08	
TX	110,279	119,313	2,043	2,065	1.55	1.44	
VA	96,475	99,590	1,335	1,775	1.11	1.41	
WA	10,187	11,198	318	344	2.54	2.54	
US	1,887,044	2,039,073	38,881	44,319	1.66	1.75	

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, January 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
Number						
AL	---	26,928	212,884	210,052	4,567	21,666
AR	---	12,175	361,230	211,371	7,133	14,742
CA	---	---	125,400	18,727	1,223	19,592
DE	---	18,633	119,416	114,998	265	---
FL	---	882	25,659	20,262	---	---
GA	---	20,880	193,253	173,285	2,266	20,648
LA	---	926	50,380	32,833	1,022	5,669
MD	---	18,600	82,282	47,612	101	5,698
MS	---	5,098	127,928	91,127	1,246	19,127
MO	---	7,070	79,236	18,153	1,915	2,752
NC	---	20,592	149,456	94,604	81	60,848
PA	---	---	40,670	---	326	4,126
SC	---	---	35,191	47,816	253	8,488
TN	---	---	46,893	10,923	---	2,555
TX	---	1,477	139,116	57,285	509	4,434
VA	---	5,365	95,743	94,672	157	---
WA	---	1,295	21,503	---	---	1,346
US	---	176,437	2,095,647	1,337,560	31,537	239,089
Number						
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
AL	13,744	34,136	71,549	7,010	175,164	777,700
AR	13,604	30,075	104,353	2,754	148,189	905,626
CA	1,156	8,858	2,947	462	83,934	262,299
DE	5,441	9,258	14,650	5,022	28,482	316,165
FL	1,220	3,648	6,947	---	47,205	105,823
GA	14,310	35,784	63,694	8,782	192,152	725,054
LA	2,514	3,490	---	129	42,598	139,561
MD	1,806	7,341	---	---	11,971	175,411
MS	7,199	17,498	36,888	3,214	144,223	453,548
MO	2,523	14,532	16,057	736	24,028	167,002
NC	5,387	27,376	30,153	2,528	115,511	506,536
PA	2,843	2,989	---	431	---	51,385
SC	3,586	17,079	14,588	---	37,266	164,267
TN	2,318	10,961	---	---	---	73,650
TX	1,652	10,783	9,197	1,203	6,391	232,047
VA	3,653	11,173	26,010	1,709	63,332	301,814
WA	---	643	385	---	15,698	40,870
US	92,400	261,905	493,709	46,777	1,310,494	6,085,555

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, January 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected <u>1/</u>	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		--- 1,000 Pounds ---		--- Pounds ---	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	15,162	14,433	69,642	69,370	4.59	4.81

1/ Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, January 1994-95

State	Total Certified <u>1/</u>		Post-Mortem Condemnations			
	N.Y. Dressed Weight		Percent <u>2/</u>			
	1994	1995	1994	1995	1994	1995
	----- 1,000 Pounds -----		-----		-- Percent --	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	42,270	42,037	3,313	3,329	5.29	5.33

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, January 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
CA	---	---	---	18	---	---
GA	---	---	---	---	---	---
US	---	3,220	250,711	9,172	928	117,017

	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
CA	---	---	---	---	---	18
GA	---	---	---	---	---	---
US	34,412	35,123	138,491	2,174	48,310	639,558

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, January 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected ^{1/}	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
AR	1,905	2,162	40,874	46,359	21.45	21.44
CA	1,055	1,377	24,884	29,732	23.58	21.59
IA	931	938	28,013	29,481	30.08	31.44
MN	2,403	2,294	46,998	50,036	19.55	21.81
MO	1,331	1,623	28,266	40,590	21.24	25.02
NC	3,995	4,088	90,920	95,568	22.76	23.38
PA	---	---	---	---	---	---
VA	2,914	2,871	55,640	53,956	19.09	18.80
US	18,892	20,402	436,653	489,741	23.11	24.00

^{1/} Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, January 1994-95

State	Total Certified ^{1/}		Post-Mortem Condemnations			
	1994	1995	N.Y. Dressed Weight		Percent ^{2/}	
	----- 1,000 Pounds -----				-- Percent --	
AR	33,143	37,519	921	983	2.50	2.36
CA	20,788	23,989	465	363	2.08	1.36
IA	21,498	23,325	848	812	3.36	3.06
MN	36,962	39,706	1,281	973	3.03	2.16
MO	22,897	31,784	670	1,192	2.63	3.26
NC	71,609	75,172	1,842	1,822	2.25	2.12
PA	---	---	---	---	---	---
VA	43,638	42,726	838	908	1.67	1.87
US	344,978	386,222	9,318	9,729	2.37	2.21

^{1/} Ready-to-cook weights.

^{2/} Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, January 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
AR	---	---	12,912	---	---	---
CA	---	33	5,482	130	---	---
IA	---	---	---	3,331	---	---
MN	---	---	8,862	4,021	406	---
MO	---	---	17,154	4,464	---	---
NC	---	---	---	---	---	5
PA	---	---	---	1,105	---	---
VA	---	---	8,653	---	---	10
US	---	197	95,503	25,022	5,499	94
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
AR	---	---	1,641	---	1,219	15,772
CA	---	---	---	---	---	5,645
IA	---	83	383	---	114	3,911
MN	164	1,056	1,007	160	---	15,676
MO	107	1,431	1,436	---	---	24,592
NC	271	1,337	---	---	---	1,613
PA	63	---	170	---	165	1,503
VA	24	1,254	422	---	1,690	12,053
US	1,506	8,742	9,414	1,989	9,679	157,645

Old Turkeys (Breeders) Slaughtered: Number Condemned Post-Mortem by Cause,
United States, January 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
US	---	---	2,303	447	---	202
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
US	21	45	282	---	1,677	4,977

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection-Daily Summary forms (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revisions were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

	Page
Definitions.....	17
Mature Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., January 1994-1995.....	11
Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., January 1994-1995.....	12
Mature Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., January 1994-1995.....	11
Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., January 1994-1995.....	15
Poultry Chilled and Frozen Pounds Certified (RTC) by Type, U.S., January 1995.....	4
Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., January 1995.....	6
Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., January 1995.....	2
Reliability Statement.....	16
Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., January 1994-1995.....	8
Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., January 1994-1995.....	10
Young Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., January 1994-1995.....	9
Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., January 1994-1995.....	13
Young Turkeys (Mature) Post-Mortem Condemnations by Cause, Selected States and U.S., January 1994-1995.....	14
Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., January 1994-1995.....	13

