

Poultry Slaughter



United States
Department of
Agriculture

Washington, D.C.

Released May 3, 1995, by the Agricultural Statistics Board. This summary relates to preliminary inspection totals for March 1995 and updated February 1995 totals.

Ready-to-Cook Weight Up 8 Percent

Poultry Certified Wholesome during March (ready-to-cook weight), totaled 2.67 billion pounds, up 8 percent from the amount certified in March 1994. Updated totals for February 1995 show that 2.31 billion pounds were certified. The January through March cumulative total of pounds certified, at 7.48 billion pounds, was up 8 percent from the same period the previous year.

The preliminary total Live Weight of Poultry Inspected during March 1995 was 3.64 billion pounds. Inspections included 3.01 billion pounds of young chickens, 72.3 million pounds of mature chickens, 550 million pounds of turkeys, and 11.4 million pounds of ducks.

Young chickens slaughtered during March 1995 averaged 4.64 pounds per bird, down fractionally from the average live weight a year ago. The average live weight of mature chickens was up 7 percent from 4.69 pounds per bird the previous year to 5.01 pounds. Turkeys slaughtered during March 1995 averaged 23.7 pounds per bird, up 4 percent from March 1994.

Ante-mortem condemnations during March 1995 totaled 13.2 million pounds. Condemnations were 0.36 percent of the live weight inspected, compared with 0.34 percent a year earlier. Post-mortem condemnations, at 63.6 million pounds (N.Y. dressed weight), were 1.94 percent of quantities inspected, compared with 1.83 percent a year earlier.

March 1995 contained 23 weekdays and four Saturdays, the same as March 1994. Each weekday represents approximately 5 percent of the month's total.

For information call James E. Brewster at (202) 720-8784. Office hours are 8:00 a.m. to 4:30 p.m. ET.

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, March 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature 2/	Total		
	1,000 Head				
Number Inspected					
Feb 1995	560,503	13,285	573,788	1,417	-----
Mar 1994	599,941	15,470	615,411	1,777	-----
Mar 1995	647,378	14,431	661,809	1,686	-----
Jan-Mar 1994	1,678,985	44,090	1,723,076	5,189	-----
Jan-Mar 1995	1,815,318	42,195	1,857,513	4,748	-----
	1,000 Pounds				
Live Weight					
Feb 1995	2,605,939	67,013	2,672,952	9,431	359
Mar 1994	2,797,139	72,603	2,869,741	11,829	324
Mar 1995	3,006,998	72,337	3,079,335	11,354	332
Jan-Mar 1994	7,820,055	207,112	8,027,167	34,718	935
Jan-Mar 1995	8,450,892	209,120	8,660,012	31,842	1,054
	Pounds				
Average Live Weight					
Feb 1995	4.65	5.04	4.66	6.66	-----
Mar 1994	4.66	4.69	4.66	6.66	-----
Mar 1995	4.64	5.01	4.65	6.73	-----
Jan-Mar 1994	4.66	4.70	4.66	6.69	-----
Jan-Mar 1995	4.66	4.96	4.66	6.71	-----

See footnotes at end of table.

-- continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, March 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young 3/	Old	Total Turkeys	
	1,000 Head				
Number Inspected					
Feb 1995	15	19,829	116	19,960	-----
Mar 1994	15	22,242	149	22,406	-----
Mar 1995	---	23,078	136	23,214	-----
Jan-Mar 1994	35	60,152	442	60,629	-----
Jan-Mar 1995	15	63,311	411	63,737	-----
	1,000 Pounds				
Live Weight					
Feb 1995	149	470,020	2,945	473,115	3,155,857
Mar 1994	138	504,838	3,806	508,782	3,390,677
Mar 1995	---	546,146	3,521	549,667	3,640,688
Jan-Mar 1994	312	1,374,299	11,298	1,385,909	9,448,729
Jan-Mar 1995	149	1,505,954	10,151	1,516,254	10,209,162
	Pounds				
Average Live Weight					
Feb 1995	10.27	23.70	25.30	23.70	-----
Mar 1994	8.98	22.70	25.62	22.71	-----
Mar 1995	----	23.67	25.94	23.68	-----
Jan-Mar 1994	8.97	22.85	25.56	22.86	-----
Jan-Mar 1995	10.27	23.79	24.67	23.79	-----

- 1/ Federally inspected only. Totals may not add due to rounding.
2/ Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: March 1994: 4,371, March 1995: 5,193.
3/ Of the Young Turkeys inspected, the number reported in thousands as young breeders was: March 1994: 114, March 1995: 58.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
United States, March 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Feb 1995					
Chilled	1,728,013	39,229	1,767,242	2,189	63
Frozen	162,394	1,646	164,040	4,566	164
Total	1,890,408	40,875	1,931,282	6,755	227
Mar 1994					
Chilled	1,857,736	42,186	1,899,922	2,906	71
Frozen	170,251	1,991	172,242	5,580	133
Total	2,027,987	44,177	2,072,164	8,487	204
Mar 1995					
Chilled	1,992,877	41,649	2,034,526	2,512	28
Frozen	191,860	2,805	194,665	5,695	178
Total	2,184,737	44,454	2,229,192	8,206	206
Jan-Mar 1994					
Chilled	5,209,418	120,178	5,329,596	8,717	163
Frozen	457,228	5,739	462,966	16,255	439
Total	5,666,646	125,916	5,792,562	24,973	602
Jan-Mar 1995					
Chilled	5,606,667	121,003	5,727,670	7,384	148
Frozen	527,905	6,638	534,542	15,492	509
Total	6,134,571	127,641	6,262,212	22,876	658

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen. Pounds Certified by Type.
 United States, March 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Feb 1995					
Chilled	---	186,090	1,636	187,725	1,957,219
Frozen	111	182,816	574	183,500	352,270
Total	111	368,905	2,209	371,225	2,309,489
Mar 1994					
Chilled	---	196,915	1,933	198,848	2,101,747
Frozen	102	201,023	924	202,050	380,005
Total	102	397,938	2,857	400,897	2,481,752
Mar 1995					
Chilled	---	219,865	1,989	221,854	2,258,920
Frozen	---	211,570	669	212,239	412,777
Total	---	431,435	2,658	434,093	2,671,697
Jan-Mar 1994					
Chilled	---	547,006	5,466	552,472	5,890,948
Frozen	231	535,037	2,970	538,238	1,017,899
Total	231	1,082,042	8,436	1,090,710	6,908,847
Jan-Mar 1995					
Chilled	---	604,280	5,392	609,672	6,344,873
Frozen	111	582,316	2,292	584,719	1,135,263
Total	111	1,186,596	7,684	1,194,391	7,480,136

1/ Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, March 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Ante-Mortem (Live Weight)					
Feb 1995	10.259	923	11,182	8	2
Mar 1994	9.094	1,212	10,306	15	1
Mar 1995	10.874	963	11,836	11	1
Jan-Mar 1994	30,194	4,600	34,793	39	3
Jan-Mar 1995	31,713	3,006	34,719	32	5
Percent 2/					
Mar 1994	0.33	1.67	0.36	0.12	0.21
Mar 1995	0.36	1.33	0.38	0.09	0.32
1,000 Pounds					
Post-Mortem (N.Y. Dressed Weight)					
Feb 1995	43.142	3,154	46,296	162	4
Mar 1994	41,240	3,169	44,409	206	4
Mar 1995	48,948	3,408	52,356	185	4
Jan-Mar 1994	116,207	9,494	125,701	611	10
Jan-Mar 1995	136,775	9,910	146,684	533	15
Percent 3/					
Mar 1994	1.64	4.85	1.72	1.93	1.50
Mar 1995	1.81	5.24	1.89	1.81	1.47

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, March 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Feb 1995	1	1,179	22	1,202	12,394
Mar 1994	---	1,335	23	1,358	11,679
Mar 1995	---	1,314	42	1,357	13,204
Jan-Mar 1994	2	4,328	106	4,436	39,271
Jan-Mar 1995	1	3,695	81	3,777	38,533
Percent 2/					
Mar 1994	0.29	0.26	0.59	0.27	0.34
Mar 1995	----	0.24	1.21	0.25	0.36
Post-Mortem (N.Y. Dressed Weight)					
Feb 1995	2	9,476	203	9,681	56,144
Mar 1994	2	10,800	283	11,085	55,704
Mar 1995	---	10,704	319	11,023	63,569
Jan-Mar 1994	4	29,825	896	30,725	157,046
Jan-Mar 1995	2	29,913	767	30,682	177,914
Percent 3/					
Mar 1994	1.67	2.38	8.26	2.42	1.83
Mar 1995	----	2.18	10.07	2.23	1.94

1/ Federally inspected only. Totals may not add due to rounding.

2/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

3/ Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, March 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		----- 1,000 Pounds -----		--- Pounds ---	
AL	80,428	81,195	376,638	380,152	4.68	4.68
AR	93,842	98,450	424,655	434,392	4.53	4.41
CA	19,995	21,664	101,574	109,859	5.08	5.07
DE	23,071	25,090	124,561	131,995	5.40	5.26
FL	11,928	13,089	52,023	57,312	4.36	4.38
GA	79,097	86,435	375,750	409,465	4.75	4.74
LA	14,196	14,087	64,133	63,977	4.52	4.54
MD	18,168	18,713	82,983	88,126	4.57	4.71
MS	48,104	55,451	220,247	256,754	4.58	4.63
MO	17,178	22,590	72,723	94,119	4.23	4.17
NC	50,945	53,958	258,652	273,477	5.08	5.07
PA	8,276	8,548	43,423	43,903	5.25	5.14
SC	18,037	20,361	73,109	82,321	4.05	4.04
TN	13,275	14,059	57,379	61,460	4.32	4.37
TX	34,595	37,317	156,464	166,740	4.52	4.47
VA	30,409	32,070	142,698	149,627	4.69	4.67
WA	3,620	3,008	15,667	15,283	4.33	5.08
US	599,941	647,378	2,797,139	3,006,998	4.66	4.64

1/ Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, March 1994-95

State	Total		Post-Mortem Condemnations			
	Certified 1/		N.Y. Dressed Weight		Percent 2/	
	1994	1995	1994	1995	1994	1995
	1,000 Pounds				Percent	
AL	273,287	276,430	6,658	8,029	1.96	2.35
AR	300,244	306,751	5,566	6,319	1.46	1.62
CA	72,470	80,022	1,754	2,583	1.92	2.61
DE	89,603	95,879	2,281	2,411	2.03	2.03
FL	36,138	41,831	407	489	0.87	0.95
GA	278,702	301,274	5,515	6,447	1.63	1.75
LA	45,505	46,507	903	932	1.56	1.62
MD	58,518	61,160	1,130	1,602	1.51	2.02
MS	167,159	193,142	3,070	3,538	1.55	1.53
MO	52,588	66,916	1,145	1,243	1.75	1.47
NC	188,940	202,761	3,725	4,447	1.60	1.81
PA	29,683	31,192	918	1,108	2.35	2.80
SC	52,933	61,383	917	1,124	1.39	1.52
TN	40,784	43,777	552	742	1.07	1.34
TX	117,207	126,030	2,240	2,246	1.59	1.50
VA	103,371	105,933	1,441	1,887	1.12	1.40
WA	11,583	11,314	350	426	2.48	3.10
US	2,027,987	2,184,737	41,240	48,948	1.64	1.81

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
Number						
AL	---	---	253,048	277,877	4,625	22,441
AR	---	16,651	391,027	223,169	6,751	14,045
CA	---	---	125,915	---	1,123	18,801
DE	---	80,106	111,879	89,878	---	---
FL	---	1,258	18,940	12,313	1,398	---
GA	---	50,419	208,827	255,892	2,604	22,355
LA	---	1,142	50,049	28,957	---	4,838
MD	---	78,627	88,348	53,336	98	---
MS	---	5,558	147,929	98,968	1,255	19,073
MO	---	7,929	99,716	22,441	2,407	2,671
NC	---	---	147,720	101,199	75	73,040
PA	---	8,364	39,691	38,318	---	4,064
SC	---	2,906	30,867	68,868	344	11,270
TN	---	---	51,040	---	---	2,457
TX	---	4,472	142,624	65,691	487	4,905
VA	---	17,692	91,882	69,312	107	---
WA	---	---	25,304	1,086	---	1,100
US	---	466,344	2,233,620	1,519,125	31,369	277,770
Number						
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
AL	16,202	40,364	89,878	8,354	279,523	992,312
AR	15,078	36,054	78,020	9,355	144,200	934,350
CA	984	7,911	3,334	816	78,559	237,443
DE	5,123	6,047	15,698	---	27,426	336,157
FL	1,311	4,546	5,682	---	35,790	81,238
GA	18,016	32,506	64,647	9,151	186,841	851,258
LA	2,656	3,853	7,185	---	47,306	145,986
MD	1,888	7,677	---	---	13,684	243,658
MS	7,762	20,248	45,301	---	143,200	489,294
MO	2,697	10,124	19,591	1,086	34,879	203,541
NC	4,437	26,919	31,887	4,804	168,312	558,393
PA	3,174	2,260	---	531	---	96,402
SC	3,470	16,842	12,944	1,615	39,151	188,277
TN	2,380	14,929	10,418	---	36,578	117,802
TX	1,793	10,550	10,663	977	6,714	248,876
VA	4,133	13,588	28,101	944	55,853	281,612
WA	284	858	484	---	---	29,116
US	101,477	272,987	514,780	52,950	1,469,276	6,939,698

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, March 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	15,470	14,431	72,603	72,337	4.69	5.01

1/ Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, March 1994-95

State	Total Certified 1/		Post-Mortem Condemnations			
	1994	1995	N.Y. Dressed Weight		Percent 2/	
	----- 1,000 Pounds -----				-- Percent --	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	44,177	44,454	3,169	3,408	4.85	5.24

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	---	3,803	254,155	9,985	2,287	102,524

	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	34,336	38,598	162,790	4,344	38,156	650,978

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, March 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	1,000		1,000 Pounds		Pounds	
AR	2,166	2,173	43,501	44,947	20.08	20.69
CA	1,588	1,659	32,861	33,278	20.70	20.06
IA	960	1,075	29,081	32,362	30.28	30.10
MN	2,823	2,841	59,648	61,205	21.13	21.54
MO	1,705	1,735	39,461	43,493	23.14	25.07
NC	4,489	4,665	100,323	108,830	22.35	23.33
PA	---	---	---	---	---	---
VA	3,057	3,294	57,729	64,109	18.89	19.46
US	22,242	23,078	504,838	546,146	22.70	23.67

1/ Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, March 1994-95

State	Total Certified 1/		Post-Mortem Condemnations			
	1994	1995	N.Y. Dressed Weight		Percent 2/	
	1,000 Pounds				Percent	
AR	35,355	36,594	877	911	2.24	2.25
CA	26,822	27,299	525	454	1.78	1.52
IA	22,685	25,013	978	852	3.74	2.93
MN	46,303	48,856	1,777	1,384	3.31	2.51
MO	31,309	34,319	1,100	990	3.10	2.53
NC	79,157	85,942	1,675	2,000	1.86	2.04
PA	---	---	---	---	---	---
VA	45,309	50,136	777	947	1.50	1.64
US	397,938	431,435	10,800	10,704	2.38	2.18

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, March 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
AR	---	---	10,398	---	---	17
CA	---	---	7,972	---	---	---
IA	---	---	---	5,899	---	---
MN	---	---	12,444	6,362	597	---
MO	---	---	14,266	3,479	---	---
NC	---	---	8,742	2,064	---	---
PA	---	---	---	1,076	---	---
VA	---	---	8,926	---	---	9
US	---	392	100,426	31,034	6,285	133

State	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
AR	---	---	2,143	---	1,313	13,871
CA	---	---	427	424	---	8,823
IA	---	---	---	---	198	6,097
MN	238	1,171	1,502	76	---	22,390
MO	---	---	1,042	858	---	19,645
NC	274	2,926	1,594	---	---	15,600
PA	96	---	224	127	---	1,523
VA	31	1,323	278	---	1,532	12,099
US	1,585	9,895	9,662	2,776	12,108	174,296

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection Form (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revision were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 50 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

Page

Definitions	17
Mature Chickens Number Inspected, Live Weight, and Average Live Weight, U.S., March 1994-1995	11
Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., March 1994-1995	12
Mature Chickens Pounds Certified and Post-Mortem Condemnations, U.S., March 1994-1995	11
Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., March 1994-1995	15
Poultry Chilled and Frozen Pounds Certified (RTC) by Type, U.S., March 1995	4
Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., March 1995	6
Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., March 1995	2
Reliability Statement	16
Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., March 1994-1995	8
Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., March 1994-1995	10
Young Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., March 1994-1995	9
Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., March 1994-1995	13
Young Turkeys (Mature) Post-Mortem Condemnations by Cause, Selected States and U.S., March 1994-1995	14
Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., March 1994-1995	13

