

Poultry Slaughter



**National
Agricultural
Statistics
Service**

**United States
Department of
Agriculture**

Washington, D.C.

Released July 3, 1995, by the Agricultural Statistics Board. This summary relates to preliminary inspection totals for May 1995 and updated April 1995 totals.

Ready-to-Cook Weight Up 10 Percent

Poultry Certified Wholesome during May (ready-to-cook weight), totaled 2.69 billion pounds, up 10 percent from the amount certified in May 1994. Updated totals for April 1995 show that 2.33 billion pounds were certified. The January through May cumulative total of pounds certified, at 12.5 billion pounds, was up 7 percent from the same period the previous year.

The preliminary total Live Weight of Poultry Inspected during May 1995 was 3.67 billion pounds. Inspections included 3.03 billion pounds of young chickens, 74.6 million pounds of mature chickens, 561 million pounds of turkeys, and 11.5 million pounds of ducks.

Young chickens slaughtered during May 1995 averaged 4.65 pounds per bird, *fractionally higher than the average live weight a year ago*. The average live weight of mature chickens was up 5 percent from 4.84 pounds per bird the previous year to 5.07 pounds. Turkeys slaughtered during May 1995 averaged 23.9 pounds per bird, up 3 percent from May 1994.

Ante-mortem condemnations during May 1995 totaled 12.0 million pounds. Condemnations were 0.33 percent of the live weight inspected, compared with 0.30 percent a year earlier. Post-mortem condemnations, at 62.4 million pounds (N.Y. dressed weight), were 1.89 percent of quantities inspected, compared with 1.66 percent a year earlier.

May 1995 contained 23 weekdays (including one holiday) and four Saturdays, while May 1994 had 22 weekdays (including one holiday) and four Saturdays. Each weekday represents approximately 5 percent of the month's total.

For information call James E. Brewster at (202) 720-8784. Office hours are 8:00 a.m. to 4:30 p.m. ET.

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, May 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature 2/	Total		
	1,000 Head				
Number Inspected					
Apr 1995	563,719	14,387	578,107	1,372	-----
May 1994	587,404	14,719	602,123	1,718	-----
May 1995	650,460	14,720	665,181	1,708	-----
Jan-May 1994	2,834,373	74,202	2,908,575	8,494	-----
Jan-May 1995	3,033,192	71,303	3,104,495	7,829	-----
	1,000 Pounds				
Live Weight					
Apr 1995	2,638,535	70,652	2,709,188	9,283	365
May 1994	2,717,712	71,198	2,788,909	11,470	330
May 1995	3,025,753	74,622	3,100,375	11,521	420
Jan-May 1994	13,181,146	350,408	13,531,554	56,770	1,516
Jan-May 1995	14,132,297	354,399	14,486,696	52,647	1,846
	Pounds				
Average Live Weight					
Apr 1995	4.68	4.91	4.69	6.76	-----
May 1994	4.63	4.84	4.63	6.68	-----
May 1995	4.65	5.07	4.66	6.75	-----
Jan-May 1994	4.65	4.72	4.65	6.68	-----
Jan-May 1995	4.66	4.97	4.67	6.72	-----

See footnotes at end of table.

-- continued

Poultry Slaughter: Number, Live Weight, and Average Live Weight
by Type, United States, May 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young 4/	Old	Total Turkeys	
	1,000 Head				
Number Inspected					
Apr 1995	45	19,694	100	19,840	-----
May 1994	80	22,519	117	22,716	-----
May 1995	5	23,421	95	23,521	-----
Jan-May 1994	115	103,362	683	104,160	-----
Jan-May 1995	64	106,553	610	107,228	-----
	1,000 Pounds				
Live Weight					
Apr 1995	418	468,041	2,597	471,056	3,189,892
May 1994	760	521,972	3,017	525,748	3,326,458
May 1995	47	558,739	2,552	561,338	3,673,655
Jan-May 1994	1,072	2,375,690	17,612	2,394,375	15,984,215
Jan-May 1995	614	2,534,804	15,370	2,550,788	17,091,977
	Pounds				
Average Live Weight					
Apr 1995	9.31	23.77	25.85	23.74	-----
May 1994	9.48	23.18	25.84	23.14	-----
May 1995	9.74	23.86	26.85	23.87	-----
Jan-May 1994	9.33	22.98	25.79	22.99	-----
Jan-May 1995	9.56	23.79	25.19	23.79	-----

- 1/ Federally inspected only. Totals may not add due to rounding.
2/ Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: May 1994: 4,706, May 1995: 5,314.
3/ Includes Ratites beginning with January 1995.
4/ Of the Young Turkeys inspected, the number reported in thousands as young breeders was: May 1994: 70, May 1995: 37.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
United States, May 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
1,000 Pounds					
Apr 1995					
Chilled	1,746,130	40,837	1,786,967	2,293	70
Frozen	164,394	1,893	166,286	4,349	158
Total	1,910,524	42,730	1,953,253	6,642	228
May 1994					
Chilled	1,830,389	40,871	1,871,260	2,280	41
Frozen	156,112	2,682	158,794	6,010	176
Total	1,986,501	43,553	2,030,054	8,291	217
May 1995					
Chilled	2,014,980	42,664	2,057,644	2,566	48
Frozen	181,673	2,345	184,018	5,740	210
Total	2,196,653	45,009	2,241,662	8,306	258
Jan-May 1994					
Chilled	8,804,509	202,036	9,006,544	13,537	217
Frozen	772,923	11,466	784,389	27,361	761
Total	9,577,432	213,502	9,790,934	40,899	978
Jan-May 1995					
Chilled	9,378,786	204,507	9,583,293	12,243	270
Frozen	874,946	10,875	885,821	25,581	878
Total	10,253,732	215,383	10,469,114	37,824	1,148

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type,
 United States, May 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer-Roasters	Young	Old	Total Turkeys	
1,000 Pounds					
Apr 1995					
Chilled	---	188.320	1,511	189.831	1,979.160
Frozen	310	181.302	452	182.064	352.858
Total	310	369.622	1,963	371.895	2,332.018
May 1994					
Chilled	---	194.646	1,256	195.902	2,069.483
Frozen	566	218.146	962	219.674	384.654
Total	566	412.792	2,218	415.576	2,454.138
May 1995					
Chilled	---	214.376	1,229	215.605	2,275.862
Frozen	35	226.655	669	227.359	417.328
Total	35	441.031	1,898	442.964	2,693.190
Jan-May 1994					
Chilled	---	922.754	8,489	931.242	9,951.541
Frozen	797	950.262	4,605	955.663	1,768.175
Total	797	1,873.016	13,093	1,886.906	11,719.716
Jan-May 1995					
Chilled	---	1,007.736	8,188	1,015.923	10,611.729
Frozen	456	991.207	3,413	995.075	1,907.356
Total	456	1,998.942	11,600	2,010.998	12,519.084

1/ Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, May 1995 with Comparisons 1/

	Chickens			Ducks	Other Poultry
	Young	Mature	Total		
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Apr 1995	8,486	973	9,459	12	1
May 1994	7,721	1,149	8,870	10	2
May 1995	9,640	1,177	10,817	9	2
Jan-May 1994	45,630	7,018	52,648	63	10
Jan-May 1995	49,881	5,156	55,038	53	8
Percent 2/					
May 1994	0.28	1.61	0.32	0.09	0.57
May 1995	0.32	1.58	0.35	0.07	0.36
	1,000 Pounds				
Post-Mortem (N.Y. Dressed Weight)					
Apr 1995	42,165	3,433	45,598	142	5
May 1994	36,384	3,311	39,695	171	3
May 1995	48,622	3,654	52,276	187	5
Jan-May 1994	189,504	16,206	205,710	953	14
Jan-May 1995	227,803	16,997	244,800	862	25
Percent 3/					
May 1994	1.49	5.17	1.58	1.65	1.17
May 1995	1.79	5.44	1.87	1.80	1.29

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations
by Type, United States, May 1995 with Comparisons 1/ (continued)

	Turkeys				Total Poultry
	Fryer- Roasters	Young	Old	Total Turkeys	
	1,000 Pounds				
Ante-Mortem (Live Weight)					
Apr 1995	4	1,048	16	1,068	10,540
May 1994	2	1,040	33	1,076	9,958
May 1995	---	1,174	36	1,210	12,037
Jan-May 1994	4	6,431	158	6,594	59,315
Jan-May 1995	4	5,918	133	6,056	61,154
Percent 2/					
May 1994	0.27	0.20	1.11	0.20	0.30
May 1995	0.28	0.21	1.40	0.22	0.33
	1,000 Pounds				
Post-Mortem (N.Y. Dressed Weight)					
Apr 1995	4	8,687	202	8,893	54,639
May 1994	12	9,428	246	9,686	49,556
May 1995	1	9,712	207	9,919	62,386
Jan-May 1994	16	48,633	1,433	50,083	256,761
Jan-May 1995	7	48,354	1,184	49,544	295,232
Percent 3/					
May 1994	1.81	2.01	9.07	2.05	1.66
May 1995	1.81	1.93	9.01	1.96	1.89

- 1/ Federally inspected only. Totals may not add due to rounding.
2/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.
3/ Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, May 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
AL	76,934	79,442	355,721	368,503	4.62	4.64
AR	92,106	100,872	409,343	450,789	4.44	4.47
CA	19,684	21,143	97,880	105,465	4.97	4.99
DE	22,871	25,241	121,064	136,779	5.29	5.42
FL	11,677	13,177	50,507	57,173	4.33	4.34
GA	79,013	87,018	372,747	417,668	4.72	4.80
LA	13,442	12,277	60,139	56,405	4.47	4.59
MD	17,002	18,814	78,574	87,784	4.62	4.67
MS	46,713	53,848	210,702	245,377	4.51	4.56
MO	17,310	23,886	74,328	99,582	4.29	4.17
NC	51,556	54,998	257,514	280,818	4.99	5.11
PA	7,770	8,571	38,270	43,111	4.93	5.03
SC	17,748	19,679	72,336	82,734	4.08	4.20
TN	12,661	14,581	56,354	65,556	4.45	4.50
TX	32,721	38,984	147,541	171,376	4.51	4.40
VA	29,407	32,799	138,358	152,715	4.71	4.66
WA	3,392	3,494	16,399	17,283	4.83	4.95
US	587,404	650,460	2,717,712	3,025,753	4.63	4.65

1/ - Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, May 1994-95

State	Total Certified 1/		Post-Mortem Condemnations				
			N.Y. Dressed Weight		Percent 2/		
	1994	1995	1994	1995	1994	1995	
		1,000 Pounds		Percent			
AL	261,921	273,856	5,940	8,318	1.86	2.51	
AR	291,609	320,095	4,622	5,525	1.25	1.36	
CA	71,335	75,514	1,803	2,719	2.05	2.86	
DE	88,037	98,870	1,880	2,499	1.73	2.03	
FL	35,805	41,007	426	533	0.94	1.04	
GA	275,950	310,062	4,816	6,925	1.44	1.84	
LA	43,260	40,827	781	880	1.44	1.73	
MD	54,970	61,444	921	1,540	1.30	1.95	
MS	159,593	185,266	2,910	2,898	1.53	1.31	
MO	55,001	72,177	1,095	1,414	1.64	1.58	
NC	189,965	198,363	3,076	4,523	1.33	1.79	
PA	27,179	30,360	680	950	1.98	2.45	
SC	52,880	61,145	768	1,391	1.18	1.87	
TN	39,936	46,786	553	801	1.09	1.36	
TX	110,393	129,914	1,711	2,022	1.29	1.31	
VA	100,301	103,455	1,351	2,112	1.08	1.54	
WA	12,298	12,897	401	401	2.72	2.58	
US	1,986,501	2,196,653	36,384	48,622	1.49	1.79	

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, May 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
Number						
AL	---	33,047	217,510	200,773	4,376	21,766
AR	---	11,456	345,138	164,580	7,838	16,326
CA	---	---	131,759	27,218	1,334	16,840
DE	---	86,472	108,287	70,207	---	---
FL	---	---	18,328	8,814	---	---
GA	---	26,480	212,192	295,527	4,000	21,373
LA	---	864	43,455	19,692	---	4,305
MD	---	131,782	78,728	27,358	---	---
MS	---	5,691	127,282	63,387	1,620	20,410
MO	---	6,748	87,304	23,099	2,646	2,182
NC	---	75,441	140,853	62,496	152	66,999
PA	---	1,759	39,968	41,260	350	5,073
SC	---	3,178	34,048	112,503	312	---
TN	---	---	54,169	13,032	---	1,637
TX	---	2,886	124,859	48,936	507	4,673
VA	---	35,576	93,564	70,183	154	---
WA	---	---	25,142	---	---	1,515
US	---	458,230	2,078,855	1,289,106	36,937	276,118
Number						
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
AL	15,786	40,574	83,124	10,922	213,778	841,656
AR	17,127	33,487	83,235	6,488	137,185	822,860
CA	770	8,299	3,719	---	160,135	350,074
DE	4,749	10,217	17,134	4,208	37,344	338,618
FL	1,420	4,340	7,303	2,403	33,026	75,634
GA	21,160	38,301	91,980	13,907	203,119	928,039
LA	2,044	2,772	5,911	---	36,886	115,929
MD	1,882	8,934	---	487	13,548	262,719
MS	7,578	18,407	49,730	2,163	116,199	412,467
MO	2,945	20,019	20,628	2,437	43,832	211,840
NC	5,012	26,511	35,215	6,835	171,783	591,297
PA	2,741	2,883	---	839	---	94,873
SC	3,554	16,490	16,694	1,047	78,252	266,078
TN	2,672	8,589	12,526	1,364	48,585	142,574
TX	1,806	9,504	12,181	909	6,522	212,783
VA	4,629	13,944	31,773	3,311	55,642	308,776
WA	506	863	478	---	18,810	47,314
US	107,834	277,977	551,711	70,528	1,521,750	6,669,046

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight,
Selected States and United States, May 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		----- 1,000 Pounds -----		--- Pounds ---	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	14,719	14,720	71,198	74,622	4.84	5.07

1/ Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations,
Selected States and United States, May 1994-95

State	Total Certified 1/		Post-Mortem Condemnations			
	1994	1995	N.Y. Dressed Weight		Percent 2/	
	----- 1,000 Pounds -----		1994	1995	1994	1995
	----- 1,000 Pounds -----		----- 1,000 Pounds -----		-- Percent --	
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	43,553	45,009	3,311	3,654	5.17	5.44

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, May 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
CA	---	---	---	---	---	---
GA	---	---	---	---	---	---
US	---	3,369	262,368	12,772	1,282	103,717

State	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
CA	---	---	178	---	---	178
GA	---	---	---	---	---	---
US	40,647	37,529	172,292	4,046	52,685	690,707

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, May 1994-95

State	Number Inspected		Live Weight Inspected		Average Live Weight Inspected 1/	
	1994	1995	1994	1995	1994	1995
	----- 1,000 -----		---- 1,000 Pounds ----		--- Pounds ---	
AR	2,188	2,251	43,504	46,798	19.89	20.79
CA	1,374	1,616	29,164	34,648	21.22	21.43
IA	1,128	1,219	33,837	37,908	30.00	31.10
MN	3,292	3,128	67,883	68,100	20.62	21.77
MD	1,515	1,717	37,069	44,474	24.46	25.91
NC	4,253	4,213	100,350	101,074	23.60	23.99
PA	---	---	---	---	---	---
VA	3,207	3,238	62,660	61,351	19.54	18.95
US	22,519	23,421	521,972	558,739	23.18	23.86

1/ Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, May 1994-95

State	Total Certified 1/		Post-Mortem Condemnations			
			N.Y. Dressed Weight		Percent 2/	
	1994	1995	1994	1995	1994	1995
		----- 1,000 Pounds -----		-- Percent --		
AR	35,119	38,787	811	916	2.07	2.18
CA	23,793	28,120	399	513	1.52	1.64
IA	26,271	29,689	806	872	2.65	2.56
MN	53,556	54,382	1,451	1,312	2.37	2.14
MO	29,464	34,831	939	832	2.81	2.08
NC	79,496	79,111	1,611	1,371	1.78	1.51
PA	---	---	---	---	---	---
VA	49,109	48,318	967	774	1.71	1.40
US	412,792	441,031	9,428	9,712	2.01	1.93

1/ Ready-to-cook weights.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause,
Selected States and United States, May 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
AR	---	---	9,582	---	---	---
CA	---	---	7,870	79	142	13
IA	---	---	4,378	2,348	---	---
MN	---	18	10,421	4,162	793	---
MO	---	---	12,614	1,609	---	---
NC	---	---	5,787	910	---	---
PA	---	---	---	---	---	---
VA	---	7	7,019	---	---	14
US	---	213	88,744	16,375	5,997	93

State	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
AR	---	---	---	---	952	10,534
CA	---	---	431	---	---	8,535
IA	49	---	---	---	195	6,970
MN	193	1,281	1,728	---	---	18,596
MO	---	---	---	---	---	14,223
NC	155	2,002	1,026	---	1,286	11,166
PA	---	---	---	---	187	187
VA	19	984	282	---	1,196	9,521
US	1,223	9,125	8,721	2,627	11,515	144,633

Old Turkeys (Breeders) Slaughtered: Number Condemned Post-Mortem by Cause,
United States, May 1995

State	Tuber- culosis	Leukosis	Septicemia	Airsac- culitis	Synovitis	Tumors
	Number					
US	---	---	3,006	636	12	202
	Bruises	Cadaver	Contam- ination	Overscald	Other	Total
	Number					
US	20	69	349	27	768	5,089

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection-Daily Summary forms (MP Form 513) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The MP Form 513 collects number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection. Annual totals of poultry slaughtered under State-administered Non-Federal Inspection (NFI) are published in the April release.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revisions were published.

Procedures and Reliability: Plant inspectors submit forms (MP Form 513) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

Ante-Mortem Condemnations - Birds condemned prior to their entry into the slaughter plant.

Certified Ready-to-Cook - The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.

Ducks - Includes all ducks regardless of age and weight.

Fryer-Roaster Turkeys - Young immature birds, usually under 16 weeks of age.

Mature Chickens - Fowl from breeder and market egg flocks and stags and cocks.

New York Dressed Weight - Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.

Old Turkeys (Breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Other Poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

Post-Mortem Condemnations - Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.

Young Chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Young Turkeys (Mature) - Young birds grown to a matured market age, about 5 months.

Index

	Page
Definitions.....	17
Mature Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., May 1994-1995.....	11
Mature Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., May 1994-1995.....	12
Mature Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., May 1994-1995.....	11
Old Turkeys (Breeders) Post-Mortem Condemnations by Cause, U.S., May 1994-1995.....	15
Poultry Chilled and Frozen Pounds Certified (RTC) by Type, U.S., May 1995.....	4
Poultry Slaughter Ante-Mortem and Post-Mortem Condemnations by Type, U.S., May 1995.....	6
Poultry Slaughter Number Inspected, Live Weight, and Average Live Weight by Type, U.S., May 1995.....	2
Reliability Statement:.....	16
Young Chickens Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., May 1994-1995.....	8
Young Chickens Post-Mortem Condemnations by Cause, Selected States and U.S., May 1994-1995.....	10
Young Chickens Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., May 1994-1995.....	9
Young Turkeys (Mature) Number Inspected, Live Weight, and Average Live Weight, Selected States and U.S., May 1994-1995.....	13
Young Turkeys (Mature) Post-Mortem Condemnations by Cause, Selected States and U.S., May 1994-1995.....	14
Young Turkeys (Mature) Pounds Certified and Post-Mortem Condemnations, Selected States and U.S., May 1994-1995.....	13

