

Poultry: Condemnations of poultry slaughtered under Federal Inspection, May 1964 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight):		Percent 1/		Pounds (live weight):		Percent 2/	
	1963	1964	1963	1964	1963	1964	1963	1964
Young chickens	1,000	1,000	0.18	0.21	5,426	6,116	10,553	11,826
Mature chickens	198	237	.42	.53	777	941	1,118	1,105
Total chickens	1,207	1,448	.19	.23	6,203	7,057	11,671	12,931
Fryer-roasters	14	12	.15	.14	97	84	125	105
Young turkeys	14	18	.11	.11	95	112	203	265
Old turkeys	16	19	.09	.14	33	30	318	265
Total turkeys	44	49	.11	.13	225	226	646	635
Ducks	2	1	.03	.01	4	2	85	106
Other poultry 3/	---	1	---	.27	---	1	2	1
Total	1,253	1,499	.19	.22	6,432	7,286	12,404	13,673

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Poultry: Inspected for canning and other processed foods, May 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	1963		1964		1963		1964	
	April	May	April	May	April	May	April	May
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	11,184	8,824	11,880	40,664	52,256	8	149	10
Cut up	67,259	61,866	69,670	294,386	325,838	---	---	---
Mature chickens	20,442	21,755	19,238	110,725	104,484	14	8	28
Further processed	989	765	647	4,167	4,524	---	---	---
Cut up	---	---	---	---	---	---	---	---
Turkeys	15,226	13,726	14,967	62,897	72,747	2	3	2
Further processed	3,107	2,851	2,716	15,012	15,906	---	---	---
Cut up	---	---	---	---	---	---	---	---
Other poultry 2/	3,668	3,289	3,175	17,787	18,361	3	7	7
Further processed	97	87	69	470	294	---	---	---
Cut up	---	---	---	---	---	---	---	---
Total	50,520	47,594	49,260	232,073	247,848	27	167	47
Further processed	71,452	65,569	73,102	314,035	346,562	---	---	---
Cut up	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations			
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964		
N. Atl.	13,674	13,660	53,401	54,469	3.91	3.99	38,626	39,375	1,000	1,000	1.94	2.23
E. N. Cent.	3,337	2,603	12,148	9,238	3.64	3.55	8,826	6,830	930	1,090	1.68	1.82
W. N. Cent.	4,138	4,444	13,590	14,813	3.28	3.33	9,726	10,373	151	151	2.02	2.32
S. Atl.	72,230	71,001	253,544	250,040	3.51	3.52	185,658	183,547	4,435	4,856	1.95	2.16
S. Cent.	68,886	71,684	226,654	239,374	3.29	3.34	163,712	173,008	4,417	5,101	2.17	2.37
West	4,075	3,605	14,894	13,612	3.65	3.78	10,688	9,693	342	319	2.56	2.61
U. S.	166,340	166,997	574,231	581,546	3.45	3.48	417,236	423,006	10,553	11,826	2.05	2.26
Maine	5,574	5,885	21,878	23,768	3.93	4.04	16,295	17,618	420	456	2.14	2.14
Mass. 3/	505	---	2,001	---	3.96	---	1,393	---	58	---	3.25	---
Conn. 3/	---	772	---	2,909	---	3.77	---	2,033	---	72	---	---
N. J. 3/	20	---	99	---	4.94	---	33	---	2	---	---	---
Pa.	6,609	6,556	25,880	25,866	3.92	3.95	18,705	18,565	392	530	1.98	2.28
Ohio	726	501	2,664	1,876	3.61	3.75	1,943	1,371	36	33	1.49	1.97
Ind.	1,099	919	3,710	2,884	3.37	3.14	2,679	2,153	47	26	1.39	1.02
Ill.-Mich. 3/ 4/	393	---	1,504	---	3.83	---	1,066	---	40	---	2.98	---
Wis.	1,119	1,163	4,270	4,343	3.82	3.73	3,138	3,206	60	90	1.57	2.30
Iowa 3/	83	---	351	---	4.25	---	262	---	3	---	1.11	---
Mo.	3,317	3,684	10,871	11,897	3.22	3.23	7,588	8,405	175	284	1.83	2.66
Del.	7,660	7,358	29,462	28,369	3.85	3.86	21,753	21,043	508	550	1.92	2.15
Md.	10,358	10,410	39,807	39,202	3.84	3.77	28,690	28,186	664	779	1.86	2.21
Va.	4,458	4,103	13,467	12,853	3.02	3.13	9,549	9,001	211	192	1.74	1.67
N. C.	18,349	18,154	63,622	63,325	3.47	3.49	47,042	46,913	873	1,106	1.53	1.94
S. C.	2,025	1,885	6,968	6,489	3.44	3.44	5,025	4,736	114	181	1.83	3.11
Ga.	28,288	27,914	96,625	95,953	3.42	3.44	70,943	70,902	2,034	1,991	2.34	2.31
Ky.	2,109	1,763	7,162	5,895	3.41	3.34	5,075	4,214	83	92	1.28	1.74
Tenn.	4,889	4,420	16,458	15,030	3.37	3.40	12,048	11,060	309	241	2.09	1.79
Ala.	15,101	16,756	50,892	56,995	3.37	3.40	37,397	41,997	885	1,045	2.04	2.04
Miss.	12,963	12,964	42,621	43,604	3.29	3.36	31,364	31,796	694	1,088	1.81	2.78
Ark.	22,512	22,409	72,473	73,097	3.22	3.26	51,170	51,990	1,801	1,703	2.76	2.59
La.-Okla. 4/	2,945	3,168	9,661	10,694	3.28	3.38	7,007	7,743	219	235	2.52	2.45
Texas	8,367	10,204	27,367	34,059	3.27	3.34	19,651	24,208	426	697	1.73	2.28
Idaho	443	434	1,527	1,529	3.44	3.53	1,113	1,143	23	20	1.63	1.51
Wash.	969	788	3,596	2,871	3.71	3.64	2,559	2,059	44	40	1.36	1.53
Calif.	2,635	2,353	9,669	9,104	3.67	3.87	5,941	6,410	274	298	3.16	3.16

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
N. Atl.	1,465	1,421	7,330	7,419	5.00	5.22	4,954	4,989	104	121
E. N. Cent.	1,421	1,457	6,117	6,180	4.30	4.24	4,191	4,195	121	121
W. N. Cent.	1,869	1,660	8,672	7,580	4.62	4.57	5,757	4,293	224	213
S. Atl.	1,863	1,973	10,831	10,993	5.81	5.57	7,630	7,528	218	243
S. Cent.	1,372	1,439	7,461	7,718	5.44	5.36	5,071	5,254	247	236
West.	1,545	1,107	6,757	4,896	4.37	4.42	4,494	3,259	204	171
U. S.	9,535	9,057	47,168	44,786	4.95	4.94	32,097	30,218	1,118	1,105
Maine	180	222	1,189	1,403	6.61	6.33	878	1,018	21	27
N. Y. 3/	167	222	717	1,403	4.28	4.20	486	1,018	10	10
N. J.	599	585	2,394	2,458	3.99	4.20	1,486	1,510	37	51
Pa.	255	303	1,379	1,671	5.40	5.52	935	1,109	15	18
Ohio	470	562	1,984	2,312	4.22	4.11	1,356	1,564	42	53
Ind.	411	358	1,793	1,577	4.36	4.41	1,218	1,073	38	36
Ill. 3/	366	48	1,528	---	4.17	---	1,004	---	26	---
Mich. 3/	48	---	205	---	4.25	---	136	---	3	---
Wis.	126	132	607	625	4.82	4.73	477	425	12	10
Minn.	766	742	3,267	3,056	4.27	4.12	2,108	1,964	107	105
Iowa 3/	216	---	925	---	4.29	---	613	---	18	---
Mo.	579	634	3,163	3,344	5.46	5.27	2,167	2,255	59	71
Del.	30	40	225	292	7.63	7.36	164	210	5	6
Md. 3/	---	502	---	---	---	---	---	1,446	---	29
Va.	233	218	1,410	1,221	6.04	5.60	1,007	866	28	19
N. C.	612	640	3,701	3,680	6.04	5.75	2,594	2,477	60	83
S. C.	16	11	89	79	5.54	7.34	63	57	2	2
Ga.	572	553	3,760	3,550	6.58	6.42	2,669	2,437	93	103
Ky.	52	106	280	528	5.37	4.96	188	358	5	8
Tenn.	359	181	1,875	950	5.22	5.25	1,266	650	68	24
Ala.	173	57	997	425	5.75	7.39	718	305	33	11
Miss.	205	130	729	604	5.61	4.60	491	1,869	16	89
Ark.	160	97	1,077	760	6.17	7.84	697	530	41	25
La.-Okla. 4/	293	311	1,516	1,791	5.17	5.76	1,031	1,217	35	22
Texas	29	24	120	124	4.15	5.09	84	88	2	2
Idaho	37	---	139	---	3.81	---	102	---	1	---
Utah 3/	116	111	527	505	4.57	4.57	338	327	16	17
Wash.	---	949	---	4,173	4.38	4.40	3,862	2,780	178	151
Calif.	1,323	---	5,801	---	---	---	---	---	---	---

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuber- culosis	Leu- cosis	Sept- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scaled	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	36	4,032	9,433	20	4,875	3,269	5	370	732	1,323	22	34	6,077	30,228
E. N. Cent.	1,193	6,223	12,577	22	3,698	7,419	82	732	988	1,304	51	11	356	34,636
W. N. Cent.	5,238	3,001	13,788	267	8,154	7,592	296	1,130	891	4,132	196	---	3,604	48,289
S. Atl.	2	5,850	14,625	538	13,662	3,513	1	661	2,642	3,729	62	37	572	45,894
S. Cent.	1	16,153	11,123	213	13,861	2,165	45	781	1,369	3,695	115	27	442	49,990
West	---	889	18,041	559	5,877	10,229	355	844	614	2,908	83	1	5,938	46,338
U. S.	6,470	36,148	79,587	1,619	50,127	34,187	784	4,518	7,216	17,091	529	110	16,989	255,375
Maine	1	248	1,937	9	1,574	237	---	35	56	327	3	---	686	5,113
N. J.	31	2,787	4,784	5	993	2,078	---	167	471	361	12	31	4,447	16,167
Pa.	4	364	1,592	2	1,303	400	1	107	125	329	4	---	13	4,244
Ohio	247	4,085	4,545	4	2,441	3,016	14	152	522	483	14	4	255	15,782
Ind.	186	557	4,295	1	503	3,137	3	252	162	416	22	7	1	9,542
Wis.	401	558	605	6	454	285	6	31	29	108	1	---	69	2,553
Minn.	2,751	1,180	4,062	20	4,293	5,370	247	642	605	2,783	137	---	2,533	24,623
Mo.	374	1,311	6,749	125	2,070	1,087	48	301	256	894	45	---	997	14,257
Del.	---	175	182	16	176	67	---	5	17	44	---	---	---	682
Md.	2	806	2,944	95	1,078	207	1	108	255	142	12	---	266	5,916
Va.	---	350	1,407	31	1,824	537	---	36	149	117	2	---	2	4,455
N. C.	---	3,427	5,356	97	5,366	512	---	207	1,751	1,392	41	1	6	18,156
S. C.	---	48	25	3	89	8	---	5	5	32	1	---	---	216
Ga.	---	1,031	4,675	296	5,036	2,177	---	296	463	1,991	6	36	276	16,283
Ky.	---	126	730	2	250	557	---	21	79	152	---	---	2	1,919
Tenn.	---	2,405	842	10	697	41	---	25	155	436	13	1	281	4,906
Ala.	---	75	770	9	331	82	---	16	28	73	1	1	6	1,392
Miss.	---	8,150	3,602	16	7,045	317	---	498	699	1,549	82	25	112	22,095
Ark.	---	167	1,182	108	909	115	---	20	39	174	4	---	24	2,742
La.-Okla. 1/	1	671	1,152	8	1,492	660	25	31	200	491	4	---	7	4,742
Texas	---	4,559	2,845	60	3,137	393	20	170	169	820	11	---	10	12,194
Idaho	---	55	240	---	146	28	---	16	19	55	1	---	36	596
Wash.	---	246	1,111	6	758	239	---	87	133	159	15	---	1,342	4,096
Calif.	---	524	16,545	553	4,945	9,952	355	719	458	2,664	67	1	4,560	41,343

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected ^{1/}		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl. ^{3/}	12	20	201	310	16.75	15.50	154	237	---	---
E. N. Cent.	110	55	1,472	899	13.38	16.35	1,166	685	15	23
W. N. Cent.	144	201	2,090	3,365	14.51	16.74	1,677	2,700	20	37
S. Atl.	196	275	3,280	4,518	16.73	16.43	2,590	3,528	54	83
S. Cent.	51	112	977	2,052	19.16	18.32	778	1,630	11	31
West	335	278	4,886	4,900	14.59	17.63	3,851	3,899	103	90
U. S.	848	941	12,906	16,044	15.22	17.05	10,216	12,679	203	265
Pa.	8	15	113	222	14.19	14.40	89	172	---	1
Ohio ^{3/ 4/}	---	14	---	151	---	10.66	---	121	---	---
Wis.	103	41	1,344	738	13.03	18.04	1,062	556	15	23
Minn.	139	125	1,988	1,885	14.30	15.14	1,597	1,512	20	17
Iowa ^{4/}	---	39	---	743	---	19.23	---	582	---	---
Va.	48	72	818	1,267	16.92	17.71	621	955	9	24
N. C.	119	162	2,145	2,825	18.06	17.47	1,722	2,247	40	57
Texas	43	102	860	1,906	19.96	18.77	685	1,515	9	30
Calif.	269	255	3,964	4,511	14.76	17.69	3,100	3,588	97	86

^{1/} Average weight based on unrounded data.

^{2/} Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

^{3/} Dashes mean less than 500 head or 500 pounds.

^{4/} Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver position	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	39	8	25	1	---	---	2	3	---	---	---	6	86
E. N. Cent.	---	901	196	112	---	---	---	5	48	---	---	---	---	1,281
W. N. Cent.	1	762	647	169	13	---	---	60	97	1	9	---	1	1,802
S. Atl.	---	886	760	3,060	30	---	---	62	176	8	---	---	2	5,029
S. Cent.	---	344	237	1,076	5	3	---	12	20	---	---	---	---	1,775
West	---	1,011	1,766	1,247	4	---	---	79	146	14	---	---	3	4,315
U. S.	1	3,943	3,614	5,689	53	3	---	128	233	490	23	9	12	14,288
Pa.	---	18	8	17	1	---	---	2	1	3	---	---	5	55
Ohio	---	14	---	5	---	---	---	1	10	17	---	---	---	47
Wis.	---	886	196	105	---	---	---	4	8	31	---	---	---	1,231
Minn.	---	349	281	91	3	---	---	4	29	44	1	2	1	813
Iowa	1	276	240	69	10	---	---	12	19	52	---	7	---	697
Va.	---	312	643	177	6	---	---	5	36	7	---	---	2	1,189
N. C.	---	487	96	2,861	5	---	---	28	18	167	6	---	---	3,670
Texas	---	321	211	1,060	5	3	---	24	10	17	---	---	---	1,703
Calif.	---	923	1,749	1,198	3	---	---	33	73	144	14	---	3	4,145

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964		
N. Atl.	13	34	1,000	1,000	8.08	7.93	1,000	1,000	1	2	0.88	0.57
E. N. Cent.	198	97	1,790	858	9.04	8.85	1,408	203	22	7	1.37	.91
W. N. Cent.	376	336	3,297	2,912	8.77	8.67	2,622	2,298	27	49	.91	1.87
S. Atl.	262	303	2,190	2,548	8.37	8.41	1,603	1,894	58	24	2.94	1.05
S. Cent.	67	31	533	272	7.96	8.77	412	212	4	2	.83	.82
West.	146	205	1,202	1,657	8.23	8.08	913	1,262	13	21	1.20	1.41
U. S.	1,062	1,006	9,119	8,514	8.59	8.46	7,037	6,542	125	105	1.53	1.37
Ohio	56	30	495	260	8.79	8.51	389	199	2	2	.42	.57
Wis. 3/	142	---	1,295	---	9.15	---	1,019	---	20	---	1.76	---
Minn.	317	323	2,812	2,803	8.86	8.68	2,238	2,212	23	46	.94	1.83
Va.	262	287	2,190	2,424	8.37	8.45	1,603	1,798	58	23	2.94	1.05
Calif.	143	204	1,175	1,647	8.21	8.06	892	1,255	13	21	1.21	1.37

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Septile		Airsac		Inflam		Tumors		Para		Bruises		Contam		Over		Decom		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	47	1	8	---	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	83
E. N. Cent.	---	276	63	57	---	1	6	---	64	81	---	---	---	---	---	---	---	---	---	---	555
W. N. Cent.	---	19	3,533	489	283	---	75	---	111	403	---	7	---	---	---	35	---	---	---	---	419
S. Atl.	---	4	668	410	---	---	15	---	101	57	---	6	---	---	---	---	---	---	---	---	1
S. Cent.	---	---	60	15	---	---	1	---	2	1	---	---	---	---	---	---	---	---	---	---	---
West.	---	---	866	599	432	---	52	---	22	474	---	29	---	---	---	---	---	---	---	---	175
U. S.	---	23	5,450	1,912	1,205	4	151	---	300	1,041	---	42	---	---	---	35	---	---	---	---	683
Ohio	---	---	32	---	25	---	1	---	10	17	---	---	---	---	---	---	---	---	---	---	7
Minn.	---	18	3,488	276	252	3	74	---	111	396	---	7	---	---	---	35	---	---	---	---	419
Va.	---	4	652	660	400	1	15	---	91	55	---	6	---	---	---	---	---	---	---	---	1
Calif.	---	---	845	599	432	---	52	---	21	474	---	29	---	---	---	---	---	---	---	---	196

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl. 3/	---	6	1,000	95	15.83	---	1,000	2	---	2.34
E. N. Cent.	81	34	1,571	715	19.15	1,234	24	9	1.72	1.40
W. N. Cent.	327	252	6,634	5,140	20.29	5,306	107	109	1.79	2.36
S. Atl.	18	41	324	759	18.00	258	3	17	1.03	2.49
S. Cent.	152	105	3,046	2,076	19.77	2,405	62	28	2.26	1.50
West.	271	219	5,640	4,627	21.13	4,467	122	100	2.41	2.40
U. S.	849	657	17,196	13,412	20.41	13,670	318	265	2.06	2.20
Ohio	32	15	579	334	18.10	461	6	3	1.19	1.10
Wis. 4/	30	---	596	---	19.61	469	13	---	2.35	---
Miss.	165	170	3,345	3,488	20.28	2,657	66	78	2.21	2.47
Iowa 4/	84	---	1,699	---	20.15	1,377	21	---	1.36	---
Va.	9	4	172	65	18.71	135	1	1	1.16	1.95
Texas	78	38	2,572	783	20.88	1,250	28	10	1.98	1.36
Calif.	224	177	4,657	3,719	21.04	3,683	109	85	2.61	2.54

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuberculosis		Septicemia		Inflammation		Tumors		Parasites		Bruises		Cadaver		Contaminated		Over-scald		Decomposition		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	34	18	14	---	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	79
E. N. Cent.	---	13	191	150	---	1	---	11	6	---	15	1	---	---	---	---	---	---	---	---	---	446
W. N. Cent.	---	101	1,332	921	1,231	14	---	90	64	---	153	---	---	---	---	---	---	---	---	---	---	3,964
S. Atl.	---	1	146	56	432	5	---	4	22	---	26	---	---	---	---	---	---	---	---	---	---	694
S. Cent.	---	13	288	106	430	10	---	8	31	---	31	---	---	---	---	---	---	---	---	---	---	917
West	---	24	1,600	191	1,832	65	---	64	74	---	103	---	---	---	---	---	---	---	---	---	---	3,954
U. S.	---	186	3,575	1,327	4,089	98	---	177	197	---	337	---	---	---	---	---	---	---	---	---	---	10,054
Ohio	---	3	56	13	35	---	---	2	3	---	4	---	---	---	---	---	---	---	---	---	---	123
Miss.	---	29	891	602	872	10	---	68	24	---	129	---	---	---	---	---	---	---	---	---	---	2,683
Va.	---	1	7	38	---	2	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	67
Texas	---	8	73	76	204	8	---	3	1	---	13	---	---	---	---	---	---	---	---	---	---	386
Calif.	---	23	1,450	20	1,566	64	---	26	58	---	100	---	---	---	---	---	---	---	---	---	---	3,308

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.