

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
November 1964

January 4, 1965

Inspected Poultry - A total of 853,411,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during November 1964 under the Poultry Inspection Act carried on by the USDA. This was 13 percent less than the previous month but 7 percent more than November 1963.

The number of head and pounds (live weight) inspected by classes in November 1964 were: young chickens, 133,075,000 head, 468,413,000 pounds; mature chickens, 14,018,000 head, 66,038,000 pounds; fryer-roaster turkeys, 1,746,000 head, 15,412,000 pounds; young turkeys, 13,776,000 head, 298,185,000 pounds; old turkeys, 16,000 head, 288,000 pounds; and ducks 779,000 head, 5,075,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in November 1964 totaled 639,713,000 pounds ready-to-cook weight of which 373,148,000 pounds were iced and 266,565,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 339,303,000 pounds; mature chickens, 44,239,000 pounds; fryer-roaster turkeys, 11,908,000 pounds; young turkeys, 238,494,000 pounds; old turkeys, 232,000 pounds; ducks 3,552,000 pounds; and other poultry, 1,985,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in November 1964 totaled 58,732,000 pounds ready-to-cook weight, compared with 54,530,000 pounds in November 1963. The quantity used in November 1964 consisted of 9,288,000 pounds of young chickens, 24,153,000 pounds of mature chickens, 21,676,000 pounds of turkeys, and 3,615,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during November 1964 totaled 73,862,000 pounds ready-to-cook weight compared with 67,761,000 pounds in November 1963. The breakdown by classes for November 1964 consisted of 66,008,000 pounds of young chickens, 758,000 pounds of mature chickens, 6,989,000 pounds of turkeys, and 107,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,578,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.19 percent; mature chickens, 0.36 percent; fryer-roaster turkeys, 0.17 percent; and young turkeys, 0.14 percent.

Post-mortem condemnations in November 1964 amounted to 16,985,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.40 percent; mature chickens, 3.51 percent; fryer-roaster turkeys, 1.69 percent; young turkeys, 1.69 percent; old turkeys, 0.39 percent; and ducks, 1.23 percent. In November 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: Young chickens, 2.31 percent; mature chickens, 3.31 percent; fryer-roaster turkeys, 1.45 percent; young turkeys, 1.51 percent; old turkeys, 1.16 percent; and ducks, 2.10 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service
Pou 2-1 (1-65)

Crop Reporting Board
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, November 1964 with comparisons

| Class | Number inspected | | | Pounds inspected (live weight) | | | Average live weight | | |
|-----------------|------------------|-----------|-----------|--------------------------------|-----------|-----------|---------------------|-----------|-----------|
| | Oct. 1963 | Nov. 1963 | Nov. 1964 | Oct. 1963 | Nov. 1963 | Nov. 1964 | Oct. 1963 | Nov. 1963 | Nov. 1964 |
| | Thou. | Thou. | Thou. | Thou. | Thou. | Thou. | Pounds | Pounds | Pounds |
| Young chickens | 1,901 | 1,800 | 1,746 | 13,189 | 14,443 | 15,412 | 115,130 | 124,573 | 8.73 |
| Mature chickens | 17,538 | 15,329 | 14,018 | 114,521 | 120,740 | 80,960 | 72,814 | 66,038 | 3.54 |
| Total chickens | 178,064 | 141,498 | 147,093 | 1,805,729 | 1,890,183 | 649,596 | 522,310 | 534,451 | 3.56 |
| Fryer-roasters | 1,901 | 1,800 | 1,746 | 13,189 | 14,443 | 15,412 | 115,130 | 124,573 | 8.73 |
| Young turkeys | 14,603 | 12,008 | 13,776 | 57,443 | 61,948 | 306,420 | 256,267 | 298,185 | 21.34 |
| Old turkeys | 26 | 11 | 16 | 2,999 | 2,524 | 422 | 191 | 288 | 16.23 |
| Total turkeys | 15,530 | 13,819 | 15,538 | 73,631 | 78,915 | 323,524 | 272,575 | 313,885 | 17.41 |
| Ducks | 1,011 | 654 | 779 | 9,897 | 10,241 | 6,653 | 4,238 | 5,075 | 6.51 |
| Other poultry | --- | --- | --- | --- | --- | 1,245 | 2,469 | 2,757 | --- |
| Total poultry | --- | --- | --- | --- | --- | 981,118 | 801,592 | 856,168 | 6.38 |

Pounds certified (ready-to-cook weights)

| Class | October 1964 | | | November 1964 | | | January-November 1963 | | | January-November 1964 | | |
|-----------------|--------------|---------|---------|---------------|---------|---------|-----------------------|---------|---------|-----------------------|-----------|-----------|
| | Iced | Frozen | Total | Iced | Frozen | Total | Iced | Frozen | Total | Iced | Frozen | Total |
| | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds | pounds |
| Young chickens | 363,173 | 50,066 | 413,239 | 280,053 | 46,216 | 326,269 | 296,697 | 42,606 | 339,303 | 478,934 | 4,236,123 | 3,918,419 |
| Mature chickens | 37,832 | 16,284 | 54,116 | 30,538 | 18,913 | 49,451 | 32,152 | 12,087 | 44,239 | 128,246 | 371,816 | 255,498 |
| Total chickens | 401,005 | 66,350 | 467,355 | 310,591 | 65,129 | 375,720 | 328,849 | 54,693 | 383,542 | 607,180 | 4,607,939 | 4,173,917 |
| Fryer-roasters | 1,107 | 11,815 | 12,922 | 1,729 | 10,785 | 12,514 | 1,604 | 10,304 | 11,908 | 74,508 | 89,032 | 14,738 |
| Young turkeys | 23,094 | 221,916 | 245,010 | 38,221 | 166,504 | 204,725 | 42,264 | 196,230 | 238,494 | 780,207 | 886,527 | 121,437 |
| Old turkeys | --- | 341 | 341 | --- | 154 | 154 | 25 | 207 | 232 | 41,118 | 46,087 | 4,244 |
| Total turkeys | 24,201 | 234,072 | 258,273 | 39,950 | 177,443 | 217,393 | 43,893 | 206,741 | 250,634 | 825,833 | 1,021,646 | 140,419 |
| Ducks | 165 | 4,555 | 4,720 | 250 | 2,771 | 3,021 | 379 | 3,173 | 3,552 | 43,291 | 44,801 | 1,737 |
| Other poultry | 17 | 850 | 867 | 55 | 1,734 | 1,789 | 27 | 1,958 | 86 | 4,105 | 4,191 | 136 |
| Total poultry | 425,388 | 305,827 | 731,215 | 350,846 | 247,077 | 597,923 | 373,148 | 266,565 | 639,713 | 4,128,168 | 5,678,577 | 4,316,209 |
| | | | | | | | | | | 1,550,409 | 1,668,350 | 1,668,350 |
| | | | | | | | | | | 5,138 | 5,138 | 5,274 |
| | | | | | | | | | | 4,845 | 4,845 | 5,984 |
| | | | | | | | | | | 1,110,166 | 1,110,166 | 1,110,166 |

Poultry: Condemnations of poultry slaughtered under Federal Inspection, November 1964 with comparisons

| Class | Ante-mortem condemnations | | | | Post-mortem condemnations | | | |
|------------------|---------------------------|---------------|---------------|---------------|---------------------------|---------------|---------------|---------------|
| | Pounds (live weight): | | Percent 1/ | | Pounds (live weight): | | Percent 2/ | |
| | November 1963 | November 1964 | November 1963 | November 1964 | November 1963 | November 1964 | November 1963 | November 1964 |
| Young chickens | 836 | 898 | 0.19 | 0.19 | 14,426 | 9,315 | 2.31 | 2.40 |
| Mature chickens | 221 | 240 | .30 | .36 | 2,269 | 2,164 | 3.31 | 3.51 |
| Total chickens | 1,057 | 1,138 | .20 | .21 | 16,695 | 11,479 | 2.45 | 2.53 |
| Fryer-roasters | 23 | 27 | .14 | .17 | 194 | 210 | 1.45 | 1.69 |
| Young turkeys 3/ | 245 | 411 | .10 | .14 | 1,282 | 1,646 | 1.51 | 1.69 |
| Old turkeys 3/ | --- | --- | --- | --- | 63 | 2 | 1.16 | .39 |
| Total turkeys | 268 | 438 | .10 | .14 | 1,539 | 3,693 | 1.51 | 1.68 |
| Ducks 3/ | --- | --- | --- | --- | 13 | 80 | 2.10 | 1.23 |
| Other poultry | 2 | 2 | .08 | .06 | 5 | 10 | .45 | .81 |
| Total | 1,327 | 1,578 | .17 | .18 | 17,231 | 15,262 | 2.12 | 2.21 |

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

Poultry: Inspected for canning and other processed foods, November 1964 with comparisons 1/

| Class | Pounds used ready-to-cook weight | | | | Pounds condemned ready-to-cook weight | | | |
|--------------------|----------------------------------|---------------|---------------|---------------|---------------------------------------|---------------|---------------|---------------|
| | November 1963 | | November 1964 | | November 1963 | | November 1964 | |
| | October 1964 | November 1963 | October 1964 | November 1963 | October 1964 | November 1963 | October 1964 | November 1963 |
| Young chickens | 9,881 | 10,253 | 94,811 | 113,574 | 13 | 8 | 7 | 257 |
| Further processed: | 77,672 | 61,071 | 685,776 | 772,058 | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- |
| Mature chickens | 27,141 | 21,337 | 24,153 | 230,156 | 10 | 24 | 17 | 191 |
| Further processed: | 1,116 | 1,015 | 758 | 8,521 | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- |
| Turkeys | 23,626 | 19,586 | 21,676 | 171,448 | 5 | 1 | 14 | 61 |
| Further processed: | 10,395 | 5,589 | 6,989 | 43,774 | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- |
| Other poultry 2/ | 3,987 | 3,354 | 3,615 | 34,147 | 3 | 2 | 3 | 128 |
| Further processed: | 52 | 86 | 107 | 973 | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- |
| Total | 64,635 | 54,530 | 58,732 | 530,562 | 31 | 35 | 41 | 637 |
| Further processed: | 89,235 | 67,761 | 73,862 | 739,044 | --- | --- | --- | --- |
| Cut up | --- | --- | --- | --- | --- | --- | --- | --- |

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

| Region and State | Number inspected | | Pounds inspected (live weight) | | Average live weight inspected 1/ | | Total pounds certified (Ready-to-cook wt.) | | Post-mortem condemnations | | | |
|------------------|------------------|---------|--------------------------------|---------|----------------------------------|------|--|---------|---------------------------|--------|------|------|
| | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | | |
| N. Atl. | 10,440 | 11,468 | 43,283 | 45,646 | 4.14 | 3.98 | 31,341 | 32,863 | 831 | 994 | 2.14 | 2.43 |
| E. N. Cent. | 2,136 | 2,090 | 8,712 | 8,326 | 4.08 | 3.98 | 6,399 | 6,155 | 137 | 120 | 1.75 | 1.61 |
| W. N. Cent. | 3,903 | 3,107 | 14,024 | 10,954 | 3.59 | 3.53 | 10,119 | 7,807 | 200 | 220 | 1.59 | 2.24 |
| S. Atl. | 52,326 | 57,097 | 186,229 | 202,076 | 3.56 | 3.54 | 136,333 | 147,171 | 3,748 | 4,739 | 2.24 | 2.61 |
| S. Cent. | 54,876 | 56,365 | 187,780 | 190,338 | 3.42 | 3.38 | 135,264 | 137,376 | 4,218 | 3,769 | 2.50 | 2.20 |
| West | 2,488 | 2,948 | 9,488 | 11,073 | 3.81 | 3.76 | 6,813 | 7,931 | 181 | 237 | 2.12 | 2.38 |
| U. S. | 126,169 | 133,075 | 449,496 | 468,413 | 3.56 | 3.52 | 326,269 | 339,303 | 9,315 | 10,079 | 2.31 | 2.40 |
| Maine | 4,711 | 4,639 | 19,814 | 19,234 | 4.21 | 4.15 | 14,718 | 14,165 | 426 | 403 | 2.39 | 2.33 |
| Mass. 3/ | 238 | --- | 1,028 | --- | 4.32 | --- | 740 | --- | 21 | --- | 2.26 | --- |
| Conn. | 636 | 602 | 2,346 | 2,191 | 3.69 | 3.64 | 1,640 | 1,544 | 51 | 54 | 2.41 | 2.76 |
| N. J. | 23 | 24 | 113 | 113 | 4.94 | 4.79 | 38 | 38 | 2 | 2 | 1.66 | 1.95 |
| Pa. | 4,642 | 5,871 | 19,144 | 22,596 | 4.12 | 3.85 | 13,831 | 16,204 | 322 | 506 | 1.88 | 2.49 |
| Ohio | 456 | 306 | 1,939 | 1,423 | 4.25 | 4.65 | 1,437 | 1,051 | 25 | 22 | 1.44 | 1.71 |
| Ind. | 647 | 685 | 2,257 | 2,229 | 3.49 | 3.25 | 1,630 | 1,640 | 36 | 29 | 1.77 | 1.46 |
| Ill.-Mich. 4/ | 60 | 60 | 427 | 385 | 7.12 | 6.42 | 315 | 290 | 7 | 7 | 1.82 | 2.02 |
| Wis. | 973 | 1,039 | 4,089 | 4,289 | 4.20 | 4.13 | 3,017 | 3,174 | 69 | 62 | 1.89 | 1.62 |
| Minn. | 820 | 606 | 3,463 | 2,575 | 4.22 | 4.25 | 2,593 | 1,891 | 33 | 30 | 1.06 | 1.33 |
| Iowa | 114 | 102 | 733 | 761 | 6.44 | 7.44 | 547 | 576 | 5 | 5 | .74 | .74 |
| Mo. | 2,962 | 2,393 | 9,766 | 7,574 | 3.30 | 3.17 | 6,935 | 5,308 | 161 | 185 | 1.83 | 2.72 |
| Del. | 5,166 | 5,879 | 20,130 | 22,776 | 3.90 | 3.87 | 14,810 | 16,753 | 484 | 565 | 2.68 | 2.76 |
| Md. | 7,444 | 8,039 | 28,572 | 30,759 | 3.84 | 3.83 | 20,622 | 21,947 | 606 | 876 | 2.36 | 3.17 |
| Va. | 2,735 | 3,114 | 8,790 | 9,899 | 3.21 | 3.18 | 6,222 | 6,814 | 143 | 316 | 1.82 | 3.56 |
| N. C. | 13,327 | 14,486 | 46,213 | 50,607 | 3.47 | 3.49 | 34,097 | 36,746 | 790 | 875 | 1.90 | 1.93 |
| S. C. | 1,194 | 1,323 | 4,211 | 4,778 | 3.53 | 3.61 | 3,027 | 3,459 | 91 | 112 | 2.41 | 2.60 |
| Ca. | 21,460 | 23,148 | 74,992 | 79,580 | 3.49 | 3.44 | 55,185 | 58,875 | 1,593 | 1,900 | 2.36 | 2.66 |
| Ky. | 1,465 | 1,606 | 4,962 | 5,526 | 3.40 | 3.44 | 3,545 | 3,973 | 61 | 77 | 1.36 | 1.55 |
| Tenn. | 3,503 | 3,643 | 12,134 | 12,478 | 3.46 | 3.43 | 8,863 | 9,183 | 268 | 206 | 2.46 | 1.84 |
| Ala. | 12,407 | 12,897 | 43,307 | 44,047 | 3.49 | 3.42 | 31,729 | 32,335 | 896 | 750 | 2.30 | 1.89 |
| Miss. | 11,091 | 10,011 | 37,611 | 33,788 | 3.39 | 3.38 | 27,302 | 24,728 | 966 | 687 | 2.86 | 2.26 |
| Ark. | 16,550 | 17,693 | 55,857 | 58,576 | 3.38 | 3.31 | 39,527 | 41,441 | 1,414 | 1,263 | 2.82 | 2.40 |
| La.-Okla. 4/ | 2,021 | 2,905 | 7,049 | 10,002 | 3.49 | 3.44 | 5,133 | 7,193 | 154 | 232 | 2.43 | 2.58 |
| Texas | 7,839 | 7,610 | 26,840 | 25,921 | 3.42 | 3.41 | 19,165 | 18,523 | 459 | 554 | 1.91 | 2.38 |
| Idaho | 304 | 300 | 1,029 | 1,153 | 3.39 | 3.84 | 755 | 837 | 14 | 25 | 1.45 | 2.39 |
| Wash. | 609 | 609 | 2,516 | 2,255 | 3.70 | 3.71 | 1,774 | 1,610 | 47 | 34 | 2.08 | 1.68 |
| Calif. | 1,495 | 1,749 | 5,906 | 6,612 | 3.95 | 3.78 | 4,255 | 4,704 | 120 | 162 | 2.28 | 2.72 |

1/Average weight based on unrounded data.

2/Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/Data for only 1 year published in order to avoid disclosure of individual operations. 4/Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, November 1964

| Region and State | : Tuberc.: culosis: | | : Leu.: cosis: | | : Septi.: cemia: | | : Airsac.: culitis: | | : Inflam.: metory: | | : Tumors: | | : Para.: sites: | | : Prutees: | | : Cadaver.: ination: | | : Contam.: scalld: | | : Over.: position: | | : Decom.: position: | | : Other: | | : Total: | |
|------------------|---------------------|---------|----------------|-----------|------------------|--------|---------------------|--------|--------------------|---------|-----------|-------|-----------------|-----------|------------|-----|----------------------|-----|--------------------|-----|--------------------|-----|---------------------|-----|----------|-----|----------|-----|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | 90,732 | 57,754 | 51,900 | 20,095 | 1,001 | 6 | 1,579 | 8,195 | 11,319 | 837 | 74 | 9,950 | 253,442 | | | | | | | | | | | | | | |
| E. N. Cent. | --- | 1,937 | 5,072 | 12,784 | 5,563 | 310 | 8 | 778 | 1,445 | 2,052 | 324 | 1 | 930 | 31,204 | | | | | | | | | | | | | | |
| W. N. Cent. | --- | 4,351 | 17,932 | 30,791 | 9,006 | 479 | 1 | 808 | 2,679 | 3,388 | 89 | --- | 1,911 | 71,435 | | | | | | | | | | | | | | |
| S. Atl. | --- | 366,079 | 248,522 | 522,340 | 118,589 | 4,103 | 13 | 12,267 | 42,615 | 71,774 | 3,160 | 2,580 | 23,734 | 1,415,776 | | | | | | | | | | | | | | |
| S. Cent. | --- | 103,961 | 242,724 | 425,902 | 106,134 | 5,292 | 21 | 14,508 | 47,299 | 57,184 | 4,953 | 204 | 29,311 | 1,037,493 | | | | | | | | | | | | | | |
| West | --- | 12,945 | 21,236 | 17,828 | 8,704 | 199 | 1 | 723 | 3,273 | 3,560 | 358 | 23 | 7,258 | 76,108 | | | | | | | | | | | | | | |
| U. S. | --- | 580,005 | 593,240 | 1,061,545 | 268,091 | 11,384 | 50 | 30,663 | 105,506 | 149,277 | 9,721 | 2,882 | 73,094 | 2,885,458 | | | | | | | | | | | | | | |
| Maine | --- | 38,930 | 22,418 | 13,045 | 10,595 | 364 | 2 | 666 | 3,483 | 3,522 | 64 | 74 | 2,906 | 96,069 | | | | | | | | | | | | | | |
| Conn. | --- | 2,617 | 3,892 | 2,654 | 575 | 147 | 1 | 107 | 118 | 2,438 | 27 | --- | 557 | 13,133 | | | | | | | | | | | | | | |
| N. J. | --- | 324 | 54 | --- | 24 | 11 | --- | --- | --- | 6 | --- | --- | 111 | 530 | | | | | | | | | | | | | | |
| Pa. | --- | 47,620 | 28,740 | 35,942 | 8,498 | 432 | 3 | 739 | 4,335 | 5,034 | 746 | --- | 6,255 | 138,344 | | | | | | | | | | | | | | |
| Ohio | --- | 557 | 1,398 | 737 | 545 | 128 | --- | 63 | 339 | 523 | 38 | 1 | 376 | 4,705 | | | | | | | | | | | | | | |
| Ind. | --- | 422 | 1,965 | 3,302 | 1,250 | 29 | --- | 184 | 368 | 744 | 228 | --- | 366 | 8,858 | | | | | | | | | | | | | | |
| Ill.-Mich. 1/ | --- | 304 | 246 | 15 | 65 | 5 | --- | 10 | 150 | 44 | 1 | --- | 24 | 864 | | | | | | | | | | | | | | |
| Wis. | --- | 654 | 1,463 | 8,730 | 3,703 | 148 | 8 | 521 | 588 | 741 | 57 | --- | 164 | 16,777 | | | | | | | | | | | | | | |
| Minn. | --- | 353 | 726 | 1,049 | 971 | 333 | --- | 73 | 546 | 889 | 10 | --- | 1,358 | 6,308 | | | | | | | | | | | | | | |
| Iowa | --- | 196 | 297 | 17 | 25 | 17 | --- | 44 | 29 | 20 | 1 | --- | 45 | 691 | | | | | | | | | | | | | | |
| Mo. | --- | 3,785 | 16,895 | 29,716 | 8,007 | 128 | 1 | 687 | 2,103 | 2,479 | 75 | --- | 506 | 64,382 | | | | | | | | | | | | | | |
| Del. | --- | 75,528 | 19,281 | 54,991 | 9,952 | 512 | 2 | 759 | 2,920 | 4,860 | 300 | --- | 2,456 | 171,561 | | | | | | | | | | | | | | |
| Md. | --- | 113,078 | 35,597 | 75,334 | 17,880 | 921 | 2 | 1,301 | 6,278 | 7,023 | 348 | 13 | 6,000 | 263,775 | | | | | | | | | | | | | | |
| Va. | --- | 16,807 | 9,710 | 79,458 | 10,083 | 51 | --- | 453 | 4,379 | 2,191 | 88 | 1 | 215 | 123,436 | | | | | | | | | | | | | | |
| N. C. | --- | 40,430 | 58,856 | 91,622 | 31,857 | 941 | 9 | 3,085 | 13,361 | 18,584 | 944 | 113 | 4,065 | 263,867 | | | | | | | | | | | | | | |
| S. C. | --- | 7,139 | 4,420 | 11,185 | 4,146 | 28 | --- | 372 | 1,210 | 3,016 | 108 | 3 | 99 | 31,726 | | | | | | | | | | | | | | |
| Ga. | --- | 110,007 | 112,704 | 192,755 | 42,345 | 1,604 | --- | 6,049 | 14,175 | 35,460 | 1,344 | 2,450 | 10,456 | 529,349 | | | | | | | | | | | | | | |
| Ky. | --- | 1,356 | 5,529 | 8,250 | 4,393 | 49 | --- | 689 | 1,030 | 911 | 116 | 2 | 2,547 | 24,872 | | | | | | | | | | | | | | |
| Tenn. | --- | 13,475 | 16,119 | 7,782 | 8,088 | 188 | --- | 645 | 5,354 | 5,502 | 11 | 105 | 5,236 | 62,505 | | | | | | | | | | | | | | |
| Ala. | --- | 25,427 | 58,406 | 65,845 | 21,981 | 950 | --- | 1,719 | 5,594 | 12,213 | 1,221 | 6 | 1,701 | 195,063 | | | | | | | | | | | | | | |
| Miss. | --- | 20,773 | 26,844 | 87,655 | 14,467 | 1,295 | --- | 3,004 | 5,985 | 12,912 | 1,996 | 61 | 4,995 | 179,887 | | | | | | | | | | | | | | |
| Ark. | --- | 28,483 | 86,601 | 158,463 | 31,082 | 1,307 | 3 | 4,492 | 19,043 | 15,326 | 819 | --- | 5,842 | 351,401 | | | | | | | | | | | | | | |
| La.-Okla. 1/ | --- | 3,029 | 18,991 | 31,782 | 5,427 | 317 | 1 | 1,418 | 2,688 | 2,570 | 191 | --- | 383 | 66,827 | | | | | | | | | | | | | | |
| Texas | --- | 11,388 | 30,234 | 66,125 | 20,756 | 1,286 | 17 | 2,541 | 7,605 | 7,750 | 599 | 30 | 8,507 | 156,938 | | | | | | | | | | | | | | |
| Idaho | --- | 1,041 | 1,499 | 4,132 | 285 | 21 | --- | 135 | 82 | 287 | 21 | --- | 308 | 7,811 | | | | | | | | | | | | | | |
| Wash. | --- | 464 | 2,690 | 3,944 | 1,674 | 68 | 1 | 138 | 378 | 221 | 188 | 18 | 2,075 | 11,859 | | | | | | | | | | | | | | |
| Calif. | --- | 10,348 | 14,773 | 9,502 | 6,180 | 97 | --- | 422 | 2,514 | 2,949 | 142 | 5 | 4,514 | 51,446 | | | | | | | | | | | | | | |

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

| Region and State | Number inspected | | Pounds inspected (Live weight) | | Average live weight inspected | | Total pounds certified | | Post-mortem condemnations | | |
|--------------------|------------------|--------|--------------------------------|--------|-------------------------------|------|------------------------|--------|---------------------------|-------|-----|
| | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | |
| M. Atl. | 2,373 | 2,227 | 11,377 | 11,129 | 4.79 | 5.00 | 7,561 | 7,392 | 231 | 231 | |
| E. N. Cent. | 2,206 | 1,866 | 9,343 | 7,915 | 4.24 | 4.24 | 6,380 | 5,387 | 189 | 257 | |
| W. N. Cent. | 4,872 | 4,269 | 20,825 | 17,930 | 4.27 | 4.20 | 13,994 | 11,757 | 737 | 441 | |
| S. Atl. | 2,512 | 2,648 | 14,016 | 14,385 | 5.58 | 5.43 | 9,751 | 9,788 | 366 | 268 | |
| S. Cent. | 2,137 | 1,663 | 11,797 | 8,818 | 5.52 | 5.30 | 8,130 | 6,054 | 292 | 365 | |
| West | 1,229 | 1,345 | 5,476 | 5,861 | 4.46 | 4.36 | 3,635 | 3,861 | 198 | 403 | |
| U. S. | 15,329 | 14,018 | 72,814 | 66,038 | 4.75 | 4.71 | 49,451 | 44,239 | 2,164 | 2,078 | |
| Maine | 254 | 408 | 1,634 | 2,537 | 6.43 | 6.21 | 1,194 | 1,836 | 34 | 48 | |
| N. J. | 1,288 | 1,093 | 5,164 | 4,685 | 4.01 | 4.29 | 3,203 | 2,891 | 107 | 108 | |
| Pa. | 314 | 363 | 1,675 | 1,880 | 5.33 | 5.17 | 1,109 | 1,222 | 21 | 33 | |
| Ohio | 540 | 537 | 2,317 | 2,258 | 4.29 | 4.21 | 1,579 | 1,503 | 53 | 56 | |
| Ind. | 808 | 700 | 3,500 | 3,037 | 4.33 | 4.34 | 2,388 | 2,107 | 75 | 73 | |
| Ill. | 642 | 516 | 2,514 | 2,080 | 3.92 | 4.03 | 1,727 | 1,407 | 61 | 42 | |
| Mich. 3/ | 25 | --- | 105 | --- | 4.27 | --- | 65 | --- | --- | --- | |
| Wis. | 191 | 113 | 907 | 539 | 4.75 | 4.75 | 621 | 369 | 25 | 18 | |
| Minn. | 1,911 | 1,766 | 7,116 | 7,116 | 4.10 | 4.03 | 5,442 | 4,600 | 342 | 343 | |
| Iowa | 711 | 356 | 2,810 | 1,461 | 3.95 | 4.10 | 1,871 | 951 | 86 | 41 | |
| Mo. | 868 | 956 | 4,395 | 4,644 | 5.06 | 4.86 | 2,930 | 3,119 | 124 | 121 | |
| N. Dak.-S. Dak. 4/ | 263 | 58 | 1,190 | 239 | 4.52 | 4.12 | 756 | 158 | 53 | 16 | |
| Del. | 29 | 30 | 222 | 220 | 7.62 | 7.24 | 161 | 157 | 4 | 4 | |
| Pa. | 500 | 612 | 2,052 | 2,501 | 4.10 | 4.09 | 1,395 | 1,629 | 44 | 46 | |
| Va. | 278 | 116 | 1,547 | 684 | 5.57 | 5.90 | 1,113 | 476 | 30 | 15 | |
| N. C. | 813 | 769 | 4,825 | 4,783 | 5.94 | 6.22 | 3,390 | 3,320 | 102 | 129 | |
| S. C. | 59 | 33 | 421 | 226 | 7.11 | 6.91 | 300 | 158 | 8 | 6 | |
| Ga. | 698 | 927 | 4,380 | 5,269 | 6.27 | 5.69 | 3,038 | 3,595 | 128 | 162 | |
| Ky. 3/ | 59 | --- | --- | --- | --- | --- | --- | 209 | --- | 11 | --- |
| Tenn. | 708 | 238 | 3,373 | 1,298 | 4.77 | 5.46 | 2,316 | 906 | 123 | 46 | |
| Ala. | 215 | 112 | 1,369 | 727 | 6.36 | 6.47 | 953 | 520 | 34 | 22 | |
| Miss. | 327 | 730 | 1,898 | 3,276 | 5.80 | 4.49 | 1,328 | 2,237 | 55 | 103 | |
| Ark. | 421 | 165 | 2,493 | 1,203 | 5.92 | 7.30 | 1,688 | 846 | 89 | 35 | |
| La.-Okla. 4/ | 81 | 64 | 580 | 417 | 7.16 | 6.52 | 420 | 287 | 18 | 17 | |
| Texas | 339 | 295 | 1,853 | 1,596 | 5.46 | 5.42 | 1,259 | 1,049 | 63 | 58 | |
| Idaho | 23 | 19 | 132 | 81 | 5.62 | 4.27 | 93 | 56 | 3 | 3 | |
| Utah 3/ | 35 | --- | 132 | --- | 3.81 | --- | 91 | --- | --- | --- | |
| Wash. | 113 | 139 | 508 | 603 | 4.52 | 4.32 | 326 | 385 | 14 | 21 | |
| Calif. | 1,029 | 1,112 | 4,584 | 4,859 | 4.45 | 4.37 | 3,046 | 3,211 | 174 | 211 | |

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, November 1964

| Region and State | Tuber- culosis | | Leu- cosis | | Septi- cemia | | Airsac- culitis | | Inflam- matory | | Tumors | | Para- sites | | Bruises | | Cada- ver | | Contam- ination | | Decom- position | | Other | | Total | |
|--------------------|----------------|--------|------------|-------|--------------|--------|-----------------|-------|----------------|--------|--------|-----|-------------|---------|---------|-----|-----------|-----|-----------------|-----|-----------------|-----|-------|-----|-------|-----|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | 167 | 5,227 | 19,810 | 15 | 7,403 | 6,713 | 196 | 643 | 2,776 | 3,497 | 374 | 6 | 13,722 | 60,549 | | | | | | | | | | | | |
| E. N. Cent. | 6,566 | 6,683 | 16,303 | 29 | 7,472 | 6,788 | 167 | 555 | 1,674 | 1,594 | 159 | 21 | 5,755 | 54,887 | | | | | | | | | | | | |
| W. N. Cent. | 61,298 | 10,268 | 48,032 | 645 | 25,388 | 15,532 | 3,474 | 2,223 | 3,501 | 10,594 | 675 | 15 | 19,455 | 201,100 | | | | | | | | | | | | |
| S. Atl. | --- | 6,975 | 35,241 | 454 | 18,605 | 6,967 | 6 | 750 | 3,625 | 7,886 | 207 | 20 | 3,707 | 84,443 | | | | | | | | | | | | |
| S. Cent. | --- | 13,481 | 21,816 | 198 | 10,683 | 4,307 | 196 | 813 | 2,239 | 7,021 | 160 | 12 | 1,521 | 62,447 | | | | | | | | | | | | |
| West | --- | 1,056 | 26,966 | 213 | 7,564 | 15,047 | 340 | 1,166 | 693 | 3,146 | 302 | 2 | 12,488 | 68,983 | | | | | | | | | | | | |
| U. S. | 68,031 | 43,690 | 168,168 | 1,554 | 77,115 | 55,354 | 4,379 | 6,150 | 14,508 | 34,859 | 1,877 | 76 | 56,648 | 532,409 | | | | | | | | | | | | |
| Maine | --- | 665 | 3,076 | 7 | 2,701 | 853 | 6 | 29 | 137 | 627 | 9 | --- | 1,159 | 9,269 | | | | | | | | | | | | |
| N. J. | 124 | 3,194 | 9,114 | 4 | 1,640 | 4,064 | 146 | 271 | 1,733 | 1,385 | 74 | --- | 10,567 | 32,316 | | | | | | | | | | | | |
| Pa. | 43 | 593 | 4,618 | 4 | 1,480 | 466 | 23 | 167 | 436 | 489 | 183 | 3 | 268 | 8,773 | | | | | | | | | | | | |
| Ohio | 1,509 | 2,901 | 4,057 | 6 | 2,693 | 2,452 | 23 | 178 | 563 | 801 | 17 | 21 | 554 | 15,775 | | | | | | | | | | | | |
| Ind. | 646 | 2,822 | 6,155 | 3 | 1,251 | 2,965 | 9 | 208 | 627 | 1,024 | 129 | --- | 4,804 | 20,643 | | | | | | | | | | | | |
| Ill. | 3,304 | 246 | 5,384 | 4 | 1,678 | 1,078 | 135 | 102 | 413 | 465 | 12 | --- | 381 | 13,202 | | | | | | | | | | | | |
| Wis. | 1,107 | 713 | 702 | 16 | 1,850 | 293 | --- | 67 | 65 | 425 | 1 | --- | 16 | 5,255 | | | | | | | | | | | | |
| Mich. | 25,482 | 2,939 | 18,434 | 53 | 16,660 | 8,819 | 2,499 | 1,167 | 2,429 | 6,834 | 417 | 1 | 9,008 | 94,742 | | | | | | | | | | | | |
| Iowa | 3,106 | 586 | 2,635 | 21 | 1,534 | 1,086 | 173 | 162 | 129 | 576 | 115 | --- | 119 | 10,242 | | | | | | | | | | | | |
| Mo. | 3,225 | 2,765 | 15,142 | 181 | 2,755 | 1,298 | 779 | 246 | 724 | 1,002 | 103 | 1 | 1,632 | 29,853 | | | | | | | | | | | | |
| N. Dak.-S. Dak. 1/ | 2,720 | 234 | 1,277 | 77 | 156 | 221 | 18 | 36 | 46 | 96 | 2 | --- | 154 | 5,037 | | | | | | | | | | | | |
| Del. | --- | 246 | 289 | 7 | 159 | 34 | 3 | 3 | 33 | 39 | --- | --- | --- | 813 | | | | | | | | | | | | |
| Md. | --- | 1,669 | 4,960 | 82 | 2,022 | 170 | 3 | 111 | 785 | 113 | 15 | --- | 169 | 10,099 | | | | | | | | | | | | |
| Va. | --- | 277 | 938 | 30 | 1,594 | 176 | --- | 13 | 92 | 205 | 4 | --- | 1 | 3,330 | | | | | | | | | | | | |
| N. C. | --- | 2,453 | 11,196 | 131 | 6,937 | 1,649 | --- | 276 | 978 | 3,106 | 22 | --- | 1,003 | 27,751 | | | | | | | | | | | | |
| S. C. | --- | 214 | 236 | 19 | 362 | 26 | --- | 5 | 48 | 137 | --- | --- | 2 | 1,049 | | | | | | | | | | | | |
| Ga. | --- | 1,709 | 14,402 | 184 | 6,624 | 3,731 | --- | 273 | 1,612 | 3,916 | 86 | --- | 903 | 33,460 | | | | | | | | | | | | |
| Ky. | --- | 84 | 1,795 | 5 | 181 | 407 | --- | 6 | 31 | 384 | --- | --- | 2 | 2,895 | | | | | | | | | | | | |
| Tenn. | --- | 662 | 1,538 | 15 | 1,773 | 1,289 | --- | 34 | 218 | 1,950 | 85 | 2 | 1,277 | 8,843 | | | | | | | | | | | | |
| Ala. | --- | 164 | 1,825 | 45 | 731 | 274 | --- | 15 | 332 | 721 | 35 | --- | --- | 4,142 | | | | | | | | | | | | |
| Miss. | --- | 7,847 | 8,874 | 8 | 2,140 | 1,494 | --- | 560 | 1,182 | 1,906 | 27 | 9 | 184 | 24,231 | | | | | | | | | | | | |
| Ark. | --- | 241 | 2,552 | 94 | 1,222 | 178 | --- | 46 | 133 | 443 | 11 | 1 | 56 | 4,977 | | | | | | | | | | | | |
| La.-Okla. 1/ | --- | 165 | 961 | 5 | 1,014 | 187 | 169 | 69 | 126 | 495 | --- | --- | 2 | 3,193 | | | | | | | | | | | | |
| Texas | --- | 4,318 | 4,271 | 26 | 3,622 | 478 | 27 | 83 | 217 | 1,122 | 2 | --- | --- | 14,166 | | | | | | | | | | | | |
| Idaho | --- | 97 | 579 | 27 | 116 | 90 | --- | 4 | 21 | 72 | 2 | --- | 4 | 1,012 | | | | | | | | | | | | |
| Wash. | --- | 250 | 2,132 | --- | 693 | 562 | --- | 71 | 141 | 333 | 27 | --- | --- | 5,657 | | | | | | | | | | | | |
| Calif. | --- | 634 | 22,871 | 186 | 6,487 | 14,333 | 340 | 1,044 | 511 | 2,668 | 271 | 2 | 10,893 | 60,240 | | | | | | | | | | | | |

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

| Region and State | Number inspected | | Pounds inspected (Live weight) | | Average live weight inspected | | Total pounds certified (Ready-to-cook wt.) | | Post-mortem condemnations | | |
|--------------------|------------------|--------|--------------------------------|---------|-------------------------------|--------|--|---------|---------------------------|---------|------|
| | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | |
| | Thou. | Thou. | pounds | pounds | Pounds | Pounds | pounds | pounds | pounds | Percent | |
| N. Atl. | 499 | 509 | 9,899 | 10,244 | 19.84 | 20.13 | 7,699 | 8,006 | 91 | 86 | 1.02 |
| E. N. Cent. | 1,728 | 1,919 | 35,410 | 41,391 | 20.49 | 21.57 | 28,338 | 33,261 | 375 | 513 | 1.18 |
| W. N. Cent. | 3,775 | 4,747 | 83,095 | 105,391 | 22.01 | 22.20 | 66,824 | 85,191 | 1,177 | 1,570 | 1.58 |
| S. Atl. | 1,100 | 1,418 | 21,862 | 28,382 | 19.87 | 20.02 | 16,925 | 22,046 | 302 | 564 | 1.54 |
| S. Cent. | 1,741 | 1,961 | 36,795 | 43,302 | 21.13 | 22.08 | 29,236 | 33,969 | 679 | 766 | 2.05 |
| West | 3,222 | 3,222 | 69,215 | 69,475 | 21.87 | 21.56 | 55,703 | 56,021 | 877 | 1,018 | 1.38 |
| U. S. | 12,008 | 13,776 | 256,267 | 298,185 | 21.34 | 21.65 | 204,725 | 238,494 | 3,481 | 4,517 | 1.51 |
| Pa. | 363 | 371 | 7,234 | 7,416 | 19.91 | 19.98 | 5,706 | 5,874 | 63 | 59 | .97 |
| Ohio | 360 | 499 | 7,464 | 10,505 | 20.74 | 21.04 | 5,971 | 8,369 | 49 | 95 | .72 |
| Ind. | 508 | 549 | 10,978 | 11,840 | 21.62 | 21.56 | 8,788 | 9,627 | 140 | 221 | 1.42 |
| Ill.-Mich. 3/ | 274 | 256 | 5,807 | 5,756 | 21.19 | 22.48 | 4,678 | 4,639 | 31 | 31 | .92 |
| Wis. | 586 | 615 | 11,161 | 13,290 | 19.06 | 21.62 | 8,901 | 10,626 | 138 | 166 | 1.37 |
| Co Minn. | 1,722 | 2,159 | 36,708 | 47,188 | 21.31 | 21.86 | 29,787 | 38,296 | 394 | 670 | 1.19 |
| Iowa | 922 | 1,113 | 20,618 | 25,267 | 22.37 | 22.71 | 16,538 | 20,610 | 349 | 358 | 1.88 |
| Mo. | 675 | 857 | 15,282 | 19,483 | 22.64 | 22.73 | 12,077 | 15,522 | 267 | 292 | 1.94 |
| N. Dak.-S. Dak. 3/ | 90 | 156 | 1,870 | 3,459 | 20.78 | 22.17 | 1,519 | 2,811 | 25 | 66 | 1.49 |
| Nebr. | 297 | 338 | 7,091 | 7,440 | 23.86 | 22.01 | 5,719 | 5,914 | 106 | 109 | 1.67 |
| Kans. | 69 | 124 | 1,526 | 2,554 | 22.12 | 20.60 | 1,184 | 2,038 | 36 | 75 | 2.62 |
| Va. | 549 | 599 | 10,475 | 11,704 | 19.09 | 19.53 | 7,805 | 8,869 | 150 | 250 | 1.59 |
| N. C. | 278 | 441 | 6,339 | 9,427 | 22.81 | 21.38 | 5,148 | 7,495 | 76 | 225 | 2.65 |
| S. C. | 24 | 25 | 524 | 612 | 21.72 | 24.62 | 427 | 497 | 2 | 5 | .95 |
| Ca. | 84 | 85 | 1,789 | 1,843 | 21.29 | 21.56 | 1,432 | 1,497 | 25 | 37 | 2.26 |
| Ky. 4/ | 232 | --- | 4,893 | --- | 21.09 | --- | 3,996 | --- | --- | --- | --- |
| Ark. | 459 | 659 | 9,865 | 15,118 | 21.51 | 22.94 | 7,794 | 11,701 | 253 | 375 | 2.85 |
| Texas | 627 | 680 | 13,374 | 14,758 | 21.34 | 21.70 | 10,581 | 11,595 | 296 | 255 | 2.46 |
| Colo. | 327 | 294 | 7,017 | 6,751 | 21.48 | 22.99 | 5,821 | 5,569 | 36 | 83 | .57 |
| Utah | 546 | 568 | 14,194 | 14,098 | 25.98 | 24.81 | 11,477 | 11,556 | 144 | 97 | 1.13 |
| Wash. 4/ | --- | 56 | --- | 1,217 | --- | 21.91 | --- | 974 | --- | 12 | --- |
| Oreg. | 220 | 236 | 4,749 | 5,061 | 21.57 | 21.48 | 3,809 | 4,073 | 74 | 61 | 1.73 |
| Calif. | 1,978 | 2,018 | 41,373 | 41,498 | 20.91 | 20.57 | 33,074 | 33,240 | 588 | 704 | 1.89 |

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, November 1964

| Region and State | Tuber- : culosis: | Leu- : eosib : | Septi- : cemia : | Aireac- : cullitis : | Inflam- : matory : | Tumors : | Para- : sites : | Bruises : | Cadaver : | Contam- : ination : | Over- : scald : | Decom- : position : | Other : | Total |
|--------------------|-------------------|----------------|------------------|----------------------|--------------------|----------|-----------------|-----------|-----------|---------------------|-----------------|---------------------|---------|-------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | 44 | 2,137 | 885 | 332 | 100 | 119 | 244 | 20 | 1 | 18 | 3,907 | | | |
| E. N. Cent. | 97 | 7,204 | 11,966 | 4,257 | 30 | 787 | 789 | 138 | 4 | 66 | 25,521 | | | |
| W. N. Cent. | 584 | 30,448 | 24,464 | 9,040 | 1 | 1,674 | 2,140 | 339 | 47 | 3,752 | 73,345 | | | |
| S. Atl. | 650 | 9,033 | 7,807 | 10,035 | --- | 629 | 1,208 | 27 | --- | 114 | 29,676 | | | |
| S. Cent. | 576 | 11,095 | 15,660 | 5,811 | --- | 676 | 958 | 92 | 330 | 514 | 36,053 | | | |
| West | 632 | 23,924 | 16,111 | 9,069 | 6 | 699 | 788 | 293 | 95 | 206 | 52,451 | | | |
| U. S. | 2,583 | 83,841 | 76,893 | 38,544 | 37 | 4,584 | 6,127 | 909 | 477 | 4,670 | 220,953 | | | |
| Pa. | 38 | 1,645 | 735 | 213 | --- | 84 | 150 | 20 | 1 | 2 | 2,964 | | | |
| Ohio | 51 | 1,710 | 1,456 | 1,102 | 30 | 176 | 221 | 74 | 4 | 39 | 4,940 | | | |
| Ind. | 11 | 2,370 | 7,632 | 1,516 | --- | 327 | 39 | 4 | --- | --- | 11,931 | | | |
| Ill.-Mich. 1/ | 3 | 430 | 366 | 218 | --- | 20 | 21 | 21 | --- | 27 | 1,139 | | | |
| Wis. | 32 | 2,694 | 2,492 | 1,421 | --- | 264 | 508 | 39 | --- | --- | 7,511 | | | |
| Minn. | 27 | 15,751 | 8,629 | 2,987 | --- | 894 | 1,336 | 201 | --- | 1,122 | 31,379 | | | |
| Iowa | 502 | 6,366 | 5,532 | 2,108 | 1 | 205 | 307 | 31 | 39 | 2,076 | 17,307 | | | |
| Mo. | 42 | 4,904 | 5,614 | 2,431 | --- | 271 | 206 | 34 | 6 | 550 | 13,664 | | | |
| N. Dak.-S. Dak. 1/ | 2 | 1,023 | 1,573 | 352 | --- | 88 | 79 | 12 | --- | --- | 3,165 | | | |
| Nebr. | 4 | 2,061 | 1,473 | 1,062 | --- | 169 | 90 | 11 | 2 | --- | 4,975 | | | |
| Kans. | 7 | 863 | 1,643 | 100 | --- | 47 | 122 | 50 | --- | 4 | 2,855 | | | |
| Va. | 20 | 4,166 | 4,888 | 3,794 | --- | 345 | 288 | 11 | --- | 27 | 13,567 | | | |
| N. C. | 167 | 3,110 | 1,677 | 4,803 | --- | 182 | 678 | 3 | --- | 27 | 10,713 | | | |
| S. C. | 16 | 41 | 81 | 81 | --- | 6 | 5 | 4 | --- | 4 | 207 | | | |
| Ga. | 385 | 470 | 822 | 699 | --- | 29 | 187 | 1 | --- | 43 | 2,686 | | | |
| Ark. | 116 | 4,653 | 9,367 | 2,223 | --- | 128 | 384 | 31 | 330 | 19 | 17,410 | | | |
| Texas | 393 | 3,683 | 4,860 | 2,907 | --- | 286 | 413 | 22 | --- | 17 | 12,710 | | | |
| Colo. | --- | 514 | 1,078 | 1,818 | --- | 91 | 53 | 76 | --- | 33 | 3,684 | | | |
| Utah | 5 | 2,976 | 923 | 737 | 2 | 108 | 41 | 43 | --- | 48 | 4,963 | | | |
| Wash. | --- | 45 | 237 | 207 | --- | 8 | 61 | --- | --- | 3 | 595 | | | |
| Oreg. | 5 | 1,903 | 512 | 467 | --- | 78 | 27 | 37 | --- | --- | 3,074 | | | |
| Calif. | 622 | 15,751 | 12,279 | 5,794 | 4 | 402 | 519 | 137 | 95 | 122 | 36,166 | | | |

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

| Region and State | Number inspected | Pounds inspected | | Average live weight inspected 1/ | Total pounds certified | Post-mortem condemnations | |
|------------------|------------------|------------------|-----------|----------------------------------|------------------------|---------------------------|--------------|
| | | 1963 | 1964 | | | 1963 | 1964 |
| N. Atl. | 63 | Thou. 63 | 1,000 564 | 9.13 | 1,000 408 | 1,000 6 | Percent 1.29 |
| E. N. Cent. | 330 | 87 | 619 | 9.51 | 443 | 8 | Percent 1.48 |
| W. N. Cent. | 232 | 146 | 2,606 | 9.41 | 2,040 | 38 | Percent 1.36 |
| S. Atl. | 386 | 712 | 8,170 | 8.88 | 6,447 | 103 | Percent 1.40 |
| S. Cent. | 66 | 408 | 3,426 | 8.88 | 2,906 | 56 | Percent 1.82 |
| West | 35 | 93 | 555 | 8.41 | 439 | 5 | Percent 1.00 |
| U.S. | 1,800 | 1,746 | 15,412 | 8.49 | 231 | 2 | Percent 1.75 |
| Ohio | 59 | 87 | 565 | 8.95 | 428 | 13 | Percent 2.58 |
| Wis. | 232 | 146 | 2,172 | 9.35 | 1,723 | 17 | Percent 1.27 |
| Minn. | 801 | 712 | 6,122 | 8.99 | 5,697 | 81 | Percent 1.26 |
| Iowa | 89 | 56 | 727 | 8.20 | 565 | 14 | Percent 2.27 |
| Va. | 371 | 408 | 3,682 | 8.86 | 2,425 | 54 | Percent 1.86 |
| Ark. 3/ | 49 | --- | 419 | 8.48 | 330 | 5 | Percent 1.19 |
| Calif. | 31 | 93 | 269 | 8.55 | 208 | 2 | Percent 1.74 |

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, November 1964

| Region and State | Tuberc. | Leu. | Septi. | Airsac. | Inflam. | Tumors | Para. | Bruises | Cadaver | Contam. | Over | Decom. | Other | Total |
|------------------|---------|---------|--------|---------|---------|--------|--------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | | | | | | | | | | |
| N. Atl. | No. 2 | No. 422 | No. 24 | No. 29 | No. 15 | No. 31 | No. 78 | No. --- | No. --- | No. --- | No. --- | No. --- | No. --- | No. 601 |
| E. N. Cent. | 18 | 1,047 | 140 | 483 | 46 | 178 | 211 | 13 | --- | --- | --- | --- | 9 | 2,146 |
| W. N. Cent. | 79 | 7,403 | 2,391 | 768 | 145 | 461 | 999 | 260 | --- | --- | --- | --- | 89 | 12,665 |
| S. Atl. | 7 | 1,457 | 6,965 | 670 | 20 | 320 | 253 | 2 | --- | --- | --- | --- | 65 | 9,759 |
| S. Cent. | 1 | 12 | 8 | 41 | 1 | 33 | 27 | 2 | --- | --- | --- | --- | 3 | 140 |
| West | 18 | 744 | 746 | 44 | 12 | 48 | 26 | 72 | --- | --- | --- | --- | 15 | 1,727 |
| U.S. | 79 | 11,085 | 10,274 | 2,035 | 239 | 1,071 | 1,594 | 349 | --- | --- | --- | --- | 181 | 27,038 |
| Ohio | --- | 106 | 8 | 47 | 33 | 95 | 102 | 4 | --- | --- | --- | --- | 9 | 406 |
| Wis. | --- | 910 | 106 | 275 | 12 | 75 | 105 | 8 | --- | --- | --- | --- | --- | 1,508 |
| Minn. | 79 | 6,227 | 2,042 | 732 | 103 | 376 | 813 | 129 | --- | --- | --- | --- | 2 | 10,569 |
| Iowa | --- | 699 | 149 | 15 | 37 | 45 | 91 | 130 | --- | --- | --- | --- | 87 | 1,255 |
| Va. | 5 | 1,364 | 6,962 | 663 | 20 | 307 | 200 | 1 | --- | --- | --- | --- | 65 | 9,587 |
| Calif. | --- | 18 | 742 | 34 | 12 | 27 | 26 | 68 | --- | --- | --- | --- | 15 | 1,627 |

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, November 1963 and 1964

| Region and State | Number inspected | | Average live weight | | Total pounds certified | | Post-mortem condemnations | | | |
|------------------|------------------|-------|---------------------|--------|------------------------|--------------|---------------------------|--------------|---------|---------|
| | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 | 1963 | 1964 |
| | Thou. | Thou. | Pounds | Pounds | 1,000 pounds | 1,000 pounds | 1,000 pounds | 1,000 pounds | Percent | Percent |
| N. Atl. 3/ | 2 | 3 | 18.15 | 25.67 | 33 | 61 | 1 | --- | 2.20 | --- |
| E. N. Cent. 3/ | 9 | 9 | 16.56 | 16.67 | 121 | 121 | 1 | 1 | .75 | 0.74 |
| W. N. Cent. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| S. Atl. 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| S. Cent. 3/ | --- | 4 | --- | 15.25 | --- | 50 | --- | --- | --- | --- |
| West 3/ | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| U. S. | 11 | 16 | 17.36 | 18.00 | 154 | 232 | 2 | 1 | 1.16 | .39 |
| Minn. 3/ | 4 | 7 | 18.05 | 14.83 | 57 | 89 | --- | 1 | 1.24 | 1.73 |

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, November 1964

| Region and State | Tuberculosis | | Leucosis | | Septicemia | | Influenza | | Tumors | | Bruises | | Contaminated | | Overexposed | | Decomposition | | Other | | Total |
|------------------|--------------|------|----------|------|------------|------|-----------|------|--------|------|---------|------|--------------|------|-------------|------|---------------|------|-------|------|-------|
| | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | No. | 1964 | |
| N. Atl. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. Cent. | --- | 6 | --- | 4 | --- | 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 34 |
| W. N. Cent. | --- | --- | --- | 51 | --- | 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 115 |
| S. Atl. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| S. Cent. | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| West | --- | --- | --- | --- | --- | 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 29 |
| U. S. | --- | --- | --- | 49 | --- | 33 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 178 |
| Minn. | --- | --- | --- | 18 | --- | 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 86 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.