

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1966

August 5, 1966

Inspected Poultry - A total of 882,120,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during June 1966 under the Poultry Inspection Act carried on by the U.S.D.A. This was 15 percent more than the previous month and 12 percent more than June 1965.

The number of head and pounds (live weight) inspected by classes in June 1966 were: young chickens, 207,644,000 head, 718,870,000 pounds; mature chickens, 11,639,000 head, 54,295,000 pounds; fryer-roaster turkeys, 1,642,000 head, 14,374,000 pounds; young turkeys, 4,257,000 head, 72,319,000 pounds; old turkeys, 664,000 head, 13,179,000 pounds; and ducks, 1,424,000 head, 9,083,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1966 totaled 636,344,000 pounds ready-to-cook weight of which 505,326,000 pounds were chilled and 131,018,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 514,298,000 pounds; mature chickens, 35,496,000 pounds; fryer-roaster turkeys, 11,117,000 pounds; young turkeys, 57,862,000 pounds; old turkeys, 10,473,000 pounds; ducks, 6,567,000 pounds; and other poultry, 531,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1966 totaled 71,923,000 pounds ready-to-cook weight, compared with 63,495,000 pounds in June 1965. The quantity used in June 1966 consisted of 17,273,000 pounds of young chickens, 24,120,000 pounds of mature chickens, 25,731,000 pounds of turkeys, and 4,799,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June 1966 totaled 109,675,000 pounds ready-to-cook weight compared with 94,730,000 pounds in June 1965. The breakdown by classes for June 1966 consisted of 102,150,000 pounds of young chickens, 330,000 pounds of mature chickens, 7,134,000 pounds of turkeys, and 61,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,130,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.35 percent; mature chickens, 0.70 percent; fryer-roaster turkeys, 0.19 percent; young turkeys, 0.20 percent; old turkeys, 0.18 percent; and ducks, 0.01 percent.

Post-mortem condemnations in June 1966 amounted to 24,370,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.22 percent; mature chickens, 3.95 percent; fryer-roaster turkeys, 1.48 percent; young turkeys, 1.70 percent; old turkeys, 2.60 percent; and ducks, 0.99 percent.

Poultry: Slaughtered under Federal Inspection, June 1966 with comparisons

Class	Number inspected				Pounds inspected (live weight)				Average live weight					
	May 1966		June 1966		May 1966		June 1966		May 1966		June 1966		June 1966	
	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	188,974	192,552	207,644	992,288	1,076,948	655,560	669,202	718,870	3,452,435	3,742,413	3,47	3.48	3.46	3.48
Mature chickens 1/	12,343	8,577	11,639	61,401	69,987	56,187	41,874	54,295	289,771	324,620	4.55	4.88	4.66	4.64
Total chickens	201,317	201,129	219,283	1,053,689	1,146,935	711,747	711,076	773,165	3,742,206	4,067,033	3.54	3.54	3.53	3.55
Fryer-roasters	1,179	1,641	2,517	5,499	6,745	10,253	11,995	14,374	48,609	59,031	8.70	8.94	8.75	8.75
Young turkeys 2/	1,633	2,517	4,257	6,499	9,475	28,009	41,890	72,319	121,858	176,297	17.15	16.99	18.75	18.61
Old turkeys	343	752	664	1,349	1,259	6,925	14,403	13,179	26,387	25,082	20.19	19.15	19.85	19.56
Total turkeys	3,155	4,610	6,563	13,347	17,479	45,187	68,288	99,872	196,854	260,410	14.32	14.81	15.22	14.90
Ducks	1,241	1,379	1,424	4,419	4,433	8,027	8,749	9,083	28,381	28,518	6.47	6.34	6.38	6.43
Other poultry	---	---	---	---	---	286	724	811	1,931	2,017	---	---	---	---
Total poultry	---	---	---	---	---	765,247	788,837	882,931	3,969,372	4,357,978	---	---	---	---

1/ of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was May 1966, 1,476; June 1965, 1,661; and June 1966, 1,799.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: May 1966, 185; June 1965, 382; and June 1966, 557.

Pounds certified (ready-to-cook weights)

Class	May 1966		June 1966		January-June 1966		January-June 1965		January-June 1966						
	Chilled	Frozen	Chilled	Frozen	Chilled	Frozen	Chilled	Frozen	Chilled	Frozen					
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds					
Young chickens	420,336	49,395	469,731	439,152	47,638	486,790	460,901	53,397	514,298	2,239,425	257,453	2,496,878	2,390,920	286,816	2,677,736
Mature chickens	28,226	8,572	36,798	19,387	8,580	27,967	25,745	9,751	35,496	134,638	58,818	193,456	158,423	55,073	213,496
Total chickens	448,562	57,967	506,529	458,539	56,218	514,757	486,646	63,148	549,794	2,374,063	316,271	2,690,334	2,549,343	341,889	2,891,232
Fryer-roasters	1,821	6,074	7,895	2,043	7,302	9,345	2,349	8,768	11,117	9,986	27,824	37,810	8,409	37,511	45,920
Young turkeys	6,280	16,030	22,310	8,682	25,147	33,829	14,345	43,517	57,862	23,426	74,319	97,745	37,310	103,102	140,412
Old turkeys	949	4,561	5,510	3,083	8,490	11,573	8,790	10,473	5,487	15,653	21,140	3,246	3,246	16,673	19,919
Total turkeys	9,050	26,665	35,715	13,808	40,939	54,747	18,377	61,075	79,452	38,899	117,796	156,695	48,965	157,286	206,251
Ducks	382	5,405	5,787	377	5,971	6,348	298	6,269	6,567	1,414	20,457	1,335	19,193	19,193	20,588
Other poultry	---	175	175	23	440	463	5	526	531	67	1,151	28	1,229	1,229	1,257
Total poultry	457,994	90,212	548,206	472,747	103,568	576,315	505,326	131,018	636,344	2,414,443	454,194	2,868,637	2,599,671	519,597	3,119,268

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1966 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations				
	Pounds (live weight): Percent 1/		Pounds (live weight): Percent 2/		Pounds (N.Y. dressed wt.): Percent 1/		Pounds (N.Y. dressed wt.): Percent 2/		
	June	1965	1966	1965	June	1965	1966	June	1965
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	2,551	7,885	10,082	13,827	20,759	20,759	87,196	126,671	126,671
Total chickens	3,551	8,870	11,082	14,991	22,678	22,678	108,192	253,342	253,342
Fryer-roasters	13	112	104	134	191	191	566	789	789
Young turkeys	55	212	337	533	1,105	1,105	1,948	3,146	3,146
Old turkeys	16	35	55	278	308	308	599	642	642
Total turkeys	84	359	496	945	1,604	1,604	3,113	4,577	4,577
Ducks	4	8	3	86	81	81	316	263	263
Other poultry	1	1	1	4	7	7	10	18	18
Total	2,072	9,574	12,307	16,026	24,370	24,370	99,143	142,392	142,392

Poultry: Inspected for canning and other processed foods, June 1966 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight				
	May		June		May		June		
	1965	1966	1965	1966	1965	1966	1965	1966	
Young chickens	15,763	14,413	17,273	69,150	88,123	48	33	66	248
Further processed	92,688	88,760	102,150	467,537	532,801	---	---	---	---
Cut up	24,075	26,449	24,120	151,762	156,377	18	17	46	97
Mature chickens	447	615	330	6,988	4,608	---	---	---	---
Further processed	22,578	19,060	25,731	102,968	143,788	10	27	13	61
Cut up	5,240	5,249	7,134	27,652	34,302	---	---	---	---
Other poultry 2/	4,658	3,573	4,799	23,030	28,898	5	3	2	17
Further processed	56	106	61	345	457	---	---	---	---
Cut up	67,074	63,495	71,923	346,910	417,186	81	80	127	423
Total	98,431	94,730	109,675	502,522	572,168	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Pounds (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.) 2/		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
N. Atl.	14,594	15,840	58,413	61,113	3.90	3.86	1,000	1,000	1,000	1,000
E. N. Cent.	2,826	2,563	9,978	9,753	3.53	3.81	42,071	44,067	1,508	1,984
W. N. Cent.	3,793	3,927	12,688	13,641	3.35	3.47	7,370	7,185	135	125
S. Atl.	80,636	89,197	283,851	314,618	3.52	3.52	207,311	223,830	6,223	10,070
S. Cent.	86,083	91,602	288,804	303,189	3.35	3.31	209,778	217,560	5,440	7,880
West	4,220	4,515	15,468	16,536	3.67	3.66	11,142	11,895	306	313
U. S.	192,552	207,644	669,202	718,870	3.48	3.46	486,790	514,298	13,827	20,759
Maine	5,901	6,626	23,124	25,580	3.92	3.86	17,081	18,621	584	764
N. J. 3/	62	---	276	---	4.46	---	156	---	4	---
Pa.	7,931	8,291	30,689	32,058	3.87	3.87	21,878	23,042	820	1,124
Ohio	442	121	1,638	443	3.70	3.66	1,174	317	38	6
Ind. 3/	1,180	---	3,788	---	3.21	---	2,812	---	41	---
Ill.-Mich. 4/	36	28	231	176	6.42	6.29	168	129	3	3
Wis.	1,168	1,357	4,321	5,312	3.70	3.91	3,216	3,906	53	65
Mo.	3,088	3,187	10,067	10,803	3.26	3.39	7,128	7,658	194	345
Del.	8,191	8,492	31,098	32,744	3.80	3.86	22,636	23,151	794	1,251
Ma.	10,849	12,594	39,799	47,507	3.67	3.77	28,846	33,832	1,208	1,714
Va.	4,367	4,535	13,452	14,022	3.08	3.09	9,187	9,697	402	401
N. C.	21,193	23,743	74,299	83,869	3.51	3.53	54,550	58,615	1,426	2,596
S. C.	2,367	2,411	8,205	8,265	3.47	3.43	5,940	5,834	213	373
Ga.	32,432	35,944	112,976	123,537	3.48	3.44	83,273	89,421	2,108	3,651
Ky.	2,268	1,426	7,958	4,917	3.51	3.45	5,691	3,536	74	68
Tenn.	5,452	6,214	18,511	21,151	3.39	3.40	13,575	15,134	250	572
Ala.	21,058	23,953	73,412	81,900	3.49	3.42	53,835	59,244	1,287	2,026
Miss.	14,273	14,835	48,012	49,294	3.36	3.32	35,275	35,800	877	1,157
Ark.	27,495	28,834	88,269	91,330	3.21	3.17	63,285	64,461	1,803	2,638
La.-Okla. 4/	4,410	4,850	14,940	16,336	3.39	3.37	10,928	11,922	393	459
Texas	11,127	11,490	37,702	38,261	3.39	3.33	27,189	27,463	756	960
Idaho	453	491	1,608	1,756	3.55	3.58	1,171	1,259	35	38
Wash.	871	985	3,132	3,698	3.60	3.75	2,266	2,677	29	44
Calif.	2,511	2,586	9,481	9,437	3.78	3.65	6,764	6,742	220	205

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	:Tuber- culosis:		:Leu- kosis:		:Septi- cemia:		:Airsac- culitis:		:Synovitis:		:Tumors:		:Bruises:		:Caldaver- ization:		:Contam- ination:		:Over- scald:		:Other:		:Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	214,560	101,506	181,833	17,486	1,011	3,012	13,352	16,778	1,693	14,873	566,104												
E. N. Cent.	---	3,679	9,263	11,788	3,653	255	1,076	2,148	2,494	281	391	35,028												
W. N. Cent.	---	29,475	22,876	45,665	10,504	326	1,378	3,397	4,487	1,331	6,485	125,924												
S. Atl.	---	1,082,500	490,213	865,587	91,469	7,226	28,144	86,888	179,269	18,219	97,703	2,947,218												
S. Cent.	---	476,324	452,984	841,499	103,330	10,324	30,200	84,384	123,497	12,144	95,350	2,230,036												
West	---	24,368	21,346	28,922	1,746	408	1,317	2,205	4,255	695	10,628	95,890												
U. S.	---	1,830,906	1,098,188	1,975,294	228,188	19,550	65,127	192,374	330,780	34,363	225,430	6,000,200												
Maine	---	68,134	43,374	63,631	11,644	314	1,077	6,625	6,469	424	4,511	206,203												
Pa.	---	140,331	51,846	114,379	3,802	542	1,590	5,552	9,007	1,253	9,274	337,576												
Ohio	---	171	724	281	40	11	27	138	421	28	156	1,997												
Ill.-Mich. 1/	---	93	191	8	---	4	3	25	55	---	47	426												
Wis.	---	2,018	5,671	4,205	518	228	817	748	1,238	95	175	15,713												
Mo.	---	27,937	20,950	43,368	10,221	129	1,015	3,303	3,352	901	4,207	115,383												
Del.	---	228,386	29,925	95,489	5,278	527	1,382	5,418	15,166	1,095	9,098	391,764												
Mi.	---	271,183	60,135	125,543	8,982	1,070	2,386	12,791	15,093	3,798	5,767	506,748												
Va.	---	55,195	31,225	59,170	1,449	68	1,050	3,421	5,472	182	747	157,979												
N. C.	---	173,481	188,372	220,274	21,061	1,722	9,840	26,616	55,086	6,244	19,433	722,129												
S. C.	---	58,022	22,372	27,675	1,677	117	895	2,842	3,440	848	2,956	120,844												
Ga.	---	287,821	151,519	331,443	51,936	3,672	12,320	34,858	82,159	5,994	57,573	1,019,295												
Ky.	---	1,361	3,161	10,900	995	232	414	759	2,037	521	950	21,330												
Tenn.	---	31,293	29,259	48,788	10,412	287	1,862	4,559	13,135	338	11,252	151,185												
Ala.	---	65,356	98,616	267,509	29,398	2,908	5,883	14,826	32,143	2,685	15,379	534,703												
Miss.	---	63,254	36,018	121,594	9,839	1,409	7,075	12,963	23,211	1,321	14,096	290,780												
Ark.	---	246,780	177,300	265,782	26,116	2,701	7,471	31,389	30,533	5,374	30,080	823,526												
Ia.-Okla. 1/	---	27,483	53,135	24,936	4,552	810	2,328	4,803	8,229	276	4,829	131,381												
Texas	---	40,797	55,495	101,990	22,018	1,977	5,167	15,085	14,209	1,629	18,764	277,131												
Idaho	---	2,389	3,316	4,716	5	9	512	55	616	136	329	12,083												
Wash.	---	4,384	4,132	1,464	454	55	192	1,008	1,093	212	3,734	12,728												
Calif.	---	20,384	11,714	20,093	1,166	313	492	1,022	2,084	209	5,489	62,966												

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook-wt.)		Post-mortem condemnations		
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	
N. Atl.	1,173	1,510	5,928	7,268	5.05	4.81	4,007	4,741	117	183	
E. N. Cent.	1,370	1,722	5,806	7,373	4.24	4.28	3,834	4,774	122	220	
W. N. Cent.	2,063	2,291	9,349	10,278	4.53	4.49	6,119	6,561	296	415	
S. Atl.	1,520	2,062	8,521	11,006	5.61	5.34	5,769	7,298	239	325	
S. Cent.	1,364	2,357	7,476	11,169	5.48	4.74	5,048	7,556	232	462	
West	1,087	1,697	4,794	7,201	4.41	4.24	3,190	4,566	158	314	
U. S.	8,577	11,639	41,874	54,295	4.88	4.66	27,967	35,496	1,164	1,919	
Maine	317	292	1,818	1,806	5.74	6.18	1,331	1,265	39	42	
N. J.	443	950	1,892	4,018	4.27	4.23	1,163	2,481	47	113	
Pa.	245	1,37	1,364	829	5.58	6.05	911	567	20	18	
Ohio	409	496	1,736	2,061	4.24	4.16	1,141	1,308	40	63	
Ind.	437	569	1,895	2,489	4.33	4.37	1,279	1,637	41	72	
Ill. 3/	---	460	---	1,858	---	4.04	---	1,190	---	59	---
Wis.	58	154	284	784	4.86	5.10	194	526	8	19	
1 Minn.	844	1,197	3,452	4,814	4.09	4.02	2,185	3,030	136	229	
Mo.	717	590	3,872	3,423	5.40	5.80	2,654	2,346	90	96	
1 Nebr. 3/	483	---	1,911	---	3.96	---	1,199	---	70	---	
Del. 3/	22	---	171	---	7.78	---	121	---	2	---	
Md.	284	617	1,154	2,608	4.07	4.23	772	1,746	31	68	
Va.	137	102	832	623	6.10	6.09	565	429	17	14	
N. C.	428	497	2,799	3,435	6.55	6.91	1,942	2,321	75	102	
Ga.	475	614	2,828	3,278	5.95	5.34	1,933	2,146	92	107	
Ky. 3/	20	---	107	---	5.43	---	74	---	2	---	
Tenn.	207	276	1,161	1,157	5.62	4.19	806	892	32	44	
Ala.	32	73	245	560	7.67	7.69	181	401	10	26	
Miss.	597	1,148	2,889	4,841	4.84	4.22	1,911	3,249	73	190	
Ark.	104	171	819	1,240	7.90	7.24	576	853	22	44	
La.-Okla. 4/	122	166	811	1,004	6.65	6.05	554	675	31	36	
Texas	282	522	1,444	2,363	5.12	4.53	946	1,483	62	122	
Idaho	19	18	83	81	4.44	4.41	54	50	3	6	
Wash.	73	111	311	489	4.29	4.42	199	316	10	19	
Calif.	882	1,450	3,969	6,159	4.50	4.25	2,645	3,889	135	272	

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuber- : culosis		Leu- : kosis		Septil- : cemia		Airsac- : culitis		Syno- : vitis		Tumors		Bruises		Cadaver		Contam- : imation		Over- : scald		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	128	4,009	18,433	52	443	7,188	1,013	1,782	2,131	293	9,529	45,001												
E. N. Cent.	2,391	4,113	18,113	20	75	24,277	1,405	1,588	3,342	172	5,990	61,486												
W. N. Cent.	7,805	6,555	31,822	934	362	41,919	2,156	1,469	5,237	351	13,584	112,194												
S. Atl.	76	5,371	24,325	835	2,692	10,456	1,486	2,667	7,320	423	10,148	65,799												
S. Cent.	---	19,356	33,780	1,274	1,624	24,725	1,603	2,046	9,061	517	15,618	109,604												
West	---	1,435	34,883	234	528	31,963	1,918	1,470	3,102	841	11,078	87,452												
U. S.	10,400	40,839	161,356	3,349	5,724	140,528	9,581	11,022	30,193	2,597	65,947	481,536												
Maine	---	774	3,761	25	177	553	66	125	526	207	219	6,433												
N. J.	128	2,631	12,067	4	234	5,327	744	1,499	1,167	61	8,420	32,282												
Pa.	---	421	1,746	23	13	915	72	75	225	3	377	3,870												
Ohio	450	1,651	4,908	4	33	6,744	347	595	948	27	1,140	16,847												
Ind.	11	821	6,232	5	13	10,708	703	387	790	125	552	20,347												
Ill.	1,141	591	4,132	3	15	5,889	86	350	377	5	72	5,324												
Wis.	789	1,021	2,026	8	14	671	148	116	444	15	15	66,031												
Minn.	4,830	1,360	16,008	256	36	28,316	1,309	945	3,809	264	8,898	66,031												
Mo.	522	1,346	8,317	159	189	3,069	408	361	539	24	1,609	16,543												
Mi.	76	2,175	5,244	500	718	754	502	1,443	2,395	188	756	14,751												
Va.	---	530	1,720	3	179	283	31	49	142	6	2	2,945												
N. C.	---	1,220	8,349	246	948	2,668	278	493	1,598	69	2,276	18,145												
Ga.	---	923	7,050	80	738	4,851	438	581	2,226	114	4,467	21,468												
Tenn.	---	324	6,021	200	323	2,903	163	292	1,468	32	985	12,711												
Ala.	---	129	1,284	14	48	211	12	33	1,013	29	978	3,751												
Miss.	---	991	13,449	443	601	20,747	829	1,061	3,883	227	6,117	48,348												
Ark.	---	297	3,283	419	497	179	61	71	522	19	619	5,997												
La.-Okla. 1/	---	841	2,952	30	67	236	120	112	476	79	799	5,712												
Texas	---	16,774	6,681	166	87	447	417	477	1,666	131	6,119	32,965												
Idaho	---	42	393	---	---	355	42	23	89	---	---	944												
Wash.	---	292	2,418	3	18	641	62	47	185	5	1,356	5,027												
Calif.	---	856	29,678	95	510	30,768	1,270	1,256	2,556	814	8,758	76,561												

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Founds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	Percent 2/
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Percent
N. Atl.	52	46	1,008	675	19.38	14.67	832	536	7	3	0.78
E. N. Cent.	164	260	2,595	4,419	15.82	17.00	2,059	3,537	45	67	1.93
W. N. Cent.	637	1,167	9,791	17,756	15.37	15.22	7,981	14,323	81	214	1.34
S. Atl.	418	540	6,692	9,480	16.01	17.56	5,290	7,475	98	150	1.63
S. Cent.	380	899	6,143	14,959	16.17	16.64	4,964	11,864	93	267	1.99
West	866	1,345	15,661	25,030	18.08	18.61	12,703	20,127	209	404	1.48
U. S.	2,517	4,257	41,890	72,319	16.64	16.99	33,829	57,862	533	1,105	1.42
Pa.	20	40	237	558	11.71	14.09	189	449	2	2	.51
Ohio	40	57	566	860	14.11	15.05	454	661	5	5	1.00
Ind. 3/	2	---	29	---	14.64	---	24	---	---	---	---
Ill.-Mich. 3/ 4/	---	9	---	176	---	19.56	---	141	---	2	---
Wis.	116	149	1,884	2,605	16.23	17.54	1,488	2,099	39	50	2.32
Mo.	289	518	4,411	7,650	15.27	14.77	3,616	6,167	36	86	.91
Iowa	145	335	2,211	5,417	15.25	16.19	1,801	4,341	15	57	.75
Mo.	122	284	1,811	4,199	14.84	14.79	1,466	3,423	15	66	.92
Va.	159	186	2,749	3,477	17.29	18.74	2,145	2,687	43	61	1.77
N. C.	213	311	3,410	5,447	16.04	17.51	2,729	4,353	50	80	1.65
Ark. 3/	---	182	---	2,745	---	15.05	---	2,211	---	43	---
Texas	239	561	4,262	9,828	17.83	17.53	3,450	7,741	80	194	2.07
Colo.	195	201	2,902	3,095	14.89	15.41	2,459	2,609	16	23	.62
Utah	43	83	756	1,535	17.57	18.49	605	1,226	10	14	1.55
Calif.	617	1,042	11,846	20,104	19.19	19.29	9,525	16,065	181	366	1.71

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver- imation	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	6	53	32	---	1	3	7	14	---	18	134
E. N. Cent.	---	16	2,187	620	83	8	42	379	233	18	39	3,625
W. N. Cent.	---	40	6,242	1,867	381	36	299	769	1,042	207	181	11,064
S. Atl.	---	21	4,564	1,822	1,397	13	105	221	512	6	110	8,771
S. Cent.	---	161	5,263	4,274	1,092	147	270	469	985	31	2,648	15,300
West	---	18	11,353	3,978	3,790	180	220	299	729	80	207	20,854
U. S.	---	262	29,662	12,593	6,703	385	939	2,144	3,515	342	3,203	59,748
Pa.	---	6	39	10	---	---	2	5	11	---	9	82
Ohio	---	4	151	31	6	---	3	73	58	15	31	372
Ill.-Mich. 1/	---	---	36	11	1	---	2	5	16	---	2	73
Wis.	---	12	1,850	321	75	8	37	273	138	3	6	2,723
Minn.	---	2	2,429	740	43	4	116	533	736	36	72	4,711
Iowa	---	32	1,355	568	62	30	63	38	147	15	76	2,386
Mo.	---	6	2,311	333	273	---	117	171	148	136	29	3,524
Va.	---	14	1,744	688	131	3	62	58	43	---	2	2,745
N. C.	---	2	2,630	704	1,253	10	38	136	445	6	81	5,305
Ark.	---	12	1,161	567	256	3	23	143	220	16	84	2,485
Texas	---	145	3,326	3,469	757	141	242	214	685	1	2,535	11,515
Colo.	---	---	632	299	39	2	58	26	110	3	1	1,170
Utah	---	---	614	69	71	5	48	19	44	---	---	873
Calif.	---	18	10,067	3,595	3,680	173	94	247	556	74	206	18,710

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Pounds (live weight)		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
N. Atl. 3/	14	8	118	1,000	8.54	8.33	87	1,000	2	1,000
E. N. Cent.	199	220	1,827	1,992	9.18	9.05	1,442	1,549	14	21
W. N. Cent.	542	623	4,913	5,560	9.06	8.92	3,942	4,390	45	80
S. Atl.	387	512	3,367	4,427	8.70	8.65	2,510	3,328	47	60
S. Cent. 3/	10	27	91	228	9.10	8.44	69	177	---	3
West	189	252	1,679	2,099	8.88	8.33	1,295	1,622	26	27
U. S.	1,341	1,642	11,995	14,374	8.94	8.75	9,345	11,117	134	191
Ohio	48	28	426	263	8.94	9.30	328	204	3	2
Wis.	151	192	1,401	1,729	9.30	9.02	1,114	1,345	11	19
Minn.	479	575	4,379	5,266	9.14	9.16	3,516	4,160	41	80
Va.	360	477	3,122	4,118	8.64	8.64	2,322	3,088	42	58
Calif.	169	222	1,449	1,859	8.59	8.36	1,111	1,430	23	26

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaver		Contaminated		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	---	---	34	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	41
E. N. Cent.	---	4	1,270	274	53	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5
W. N. Cent.	---	4	3,627	926	97	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	138
S. Atl.	---	9	3,840	1,484	77	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	18
S. Cent.	---	---	134	14	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	52
West	---	1	2,080	209	247	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	26
U. S.	---	18	10,985	2,907	474	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	240
Ohio	---	---	183	3	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5
Wis.	---	4	1,087	271	52	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Minn.	---	4	3,614	922	97	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	133
Va.	---	5	3,703	1,438	72	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6
Calif.	---	1	2,006	205	247	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	16

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Dashes mean less than 500 head or 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966	
N. Atl.	9	7	192	139	21.33	20.67	1,000	1,000	1	1	
E. N. Cent.	149	107	2,697	2,042	18.10	19.08	2,210	1,640	37	42	
W. N. Cent.	221	282	4,273	5,663	19.33	20.08	3,392	4,473	92	120	
S. Atl.	50	53	952	1,050	19.04	19.81	758	834	21	26	
S. Cent.	70	45	1,296	891	18.51	19.80	1,035	714	20	12	
West	253	170	4,993	3,394	19.74	19.96	4,023	2,701	107	107	
U. S.	752	664	14,403	13,179	19.15	19.85	11,573	10,473	278	308	
Ohio	64	53	1,121	945	17.55	17.84	903	763	15	16	
Wis. 3/	50	---	865	---	17.45	---	715	---	13	---	
Minn.	90	139	1,737	2,763	19.35	19.83	1,406	2,186	36	55	
Iowa 3/	---	26	---	535	---	20.22	---	419	---	13	---
Va. 3/	2	---	30	---	18.06	---	22	---	---	---	
Texas 3/	44	---	846	---	19.16	---	667	---	14	---	
Calif.	162	65	3,161	1,265	19.54	19.52	2,543	1,008	74	43	

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuberculosis		Leptospirosis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaver ination		Contaminated		Over-scald		Other		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
N. Atl.	---	---	1	100	---	---	21	100	39	100	---	---	1	100	5	100	---	---	---	---	---	---	---	---
E. N. Cent.	---	---	45	100	870	100	500	100	4	100	8	100	21	100	66	100	124	100	3	100	19	100	---	---
W. N. Cent.	---	---	---	---	2,136	100	1,540	72	219	10	13	100	123	100	122	100	376	100	4	100	47	100	---	---
S. Atl.	---	---	---	---	653	100	243	37	14	100	18	100	6	100	36	100	71	100	4	100	57	100	---	---
S. Cent.	---	---	---	---	185	100	38	21	5	100	5	100	7	100	9	100	29	100	---	---	210	100	---	---
West	---	---	---	---	3,355	100	1,026	31	16	100	63	100	139	100	64	100	197	100	10	100	---	---	---	---
U. S.	---	---	136	100	7,220	100	3,386	47	258	100	107	100	297	100	302	100	797	100	21	100	333	100	---	---
Ohio	---	---	---	---	376	100	167	44	3	100	1	100	8	100	23	100	76	100	---	---	15	100	---	---
Minn.	---	---	---	---	1,239	100	600	48	30	100	10	100	75	100	81	100	254	100	---	---	22	100	---	---
Iowa	---	---	---	---	63	100	528	84	1	100	---	---	15	100	---	---	10	100	3	100	5	100	---	---
Calif.	---	---	---	---	1,650	100	41	2	10	100	48	100	23	100	41	100	109	100	7	100	---	---	---	---

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.