

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
July 1966

September 2, 1966

Inspected Poultry - A total of 846,954,000 pounds live weight (chickens, turkeys and ducks combined) were inspected for slaughter during July 1966 under the Poultry Inspection Act carried on by the U. S. D. A. This was 4 percent less than the previous month but 4 percent more than July 1965.

The number of head and pounds (live weight) inspected by classes in July 1966 were young chickens, 191,233,000 head, 646,030,000 pounds; mature chickens, 10,447,000 head, 49,667,000 pounds; fryer-roaster turkeys, 1,502,000 head, 13,055,000 pounds; young turkeys, 7,294,000 head, 124,656,000 pounds; old turkeys, 328,000 head, 6,062,000 pounds; and ducks, 1,219,000 head, 7,484,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in July 1966 totaled 618,123,000 pounds ready-to-cook weight, of which 462,890,000 pounds were chilled and 155,233,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 465,228,000 pounds; mature chickens, 32,547,000 pounds; fryer-roaster turkeys, 9,962,000 pounds; young turkeys, 99,765,000 pounds; old turkeys, 4,790,000 pounds; ducks, 5,338,000 pounds; and other poultry, 493,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in July 1966 totaled 63,827,000 pounds ready-to-cook weight, compared with 63,944,000 pounds in July 1965. The quantity used in July 1966 consisted of 14,629,000 pounds of young chickens, 19,047,000 pounds of mature chickens, 26,357,000 pounds of turkeys, and 3,794,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during July 1966 totaled 96,245,000 pounds ready-to-cook weight compared with 91,128,000 pounds in July 1965. The breakdown by classes for July 1966 consisted of 87,076,000 pounds of young chickens, 401,000 pounds of mature chickens, 8,723,000 pounds of turkeys, and 45,000 pounds of other poultry.

Ante-mortem condemnations amounted to 5,149,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.68 percent; mature chickens, 0.92 percent; fryer-roaster turkeys, 0.22 percent; young turkeys, 0.23 percent; old turkeys, 0.12 percent; and ducks, 0.01 percent.

Post-mortem condemnations in July 1966 amounted to 22,051,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.09 percent; mature chickens, 4.05 percent; fryer-roaster turkeys, 1.92 percent; young turkeys, 1.76 percent; old turkeys, 2.07 percent; and ducks, 1.22 percent.

Poultry: Slaughtered under Federal Inspection, July 1966 with comparisons

Class	Number inspected						Pounds inspected (live weight)						Average live weight																							
	July 1966		July 1965		June 1966		July 1966		July 1965		June 1966		July 1966		July 1965		June 1966		July 1966		July 1965		June 1966		July 1966		July 1965									
	Thou.	Thou.	Thou.	Thou.	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000				
Young chickens	207,644	190,056	191,233	1,182,344	1,268,181	718,870	643,492	646,030	4,095,927	4,388,443	3,46	3,39	3,46	3,38	3,46	3,46	3,46	3,39	3,46	3,38	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46	3,46		
Mature chickens 1/	11,639	8,624	10,447	70,025	80,434	54,295	41,987	49,669	331,758	374,287	4.66	4.87	4.75	4.75	4.75	4.75	4.75	4.87	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75			
Total chickens	219,283	198,680	201,680	1,252,369	1,348,615	773,165	685,479	695,697	4,427,685	4,762,730	3.53	3.45	3.54	3.45	3.54	3.54	3.54	3.45	3.54	3.45	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54	3.54		
Fryer-roasters	1,642	1,336	1,502	6,835	8,247	14,374	11,765	13,055	60,394	72,086	8.75	8.82	8.84	8.82	8.84	8.84	8.84	8.82	8.84	8.82	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	8.84	
Young turkeys 2/	4,257	6,113	7,294	12,612	16,769	72,319	101,723	124,656	223,591	300,953	16.99	16.64	17.09	16.64	17.09	17.09	17.09	16.64	17.09	16.64	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	17.09	
Old turkeys	664	329	328	1,678	1,587	13,179	6,229	6,062	32,616	31,144	19.85	18.93	19.44	18.93	19.44	19.44	19.44	18.93	19.44	18.93	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	19.44	
Total turkeys	6,563	7,778	9,124	21,125	26,603	99,872	119,737	143,773	316,591	404,183	15.22	15.39	15.76	15.39	15.76	15.76	15.76	15.39	15.76	15.39	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	15.76	
Ducks	1,424	1,292	1,219	5,711	5,652	9,083	8,182	7,484	36,563	36,002	6.38	6.33	6.14	6.33	6.14	6.14	6.14	6.33	6.14	6.33	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	6.14	
Other poultry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
Total poultry	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was June 1966, 1,799; July 1965, 1,780; and July 1966, 1,972.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: June 1966, 557; July 1965, 284; and July 1966, 318.

Pounds certified (ready-to-cook weights)

Class	June 1966						July 1966						January-July 1966						January-July 1965																										
	Total		Chilled		Frozen		Total		Chilled		Frozen		Total		Chilled		Frozen		Total		Chilled		Frozen		Total		Chilled		Frozen		Total														
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000											
Young chickens	460,901	53,397	514,298	420,159	47,093	467,252	418,263	46,965	465,228	2,659,584	304,546	2,964,130	2,809,183	333,781	3,142,964	25,745	9,751	35,496	18,896	9,127	28,023	22,380	10,167	32,547	153,534	67,945	221,479	180,803	65,240	246,043	486,646	63,148	549,794	439,055	56,220	495,275	440,643	57,132	497,775	2,813,118	372,491	3,185,609	2,989,986	399,021	3,389,007
Fryer-roasters	2,349	8,768	11,117	1,864	7,241	9,105	1,992	7,970	9,962	11,850	35,065	46,915	10,401	45,481	55,882	14,345	43,517	57,862	17,000	64,584	81,584	19,355	80,410	99,765	40,426	138,903	179,329	56,665	183,512	240,177	1,683	8,790	10,473	1,000	3,966	4,966	6,487	19,619	26,106	4,055	20,654	24,709	320,768		
Old turkeys	18,377	61,075	79,452	19,864	75,791	95,655	22,156	92,361	114,517	58,763	193,587	252,350	71,121	249,647	320,768	298	6,269	6,567	155	5,711	5,866	81	5,257	5,338	1,569	24,754	26,323	1,416	24,450	25,866	5	526	531	17	353	370	493	84	1,437	38	1,712	1,750			
Total poultry	505,326	131,018	636,344	459,091	138,075	597,166	462,890	155,233	618,123	2,873,534	592,269	3,465,803	3,062,561	674,830	3,737,391	298	6,269	6,567	155	5,711	5,866	81	5,257	5,338	1,569	24,754	26,323	1,416	24,450	25,866	5	526	531	17	353	370	493	84	1,437	38	1,712	1,750			

Poultry: Condemnations of poultry slaughtered under Federal Inspection, July 1966 with comparisons

Class	Ante-mortem condemnations			Post-mortem condemnations		
	Pounds (live weight) : July	Percent : July	Pounds (live weight) : July	Pounds (live weight) : July	Percent : July	Pounds (N.Y. dressed wt.) : July
Young chickens	1,000	0.26	1,000	1,000	2.24	1,000
Mature chickens	4,388	0.68	14,450	17,857	3.09	100,127
Total chickens	5,388	.92	2,183	1,793	3.39	9,783
Fryer-roasters	4,826	.69	16,633	19,650	2.31	109,910
Young turkeys	15	.13	133	225	1.63	739
Old turkeys	284	.23	621	1,973	1.21	3,055
Total turkeys	300	.18	752	2,198	1.82	701
Ducks	2	.02	10	8	1.28	4,495
Other poultry	2	.27	3	6	1.14	400
Total	2,142	.26	17,456	22,051	1.17	16
					2.15	114,821
						164,443

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, July 1966 with comparisons 1/

Class	Pounds used ready-to-cook weight			Pounds condemned ready-to-cook weight		
	June : 1966	July : 1966	January-July : 1966	June : 1966	July : 1966	January-July : 1966
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	17,273	10,847	79,997	66	25	163
Cut up	102,150	85,048	552,585	---	---	---
Mature chickens	24,120	28,332	180,094	46	16	112
Further processed	330	630	7,618	---	---	---
Turkeys	25,731	21,700	124,668	13	8	59
Further processed	7,134	5,397	33,049	---	---	---
Other poultry 2/	4,799	3,065	26,095	2	2	12
Further processed	61	53	398	---	---	---
Total	71,923	63,944	410,854	127	51	346
Further processed	109,675	91,128	593,650	---	---	---
Cut up			668,413			

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, July 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966		
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent		
N. Atl.	14,948	14,701	56,649	54,797	3.79	3.73	41,004	39,540	1,312	1,548	2.58	3.15
E. N. Cent.	2,561	2,345	8,887	8,362	3.47	3.57	6,557	6,139	125	102	1.57	1.36
W. N. Cent.	3,749	3,647	12,048	11,998	3.21	3.29	8,663	8,504	216	405	2.00	3.77
S.-Atl.	80,034	81,556	276,382	281,180	3.45	3.45	200,885	202,212	5,992	8,378	2.41	3.33
S. Cent.	84,741	84,809	275,114	274,857	3.25	3.24	199,895	198,287	5,027	7,029	2.04	2.86
West	4,023	4,175	14,412	14,836	3.58	3.55	10,248	10,546	259	395	2.00	2.97
U. S.	190,056	191,233	643,492	646,030	3.39	3.38	467,252	465,228	12,931	17,857	2.24	3.09
Maine	5,996	6,306	23,064	23,240	3.85	3.69	17,034	17,173	455	585	2.20	2.80
Pa.	7,836	7,531	29,184	28,342	3.72	3.76	21,015	20,173	766	877	2.92	3.46
Ohio	287	111	1,093	418	3.81	3.78	790	301	20	7	2.08	2.00
Ind.	1,139	955	3,615	3,288	3.17	3.44	2,663	2,410	38	34	1.17	1.17
Ill.-Mich. 3/	30	21	199	120	6.63	5.71	147	89	3	1	1.68	.93
Wis.	1,105	1,258	3,980	4,536	3.60	3.60	2,957	3,339	64	60	1.79	1.47
Minn.	560	588	2,041	2,166	3.64	3.68	1,532	1,625	14	32	.78	1.66
Iowa 4/	29	---	147	---	5.01	---	107	---	2	---	1.44	---
Mo.	3,160	3,024	9,860	9,655	3.12	3.19	7,024	6,757	200	347	2.26	4.02
Del.	8,444	7,760	31,147	28,569	3.69	3.68	22,774	20,582	720	965	2.57	3.77
Md.	11,263	12,286	41,230	44,454	3.66	3.62	29,625	31,728	1,082	1,455	2.92	3.67
Va.	4,306	3,789	12,756	11,210	2.96	2.96	8,757	7,877	369	268	3.22	2.67
N. C.	20,559	21,382	70,982	74,713	3.45	3.49	51,666	53,783	1,415	2,379	2.22	3.56
S. C.	2,304	2,120	7,847	7,174	3.41	3.38	5,660	5,077	198	284	2.81	4.44
Ca.	31,953	32,812	108,664	110,839	3.40	3.38	79,714	80,091	2,115	2,945	2.17	2.97
Ky.	2,118	1,392	7,216	4,649	3.41	3.34	5,127	3,314	73	61	1.13	1.48
Tenn.	5,646	5,477	18,916	18,269	3.35	3.34	13,798	13,083	275	527	1.62	3.23
Ala.	21,351	21,769	72,007	72,490	3.37	3.33	52,857	52,562	1,193	1,707	1.85	2.64
Miss.	14,107	13,653	46,094	44,160	3.27	3.23	34,003	32,536	845	991	2.04	2.51
Ark.	26,608	26,786	82,370	83,664	3.10	3.12	58,920	59,462	1,626	2,312	2.20	3.09
La.-Okla. 3/	4,311	4,616	14,113	15,094	3.27	3.27	10,322	11,002	314	459	2.48	3.40
Texas	10,600	11,116	34,398	36,531	3.25	3.29	24,868	26,328	701	972	2.27	2.97
Idaho 4/	368	---	1,251	---	3.40	---	914	---	18	---	1.67	---
Wash.	780	904	2,759	3,344	3.53	3.70	1,994	2,387	32	53	1.28	1.76
Calif.	2,459	2,417	9,009	8,518	3.66	3.52	6,309	5,964	184	285	2.29	3.73

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, July 1966

Region and State	: Tuberc- : Leu- : Septil- : Aircac- :		: culosis : kosis : cemia : cullitis :		: Synovitis :		: Tumors :		: Bruises :		: Cadaver :		: Contam- : Over- :		: Total :	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	191,074	81,297	117,284	14,471	965	2,612	13,777	14,915	1,125	13,581	451,101				
E. N. Cent.	---	3,654	8,467	7,714	1,292	251	1,059	2,204	2,636	913	451	28,641				
W. N. Cent.	---	25,807	22,707	66,073	3,606	269	1,563	1,996	4,170	292	3,837	130,410				
S. Atl.	---	821,349	435,156	709,100	72,598	6,977	25,353	71,811	168,151	13,364	87,899	2,411,758				
S. Cent.	---	397,638	421,692	758,115	76,452	9,146	31,701	77,235	128,575	16,041	85,764	2,002,359				
West	---	30,440	17,435	59,039	2,439	354	1,310	2,989	4,648	419	11,493	130,566				
U. S.	---	1,469,962	986,754	1,717,325	170,948	17,962	63,598	170,012	323,095	32,154	203,025	5,154,835				
Maine	---	77,756	30,287	18,972	9,893	250	913	5,330	5,620	363	4,624	154,008				
Pa.	---	107,418	45,805	93,898	2,740	593	1,482	7,411	7,696	647	8,020	275,710				
Ohio	---	127	923	446	29	13	32	154	397	120	80	2,321				
Ind.	---	1,505	2,539	2,011	673	24	321	1,316	1,033	319	158	9,899				
Ill.-Mich. 1/	---	57	103	18	---	14	2	22	44	---	24	284				
Wis.	---	1,965	4,902	5,239	590	200	704	712	1,162	474	189	16,137				
Minn.	---	756	2,042	992	204	98	313	52	895	37	1,497	6,886				
Mo.	---	24,912	20,425	64,612	3,489	166	1,241	1,895	3,026	240	2,320	122,326				
Del.	---	160,759	26,023	92,348	2,970	501	1,215	5,426	10,697	688	8,426	309,053				
vt	---	215,513	64,794	125,667	6,418	927	2,014	12,131	15,866	3,372	6,022	452,724				
Va.	---	33,907	22,811	41,053	679	64	664	2,927	4,281	43	600	107,029				
N. C.	---	134,133	165,734	194,107	22,223	1,855	8,979	21,059	51,348	4,822	20,721	624,981				
S. C.	---	41,596	15,125	22,034	778	115	735	2,025	2,795	249	3,645	89,097				
Ca.	---	229,488	132,958	227,571	39,213	3,455	11,541	26,171	80,690	4,179	45,395	800,661				
Ky.	---	1,717	4,012	9,325	212	193	484	1,144	1,758	208	97	19,150				
Tenn.	---	25,635	21,424	50,094	9,133	250	1,700	9,260	12,171	429	11,690	141,786				
Ala.	---	56,206	97,042	212,691	22,200	2,328	6,197	12,213	31,210	3,095	13,784	456,966				
Miss.	---	55,512	34,470	101,402	6,223	1,202	7,794	11,033	23,520	3,382	11,748	256,286				
Ark.	---	201,670	164,108	230,267	14,059	2,565	7,771	27,744	34,454	6,402	25,564	714,604				
La.-Okla. 1/	---	25,978	46,736	38,425	3,125	621	2,470	3,661	7,985	346	6,496	135,843				
Texas	---	30,920	53,900	115,911	21,500	1,987	5,285	12,180	17,477	2,179	16,385	277,724				
Wash.	---	382	4,321	3,014	447	79	179	1,403	859	179	6,683	17,546				
Calif.	---	25,052	8,474	51,703	1,930	226	498	1,402	2,781	73	3,416	95,555				

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by Regions and selected States, July 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected		Total pounds certified (Ready-to-cook-wt.)		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl.	1,030	1,092	5,124	5,414	4.97	4.96	3,410	3,601	135	2.70
E. N. Cent.	1,320	1,596	5,556	6,821	4.21	4.27	3,675	4,442	221	2.81
W. N. Cent.	2,120	2,445	9,435	10,811	4.45	4.42	6,224	6,988	466	3.82
S. Atl.	1,579	1,878	8,778	10,143	5.56	5.40	5,914	6,769	287	3.38
S. Cent.	1,488	2,193	8,389	11,153	5.64	5.09	5,698	7,425	409	3.54
West	1,087	1,243	4,705	5,325	4.33	4.28	3,102	3,322	158	3.75
U. S.	8,624	10,447	41,987	49,667	4.87	4.75	28,023	32,547	1,275	3.39
Maine	248	291	1,512	1,804	6.09	6.20	1,083	1,288	35	2.52
N. J.	457	640	1,919	2,728	4.20	4.26	1,181	1,703	59	3.44
Pa.	199	79	1,046	479	5.25	6.03	698	328	19	2.00
Ohio	493	520	2,058	2,094	4.17	4.03	1,358	1,349	47	2.56
Ind.	362	507	1,646	2,211	4.31	4.36	1,089	1,441	66	3.26
Ill.	354	438	1,418	1,764	4.01	4.03	943	1,149	32	2.58
Wis.	58	123	296	722	5.09	5.87	202	485	10	3.77
Minn.	914	1,193	3,662	4,733	4.01	3.97	2,355	2,960	160	4.86
Mo.	722	629	3,869	3,601	5.36	5.72	2,631	2,450	85	2.46
Del.	23	---	174	---	7.50	---	123	---	5	2.99
MD.	371	481	1,518	2,030	4.09	4.22	1,015	1,362	36	2.67
Va.	139	79	889	516	6.40	6.50	603	356	19	2.31
N. C.	366	362	2,441	2,564	6.67	7.09	1,682	1,728	77	3.52
S. C.	6	---	47	---	8.07	---	34	---	1	2.47
Ga.	538	721	3,156	3,958	5.86	5.49	2,124	2,641	112	3.99
Ky.	14	---	78	---	5.62	---	53	---	2	2.77
Tenn.	196	202	1,125	1,104	5.73	5.47	757	749	41	4.09
Ala.	140	54	1,056	400	7.55	7.41	766	284	29	3.08
Miss.	644	951	2,890	4,227	4.49	4.44	1,871	2,816	91	3.52
Ark.	147	214	1,116	1,522	7.59	7.10	780	1,044	31	3.07
La.-Okla.	117	299	859	1,577	7.34	5.27	618	1,063	24	3.12
Texas	230	473	1,265	2,322	5.51	4.91	853	1,468	47	4.17
Idaho	47	---	184	---	3.94	---	127	---	4	2.57
Wash.	108	139	514	603	4.76	4.34	324	384	17	3.79
Calif.	844	1,008	3,661	4,346	4.34	4.31	2,412	2,693	127	3.85

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Mature chickens: number condemned post-mortem by cause, by regions and selected States, July 1966

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaver		Contamination		Overseal		Other		Total		
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	41	3,077	14,873	41	667	5,046	574	1,244	1,698	61	4,651	31,973													
E. N. Cent.	2,539	3,665	16,125	43	124	27,383	1,366	1,521	2,520	64	6,199	61,509													
W. N. Cent.	13,506	8,513	32,001	891	215	44,214	2,397	1,396	8,156	591	15,552	127,432													
S. Atl.	132	4,064	20,219	579	2,107	11,655	1,245	2,717	7,175	302	8,080	58,275													
S. Cent.	3	11,162	31,097	638	1,467	20,650	1,582	1,775	7,704	312	14,715	91,105													
West	---	1,598	32,645	104	156	30,511	1,304	825	3,022	157	5,721	76,043													
U. S.	16,221	32,079	146,960	2,296	4,736	139,459	8,468	9,478	30,275	1,487	54,878	446,337													
Maine	---	924	4,269	24	299	600	35	163	365	4	151	6,834													
N. J.	41	1,748	8,825	2	327	3,724	507	961	1,069	57	4,187	21,518													
Pa.	---	261	1,324	14	10	464	24	76	166	---	243	2,582													
Ohio	263	1,324	5,781	19	17	7,998	556	412	1,191	29	1,267	18,857													
Ind.	200	1,132	5,057	2	46	10,200	606	366	715	28	981	19,333													
Ill.	1,684	471	4,032	10	36	8,925	100	417	372	4	3,788	19,839													
Wis.	392	733	1,129	12	17	246	93	324	215	3	39	3,203													
Minn.	6,659	1,850	15,383	199	77	31,461	1,485	948	3,446	383	9,815	71,706													
Mo.	749	3,274	9,619	190	82	2,603	445	373	575	50	1,539	19,499													
Md.	132	1,285	4,339	309	455	499	380	1,330	1,691	80	1,783	11,283													
Va.	---	245	1,432	12	93	401	34	33	122	33	---	2,405													
N. C.	---	717	5,591	137	725	1,646	149	345	1,143	24	708	11,185													
Ge.	---	1,149	7,003	112	741	6,855	521	674	3,665	107	5,208	26,035													
Tenn.	---	283	4,155	48	452	2,056	102	261	1,602	85	1,274	10,318													
Ala.	---	94	857	12	34	135	14	54	651	9	139	1,999													
Miss.	---	853	12,007	338	352	16,710	811	692	2,980	95	4,164	39,002													
Ark.	---	405	2,978	171	231	1,669	81	133	1,054	31	740	5,993													
La.-Okla.	2	1,019	6,062	51	180	1,185	171	113	606	8	1,202	10,599													
Texas	1	8,505	5,029	18	218	394	403	522	811	84	7,196	23,181													
Wash.	---	323	2,733	1	39	699	115	61	283	8	1,376	5,638													
Calif.	---	859	28,503	91	117	29,231	1,052	650	2,412	146	3,837	66,898													

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, July 1965 and 1966

Region and State	Number inspected		Pounds inspected (Live weight)		Average live weight inspected 1/		Total Pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	pounds	pounds
									Percent	Percent
N. Atl.	94	75	1,926	1,271	20.49	16.95	997	19	8	1.10
E. N. Cent.	539	563	8,578	9,606	15.91	17.06	7,737	69	108	.89
W. N. Cent.	2,277	2,636	36,916	43,286	16.21	16.42	35,074	356	577	1.07
S. Atl.	644	847	10,603	13,780	16.46	16.27	10,785	136	234	1.43
S. Cent.	978	1,444	15,523	24,196	15.87	16.76	19,265	163	504	1.17
West	1,581	1,729	28,177	32,517	17.82	18.81	25,907	364	542	1.44
U. S.	6,113	7,294	101,723	124,656	16.64	17.09	99,765	1,107	1,973	1.21
Pa.	51	59	884	930	17.43	15.88	745	4	5	.60
Ohio	120	143	2,018	2,587	16.82	18.06	2,078	10	24	.55
Ind.	162	178	2,440	2,801	15.08	15.73	2,283	18	22	.82
Ill.-Mich. 3/	36	63	707	1,305	19.64	20.71	1,049	4	20	.64
Wis.	221	179	3,413	2,913	15.46	16.29	2,327	37	42	1.22
Minn.	1,123	1,133	18,437	19,139	16.42	16.89	15,582	181	217	1.09
Iowa	596	684	9,530	10,859	15.99	15.87	7,685	80	93	.94
Mo.	384	543	6,222	8,932	16.20	16.45	8,755	73	213	1.31
N. Dak.-S. Dak. 3/4/	---	52	---	788	---	15.25	645	---	5	---
Nebr.	132	131	2,130	2,251	16.12	17.24	1,826	17	28	.89
Va.	256	320	4,117	5,333	16.07	16.69	4,118	65	68	1.42
N. C.	279	472	5,016	7,712	17.95	16.35	6,076	58	159	1.29
Ark.	392	582	5,912	9,079	15.06	15.60	7,311	73	188	1.36
Texas	290	549	4,659	9,720	16.07	17.70	7,672	59	205	1.42
Colo.	191	207	3,690	4,264	19.32	20.58	3,571	36	32	.83
Utah	204	200	3,455	3,194	16.90	16.00	2,554	38	25	1.23
Calif.	1,086	1,220	19,398	23,264	17.86	19.06	18,370	274	464	1.57

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, July 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	56	162	56	5	2	9	37	31	---	35	393
E. N. Cent.	---	37	2,300	1,839	159	27	39	382	489	231	80	5,523
W. N. Cent.	---	168	16,609	10,152	1,194	61	401	1,493	2,039	229	393	32,739
S. Atl.	---	52	6,353	4,836	2,359	24	116	268	797	32	142	14,979
S. Cent.	---	97	11,205	9,612	2,810	107	316	1,265	1,768	219	2,072	29,471
West	---	36	13,948	8,834	2,613	89	325	329	1,190	145	731	28,240
U. S.	---	446	50,577	35,329	9,140	310	1,206	3,774	6,254	856	3,453	111,345
Pa.	---	51	109	13	3	---	8	11	23	---	4	222
Ohio	---	17	400	307	5	2	7	68	211	166	41	1,224
Ind.	---	2	362	530	79	1	2	88	29	31	2	1,126
Ill.-Mich. 1/	---	---	343	228	14	2	3	59	51	30	35	765
Wis.	---	18	1,195	774	61	22	27	167	136	4	2	2,408
Minn.	---	58	6,077	3,524	384	22	177	873	1,097	50	231	12,493
Iowa	---	79	2,477	1,259	147	6	94	155	611	53	78	4,959
Mo.	---	31	6,459	4,477	569	8	75	206	173	109	43	12,150
N. Dak.-S. Dak. 1/	---	---	180	49	11	---	20	7	46	3	20	336
Nebr.	---	---	879	235	66	23	30	47	61	5	---	1,346
Va.	---	39	2,479	783	141	19	50	73	138	9	---	3,731
N. C.	---	9	3,676	3,978	2,180	5	52	191	599	21	134	10,845
Ark.	---	39	4,575	3,859	1,674	4	145	741	1,114	60	285	12,496
Texas	---	42	3,542	4,451	766	92	152	221	440	16	1,266	10,988
Colo.	---	---	563	442	40	2	54	26	76	12	---	1,215
Utah	---	7	1,099	86	93	5	36	39	68	17	---	1,450
Calif.	---	27	11,302	8,139	2,478	77	166	230	1,014	115	731	24,279

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, July 1965 and 1966

Region and State	Number inspected	Pounds inspected		Average live weight inspected	Total pounds certified		Post-mortem condemnations	
		1965	1966		1965	1966	1965	1966
N. Atl. 2/	19	184	77	9.44	1,36	55	---	1.19
E. N. Cent.	266	2,471	1,586	9.29	1,902	1,244	25	1.12
W. N. Cent.	378	3,339	5,020	8.83	2,671	3,967	31	1.03
S. Atl.	464	4,021	4,581	8.67	3,033	3,344	74	2.05
S. Cent.	11	97	72	8.82	75	53	1	1.15
West	198	1,673	1,719	8.45	1,288	1,299	40	2.66
U. S.	1,336	11,785	13,055	8.82	9,105	9,962	173	1.63
Ohio	38	360	311	9.40	274	241	5	1.64
Wis.	215	2,004	1,275	9.31	1,540	1,003	20	1.08
Minn.	337	2,987	4,817	8.87	2,396	3,808	29	1.09
Iowa 3/	20	178	203	8.65	138	159	2	---
Va.	412	3,580	4,426	8.68	2,684	3,229	71	2.22
Calif.	193	1,636	1,650	8.49	1,260	1,246	36	2.74

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, July 1966

Region and State	Tuberculosis		Leucositis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaverous		Contamination		Over-inflation		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	29	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	42
E. N. Cent.	---	---	18	1,959	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	54
W. N. Cent.	---	---	230	3,648	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	254
S. Atl.	---	---	7	3,886	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11
S. Cent.	---	---	1	18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West	---	---	3	2,000	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	79
U. S.	---	---	259	11,540	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	400
Ohio	---	---	10	73	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	54
Wis.	---	---	8	1,886	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Minn.	---	---	230	3,529	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Iowa	---	---	---	119	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Va.	---	---	3	3,646	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Calif.	---	---	3	1,626	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	79

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Dashes mean less than 500 pounds.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, July 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
N. Atl. 3/	5	15	101	263	20.20	17.95	83	213	1	0.26
E. N. Cent.	80	59	1,534	1,109	19.18	18.80	1,239	885	14	1.38
W. N. Cent.	69	86	1,264	1,401	18.32	16.29	1,007	1,113	17	2.02
S. Atl.	31	57	574	1,096	18.52	19.23	440	848	10	2.71
S. Cent. 3/	11	194	---	---	17.64	---	153	---	---	1.15
West	133	111	2,562	2,193	19.26	19.76	2,044	1,731	44	1.91
U. S.	329	328	6,229	6,062	18.93	18.48	4,966	4,790	74	1.82
Ohio	44	43	805	800	18.28	18.43	657	640	13	1.15
Minn.	65	45	1,188	766	18.29	17.01	947	608	19	2.17
Calif.	66	16	1,294	319	19.66	19.49	1,039	253	9	1.68

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, July 1966

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Synovitis		Tumors		Bruises		Cadaver ination		Contaminated		Over-scald		Other		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	4	23	---	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	29	
E. N. Cent.	---	---	13	475	181	8	5	11	29	102	20	114	20	114	20	114	20	114	20	114	20	958	
W. N. Cent.	1	---	6	595	573	31	8	13	29	84	4	33	29	84	4	33	29	84	4	33	29	1,357	
S. Atl.	---	---	8	417	133	9	15	3	25	40	---	52	25	40	---	52	25	40	---	52	25	702	
S. Cent.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
West	---	---	45	1,625	103	14	11	115	45	94	2	---	45	94	2	---	45	94	2	---	45	94	
U. S.	1	---	76	3,135	972	62	39	142	128	320	26	199	128	320	26	199	128	320	26	199	128	5,100	
Ohio	---	---	8	293	99	8	4	7	28	89	16	111	28	89	16	111	28	89	16	111	28	663	
Minn.	1	---	2	331	377	24	3	12	13	75	2	33	13	75	2	33	13	75	2	33	13	873	
Calif.	---	---	8	292	20	5	5	13	3	55	---	---	3	55	---	---	3	55	---	---	---	401	

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Dashes mean less than 500 head or 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.