

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
SEPTEMBER 1967

November 3, 1967

Inspected Poultry - A total of 1,092,745,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during September 1967 under the Poultry Inspection Act carried on by the U.S.D.A. This was 7 percent less than the previous month and 1 percent more than September 1966.

The number of head and pounds (live weight) inspected by classes in September 1967 were young chickens, 195,879,000 head, 701,975,000 pounds; mature chickens, 13,594,000 head, 66,202,000 pounds; fryer-roaster turkeys, 1,330,000 head, 11,805,000 pounds; young turkeys, 15,444,000 head, 305,384,000 pounds; old turkeys, 50,000 head, 835,000 pounds; and ducks, 1,041,000 head, 6,544,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in September 1967 totaled 805,639,000 pounds ready-to-cook weight of which 521,610,000 pounds were chilled and 284,029,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 503,673,000 pounds; mature chickens, 43,719,000 pounds; fryer-roaster turkeys, 9,091,000 pounds; young turkeys, 243,542,000 pounds; old turkeys, 670,000 pounds; ducks, 4,734,000 pounds; and other poultry, 210,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in September 1967 totaled 74,049,000 pounds ready-to-cook weight, compared with 71,984,000 pounds in September 1966. The quantity used in September 1967 consisted of 16,555,000 pounds of young chickens, 24,888,000 pounds of mature chickens, 26,816,000 pounds of turkeys, and 5,790,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during September 1967 totaled 121,751,000 pounds ready-to-cook weight compared with 117,737,000 pounds in September 1966. The breakdown by classes for September 1967 consisted of 107,500,000 pounds of young chickens, 861,000 pounds of mature chickens, 13,197,000 pounds of turkeys, and 193,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,712,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.24 percent; mature chickens, 0.54 percent; fryer-roaster turkeys, 0.18 percent; young turkeys, 0.21 percent; old turkeys, 0.09 percent; and ducks, 0.01 percent.

Post-mortem condemnations in September 1967 amounted to 28,896,000 pounds (NYD) weight for all types of poultry. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.17 percent; mature chickens, 4.68 percent; fryer-roaster turkeys, 1.76 percent; young turkeys, 2.14 percent; old turkeys, 2.53 percent; and ducks, 1.46 percent.

Poultry: Slaughtered under Federal Inspection, September 1967 with comparisons

Class	Number inspected		Pounds inspected (live weight)		Average live weight	
	Thou.	Thou.	Thou.	Thou.	Pounds	Pounds
Young chickens	1,185	1,356	11,188	10,279	11,815	11,805
Mature chickens	15,681	14,619	144,440	296,223	288,891	305,384
Total chickens	16,866	16,017	155,628	306,502	299,706	316,189
Fryer-roasters	1,185	1,356	11,188	10,279	11,815	11,805
Young turkeys	15,681	14,619	144,440	296,223	288,891	305,384
Old turkeys	114	42	1,723	2,032	669	835
Total turkeys	16,866	16,017	155,628	306,502	299,706	316,189
Ducks	1,297	1,129	8,073	7,974	7,147	6,544
Other poultry	---	---	---	399	378	4,042
Total poultry	---	---	---	1,175,984	1,083,123	7,348,775

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was August 1967, 2,528; September 1966, 2,221; and September 1967, 3,026.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: August 1967, 76; September 1966, 11; and September 1967, 14.

Pounds certified (ready-to-cook weights)

Class	August 1967		September 1967		January-September 1967		August 1966		September 1966		January-September 1966			
	Chilled	Frozen	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total	Chilled	Frozen	Total
Young chickens	520,803	52,694	573,497	455,082	60,297	515,379	449,230	54,443	503,673	3,748,076	450,692	4,198,768	4,014,537	457,208
Mature chickens	30,252	9,743	38,995	29,698	9,299	38,997	33,860	9,859	43,719	235,915	84,295	36,652	17,822	15,933
Total chickens	551,055	62,437	613,492	484,780	69,596	554,376	483,090	64,302	547,392	3,983,991	534,987	4,518,978	4,301,501	549,031
Fryer-roasters	2,433	5,442	7,875	1,518	7,526	9,044	1,688	7,403	9,091	14,111	61,318	75,429	17,560	51,408
Young turkeys	32,050	204,478	236,528	41,521	188,823	230,344	36,660	208,882	243,542	128,959	526,159	655,118	134,739	690,427
Old turkeys	88	1,533	1,621	5	534	539	44	626	670	4,063	22,438	26,501	3,177	25,863
Total turkeys	34,571	211,453	246,024	43,044	196,883	239,927	38,392	214,911	253,303	147,133	609,915	757,048	157,476	767,698
Ducks	90	5,622	5,712	118	4,969	5,087	79	4,655	4,734	1,695	35,001	36,696	1,078	35,156
Other poultry	22	200	222	13	220	233	49	161	210	52	2,512	2,564	106	1,558
Total poultry	585,738	279,712	865,450	527,955	271,668	799,623	521,610	284,029	805,639	4,132,871	1,182,415	5,315,286	4,458,161	1,353,443

Poultry: Condemnations of poultry slaughtered under Federal Inspection, September 1967 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Percent 2/		Pounds (N.Y. dressed wt.)		Percent 2/	
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967
Young chickens	1,865	1,703	0.26	0.24	18,725	21,350	3.33	3.17	186,610	227,327	3.17	3.17
Mature chickens	274	358	.46	.54	3,634	2,429	4.56	4.68	17,149	22,833	4.56	4.68
Total chickens	2,139	2,061	.28	.27	22,359	23,779	3.42	3.30	203,759	250,160	3.42	3.30
Fryer-roasters	24	21	.20	.18	213	232	2.19	1.76	1,453	1,447	2.19	1.76
Young turkeys	432	627	.15	.21	2,195	5,740	2.21	2.14	15,003	18,470	2.21	2.14
Old turkeys	2	1	.33	.09	85	11	1.83	2.53	794	1,018	1.83	2.53
Total turkeys	458	649	.15	.20	2,493	5,983	2.21	2.13	17,250	20,935	2.21	2.13
Ducks	1	1	.01	.01	6	92	1.43	1.46	531	588	1.43	1.46
Other poultry	1	1	.12	.29	6	7	2.06	.88	48	23	2.06	.88
Total	2,599	2,712	.24	.25	24,864	29,861	3.07	2.94	221,588	271,706	3.07	2.94

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentage based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Poultry: Inspected for canning and other processed foods, September 1967 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight				
	August		September		August		September		
	1967	1966	1967	1966	1967	1966	1967	1966	
Young chickens	19,946	14,395	16,555	133,643	158,986	109	23	47	351
Further processed	105,914	100,316	107,500	819,882	898,459	---	---	---	---
Cut up	28,331	22,974	24,888	222,450	256,823	40	15	20	138
Mature chickens	604	428	861	5,709	5,823	---	---	---	---
Further processed	28,764	30,394	26,816	233,503	231,311	12	5	16	101
Cut up	13,516	16,934	13,197	72,587	79,488	---	---	---	---
Other poultry 2/	5,871	4,221	5,790	41,520	60,471	13	7	11	42
Further processed	161	59	193	639	858	---	---	---	---
Cut up	82,912	71,984	74,049	631,116	707,591	174	50	94	632
Total	120,195	117,737	121,751	898,817	984,628	---	---	---	---
Further processed	120,195	117,737	121,751	898,817	984,628	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	
N. Atl.	14,064	12,814	55,518	51,281	3.95	4.00	40,110	36,637	1,562	1,680	
E. N. Cent.	2,446	2,287	9,502	8,845	3.88	3.87	6,971	6,508	114	136	
W. N. Cent.	4,028	3,972	15,000	14,607	3.72	3.68	10,700	10,503	424	283	
S. Atl.	84,722	81,002	303,731	293,990	3.59	3.63	220,528	210,277	9,621	9,371	
S. Cent.	91,270	91,565	316,097	317,675	3.46	3.47	226,288	228,796	9,284	8,023	
West	4,146	4,239	15,000	15,577	3.62	3.67	10,782	10,952	345	469	
U. S.	200,676	195,879	714,848	701,975	3.56	3.58	515,379	503,673	21,350	19,962	
Maine	5,797	5,296	23,161	20,973	4.00	3.96	17,001	15,259	543	599	
Pa.	7,504	6,758	29,258	27,240	3.90	4.03	21,025	19,196	945	1,001	
Ohio	97	12	423	57	4.35	4.84	309	42	7	1	
Ind.	998	959	3,780	3,522	3.79	3.67	2,786	2,599	40	50	
Wis.	1,311	1,311	5,165	5,238	3.88	4.00	3,777	3,847	64	85	
Minn.	601	647	2,642	2,585	4.40	3.99	1,978	1,928	38	27	
Mo.	3,341	3,255	11,557	11,355	3.46	3.49	8,126	8,088	370	229	
Del.	7,746	7,485	29,628	29,469	3.83	3.94	26,385	20,979	1,011	1,121	
Md.	12,485	11,543	45,909	43,841	3.68	3.80	33,105	31,305	1,549	1,512	
Va.	3,617	4,330	11,627	14,472	3.21	3.34	8,121	9,972	325	360	
N.C.	22,796	21,575	82,653	79,210	3.63	3.67	57,036	57,145	2,558	2,045	
S.C.	2,414	2,034	8,562	7,081	3.55	3.48	6,003	5,123	457	211	
Ga.	34,070	32,109	120,337	113,370	3.53	3.53	86,245	81,005	3,615	4,013	
Tenn.	5,260	5,267	19,036	18,192	3.62	3.45	13,656	13,135	531	473	
Ala.	23,404	22,622	83,395	81,080	3.56	3.58	60,118	58,443	1,929	2,135	
Miss.	14,608	13,970	49,927	48,440	3.42	3.47	36,234	35,523	1,444	982	
Ark.	29,309	29,236	98,103	98,182	3.35	3.36	69,359	70,140	3,251	2,482	
La. 3/	---	4,440	---	15,671	---	3.53	---	11,209	---	---	465
Texas	12,514	13,618	43,790	47,607	3.50	3.50	31,369	34,256	1,284	1,314	
Wash.	795	808	2,937	3,113	3.69	3.86	2,119	2,177	30	55	
Calif.	2,503	2,546	9,062	9,353	3.62	3.67	6,474	6,557	226	327	

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- : culosis	Leu- : kosis	Septi- : cemia	Air- : culitis	Synovitis	Tumors	Emuises	Cadaver	Contam- : ination	Over- : scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	229,493	90,968	60,919	9,066	1,693	2,052	11,213	14,005	989	14,931	435,329
E. N. Cent.	---	8,525	11,927	4,515	4,003	265	1,217	1,282	2,985	504	347	35,570
W. N. Cent.	---	26,085	20,774	12,933	4,272	368	1,363	2,196	3,960	504	3,131	75,586
S. Atl.	---	1,235,665	385,581	547,970	46,318	6,837	29,261	61,686	174,011	14,712	66,905	2,568,946
S. Cent.	---	619,739	434,116	593,869	91,513	9,874	30,324	77,983	122,513	14,918	79,707	2,074,556
West.	---	74,259	28,994	16,415	1,784	317	996	2,806	5,668	817	12,317	144,373
U. S.	---	2,193,766	972,360	1,236,621	156,956	19,354	65,213	157,166	323,142	32,444	177,338	5,334,360
Maine	---	85,098	39,339	5,167	1,824	372	942	4,969	5,399	67	7,355	150,532
Pa.	---	137,366	45,855	54,838	6,797	1,118	938	5,767	7,371	838	6,714	267,602
Ohio	---	38	20	19	8	12	1	5	39	---	17	159
Ind.	---	4,184	3,604	1,106	3,636	81	565	459	1,095	155	171	15,056
Wis.	---	4,280	8,272	3,381	356	171	650	814	1,842	349	158	20,273
Minn.	---	1,531	1,493	174	75	117	217	265	802	6	1,049	5,729
Mo.	---	23,347	17,925	12,710	3,665	170	1,115	1,877	3,103	497	2,081	66,490
Del.	---	214,671	31,176	64,045	2,648	573	1,263	6,262	12,347	670	5,696	339,351
Mi.	---	257,362	57,791	75,267	3,563	924	2,375	7,811	14,285	3,334	3,860	426,572
Va.	---	57,537	24,927	26,119	1,003	101	816	2,105	2,382	432	1,217	116,639
N. C.	---	178,334	110,263	127,708	11,933	1,794	9,348	18,306	48,174	3,280	22,764	531,904
S. C.	---	33,125	7,941	13,186	216	177	1,278	1,897	5,161	936	863	64,780
Ga.	---	482,212	146,137	231,877	26,301	3,192	13,843	24,391	90,320	5,692	31,100	1,055,065
Tenn.	---	21,253	21,671	38,337	6,162	315	1,563	3,994	12,305	676	6,285	112,561
Ala.	---	181,169	98,095	147,563	16,216	2,621	6,734	16,555	40,393	3,556	22,488	535,390
Miss.	---	44,423	23,401	107,827	6,203	1,208	4,330	9,050	12,057	1,431	13,893	223,823
Ark.	---	239,946	169,745	155,205	23,682	2,734	7,880	22,352	28,505	6,337	17,764	674,150
Ia.	---	45,171	36,547	17,574	2,882	456	2,067	4,223	7,466	713	3,905	121,004
Texas	---	69,378	74,179	118,822	35,639	2,271	6,379	19,734	16,898	1,991	14,368	359,659
Wash.	---	1,534	3,215	2,518	909	62	178	308	813	99	3,881	13,517
Calif.	---	57,577	18,950	12,910	817	152	401	1,664	3,649	641	5,863	102,624

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967	
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	Pounds	Percent	
N. Atl.	1,633	8,298	8,192	5,03	5.02	5,519	5,438	265	321	3.56	4.37
E. N. Cent.	1,353	6,947	5,784	4.29	4.27	4,550	3,756	285	288	4.58	5.56
W. N. Cent.	3,747	16,529	18,962	4.41	4.51	10,608	12,344	788	897	5.32	5.29
S. Atl.	2,194	11,687	16,118	5.33	5.23	7,796	10,688	375	527	3.58	3.65
S. Cent.	2,149	11,150	12,248	5.19	5.63	7,521	8,384	465	484	4.66	4.42
West	1,158	4,790	4,898	4.14	4.27	3,003	3,109	251	255	5.85	5.81
U. S.	12,518	59,401	66,202	4.75	4.87	38,997	43,719	2,429	2,772	4.56	4.68
Maine	520	3,139	2,293	6.04	6.14	2,233	1,624	81	69	2.88	3.35
N. J.	846	3,580	3,677	4.23	4.23	2,213	2,293	146	201	4.56	6.09
Pa.	172	997	725	5.81	6.26	667	488	31	23	3.43	3.56
Ohio	394	1,631	1,070	4.14	4.30	1,060	692	62	44	4.20	4.51
Ind.	629	2,743	2,546	4.36	4.20	1,662	1,662	92	121	3.74	5.30
Ill.	469	1,864	1,764	3.98	4.00	1,201	1,125	106	113	6.30	7.20
Ill. Minn.	1,863	7,517	7,203	4.03	3.97	4,719	4,552	407	401	6.04	6.23
Iowa	145	629	1,041	4.33	4.25	406	660	31	43	5.33	4.53
Mo.	800	4,658	6,019	5.82	6.34	3,150	4,116	132	176	3.17	2.80
Del.	49	366	489	7.54	7.34	256	342	5	12	1.59	2.69
Mi.	668	2,784	2,147	4.17	4.19	1,861	1,409	92	102	3.69	5.31
Va.	124	835	1,305	6.76	7.08	585	923	20	30	2.73	2.58
N. C.	352	2,474	2,977	7.02	7.10	1,682	2,035	70	78	3.15	2.90
Ga.	763	4,233	5,502	5.55	5.30	2,809	3,683	149	150	3.91	3.03
Fla.	221	893	1,447	4.04	3.89	530	877	35	47	4.48	3.63
Ala.	120	906	1,058	7.53	7.60	667	759	41	44	5.05	4.63
Miss.	1,056	4,989	5,783	4.72	4.96	3,349	3,911	187	231	4.19	4.47
Ark.	173	229	1,706	7.43	7.46	896	1,221	53	62	4.59	4.04
La. 3/	---	---	573	---	6.82	---	393	---	---	---	4.05
Texas	458	2,048	1,846	4.47	5.15	1,312	1,215	105	88	5.74	5.32
Wash.	123	540	446	4.40	4.29	344	283	20	17	4.20	4.08
Calif.	931	3,772	3,943	4.05	4.35	2,344	2,504	216	220	6.38	6.21

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber-	Leu-	Septil-	Airsac-	Synovitis	Tumors	Bruises	Cadaver	Contam-	Over-	Other	Total
	No.	No.	No.	culitis	No.	No.	No.	No.	ination	scald	No.	No.
N. Atl.	81	3,004	32,876	1,098	759	22,348	797	2,703	5,216	489	5,530	74,901
E. N. Cent.	3,830	3,602	22,823	81	19	25,722	1,444	898	3,666	474	10,164	72,723
W. N. Cent.	34,386	9,637	59,670	1,868	326	78,720	3,782	1,717	12,829	693	29,386	233,014
S. Atl.	204	7,529	42,779	1,680	1,896	23,774	2,345	3,174	16,364	301	11,812	111,858
S. Cent.	---	8,923	31,473	313	1,350	19,127	1,917	2,273	10,526	478	14,362	90,742
West.	---	1,447	27,475	233	180	27,683	1,523	504	4,180	1,172	9,298	73,695
U. S.	38,501	34,142	217,096	5,273	4,530	197,374	11,808	11,269	52,781	3,607	80,552	656,933
Maine	---	901	6,416	1	480	1,676	154	307	817	31	167	10,950
N. J.	55	1,480	21,807	1,091	100	17,332	543	2,096	3,742	377	4,170	52,793
Pa.	---	211	2,179	2	7	1,057	34	66	372	2	524	4,454
Ohio	666	1,364	1,783	16	2	3,443	212	222	745	3	2,161	10,617
Ind.	1,370	1,066	11,665	1	11	11,841	1,121	507	2,099	422	2,256	32,359
Ill.	1,640	862	8,743	57	4	10,071	72	120	549	17	5,725	27,860
Miss.	12,890	2,760	26,892	201	83	41,439	1,415	672	4,855	380	26,379	117,966
Iowa	1,439	465	4,275	54	16	4,398	136	397	1,274	25	101	12,580
Mo.	1,362	2,339	14,442	309	120	5,905	877	433	1,766	41	814	28,408
Del.	---	370	1,002	14	6	150	8	65	55	---	105	1,775
Md.	204	1,337	11,479	33	183	7,367	435	1,056	1,794	10	212	24,110
Va.	---	437	3,575	30	160	517	125	139	372	1	6	5,362
N. C.	---	881	4,335	210	455	1,369	344	185	1,609	121	1,053	10,562
Ga.	---	1,283	11,819	334	608	6,355	556	856	4,665	100	6,131	32,707
Fla.	---	804	3,367	8	13	2,469	118	198	1,555	20	3,552	12,104
Ala.	---	392	2,557	61	96	347	71	115	1,934	---	202	5,775
Miss.	---	1,107	13,001	31	737	17,616	1,276	1,540	5,530	178	8,667	49,683
Ark.	---	543	4,728	155	138	262	87	77	579	154	455	7,178
La.	---	114	1,659	1	126	110	60	58	496	15	479	3,118
Texas	---	6,481	6,021	47	165	484	180	352	1,296	5	4,047	19,078
Wash.	---	381	1,440	4	64	349	72	26	323	6	1,495	4,160
Calif.	---	678	23,140	224	116	25,957	1,282	360	3,557	1,071	6,501	62,886

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, September 1966 and 1967

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations			
	1966	1967	1966	1967	1966	1967	1966	1967	1966	1967		
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent	Percent	
M. Atl.	271	343	5,339	6,272	19.70	18.29	4,198	5,015	67	56	1.40	0.99
E. N. Cent.	1,717	2,043	34,408	41,130	20.04	20.13	27,645	33,006	580	687	1.87	1.86
W. N. Cent.	5,553	5,598	109,590	110,794	19.74	19.79	88,022	88,880	2,130	2,010	2.16	2.02
S. Atl.	1,356	1,425	26,950	24,544	18.10	18.91	19,223	21,464	560	559	2.54	2.31
S. West	2,559	2,602	48,979	49,893	19.14	19.17	38,519	39,365	1,235	1,115	2.81	2.49
West	3,163	3,433	66,031	70,345	20.88	20.49	52,737	55,812	1,168	1,440	1.97	2.28
U. S.	14,619	15,444	288,891	305,384	19.76	19.77	230,344	243,542	5,740	5,867	2.21	2.14
Pa.	209	294	3,929	5,159	18.83	17.54	3,109	4,148	42	44	1.19	.95
Ohio	320	628	7,010	12,677	21.90	20.19	5,618	10,273	113	201	1.79	1.76
Ind.	545	600	10,392	12,249	19.08	20.42	8,332	9,745	180	221	1.93	2.01
Wis.	645	626	12,768	12,185	19.81	19.46	10,277	9,791	222	214	1.93	1.95
Minn.	2,366	2,525	45,690	48,608	19.31	19.25	36,718	39,154	743	698	1.81	1.60
Iowa	1,157	1,218	23,575	25,307	20.37	20.77	19,015	20,305	414	510	1.95	2.24
Mo.	1,288	1,191	25,279	23,052	19.63	19.36	20,066	18,348	711	496	1.13	2.30
Nebr.	307	329	7,087	7,381	23.06	22.46	5,825	5,892	129	168	2.04	2.54
Kans.	197	142	3,185	2,660	16.17	18.73	2,545	2,134	83	78	2.90	3.28
Va.	452	373	8,393	7,622	18.56	20.41	6,421	5,877	228	190	3.03	2.79
N. C.	741	744	12,986	13,263	17.53	17.82	10,330	10,753	268	257	2.30	2.16
Ga.	50	27	990	474	19.84	17.73	792	372	17	17	1.94	4.04
Ark.	1,054	1,164	20,189	22,141	19.15	19.03	16,006	17,485	607	399	3.35	2.01
Texas	832	914	15,442	17,527	18.56	19.17	12,070	13,854	370	452	2.67	2.87
Colo.	333	401	6,604	8,032	19.86	20.02	5,489	6,532	61	192	1.02	2.67
Utah	653	748	14,525	16,857	22.23	22.53	11,608	13,444	200	178	1.54	1.18
Calif.	1,855	1,968	38,400	38,776	20.70	19.70	30,480	30,472	809	961	2.34	2.76

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, September 1967

Region and State	Tuber- cullosis	Leu- kosis	Septi- cemia	Airrac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	46	1,395	521	219	9	71	116	238	2	33	2,651
E. N. Cent.	---	508	13,895	12,806	1,578	41	446	1,244	1,802	429	436	33,185
W. N. Cent.	---	205	54,446	29,986	2,601	166	1,448	2,130	5,859	506	1,184	98,531
S. Atl.	---	122	11,275	12,220	1,423	53	451	590	1,655	343	724	28,856
S. Cent.	---	321	26,562	19,843	4,411	108	575	884	2,537	192	4,112	59,545
West.	---	144	27,141	31,886	10,861	112	810	1,439	1,820	627	1,174	76,014
U. S.	1	1,346	134,714	107,262	21,093	489	3,801	6,403	13,911	2,099	7,663	298,782
Pa.	1	44	906	497	197	9	69	65	207	1	26	2,022
Ohio	---	168	3,937	3,044	513	13	79	540	850	79	283	9,506
Ind.	---	226	4,574	4,169	337	6	35	355	554	55	52	10,363
Wis.	---	109	4,214	5,232	597	18	285	285	354	260	42	11,396
Minn.	---	70	19,630	11,609	694	80	357	947	2,761	219	258	36,625
Iowa	---	36	14,410	7,020	923	18	350	439	1,043	84	666	24,989
Mo.	---	81	13,325	4,591	569	28	449	486	1,011	118	66	20,724
Nebr.	---	13	3,689	2,785	279	36	224	209	419	27	46	7,727
Kans.	---	2	1,573	2,878	64	1	23	29	185	4	105	4,864
Va.	---	9	4,504	4,482	388	---	194	82	116	72	8	9,855
N. C.	---	49	4,368	6,245	822	42	184	248	1,137	154	446	13,695
Ga.	---	27	572	51	74	---	12	1	148	97	91	1,073
Ark.	---	108	13,393	5,123	2,732	13	268	145	961	85	71	22,899
Texas	---	153	7,354	10,228	845	88	241	508	685	18	3,598	23,718
Colo.	---	3	1,641	8,452	52	10	171	141	277	42	15	10,804
Utah	---	10	5,828	1,514	640	8	247	386	371	236	175	9,415
Calif.	---	118	16,465	20,061	9,906	21	294	763	1,026	237	948	49,839

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.