

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
JANUARY 1968

March 1, 1968

Inspected Poultry - A total of 822,428,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during January 1968 under the Poultry Inspection Act carried on by the U. S. D. A. This was 8 percent less than the previous month but 2 percent more than January 1967.

The number of head and pounds (live weight) inspected by classes in January 1968 were young chickens, 189,879,000 head, 681,276,000 pounds; mature chickens, 16,671,000 head, 73,051,000 pounds, fryer-roaster turkeys, 1,293,000 head, 11,661,000 pounds; young turkeys, 2,264,000 head, 52,685,000 pounds; old turkeys, 72,000 head, 1,346,000 pounds; and ducks, 397,000 head, 2,409,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in January 1968 totaled 585,065,000 pounds ready-to-cook weight of which 475,914,000 pounds were chilled and 109,151,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 483,909,000 pounds; mature chickens, 47,376,000 pounds; fryer-roaster turkeys, 8,991,000 pounds; young turkeys, 41,844,000 pounds; old turkeys, 1,080,000 pounds; ducks, 1,738,000 pounds; and other poultry, 127,000 pounds.

Processed Poultry - Poultry inspected and used for further processed food in January 1968 totaled 98,087,000 pounds ready-to-cook weight, compared with 76,877,000 pounds in January 1967. The quantity used in January 1968 consisted of 30,549,000 pounds of young chickens, 33,192,000 pounds of mature chickens, 27,327,000 pounds of turkeys, and 7,019,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during January 1968 totaled 143,386,000 pounds ready-to-cook weight compared with 113,291,000 pounds in January 1967. The breakdown by classes for January 1968 consisted of 132,252,000 pounds of young chickens, 1,771,000 pounds of mature chickens, 9,264,000 pounds of turkeys, and 99,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,179,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.34 percent; mature chickens, 0.85 percent; fryer-roaster turkeys, 0.41 percent; young turkeys, 0.30 percent; old turkeys, 0.47 percent; and ducks, 0.01 percent.

Post-mortem condemnations in January 1968 amounted to 32,488,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 4.46 percent; mature chickens, 5.19 percent; fryer-roaster turkeys, 2.85 percent; young turkeys, 3.03 percent; old turkeys, 2.75 percent; and ducks, 1.77 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1968 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
DECEMBER 1967	167,185	13,671	180,856	1,805	9,484	55	11,344	538	---	---	---	---
JANUARY 1967	188,531	16,140	204,671	811	2,006	62	2,879	355	---	---	---	---
JANUARY 1968	189,879	16,671	206,550	1,293	2,264	72	3,629	397	---	---	---	---
POUNDS INSPECTED	603,260	62,578	665,838	14,617	209,223	1,098	224,938	3,382	838	894,996	3,382	838
DECEMBER 1967	673,160	74,743	747,903	7,393	48,212	1,196	56,801	2,214	214	807,132	2,214	214
JANUARY 1968	681,276	73,051	754,327	11,661	52,685	1,346	65,692	2,409	238	822,666	2,409	238
AVERAGE LIVEMEIGHTS	3.61	4.58	3.68	8.10	22.06	19.96	19.83	6.29	---	---	---	---
DECEMBER 1967	3.57	4.63	3.65	9.12	24.03	19.29	19.73	6.24	---	---	---	---
JANUARY 1968	3.59	4.38	3.65	9.02	23.27	18.76	18.11	6.06	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

DECEMBER 1967, 2,200; JANUARY 1967, 2,354; AND JANUARY 1968, 2,011.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

DECEMBER 1967, 25; JANUARY 1967, 57; AND JANUARY 1968, 26.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JANUARY 1968 WITH COMPARISONS

DECEMBER 1967	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :	: POULTRY :
CHILLED	377,880	31,478	409,358	2,627	42,990	24	45,641	243	5	455,247	243	5
FROZEN	51,646	9,307	60,953	8,625	122,217	865	131,707	2,178	545	195,383	2,178	545
TOTAL	429,526	40,785	470,311	11,252	165,207	889	177,348	2,421	550	650,630	2,421	550
JANUARY 1967	417,433	36,285	453,718	1,392	10,915	45	12,352	176	7	466,253	176	7
CHILLED	57,478	12,430	69,908	4,266	27,738	914	32,918	1,411	107	104,344	1,411	107
FROZEN	474,911	48,715	523,626	5,658	38,653	959	45,270	1,587	114	570,597	1,587	114
TOTAL	429,571	35,349	464,920	1,299	9,394	84	10,777	206	11	475,914	206	11
CHILLED	54,338	12,027	66,365	7,692	32,450	996	41,138	1,532	116	109,151	1,532	116
FROZEN	483,909	47,376	531,285	8,991	41,844	1,080	51,915	1,738	127	585,065	1,738	127
TOTAL	483,909	47,376	531,285	8,991	41,844	1,080	51,915	1,738	127	585,065	1,738	127

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1968 WITH COMPARISONS 3/

	: YOUNG : MATURE :	TOTAL :	FRYER- : YOUNG :	OLD :	TOTAL :	DUCKS :	OTHER :	TOTAL :
: CHICKENS :	CHICKENS :	CHICKENS :	ROASTERS: TURKEYS :	TURKEYS :	TURKEYS :	DUCKS :	POULTRY :	POULTRY :
ANTE-MORTEM								
1,000 POUNDS (LIVWEIGHT):								
JANUARY 1967:	1,972	425	2,397	23	89	2	114	2,511
JANUARY 1968:	2,339	627	2,966	48	159	6	213	3,179
PERCENT 1/								
JANUARY 1967:	.29	.57	.32	.31	.18	.19	.20	.31
JANUARY 1968:	.34	.85	.39	.41	.30	.47	.32	.38
POST-MORTEM								
1,000 LBS. (N.Y. DRESSED):								
JANUARY 1967:	32,266	3,137	35,403	113	892	22	1,027	38
JANUARY 1968:	27,302	3,380	30,682	298	1,433	33	1,764	39
PERCENT 2/								
JANUARY 1967:	5.34	4.69	5.28	1.70	2.06	2.05	2.01	1.91
JANUARY 1968:	4.46	5.19	4.53	2.85	3.03	2.75	2.99	1.77

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JANUARY 1968 WITH COMPARISONS 1/

	: YOUNG CHICKENS :	MATURE CHICKENS :	TURKEYS :	OTHER POULTRY 2/ :	TOTAL POULTRY :					
: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :					
: PROCESSED :	CUT UP :	: PROCESSED :	CUT UP :	: PROCESSED :	CUT UP :					
POUNDS USED READY-TO-COOK WEIGHT 3/										
DECEMBER 1967	14,680	108,069	27,919	374	29,083	10,987	5,535	95	71,217	119,525
JANUARY 1967	14,877	105,973	27,957	643	28,173	6,623	5,870	52	76,877	113,291
JANUARY 1968	30,549	132,252	33,192	1,771	27,327	9,264	7,019	99	98,087	143,386
LBS. CONDEMNED READY-TO-COOK WEIGHT 3/:										
DECEMBER 1967	43	565	44	---	28	---	4	---	119	591
JANUARY 1967	38	238	7	---	15	---	44	---	104	244
JANUARY 1968	107	889	85	---	18	---	102	---	312	1,931

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.  
 2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEMEIGHT)		AVERAGE LIVEMEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	14,216	13,896	56,856	57,022	4,00	4,10	40,598	40,660	2,210	2,386	4.33	4.67
E. N. CENTRAL	2,147	2,234	9,198	8,684	4,28	3,89	6,719	6,366	196	184	2.38	2.37
W. N. CENTRAL	3,975	3,769	14,532	13,512	3,66	3,58	9,880	9,422	788	530	6.05	4.37
S. ATLANTIC	80,558	79,949	288,747	289,798	3,58	3,62	204,029	204,950	14,131	12,462	5.45	4.79
S. CENTRAL	83,015	86,427	286,112	298,830	3,45	3,46	201,459	212,924	14,084	11,358	5.49	4.23
WEST	4,620	3,604	17,715	13,430	3,83	3,73	12,226	9,587	857	382	5.40	3.16
U. S.	188,531	189,879	673,160	681,276	3.57	3.59	474,911	483,909	32,266	27,302	5.34	4.46
MAINE	5,929	6,188	23,599	26,149	3.98	4.23	17,150	18,949	746	911	3.52	3.89
PENNSYLVANIA	7,449	7,002	29,992	27,987	4.03	4.00	21,055	19,619	1,328	1,370	4.94	5.48
OHIO	22	85	85	3,374	3.90	3.90	60	2,477	2	76	3.29	2.52
INDIANA	773	907	3,005	5,121	3.89	3.72	2,212	3,754	54	104	2.02	2.27
WISCONSIN	1,298	1,298	5,735	5,121	4.42	3.94	4,179	3,754	131	104	2.56	2.27
MINNESOTA	581	581	2,254	2,254	3.88	3.88	1,628	1,628	26	26	1.27	1.27
MISSOURI	3,321	3,072	11,882	10,836	3.58	3.53	7,967	7,441	747	481	7.01	4.95
DELAWARE	7,489	7,490	29,185	29,001	3.90	3.87	20,812	20,471	1,292	1,292	4.93	4.96
MARYLAND	12,687	10,987	48,337	42,128	3.81	3.83	34,241	30,078	2,344	1,873	5.40	4.96
VIRGINIA	3,856	4,678	12,024	15,089	3.12	3.23	8,101	10,133	540	730	5.00	5.40
NORTH CAROLINA	21,227	21,270	75,859	78,406	3.57	3.69	54,053	55,889	3,716	2,961	5.46	4.21
SOUTH CAROLINA	2,270	2,089	7,556	7,132	3.33	3.41	5,175	5,018	438	321	6.46	5.03
GEORGIA	31,602	31,481	111,147	111,100	3.52	3.53	78,410	78,435	5,612	5,054	5.62	5.07
TENNESSEE	5,025	5,167	17,363	18,006	3.46	3.48	11,938	12,478	1,196	969	7.68	6.01
ALABAMA	19,718	21,795	69,334	77,362	3.52	3.55	49,614	55,700	3,104	2,661	4.99	3.83
MISSISSIPPI	13,285	14,160	44,980	48,503	3.39	3.43	32,101	35,352	2,052	1,345	5.08	3.09
ARKANSAS	27,136	28,046	91,173	94,312	3.36	3.36	63,272	66,929	4,994	3,448	6.10	4.08
LOUISIANA	3,742	3,742	13,478	13,478	3.60	3.60	9,412	9,412	---	635	---	5.26
TEXAS	11,551	11,147	40,943	38,755	3.54	3.48	29,049	27,103	1,527	1,919	4.15	5.52
WASHINGTON	821	917	2,994	3,335	3.65	3.63	2,113	2,392	62	91	2.31	3.05
CALIFORNIA	2,836	2,266	11,338	8,553	4.00	3.77	7,803	6,068	606	252	5.98	3.28

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1968

REGION AND STATE	TUBERCULOSIS : NO.	LEUKOSIS : NO.	SEPTICEMIA : NO.	AIRSAC-CULITIS : NO.	SYNOVITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAMINATION : NO.	OVERSCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	259,951	194,902	138,880	10,801	1,630	3,044	14,701	20,070	1,686	15,339	661,004
E. N. CENTRAL	---	9,674	22,714	15,666	394	317	1,614	1,080	3,176	715	471	55,821
W. N. CENTRAL	---	72,456	30,603	51,042	1,732	261	1,837	2,395	3,526	285	4,196	168,333
S. ATLANTIC	---	1,752,634	579,027	855,642	41,650	7,148	38,890	75,796	160,202	10,646	103,875	3,625,510
S. CENTRAL	---	961,009	600,300	1,256,847	141,664	8,785	38,813	94,133	105,409	14,405	87,495	3,308,860
WEST	---	31,063	22,521	37,609	1,542	207	1,375	3,017	3,007	550	10,636	111,527
U. S.	---	3,086,787	1,450,067	2,355,686	197,783	18,348	85,573	191,122	295,390	28,287	222,012	7,931,055
MAINE	---	83,642	102,065	12,264	2,904	509	1,269	8,947	7,935	562	5,518	225,615
PENNSYLVANIA	---	167,779	83,731	122,924	7,220	840	1,342	5,311	10,690	1,065	8,983	409,885
INDIANA	---	6,066	10,341	6,502	251	25	815	233	1,647	376	5	26,261
WISCONSIN	---	3,558	12,148	9,135	138	160	798	820	1,514	339	400	29,010
MISSOURI	---	67,294	28,689	50,593	1,654	153	1,611	2,211	2,268	274	1,771	156,518
DELAWARE	---	252,810	44,878	74,197	5,803	622	1,630	5,506	10,733	539	11,462	408,180
MARYLAND	---	329,982	76,322	111,311	4,054	1,142	2,149	8,571	12,185	754	5,192	551,662
VIRGINIA	---	116,787	45,325	82,524	1,633	133	1,312	4,467	2,637	151	5,597	260,566
NORTH CAROLINA	---	212,330	167,438	276,840	13,458	1,998	14,223	23,189	43,619	3,922	40,920	797,937
SOUTH CAROLINA	---	61,404	14,495	18,077	261	219	1,727	5,185	6,123	257	1,205	108,953
GEORGIA	---	746,921	219,624	266,518	15,443	2,938	17,308	27,247	83,185	4,828	37,369	1,421,381
TENNESSEE	---	31,226	29,363	164,036	4,210	342	1,958	6,111	8,723	165	24,603	270,737
ALABAMA	---	255,041	130,512	255,978	12,917	2,709	7,624	18,280	33,162	3,653	13,379	733,255
MISSISSIPPI	---	97,203	30,523	170,360	7,826	1,441	5,284	8,648	11,461	2,732	16,351	351,829
ARKANSAS	---	351,594	241,322	299,024	62,034	2,315	11,147	34,427	30,918	4,636	14,777	1,052,194
LOUISIANA	---	42,953	41,210	78,530	6,559	371	2,667	4,984	4,565	543	3,349	185,731
TEXAS	---	142,420	108,932	231,391	46,480	1,452	8,568	19,082	12,091	1,755	14,057	586,228
WASHINGTON	---	2,187	5,909	8,452	505	70	453	1,118	876	180	6,688	26,440
CALIFORNIA	---	22,485	13,894	28,286	1,034	94	366	1,488	1,518	321	3,873	73,359

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968			
	-THOUSANDS-		-POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-		
N. ATLANTIC	2,213	1,870	10,457	9,274	4.73	4.96	6,831	393	390	4.20	4.72		
E. N. CENTRAL	1,794	1,900	7,766	7,766	4.27	4.09	4,925	287	350	4.19	5.06		
W. N. CENTRAL	2,732	3,310	12,350	13,891	4.52	4.20	8,041	489	691	4.44	5.59		
S. ATLANTIC	4,060	4,525	20,382	20,946	5.02	4.63	13,338	805	849	4.41	4.54		
S. CENTRAL	3,534	3,005	16,314	12,836	4.62	4.27	10,733	762	639	5.21	5.59		
WEST	1,807	2,061	7,581	8,338	4.20	4.05	4,847	401	461	5.90	6.17		
U. S.	16,140	16,671	74,743	73,051	4.63	4.38	48,715	47,376	3,380	4.69	5.19		
MAINE	436	416	2,630	2,493	6.04	6.00	1,870	68	82	2.86	3.70		
NEW JERSEY	1,422	913	6,043	3,797	4.25	4.16	3,744	272	224	5.03	6.66		
PENNSYLVANIA	164	134	896	826	5.45	6.16	596	32	27	4.00	3.68		
OHIO	519	438	2,152	1,793	4.15	4.09	1,375	96	78	4.98	4.90		
INDIANA	698	785	3,017	3,150	4.32	4.01	1,955	2,018	75	124	2.81	4.42	
ILLINOIS	448	527	1,847	2,050	4.12	3.89	1,160	1,256	93	119	5.67	6.51	
MINNESOTA	981	1,137	3,939	4,291	4.02	3.77	2,479	2,699	197	256	5.60	6.70	
MISSOURI	997	1,080	5,481	5,537	5.50	5.13	3,700	3,712	163	211	3.33	4.28	
DELAWARE	---	78	---	583	---	7.47	---	410	---	11	---	2.01	---
MARYLAND	683	747	2,856	3,085	4.18	4.13	1,881	2,002	127	157	4.98	5.75	
VIRGINIA	359	335	2,092	1,800	5.82	5.38	1,466	1,258	58	61	3.07	3.82	
NORTH CAROLINA	726	644	4,592	4,141	6.32	6.43	3,089	2,781	150	118	3.66	3.17	
GEORGIA	1,401	1,471	6,874	6,512	4.91	4.43	4,425	4,212	255	236	4.14	4.04	
FLORIDA	487	---	1,941	---	3.98	---	1,144	---	128	---	7.34	---	
ALABAMA	73	69	545	517	7.48	7.48	390	374	17	20	3.41	4.29	
MISSISSIPPI	1,843	1,824	7,608	6,824	4.13	3.74	5,074	4,481	373	358	5.47	5.92	
ARKANSAS	240	128	1,857	955	7.74	7.48	1,284	676	52	31	3.10	3.66	
LOUISIANA	---	41	---	299	---	7.37	---	205	---	12	---	4.50	---
OKLAHOMA	---	151	---	757	---	5.00	---	485	---	26	---	3.93	---
TEXAS	717	724	3,155	3,036	4.40	4.20	1,935	1,913	184	177	6.51	6.51	
WASHINGTON	109	202	457	843	4.20	4.18	295	540	17	32	4.12	4.30	
CALIFORNIA	1,520	1,772	6,403	7,166	4.21	4.04	4,083	4,432	359	416	6.25	6.48	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1968

REGION AND STATE	TUBERCULOSIS : NO.	LEUROSIS : NO.	SEPTICEMIA : NO.	AIRSAC-CULITIS : NO.	SYNOVITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INMATE : NO.	CONTAMINATION : NO.	OVER-SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	49	3,487	44,393	45	1,523	16,453	1,035	2,508	8,543	216	17,281	95,533	
E. N. CENTRAL	1,731	3,477	33,302	287	52	27,380	1,542	1,552	8,075	297	15,680	93,375	
W. N. CENTRAL	9,657	7,481	79,396	1,450	507	48,524	7,405	1,817	17,272	1,357	23,946	198,812	
S. ATLANTIC	166	10,930	93,393	5,792	1,708	36,754	6,874	7,385	32,989	612	15,764	212,367	
S. CENTRAL	1	17,971	64,968	265	1,030	27,191	3,296	4,038	10,108	626	28,099	157,593	
WEST	---	2,043	67,064	822	239	39,502	1,218	1,640	3,841	337	20,137	136,843	
U. S.	11,604	45,389	382,516	8,661	5,059	195,804	21,370	18,940	80,828	3,445	120,907	894,523	
MAINE	---	1,339	8,696	22	217	1,207	117	487	1,511	7	1,349	14,952	
NEW JERSEY	15	1,180	27,693	3	118	10,909	691	1,709	6,209	119	14,238	62,884	
PENNSYLVANIA	---	459	4,039	3	6	896	71	61	266	6	498	6,305	
OHIO	147	1,285	5,913	9	---	3,834	730	363	1,834	10	5,660	19,785	
INDIANA	257	951	14,018	40	22	12,005	480	559	3,616	248	2,651	34,847	
ILLINOIS	840	927	10,116	223	20	9,913	178	366	1,207	12	6,468	30,270	
MINNESOTA	3,872	1,249	18,872	119	36	20,545	2,192	564	5,983	225	20,921	74,578	
MISSOURI	701	2,420	30,552	254	368	7,558	2,942	1,043	3,733	251	1,424	51,246	
DELAWARE	---	497	833	21	8	105	13	95	70	---	72	1,714	
MARYLAND	166	1,738	22,703	61	164	5,000	848	2,003	4,293	287	413	37,676	
VIRGINIA	---	840	8,472	30	141	3,042	310	347	781	2	12	13,977	
NORTH CAROLINA	---	1,523	9,218	281	609	4,105	2,195	424	2,755	210	1,488	22,808	
GEORGIA	---	1,502	26,460	1,121	426	13,142	1,201	1,966	9,817	41	7,901	63,577	
ALABAMA	---	166	1,376	27	49	165	28	130	617	11	165	2,734	
MISSISSIPPI	---	716	35,226	6	160	23,639	2,732	2,744	5,301	547	16,435	87,506	
ARKANSAS	---	570	2,862	61	107	130	42	91	480	8	175	4,526	
LOUISIANA	1	161	857	6	29	64	22	67	204	12	273	1,696	
OKLAHOMA	---	225	3,311	50	185	2,050	56	81	356	9	295	6,618	
TEXAS	---	16,050	20,535	108	482	1,061	380	828	2,630	38	10,367	52,479	
WASHINGTON	---	434	2,861	4	10	696	256	353	681	83	2,920	8,298	
CALIFORNIA	---	1,218	61,618	699	226	38,539	860	1,063	2,923	246	16,593	123,985	

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/100 POUNDS (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	145	116	4,139	3,051	28.54	26.30	3,349	2,454	39	49
E. N. CENTRAL	126	233	7,488	4,999	19.75	21.50	2,006	3,994	52	171
W. N. CENTRAL	377	417	8,814	20,931	20.93	21.15	6,310	6,823	190	491
S. ATLANTIC	455	639	9,648	12,239	21.20	19.14	7,650	9,698	182	304
S. CENTRAL	245	226	6,880	5,524	28.08	24.39	5,601	4,435	85	154
W. WEST	658	633	17,168	18,058	26.09	28.52	13,737	14,440	344	264
U. S.	2,006	2,264	48,212	52,685	24.03	23.28	38,653	41,844	892	1,433
PENNSYLVANIA	132	109	3,795	2,879	28.66	26.52	3,080	2,323	23	46
OHIO	33	42	679	821	20.66	19.56	564	643	10	28
INDIANA	19	59	441	1,355	22.81	23.00	343	1,098	16	52
WISCONSIN	65	84	1,141	1,783	17.59	21.10	926	1,419	15	38
MINNESOTA	245	168	4,441	3,073	18.13	18.26	3,521	2,430	101	76
IOWA	40	134	844	3,221	21.13	23.96	682	2,491	35	238
MISSOURI	47	89	1,231	1,935	26.19	21.77	1,004	1,438	24	150
VIRGINIA	184	194	3,919	3,422	21.35	17.68	3,036	2,601	113	140
NORTH CAROLINA	228	378	5,240	7,279	23.02	19.26	4,233	5,884	60	129
ARKANSAS	---	60	---	1,517	---	25.48	---	1,229	---	44
TEXAS	184	144	5,142	3,515	27.96	24.49	4,152	2,819	61	96
UTAH	13	41	329	1,136	24.50	27.74	263	907	6	8
CALIFORNIA	619	544	16,201	15,742	26.18	28.95	12,948	12,572	335	242

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1968

REGION AND STATE	: TUBER- : : CULOSIS :	LEU- KOSIS	SEPTI- : CEMIA :	ATRSAC- : CULITIS :	SYNO- : VITIS :	TUMORS : : NO. :	BRUISES : : NO. :	CADAVER : : NO. :	CONTAM- : INATION :	OVER- : SCALD :	OTHER : : NO. :	TOTAL : NO. :
N. ATLANTIC	---	20	819	766	103	---	26	25	89	---	41	1,889
E. N. CENTRAL	---	32	3,204	3,047	294	12	38	342	453	70	96	7,588
W. N. CENTRAL	---	22	13,018	8,117	1,452	38	155	164	1,122	35	152	24,275
S. ATLANTIC	---	173	5,382	6,544	623	32	142	193	1,119	---	452	14,660
S. CENTRAL	---	12	2,593	2,697	416	71	65	138	222	80	222	6,516
WEST	---	153	4,361	1,647	2,814	2	67	193	313	23	121	9,694
U. S.	---	412	29,377	22,818	5,702	155	493	1,055	3,318	208	1,084	64,622
PENNSYLVANIA	---	16	769	745	86	---	21	24	72	---	37	1,770
OHIO	---	4	423	695	3	6	12	132	250	25	84	1,634
INDIANA	---	18	637	1,207	104	2	10	12	76	7	5	2,078
WISCONSIN	---	9	621	620	25	4	16	109	70	37	---	1,511
MINNESOTA	---	6	2,252	990	9	---	26	61	517	9	10	3,880
IOWA	---	1	8,670	1,191	1,371	35	46	66	433	10	97	11,920
MISSOURI	---	6	1,283	5,828	64	---	45	33	145	2	4	7,410
VIRGINIA	---	59	2,860	4,027	131	1	61	44	86	---	3	7,272
NORTH CAROLINA	---	105	1,885	1,997	434	30	61	131	868	---	380	5,891
ARKANSAS	---	2	1,288	288	62	2	2	3	60	79	---	1,786
TEXAS	---	8	1,064	2,017	296	67	57	133	119	---	188	3,949
UTAH	---	5	198	30	38	---	14	15	7	2	3	312
CALIFORNIA	---	147	3,859	1,501	2,761	2	35	167	271	21	118	8,882





UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID  
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.