

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1968

August 1, 1968

Inspected Poultry - A total of 829,964,000 pounds live weight (chickens, turkeys, and ducks) was inspected for slaughter during June 1968 under the Poultry Inspection Act carried on by the U.S.D.A. This was 4 percent less than the previous month and 14 percent less than June 1967. Part of the decrease from a year earlier is due to a fewer number of slaughter days.

The number of head and pounds (live weight) inspected by classes in June 1968 were young chickens, 197,186,000 head, 691,300,000 pounds; mature chickens, 9,400,000 head, 44,000,000 pounds; fryer-roaster turkeys, 720,000 head, 6,465,000 pounds; young turkeys, 3,919,000 head, 70,774,000 pounds; old turkeys, 523,000 head, 10,242,000 pounds; and ducks, 1,161,000 head, 7,183,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June totaled 600,345,000 pounds ready-to-cook weight of which 486,645,000 pounds were chilled and 113,700,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 497,137,000 pounds; mature chickens, 28,354,000; fryer-roaster turkeys, 5,037,000 pounds; young turkeys, 56,271,000 pounds; old turkeys, 8,164,000 pounds; ducks, 5,214,000 pounds; and other poultry, 168,000 pounds.

Processed Poultry - Poultry inspected and used for canning and other processed food in June totaled 78,025,000 pounds ready-to-cook weight, compared with 84,489,000 pounds in June 1967. The quantity used in June 1968 consisted of 17,921,000 pounds of young chickens, 30,508,000 pounds of mature chickens, 24,298,000 pounds of turkeys, and 5,298,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June totaled 118,481,000 pounds ready-to-cook weight compared with 110,404,000 pounds a year earlier. The breakdown by classes for June 1968 consisted of 108,242,000 pounds of young chickens, 271,000 pounds of mature chickens, 9,899,000 pounds of turkeys, and 69,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,062,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.34 percent; mature chickens, 1.02 percent; fryer-roaster turkeys, 0.18 percent; young turkeys, 0.23 percent; old turkeys, 0.31 percent; and ducks, 0.01 percent.

Post-mortem condemnations in June amounted to 23,913,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected; young chickens, 3.32 percent; mature chickens, 4.41 percent; fryer-roaster turkeys, 1.58 percent; young turkeys, 1.90 percent; old turkeys, 2.62 percent; and ducks, 0.98 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG : MATURE :		: CHICKENS : CHICKENS1/ :		: TOTAL : FRYER- : YOUNG :		: OLD : :		: TOTAL : :		: OTHER : :	
	: CHICKENS :	: CHICKENS1/ :	: CHICKENS :	: CHICKENS1/ :	: ROASTERS :	: TURKEYS2/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: TOTAL :
MAY 1968	208,927	12,946	221,873	678	2,102	264	3,044	1,151	---	---	---	---
JUNE 1968	218,785	13,755	232,540	1,162	5,964	735	7,861	1,284	---	---	---	---
JAN.-JUNE 1967	1,159,892	87,035	1,246,927	6,596	13,730	1,387	21,713	4,482	---	---	---	---
JAN.-JUNE 1968	1,139,268	77,473	1,216,741	5,395	11,681	991	18,067	4,312	---	---	---	---
POUNDS INSPECTED												
MAY 1968	743,379	60,279	803,658	6,188	37,959	5,454	49,601	7,537	252	861,048	---	---
JUNE 1968	764,173	62,771	826,944	10,266	103,891	14,500	128,657	8,246	558	964,405	---	---
JAN.-JUNE 1967	4,084,944	404,877	4,489,821	58,638	255,820	27,498	341,956	28,719	1,841	4,862,337	---	---
JAN.-JUNE 1968	4,034,133	351,207	4,385,340	48,185	227,833	19,764	295,782	27,448	1,385	4,709,955	---	---
AVERAGE LIVELINEWEIGHT												
MAY 1968	3.56	4.66	3.62	9.13	18.06	20.67	16.30	6.55	---	---	---	---
JUNE 1968	3.49	4.56	3.56	8.83	17.42	19.73	16.37	6.42	---	---	---	---
JAN.-JUNE 1967	3.51	4.68	3.56	8.98	18.06	19.57	16.95	6.19	---	---	---	---
JAN.-JUNE 1968	3.52	4.65	3.60	8.89	18.63	19.83	15.75	6.41	---	---	---	---
JAN.-JUNE 1968	3.54	4.53	3.60	8.93	19.51	19.95	16.37	6.36	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MAY 1968, 2,284; JUNE 1967, 1,780; AND JUNE 1968, 1,709.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MAY 1968, 146; JUNE 1967, 596; AND JUNE 1968, 528.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1968 WITH COMPARISONS 1/

MAY 1968	: YOUNG : MATURE :		: CHICKENS : CHICKENS :		: TOTAL : FRYER- : YOUNG :		: OLD : :		: TOTAL : :		: OTHER : :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: TOTAL :	: TOTAL :
CHILLED	482,929	30,137	513,066	1,361	8,535	665	10,561	143	13	523,783	---	---
FROZEN	49,262	9,094	58,356	3,435	21,396	3,710	28,541	5,231	122	92,250	---	---
TOTAL	532,191	39,231	571,422	4,796	29,931	4,375	39,102	5,374	135	616,033	---	---
JUNE 1967	494,939	31,282	526,221	2,104	14,267	1,404	17,775	42	7	544,045	---	---
CHILLED	53,060	9,480	62,540	5,791	68,708	10,077	84,576	5,886	328	153,330	---	---
FROZEN	567,999	40,762	588,761	7,895	82,975	11,481	102,351	5,928	335	697,375	---	---
TOTAL	450,800	21,554	472,354	1,265	11,656	1,245	14,166	108	17	486,645	---	---
JUNE 1968	46,337	6,800	53,137	3,772	44,615	6,919	55,306	5,106	151	113,700	---	---
CHILLED	497,137	28,354	525,491	5,037	56,271	8,164	69,472	5,214	168	600,345	---	---
FROZEN	2,602,626	199,825	2,802,451	12,107	44,025	2,307	58,439	739	27	2,861,656	---	---
TOTAL	303,853	64,540	368,393	33,000	159,460	19,505	211,965	19,798	1,036	601,192	---	---
JANUARY-JUNE 1967	2,906,479	264,365	3,170,844	45,107	203,485	21,812	270,404	20,537	1,063	3,462,848	---	---
CHILLED	2,583,026	176,131	2,759,157	7,624	43,230	2,392	53,246	965	80	2,813,449	---	---
FROZEN	292,875	52,370	345,245	29,601	137,088	13,373	180,062	18,762	660	544,729	---	---
TOTAL	2,875,901	228,501	3,104,402	37,225	180,318	15,765	233,308	19,728	740	3,358,178	---	---

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS 3/

	YOUNG	MATURE	TOTAL	FRYER-ROASTERS:	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER	TOTAL
	: CHICKENS	: CHICKENS	: CHICKENS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
JUNE 1967:	2,393	528	2,921	25	207	32	264	1	1	3,187
JUNE 1968:	2,393	453	2,846	12	169	32	213	1	2	3,062
JAN.-JUNE 1967:	11,994	2,608	14,602	155	487	57	699	3	2	15,306
JAN.-JUNE 1968:	11,795	2,617	14,412	111	523	64	698	5	4	15,119
PERCENT 1/										
JUNE 1967:	.31	.84	.35	.25	.20	.22	.21	.02	.16	.33
JUNE 1968:	.34	1.02	.38	.18	.23	.31	.24	.01	.81	.36
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
JUNE 1967:	25,348	2,331	27,679	161	1,790	383	2,334	85	5	30,103
JUNE 1968:	20,577	1,727	22,304	92	1,210	241	1,543	63	3	23,913
JAN.-JUNE 1967:	163,522	15,832	179,354	966	4,682	775	6,423	328	14	186,119
JAN.-JUNE 1968:	143,543	14,868	158,411	864	5,229	530	6,623	272	14	165,320
PERCENT 2/										
JUNE 1967:	3.70	4.16	3.73	1.75	1.92	2.94	2.02	1.15	1.90	3.48
JUNE 1968:	3.32	4.41	3.38	1.58	1.90	2.62	1.96	.98	1.00	3.21

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1968 WITH COMPARISONS 1/

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY 2/:	TOTAL POULTRY
	: CUT UP	: CUT UP	: CUT UP	: CUT UP	: CUT UP
	: FURTHER PROCESSED:	: FURTHER PROCESSED:	: FURTHER PROCESSED:	: FURTHER PROCESSED:	: FURTHER PROCESSED:
	: CUT UP	: CUT UP	: CUT UP	: CUT UP	: CUT UP
POUNDS USED READY-TO-COOK WEIGHT 3/					
MAY 1968:	19,342	118,843	31,033	517	32,232
JUNE 1967:	22,547	100,732	29,098	571	26,670
JUNE 1968:	17,921	108,242	30,508	271	24,298
JANUARY-JUNE 1967:	105,520	588,119	180,133	4,107	151,449
JANUARY-JUNE 1968:	137,642	685,859	192,861	4,269	161,324
LBS. CONDEMNED READY-TO-COOK WEIGHT 3/:					
MAY 1968:	77	891	123	35	24
JUNE 1967:	87	459	46	21	19
JUNE 1968:	86	1,085	115	33	91
JANUARY-JUNE 1967:	370	1,943	134	129	116
JANUARY-JUNE 1968:	399	4,999	496	136	315

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.
 2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVELINEWEIGHT)	AVERAGE LIVELINEWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)	POST-MORTEM CONDEMNATIONS	
			1967	1968		1967	1968
			--POUNDS--		-1,000 POUNDS-	--PERCENT--	
			-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-
N. ATLANTIC	14,453	13,508	56,117	53,444	40,612	38,603	1,915
E. N. CENTRAL	2,461	2,452	9,378	8,985	6,575	6,575	170
W. N. CENTRAL	4,177	4,538	14,344	15,858	10,280	11,297	332
S. ATLANTIC	91,488	82,298	324,578	291,426	231,948	208,322	10,393
S. CENTRAL	101,227	90,532	341,882	307,810	245,754	222,526	7,426
WEST	4,979	3,858	17,874	13,777	12,567	9,814	341
U. S.	218,785	197,186	764,173	691,300	547,999	497,137	25,348
MAINE	6,785	6,186	26,160	24,687	19,464	18,169	795
PENNSYLVANIA	6,808	6,381	26,642	24,995	18,795	17,763	1,162
OHIO	27	---	108	---	74	---	8
INDIANA	1,000	1,118	3,600	3,933	2,631	2,905	41
WISCONSIN	1,424	1,322	5,599	4,989	4,082	3,626	96
MISSOURI	3,500	3,833	11,845	13,203	8,390	9,321	291
DELAWARE	8,400	6,929	31,993	25,618	18,223	1,367	1,058
MARYLAND	13,334	11,951	50,118	43,824	31,790	2,011	1,554
VIRGINIA	4,734	6,527	14,773	21,552	10,149	14,616	480
NORTH CAROLINA	22,876	22,209	81,802	80,838	58,557	58,531	2,744
SOUTH CAROLINA	2,552	2,343	8,718	8,012	6,170	5,625	354
GEORGIA	37,553	30,337	130,424	104,739	93,273	74,622	5,736
TENNESSEE	5,994	5,371	20,821	18,158	14,828	13,333	797
ALABAMA	25,160	22,722	86,616	78,788	62,684	56,385	2,309
MISSISSIPPI	15,210	14,363	50,496	48,215	37,310	35,957	995
ARKANSAS	33,058	29,291	108,667	97,291	76,865	69,555	3,382
LOUISIANA	---	4,111	---	14,657	---	10,541	---
TEXAS	13,940	12,445	47,934	42,984	34,662	31,182	1,171
WASHINGTON	1,147	1,081	4,214	4,025	2,989	2,855	100
CALIFORNIA	2,744	2,242	9,938	7,966	6,932	5,666	353

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER-		LEU-		SEPTI-		AIRSAC-		SYNO-		TUMORS		BRUISES		CADAVER		CONTAM-		OVER-		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	293,418	102,556	39,826	12,530	1,557	2,949	10,769	17,227	1,502	11,943	494,277									
E. N. CENTRAL	---	12,891	16,059	6,307	1,055	157	1,448	2,785	5,117	359	776	46,954									
M. N. CENTRAL	---	19,811	20,386	20,689	5,244	380	2,495	4,308	8,204	219	3,991	85,727									
S. ATLANTIC	---	1,841,004	403,374	282,273	24,968	8,143	31,078	68,385	193,424	17,500	84,742	2,954,891									
S. CENTRAL	---	748,112	450,057	363,070	88,318	8,773	32,705	90,681	126,542	13,809	78,858	2,000,925									
WEST	---	46,803	17,202	15,546	1,013	177	1,002	2,505	2,979	875	10,424	98,526									
U. S.	---	2,962,039	1,009,634	727,711	133,128	19,187	71,677	179,433	353,493	34,264	190,734	5,681,300									
MAINE	---	124,037	57,048	9,675	11,216	521	1,507	4,520	8,417	266	3,640	220,847									
PENNSYLVANIA	---	162,062	38,239	27,576	873	795	1,110	5,241	7,107	813	7,592	251,408									
INDIANA	---	7,827	6,723	2,945	950	50	814	1,306	3,206	238	282	24,341									
MISSOURI	---	5,020	9,266	3,293	102	106	633	1,434	1,851	121	467	22,293									
MISSOURI	---	17,830	17,940	20,245	5,193	221	2,174	3,990	6,486	213	1,442	75,734									
DELAWARE	---	227,301	37,039	27,882	1,786	487	1,363	6,730	13,881	766	7,445	324,680									
MARYLAND	---	325,933	60,892	43,219	4,129	1,023	2,260	6,475	16,387	2,527	3,417	466,262									
VIRGINIA	---	182,891	37,974	37,216	2,309	321	2,018	4,847	7,620	1,348	5,388	281,932									
NORTH CAROLINA	---	230,893	112,993	73,876	7,387	2,348	10,281	22,934	66,169	5,485	32,976	565,342									
SOUTH CAROLINA	---	73,760	10,099	10,177	350	136	1,118	2,320	4,647	1,611	1,476	105,694									
GEORGIA	---	779,790	135,205	86,867	8,255	2,895	13,336	22,504	82,632	5,150	31,991	1,168,625									
TENNESSEE	---	39,216	21,077	21,770	1,411	368	1,989	3,331	9,115	325	12,180	110,782									
ALABAMA	---	345,090	109,551	65,124	5,922	2,434	6,783	16,878	41,371	3,502	15,736	612,391									
MISSISSIPPI	---	71,810	21,211	56,363	3,696	1,288	3,825	8,737	14,065	1,259	13,124	195,378									
ARKANSAS	---	185,665	185,136	130,882	33,820	2,327	9,983	35,437	38,115	5,567	18,718	645,650									
LOUISIANA	---	31,042	30,455	15,362	4,989	484	1,959	5,985	9,947	277	4,745	101,245									
TEXAS	---	65,815	70,931	60,043	36,220	1,695	6,813	16,358	14,229	2,813	13,314	288,231									
WASHINGTON	---	2,225	4,741	4,324	601	79	291	1,005	1,874	306	4,032	18,478									
CALIFORNIA	---	34,818	9,316	8,960	376	94	373	931	1,348	269	5,662	62,147									

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED	1968	INSPECTED	1968	LIVEWEIGHT	INSPECTED	CERTIFIED	(READY-TO-COOK WT.)	POUNDS (NYD)	PERCENT 2/	
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968	
			- THOUSANDS -		- POUNDS -		- 1,000 POUNDS -		- 1,000 POUNDS -		- PERCENT -
N. ATLANTIC	1,785	998	8,728	5,292	4.89	5.30	5,742	3,512	296	168	3.80
E. N. CENTRAL	1,653	1,223	6,997	5,310	4.23	4.34	4,495	3,379	253	186	4.05
W. N. CENTRAL	3,349	2,479	14,630	10,448	4.37	4.22	9,463	6,639	563	528	4.31
S. ATLANTIC	2,992	2,195	14,397	11,082	4.81	5.05	9,308	7,080	444	389	3.46
S. CENTRAL	2,260	1,475	11,158	7,668	4.94	5.20	7,468	5,155	431	290	4.33
WEST	1,716	1,030	6,861	4,200	4.00	4.08	4,286	2,589	344	166	5.62
U. S.	13,755	5,400	62,771	44,000	4.56	4.68	40,762	28,354	2,331	1,727	4.16
MAINE	375	215	2,293	1,401	6.11	6.53	1,643	975	58	55	2.80
NEW JERSEY	1,063	450	4,582	1,870	4.31	4.16	2,841	1,141	196	73	4.80
PENNSYLVANIA	137	67	771	471	5.62	7.01	515	323	24	11	3.59
OHIO	510	326	2,092	1,385	4.10	4.25	1,332	885	81	50	4.34
INDIANA	626	394	2,673	1,606	4.27	4.08	1,736	1,044	85	56	3.53
ILLINOIS	340	388	1,427	1,606	4.20	4.14	892	977	60	61	4.74
MINNESOTA	1,464	1,082	5,884	3,969	4.02	3.67	3,723	2,476	238	220	4.52
MISSOURI	804	558	4,447	3,194	5.53	5.72	2,992	2,147	143	139	4.00
DELAWARE	40	35	299	276	7.48	7.93	209	195	8	7	2.87
MARYLAND	718	522	2,947	2,122	4.11	4.06	1,934	1,361	95	81	3.62
VIRGINIA	137	92	900	675	6.55	7.37	634	474	20	21	2.46
NORTH CAROLINA	386	307	2,555	2,218	6.46	7.23	1,705	1,500	77	66	3.37
GEORGIA	869	698	4,343	3,513	5.00	5.03	2,825	2,189	114	106	2.94
FLORIDA	456	330	1,830	1,130	4.01	4.01	1,084	66	66	---	4.02
ALABAMA	51	49	404	397	7.94	8.05	283	280	26	19	7.06
MISSISSIPPI	1,406	806	5,849	3,558	4.16	4.41	3,911	2,372	238	133	4.56
ARKANSAS	272	192	2,007	1,217	7.39	6.35	1,345	826	62	45	3.46
LOUISIANA	---	28	---	211	---	7.45	---	147	---	10	---
OKLAHOMA	---	87	---	583	---	6.69	---	419	---	12	---
TEXAS	396	298	1,946	1,596	4.92	5.35	1,267	1,036	76	66	4.41
WASHINGTON	171	99	732	406	4.28	4.12	471	249	25	23	3.94
CALIFORNIA	1,416	904	5,649	3,691	3.99	4.08	3,513	2,275	300	142	5.96

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBERCULOSIS: NO.	LEUROSIS: NO.	SEPTICEMIA: NO.	AIR SAC: NO.	SYNOVITIS: NO.	VISSERALS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONTAMINATION: NO.	SCALD: NO.	OTHER: NO.	TOTAL NO.
N. ATLANTIC	67	1,823	13,956	31	466	8,095	472	1,550	2,284	408	4,018	33,170	
E. N. CENTRAL	449	3,355	15,757	249	175	15,646	1,139	1,143	2,914	77	5,456	46,360	
M. N. CENTRAL	3,443	6,687	33,130	1,026	397	40,985	10,150	4,122	11,074	809	19,080	130,903	
S. ATLANTIC	21	4,074	27,441	846	778	18,847	2,245	3,870	11,383	571	8,550	78,626	
S. CENTRAL	---	6,822	21,816	357	363	14,982	1,765	1,232	5,193	104	9,623	62,057	
WEST	---	993	18,829	13	18	17,626	1,526	1,112	2,459	136	3,881	46,593	
U. S.	3,980	23,554	130,929	2,522	2,197	116,181	17,297	13,029	35,307	2,105	50,608	397,709	
MAINE	---	729	4,186	14	180	601	140	186	1,166	15	427	7,644	
NEW JERSEY	---	655	7,083	5	118	5,145	245	1,165	689	110	3,103	18,278	
PENNSYLVANIA	67	167	647	3	---	488	41	18	189	---	284	1,904	
OHIO	87	1,067	1,746	3	124	4,333	350	117	967	27	2,509	11,330	
INDIANA	14	1,013	6,345	1	29	5,760	238	190	709	18	405	14,722	
ILLINOIS	241	1,065	6,013	229	12	4,498	375	779	821	23	2,014	16,070	
MINNESOTA	1,734	1,565	9,974	170	79	20,807	2,921	2,272	4,270	351	15,865	60,008	
MISSOURI	191	1,327	12,778	151	262	4,947	4,313	702	1,029	19	533	26,252	
DELAWARE	---	148	638	14	4	55	6	22	46	---	15	948	
MARYLAND	21	994	8,575	21	93	5,509	646	1,265	1,347	69	610	19,150	
VIRGINIA	---	309	1,598	9	41	598	96	80	231	3	15	2,980	
NORTH CAROLINA	---	785	3,459	157	368	2,346	383	277	1,124	16	996	9,911	
GEORGIA	---	790	7,070	107	193	5,939	493	784	3,084	273	4,528	23,261	
ALABAMA	---	137	964	5	15	138	17	26	1,002	10	90	2,404	
MISSISSIPPI	---	586	9,354	---	49	12,010	1,397	621	2,891	78	5,605	32,591	
ARKANSAS	---	1,014	4,756	313	119	278	105	88	572	8	322	7,575	
LOUISIANA	---	75	586	---	47	40	29	23	130	1	240	1,171	
OKLAHOMA	---	179	1,274	8	26	83	63	39	70	1	37	1,780	
TEXAS	---	4,599	4,725	31	103	2,420	144	418	458	6	3,194	16,098	
WASHINGTON	---	186	2,191	7	4	238	294	133	621	10	998	4,662	
CALIFORNIA	---	684	16,404	6	14	17,314	1,211	936	1,800	124	2,883	41,376	

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS : INSPECTED (LIVEWEIGHT)		AVERAGE : LIVEWEIGHT : INSPECTED/		TOTAL POUNDS : CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
		1967	1968	1967	1968	1967	1968	1967	1968
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	124	1,695	614	13.67	14.62	1,321	481	11	4
E. N. CENTRAL	359	6,551	4,595	18.25	19.60	5,272	3,591	82	99
W. N. CENTRAL	1,530	24,295	11,692	15.88	16.19	19,543	9,316	324	170
S. ATLANTIC	870	15,469	14,784	17.78	18.47	12,236	11,688	343	305
S. CENTRAL	1,202	21,585	20,435	17.96	18.46	17,006	16,136	383	429
WEST	1,879	34,296	18,654	18.25	18.42	27,597	15,059	647	203
U. S.	5,964	103,891	70,774	17.42	18.06	82,975	56,271	1,790	1,210
PENNSYLVANIA	114	1,552	511	13.65	13.41	1,215	399	11	3
OHIO	169	3,137	1,481	18.57	19.56	2,537	1,133	35	32
INDIANA	43	644	---	14.87	---	516	---	6	---
WISCONSIN	140	2,631	2,370	18.73	19.32	2,108	1,875	39	50
MINNESOTA	699	11,333	4,893	16.21	16.87	9,127	3,931	129	62
IOWA	389	6,557	3,954	16.86	16.72	5,259	3,098	89	64
MISSOURI	420	6,058	2,433	14.42	13.89	4,887	1,955	94	38
NEBRASKA	22	338	---	15.38	---	262	---	12	---
VIRGINIA	288	5,862	5,731	20.33	21.80	4,481	4,466	194	140
NORTH CAROLINA	557	9,363	6,887	16.82	16.66	7,569	5,485	149	115
TEXAS	462	8,946	6,576	19.36	19.22	7,080	5,234	171	128
COLORADO	228	3,510	1,503	15.42	15.95	2,900	1,235	36	12
UTAH	196	3,375	2,024	17.24	18.20	2,693	1,614	38	12
CALIFORNIA	1,374	26,233	14,021	19.09	18.95	21,065	11,328	563	164

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE	TOTAL POUNDS		POST-MORTEM CONDEMNATIONS				
		1967	1968		INSPECTED (LIVEWEIGHT)	INSPECTED (LIVEWEIGHT)	1967	1968	1967	1968	
N. ATLANTIC	3	9	94	8.94	10.44	24	72	1	---	1.18	
E. N. CENTRAL	64	94	914	8.91	9.68	435	715	9	17	1.76	
W. N. CENTRAL	365	280	3,450	9.45	9.32	2,731	2,091	45	33	1.45	
S. ATLANTIC	453	230	3,939	2,048	8.70	8.91	2,964	71	30	2.01	
S. CENTRAL	56	8	467	71	8.34	9.17	347	53	16	3.83	
WEST	221	99	1,809	733	8.19	7.42	1,394	570	20	1.23	
U. S.	1,162	720	10,266	6,465	8.83	8.98	7,895	161	92	1.75	
WISCONSIN	19	94	185	914	9.85	9.68	146	715	3	17	1.44
MINNESOTA	340	274	3,240	2,560	9.53	9.34	2,563	42	33	1.45	
VIRGINIA	453	224	3,939	2,005	8.70	8.94	2,964	71	29	2.01	
TEXAS	31	---	248	---	7.87	---	191	4	---	1.72	
CALIFORNIA	188	75	1,564	604	8.33	7.61	1,199	468	19	8	1.35

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- NO.	LEU- NO.	SEPTI- NO.	AIRSAC- NO.	SYNO- NO.	VITIS- NO.	TUMORS- NO.	BRUISES- NO.	CADAVER- NO.	INACTION- NO.	CONTAM- NO.	OVER- NO.	TOTAL	
													SCALD- NO.	OTHER- NO.
N. ATLANTIC	---	---	12	---	---	---	---	---	---	---	1	---	---	33
E. N. CENTRAL	---	---	2	884	31	---	---	44	34	61	61	2	3	1,817
W. N. CENTRAL	---	---	2	554	11	6	---	19	93	354	354	14	49	3,415
S. ATLANTIC	---	---	1	750	38	2	---	49	28	205	205	6	14	2,829
S. CENTRAL	---	---	---	29	---	---	---	---	---	7	7	1	---	119
WEST	---	---	1	820	51	---	---	16	47	121	121	49	23	1,228
U. S.	---	---	18	5,727	180	8	---	128	202	749	749	72	89	9,441
WISCONSIN	---	---	2	756	31	---	---	44	34	61	61	2	3	1,817
MINNESOTA	---	---	2	2,303	10	6	---	14	88	350	350	14	43	3,373
VIRGINIA	---	---	1	1,663	23	2	---	48	28	198	198	6	5	2,712
CALIFORNIA	---	---	---	710	99	---	---	13	36	103	103	48	18	1,072

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	PCUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
		1967	1968	1967	1968	1967	1968	1967	1968		
N. ATLANTIC	2	44	184	22.00	20.44	31	147	---	1	---	.61
E. N. CENTRAL	94	1,853	513	19.71	20.48	1,452	401	33	13	1.98	2.83
W. N. CENTRAL	128	3,367	2,458	19.69	19.20	2,667	1,928	98	72	3.24	3.25
S. ATLANTIC	62	1,180	1,118	19.03	19.22	934	878	33	40	3.11	3.95
S. CENTRAL	173	3,347	2,685	19.35	19.17	2,710	2,177	81	60	2.69	2.49
WEST	233	4,709	3,284	20.21	20.13	3,687	2,633	138	55	3.26	1.85
U. S.	735	14,500	10,242	19.73	19.57	11,481	8,164	383	241	2.94	2.62
OHIO	---	---	258	---	19.65	---	198	---	6	---	2.58
MINNESOTA	129	2,477	1,866	19.17	19.06	1,962	1,474	80	54	3.61	3.22
NORTH CAROLINA	60	1,140	883	18.99	18.99	905	693	33	31	3.27	3.93
TEXAS	133	2,534	---	19.06	---	2,047	---	56	---	2.47	---
CALIFORNIA	107	2,038	986	19.00	18.87	1,566	798	71	17	3.86	1.86

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1968

REGION AND STATE	TUBER- NO.	LEU- NO.	KOSIS NO.	SEPTI- NO.	AIRSAC- NO.	SYNG- NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER NO.	CONTAM- NO.	OVER- NO.	SCALD		OTHER NO.	TOTAL NO.
													NO.	NO.		
N. ATLANTIC	---	---	---	40	4	---	1	1	---	1	11	---	4	---	61	
E. N. CENTRAL	---	12	134	161	134	8	1	1	41	17	25	---	36	---	435	
W. N. CENTRAL	---	14	747	1,643	747	13	28	28	52	82	212	45	12	---	2,848	
S. ATLANTIC	---	50	646	383	646	40	158	40	12	23	75	---	236	---	1,623	
S. CENTRAL	---	10	421	1,554	421	26	38	25	18	25	299	2	430	---	2,823	
WEST	---	23	110	1,559	110	34	223	34	173	34	75	2	10	---	2,243	
U. S.	---	109	2,062	5,340	2,062	121	449	182	296	697	49	728	10,033	---	187	
OHIO	---	1	47	69	47	1	---	5	12	16	---	---	36	---	187	
MINNESOTA	---	10	646	1,192	646	11	18	54	47	197	16	---	12	---	2,203	
NORTH CAROLINA	---	43	521	321	521	38	40	14	6	61	---	---	154	---	1,198	
CALIFORNIA	---	7	2	558	2	---	176	6	2	33	---	---	8	---	792	

**UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250**

**POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE**

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.