

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
July 1968

August 29, 1968

Inspected Poultry - A total of 981,843,000 pounds live weight (chickens, turkeys, and ducks) was inspected for slaughter during July 1968 under the Poultry Inspection Act carried on by the U.S.D.A. This was 18 percent more than the previous month and 6 percent more than July 1967.

The number of head and pounds (live weight) inspected by classes in July 1968 were young chickens, 220,169,000 head, 767,500,000 pounds; mature chickens, 11,190,000 head, 51,950,000 pounds; fryer-roaster turkeys, 994,000 head, 8,921,000 pounds; young turkeys, 8,046,000 head, 139,939,000 pounds; old turkeys, 304,000 head, 5,716,000 pounds; and ducks, 1,279,000 head, 7,817,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in July totaled 712,506,000 pounds ready-to-cook weight of which 540,249,000 pounds were chilled and 172,257,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 550,861,000 pounds; mature chickens, 33,614,000 pounds; fryer-roaster turkeys, 6,893,000 pounds; young turkeys, 110,817,000 pounds; old turkeys, 4,550,000 pounds; ducks, 5,564,000 pounds; and other poultry, 207,000 pounds.

Processed Poultry - Poultry inspected and used for canning and other processed food in July totaled 84,859,000 pounds ready-to-cook weight, compared with 69,832,000 pounds in July 1967. The quantity used in July 1968 consisted of 18,191,000 pounds of young chickens, 30,481,000 pounds of mature chickens, 31,687,000 pounds of turkeys, and 4,500,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during July totaled 130,079,000 pounds ready-to-cook weight compared with 103,940,000 pounds a year earlier. The breakdown by classes for July 1968 consisted of 118,418,000 pounds of young chickens, 416,000 pounds of mature chickens, 11,156,000 pounds of turkeys, and 89,000 pounds of other poultry.

Ante-mortem condemnations amounted to 4,535,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.48 percent; mature chickens, 0.82 percent; fryer-roaster turkeys, 0.17 percent; young turkeys, 0.22 percent; old turkeys, 0.20 percent; and ducks, 0.01 percent.

Post-mortem condemnations in July amounted to 26,429,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.14 percent; mature chickens, 4.62 percent; fryer-roaster turkeys, 1.95 percent; young turkeys, 1.83 percent; old turkeys, 2.74 percent; and ducks, 1.19 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1968 WITH COMPARISONS

NUMBER INSPECTED 3/	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS/ :	: CHICKENS :	: CHICKENS/ :	: TURKEYS2/ :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
JUNE 1968	197,186	9,400	206,586	720	3,919	523	5,162	1,161	---	---	---	---
JULY 1967	193,664	10,108	203,772	1,048	9,906	350	11,304	1,198	---	---	---	---
JULY 1968	220,169	11,190	231,359	994	8,046	304	9,344	1,279	---	---	---	---
JAN.-JULY 1967	1,353,556	97,143	1,450,699	7,644	23,636	1,737	33,017	5,680	---	---	---	---
JAN.-JULY 1968	1,359,438	88,664	1,448,102	6,389	19,727	1,294	27,410	5,591	---	---	---	---
POUNDS INSPECTED 4/												
JUNE 1968	691,300	44,000	735,300	6,465	70,774	10,242	87,481	7,183	320	830,284		
JULY 1967	679,058	47,230	726,288	8,961	177,131	6,287	192,379	7,456	319	926,442		
JULY 1968	767,500	51,950	819,450	8,921	139,939	5,716	154,576	7,817	392	982,235		
JAN.-JULY 1967	4,764,002	452,107	5,216,109	67,599	432,951	33,785	534,335	36,175	2,160	5,788,779		
JAN.-JULY 1968	4,801,633	403,157	5,204,790	57,106	367,773	25,480	450,359	35,265	1,777	5,692,191		
AVERAGE LIVEWEIGHTS 5/												
JUNE 1968	3.51	4.68	3.56	8.98	18.06	19.57	16.95	6.19	---	---	---	---
JULY 1967	3.51	4.67	3.56	8.55	17.88	17.96	17.02	6.22	---	---	---	---
JULY 1968	3.49	4.64	3.54	8.98	17.39	18.83	16.54	6.11	---	---	---	---
JAN.-JULY 1967	3.52	4.65	3.60	8.84	18.32	19.45	16.18	6.37	---	---	---	---
JAN.-JULY 1968	3.53	4.55	3.59	8.94	18.64	19.68	16.43	6.31	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:  
 JUNE 1968, 1,709; JULY 1967, 1,767; AND JULY 1968, 1,994.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:  
 JUNE 1968, 528; JULY 1967, 266; AND JULY 1968, 209.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1968 WITH COMPARISONS 1/

JUNE 1968	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
CHILLED	450,800	21,554	472,354	1,265	11,656	1,245	14,166	108	17	486,645		
FROZEN	46,337	6,800	53,137	3,772	44,615	6,919	55,306	5,106	151	113,700		
TOTAL	497,137	28,354	525,491	5,037	56,271	8,164	69,472	5,214	168	600,345		
JULY 1967	441,878	23,027	464,905	1,332	22,004	738	24,074	170	8	489,157		
CHILLED	46,218	7,681	53,899	5,563	119,607	4,199	129,369	5,081	161	188,510		
FROZEN	488,096	30,708	518,804	6,895	141,611	4,937	153,443	5,251	169	677,667		
TOTAL	498,388	24,277	522,665	1,995	14,054	1,298	17,347	217	20	540,249		
JULY 1968	52,473	9,537	61,810	4,898	96,763	3,252	104,913	5,347	187	172,257		
CHILLED	550,861	33,614	584,475	6,893	110,817	4,550	122,260	5,564	207	712,506		
FROZEN	3,044,504	222,852	3,267,356	13,439	66,029	3,045	82,513	909	35	3,350,813		
TOTAL	3,50,071	72,221	4,22,292	38,563	279,067	23,704	341,334	24,879	1,197	789,702		
JANUARY-JULY 1967	3,394,575	295,073	3,689,648	52,002	345,096	26,749	423,847	25,788	1,232	4,140,515		
CHILLED	3,081,414	200,408	3,281,822	9,620	57,285	3,690	70,595	1,183	100	3,353,700		
FROZEN	345,348	61,708	407,056	34,498	233,851	16,626	284,975	24,109	846	716,986		
TOTAL	3,426,762	262,116	3,688,878	44,118	291,136	20,316	355,170	25,292	946	4,070,686		

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1968 WITH COMPARISONS

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS : TURKEYS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
JULY 1967:	2,462	329	2,791	21	492	24	537	1	1	3,330
JULY 1968:	3,755	431	4,186	16	319	12	347	1	1	4,535
JAN.-JULY 1967:	14,456	2,937	17,393	176	979	81	1,236	4	3	18,636
JAN.-JULY 1968:	15,550	3,048	18,598	127	842	76	1,045	7	6	19,656
PERCENT 1/										
JULY 1967:	.36	.70	.38	.23	.28	.39	.28	.01	.44	.36
JULY 1968:	.48	.82	.51	.17	.22	.20	.22	.01	.41	.46
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
JULY 1967:	20,728	1,773	22,501	134	2,819	176	3,129	78	3	25,711
JULY 1968:	21,598	2,144	23,742	157	2,301	141	2,599	84	3	26,429
JAN.-JULY 1967:	184,250	17,605	201,855	1,100	7,501	951	9,552	406	17	211,830
JAN.-JULY 1968:	165,142	17,012	182,154	1,020	7,531	671	9,222	356	17	191,749
PERCENT 2/										
JULY 1967:	3.40	4.20	3.46	1.67	1.77	3.12	1.81	1.16	1.05	3.09
JULY 1968:	3.14	4.62	3.23	1.95	1.83	2.74	1.87	1.19	.97	3.00

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1968 WITH COMPARISONS 1/

	YOUNG CHICKENS : FURTHER PROCESSED:	MATURE CHICKENS : FURTHER PROCESSED:	TURKEYS : FURTHER PROCESSED:	OTHER POULTRY 2/ : FURTHER PROCESSED:	TOTAL POULTRY : FURTHER PROCESSED:					
POUNDS USED READY-TO-COOK WEIGHT 3/										
JUNE 1968 :	17,921	108,242	30,508	271	24,298	9,899	5,298	69	78,025	118,481
JULY 1967 :	16,965	96,926	23,471	251	24,282	6,667	5,114	96	69,832	103,940
JULY 1968 :	18,191	118,418	30,481	416	31,687	11,156	4,500	89	84,859	130,079
JANUARY-JULY 1967 :	122,485	685,045	203,604	4,358	175,731	52,775	48,810	504	550,630	742,682
JANUARY-JULY 1968 :	155,833	804,277	223,342	4,685	193,011	63,268	42,791	910	614,977	873,140
LBS. CONDEMNED READY-TO-COOK WEIGHT 3/										
JUNE 1968 :	86	1,085	115	---	33	---	91	---	325	1,094
JULY 1967 :	72	509	18	---	15	---	9	---	114	545
JULY 1968 :	142	1,290	61	---	27	---	28	---	258	1,301
JANUARY-JULY 1967 :	442	2,452	152	---	144	---	125	---	863	2,660
JANUARY-JULY 1968 :	542	6,289	557	---	163	---	343	---	1,605	7,423

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.

2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

3/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968		
U. S.	193,664	220,169	679,058	767,500	3.51	3.49	488,096	550,861	20,728	21,598	3.40	3.14
MAINE	5,878	6,464	22,704	25,460	3.86	3.94	16,734	18,412	611	837	3.01	3.67
PENNSYLVANIA	6,615	7,444	25,719	27,797	3.89	3.73	18,190	19,709	1,030	944	4.47	3.79
INDIANA	839	1,208	3,020	4,314	3.60	3.57	2,202	3,196	30	68	1.13	1.75
WISCONSIN	1,274	1,505	4,814	5,755	3.78	3.82	3,514	4,196	96	106	2.20	2.05
MISSOURI	3,244	4,536	11,211	15,698	3.46	3.46	7,910	11,044	288	383	2.87	2.71
DELAWARE	7,758	8,235	29,098	30,069	3.75	3.65	20,945	21,312	1,189	1,079	4.55	4.00
MARYLAND	11,613	13,300	42,744	48,173	3.68	3.62	30,658	34,739	1,653	1,586	4.31	3.68
VIRGINIA	4,519	7,188	14,126	23,917	3.13	3.33	9,818	16,315	371	803	2.93	3.74
NORTH CAROLINA	20,839	24,680	74,316	88,508	3.57	3.59	53,472	63,741	2,138	2,267	3.21	2.86
SOUTH CAROLINA	2,318	2,587	8,222	8,804	3.55	3.40	5,685	6,193	303	374	4.11	4.76
GEORGIA	32,098	33,448	112,400	114,807	3.50	3.43	79,935	81,972	4,627	4,335	4.59	4.22
TENNESSEE	5,054	6,126	17,694	20,756	3.50	3.39	12,610	15,171	650	464	4.11	2.49
ALABAMA	22,468	25,090	78,662	87,467	3.50	3.49	57,120	62,673	1,870	2,457	2.65	3.13
MISSISSIPPI	13,239	15,936	44,299	54,272	3.35	3.41	33,076	40,462	863	946	2.17	1.94
ARKANSAS	28,773	32,438	95,827	107,247	3.33	3.31	68,540	76,204	2,521	2,437	2.93	2.53
LOUISIANA	4,183	4,684	14,518	16,558	3.47	3.54	10,456	11,886	394	414	3.02	2.79
TEXAS	12,597	14,354	42,965	49,831	3.41	3.47	31,094	36,218	1,088	1,260	2.83	2.82
WASHINGTON	939	1,158	3,269	4,280	3.48	3.69	2,316	2,998	61	80	2.07	2.08
CALIFORNIA	2,367	2,333	8,463	8,249	3.58	3.54	6,015	5,863	279	248	3.66	3.35

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1968

REGION AND STATE	TUBERCULOSIS NO.	LEUROSIS NO.	SEPTICEMIA NO.	AIRSAC-CULITIS NO.	SYNO-VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER INACTION NO.	CONTAMINATION NO.	OVERSCALE NO.	OTHER NO.	TOTAL NO.
N. ATLANTIC	---	294,115	99,434	28,367	5,858	1,404	3,477	11,444	21,076	2,221	14,230	481,626
E. N. CENTRAL	---	14,656	14,508	4,528	1,026	141	1,632	3,906	4,699	509	569	46,174
W. N. CENTRAL	---	25,429	24,201	30,178	5,499	467	2,768	5,144	10,400	386	4,651	109,123
S. ATLANTIC	---	1,797,152	424,054	261,947	29,344	8,275	33,052	78,582	219,344	23,938	111,229	2,986,917
S. CENTRAL	---	679,675	473,117	401,500	110,204	9,991	40,130	100,364	152,386	21,366	106,377	2,095,110
WEST	---	59,517	17,214	14,797	724	212	1,120	2,947	3,566	1,335	9,894	111,326
U. S.	---	2,870,544	1,052,528	741,317	152,655	20,490	82,179	202,387	411,471	49,755	246,950	5,830,276
MAINE	---	117,950	49,163	3,679	4,655	436	1,755	4,938	9,302	786	3,682	196,346
PENNSYLVANIA	---	166,835	43,817	23,957	1,012	772	1,346	5,924	9,888	1,319	9,551	264,421
INDIANA	---	6,554	5,325	2,132	499	74	859	2,215	2,386	369	18	20,431
WISCONSIN	---	7,982	9,102	2,321	527	66	768	1,653	2,238	140	528	25,325
MISSOURI	---	23,578	21,882	29,901	5,485	331	2,529	4,277	9,093	379	2,034	99,489
DELAWARE	---	239,019	43,192	22,843	2,390	527	1,846	7,378	14,619	1,125	12,992	345,931
MARYLAND	---	317,943	58,870	37,574	3,941	1,011	2,904	7,707	19,050	4,439	4,773	458,212
VIRGINIA	---	176,751	39,628	36,033	1,320	329	1,593	5,141	7,261	1,846	10,474	280,376
NORTH CAROLINA	---	212,863	116,595	69,807	9,550	2,757	10,999	21,541	86,230	5,995	41,702	578,039
SOUTH CAROLINA	---	67,881	11,371	9,859	490	227	1,186	2,614	4,177	667	2,488	100,960
GEORGIA	---	760,806	146,178	83,319	11,283	3,343	14,131	32,486	86,167	9,579	37,418	1,184,710
TENNESSEE	---	39,087	26,403	20,753	1,596	469	2,145	3,331	11,508	338	16,831	122,461
ALABAMA	---	290,066	107,903	111,417	8,007	2,693	7,654	18,184	49,411	5,916	19,644	620,895
MISSISSIPPI	---	70,193	25,264	52,012	4,590	1,448	4,798	10,786	16,456	1,018	20,205	206,770
ARKANSAS	---	162,227	191,653	146,774	29,181	2,526	11,603	36,406	42,278	6,522	21,729	650,899
LOUISIANA	---	36,211	32,990	8,924	4,382	509	2,924	4,852	8,324	686	7,794	107,596
TEXAS	---	71,476	74,871	51,556	60,060	1,856	8,226	19,856	17,803	6,511	18,999	331,214
WASHINGTON	---	2,055	3,684	3,854	238	69	340	1,109	761	108	3,958	16,216
CALIFORNIA	---	45,869	11,047	8,667	469	138	352	1,227	2,170	468	5,776	76,183

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWIGHT	TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
		1967	1968		1967	1968	1967	1968	1967
		-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	1,079	6,035	5,482	5.18	5.08	4,014	3,639	183	194
E. N. CENTRAL	1,467	5,047	6,156	4.34	4.20	3,264	3,976	194	240
W. N. CENTRAL	2,386	11,645	10,441	4.40	4.38	7,515	6,765	467	497
S. ATLANTIC	2,237	11,522	12,290	5.15	4.93	7,493	7,851	368	458
S. CENTRAL	1,514	7,156	10,755	4.73	5.05	4,742	7,226	268	432
WEST	1,380	5,825	6,826	4.22	4.17	3,680	4,157	293	323
U. S.	10,108	47,230	51,950	4.67	4.64	30,708	33,614	1,773	2,144
MAINE	182	2,207	1,208	6.19	6.65	1,560	858	53	54
NEW JERSEY	605	2,134	2,516	4.24	4.16	1,306	1,551	86	98
PENNSYLVANIA	122	695	398	5.71	6.92	451	279	25	9
OHIO	370	1,632	1,610	4.19	4.35	1,071	1,024	60	53
INDIANA	394	1,718	1,803	4.36	3.98	1,117	1,239	56	66
ILLINOIS	236	983	983	4.16	---	616	---	46	---
MINNESOTA	1,047	5,054	3,851	3.96	3.68	3,133	2,447	228	184
MISSOURI	713	3,972	4,014	5.52	5.63	2,716	2,732	107	158
DELAWARE	26	206	---	7.77	---	142	---	5	---
MARYLAND	341	1,404	2,119	4.12	4.07	914	1,352	62	86
VIRGINIA	86	808	635	6.51	7.37	568	428	17	20
NORTH CAROLINA	205	2,654	1,322	7.01	6.44	1,718	880	71	44
GEORGIA	727	3,865	4,526	5.32	5.11	2,598	2,982	118	139
ALABAMA	110	257	880	8.27	8.01	189	614	16	49
MISSISSIPPI	890	3,597	5,735	4.04	4.47	2,357	3,893	124	195
ARKANSAS	86	668	1,335	7.74	7.25	465	910	24	54
LOUISIANA	77	483	---	6.26	---	331	---	15	---
OKLAHOMA	77	---	365	---	4.76	---	231	---	13
TEXAS	344	1,576	2,064	4.57	4.89	1,015	1,307	69	110
WASHINGTON	137	553	546	4.04	4.24	350	347	23	29
CALIFORNIA	1,168	4,984	6,112	4.27	4.13	3,137	3,690	262	291

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1968

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSIS:	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS:	BRUISES:	CADAVER:	CONTAM- :INATION:	OVER- :SCALD:	OTHER:	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	5	2,548	18,940	37	701	11,067	581	851	2,342	211	2,775	40,058
E. N. CENTRAL	700	3,038	22,940	195	109	22,715	1,411	1,184	3,460	92	7,484	63,328
W. N. CENTRAL	5,536	6,274	30,513	888	464	38,413	6,707	3,363	9,131	292	15,405	116,986
S. ATLANTIC	46	5,483	31,630	512	651	23,778	2,523	3,963	13,157	320	11,246	93,309
S. CENTRAL	---	9,493	29,470	577	651	18,167	2,644	2,068	8,561	373	16,838	88,842
WEST	---	1,705	26,964	42	16	41,020	2,577	1,953	5,425	271	6,692	86,665
U. S.	6,287	28,541	160,457	2,251	2,592	155,160	16,443	13,382	42,076	1,559	60,440	489,188
MAINE	---	1,299	5,792	25	360	564	76	107	823	43	213	9,302
NEW JERSEY	5	807	10,404	7	31	7,625	413	631	1,050	124	2,174	23,271
PENNSYLVANIA	---	144	777	1	---	373	42	27	149	1	143	1,657
OHIO	30	858	2,378	1	6	4,724	366	221	972	31	2,352	11,939
INDIANA	12	882	8,274	9	29	6,296	211	121	902	7	720	17,463
MINNESOTA	2,987	1,890	10,026	224	221	17,437	2,457	1,191	4,456	179	12,173	53,241
MISSOURI	305	1,227	13,400	163	139	7,226	2,670	841	1,623	48	217	27,859
MARYLAND	45	1,224	8,506	24	153	6,622	532	1,476	1,207	6	251	20,046
VIRGINIA	1	350	1,519	144	68	580	73	90	200	6	11	3,022
NORTH CAROLINA	---	465	2,915	79	139	2,150	612	171	1,503	8	841	8,883
GEORGIA	---	1,153	8,563	73	147	6,859	783	863	4,501	92	6,522	29,556
ALABAMA	---	355	2,336	45	40	367	47	59	2,278	156	111	5,794
MISSISSIPPI	---	653	13,113	2	64	14,360	1,989	1,236	4,491	151	10,022	46,081
ARKANSAS	---	446	4,150	405	228	256	89	181	725	20	357	6,857
OKLAHOMA	---	106	1,877	23	9	326	223	88	161	---	208	3,021
TEXAS	---	7,775	7,255	97	230	2,800	269	450	651	46	5,895	25,468
WASHINGTON	---	285	2,289	4	2	506	131	230	686	9	1,664	5,806
CALIFORNIA	---	1,199	24,412	25	14	40,473	2,438	1,708	4,667	262	5,000	80,198

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968
	-THOUSANDS-	-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	210	100	3,864	1,672	18.40	16.72	3,074	1,344	43	16
E. N. CENTRAL	833	733	14,470	12,408	17.37	16.92	11,594	9,856	140	155
W. N. CENTRAL	3,689	2,927	64,243	49,172	17.41	16.80	51,597	39,405	992	776
S. ATLANTIC	961	1,071	17,048	18,573	17.74	17.35	13,436	14,292	335	391
S. CENTRAL	1,764	1,626	30,780	29,182	17.45	17.94	24,400	23,070	514	639
WEST	2,449	1,589	46,726	28,932	19.08	18.21	37,510	22,850	795	324
U. S.	9,906	8,046	177,131	139,939	17.88	17.39	141,611	110,817	2,819	2,301
PENNSYLVANIA	144	93	2,345	1,564	16.32	16.73	1,896	1,259	23	14
OHIO	276	291	5,226	4,950	18.95	16.99	4,124	3,941	49	49
INDIANA	221	197	3,400	3,237	15.39	16.43	2,715	2,608	36	30
WISCONSIN	240	187	4,950	3,041	16.88	16.26	3,283	2,362	44	52
MINNESOTA	1,623	1,355	29,429	22,143	18.13	16.34	23,684	17,771	363	294
IOWA	849	749	14,927	13,038	17.59	17.41	12,043	10,452	191	175
MISSOURI	896	652	14,151	11,315	15.79	17.36	11,276	9,035	345	270
NEBRASKA	169	---	3,061	---	18.16	---	2,439	---	53	---
VIRGINIA	319	374	6,184	7,084	19.40	18.96	4,703	5,067	163	203
NORTH CAROLINA	474	523	8,109	8,568	17.10	16.39	6,537	6,887	116	132
ARKANSAS	691	737	11,759	13,510	17.02	18.33	9,350	10,652	174	290
TEXAS	805	676	14,555	12,005	18.08	17.75	11,598	9,556	250	270
COLORADO	289	225	6,381	4,275	22.08	19.01	5,295	3,460	81	53
UTAH	344	301	6,512	5,393	18.92	17.89	5,248	4,281	62	37
CALIFORNIA	1,617	943	30,021	17,178	18.56	18.22	23,938	13,443	596	206

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.





FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVELINEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1967	1968	1967	1968	1967	1968	1967	1968	1967	1968		
N. ATLANTIC 3/	2	10	20	88	9.13	8.80	16	70	---	1	---	1.26
E. N. CENTRAL	71	118	686	1,115	9.66	9.46	542	875	11	21	1.78	2.08
W. N. CENTRAL	291	422	2,692	3,827	9.25	9.07	2,140	3,023	36	46	1.49	1.34
S. ATLANTIC	424	253	3,641	2,289	8.59	9.04	2,721	1,679	59	62	1.81	3.00
S. CENTRAL	30	38	247	332	8.23	8.70	194	256	3	8	1.36	2.83
WEST	230	153	1,675	1,270	7.28	8.29	1,282	990	25	19	1.66	1.68
U. S.	1,048	994	8,961	8,921	8.55	8.98	6,895	6,893	134	157	1.67	1.95
WISCONSIN	53	115	511	1,097	9.68	9.50	405	861	8	21	1.61	2.11
MINNESOTA	262	414	2,451	3,757	9.36	9.08	1,952	2,968	33	45	1.49	1.34
VIRGINIA	424	253	3,641	2,289	8.59	9.04	2,721	1,679	59	62	1.81	3.00
CALIFORNIA	172	131	1,444	1,101	8.41	8.43	1,113	855	19	17	1.44	1.71

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1968

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNDROME-VITIS		TUMORS		BRUISES		CADAVER		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	1	16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	19
E. N. CENTRAL	---	18	1,063	932	34	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2,272
W. N. CENTRAL	---	4	2,502	594	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,405
S. ATLANTIC	---	1	2,747	2,536	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5,831
S. CENTRAL	---	6	205	69	122	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	569
WEST	---	2	861	862	334	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2,271
U. S.	---	32	7,394	4,994	537	4	188	331	1,549	149	189	15,367	149	189	15,367	149	189	15,367	149	189	15,367	15,367	
WISCONSIN	---	18	1,063	932	34	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2,270
MINNESOTA	---	4	2,483	586	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,322
VIRGINIA	---	1	2,747	2,536	40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5,831
CALIFORNIA	---	2	751	857	160	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,934

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1967 AND 1968

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVEMEIGHT (LBS.)	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
					POUNDS (NYD)	PERCENT
	1967	1968	1967	1968	1967	1968
N. ATLANTIC 1/	---	---	---	---	---	---
E. N. CENTRAL	72	1,378	19.14	1,045	46	3.75
W. N. CENTRAL	87	1,419	16.31	1,130	35	2.75
S. ATLANTIC	52	962	18.50	765	27	3.12
S. CENTRAL	42	769	18.31	606	20	2.90
WEST	97	1,759	18.13	1,391	48	3.04
U. S.	350	6,287	17.96	4,937	176	3.12
OHIO	37	705	19.23	538	30	4.77
MINNESOTA	81	1,292	15.97	1,033	32	2.71
NORTH CAROLINA 2/	50	941	18.92	748	27	3.20

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1968

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYND- VITIS	TUMORS	BRUISES	CADAVER	INATON	SCALD	OTHER	TOTAL
												NO.
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	30
E. N. CENTRAL	34	536	437	10	16	10	22	37	37	2	33	1,137
W. N. CENTRAL	1	619	364	2	18	25	42	63	63	15	9	1,158
S. ATLANTIC	79	447	591	35	69	8	23	109	109	2	429	1,792
S. CENTRAL	2	284	173	6	13	7	8	65	65	---	69	627
WEST	10	992	2	9	16	72	45	18	18	1	2	1,167
U. S.	126	2,903	1,567	62	133	122	140	295	295	20	543	5,911
MINNESOTA	---	571	335	---	14	24	29	58	58	12	9	1,052

U. S. DEPARTMENT OF AGRICULTURE  
Statistical Reporting Service  
Washington, D.C. 20250

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

NOTICE

If you no longer need this publication,  
check here  and return this sheet.

If your address should be changed,  
please return a copy of the old address  
with the new address to:

Secretary, Crop Reporting Board  
Statistical Reporting Service  
U.S. Department of Agriculture  
Washington, D. C. 20250

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.