

POULTRY

Slaughtered under Federal Inspection and
Used in further processing
February 1969

Release:
April 2, 1969
3:00 P.M. EST

Inspected Poultry - A total of 713,670,000 pounds live weight (chickens, turkeys, and ducks) was inspected for slaughter during February under the Poultry Inspection Act carried on by the U.S.D.A. This was 19 percent less than the previous month but 2 percent more than February 1968.

The number of head and pounds (live weight) inspected by classes in February were young chickens, 175,087,000 head, 626,394,000 pounds; mature chickens, 12,913,000 head, 58,058,000 pounds; fryer-roaster turkeys, 834,000 head, 7,830,000 pounds; young turkeys, 906,000 head, 18,767,000 pounds; old turkeys, 30,000 head, 558,000 pounds; and ducks, 334,000 head, 2,063,000 pounds.

Quantity certified as wholesome - The quantity of poultry certified as wholesome in February totaled 505,851,000 pounds ready-to-cook weight of which 434,022,000 pounds were chilled and 71,829,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 445,587,000 pounds; mature chickens, 37,373,000 pounds; fryer-roaster turkeys, 6,109,000 pounds; young turkeys, 14,792,000 pounds; old turkeys, 435,000 pounds; ducks, 1,459,000 pounds; and other poultry, 96,000 pounds.

Further Processing - Poultry inspected and used for further processing in February totaled 95,788,000 pounds ready-to-cook weight, compared with 99,727,000 pounds in February 1968. The quantity used in February consisted of 18,628,000 pounds of young chickens, 32,975,000 pounds of mature chickens, 37,291,000 pounds of turkeys, and 6,894,000 pounds of other poultry.

Cut-up and packaged - Poultry cut-up and packaged in Federally inspected plants during February 1969 totaled 125,288,000 pounds ready-to-cook weight compared with 129,298,000 pounds a year earlier. The breakdown by classes consisted of 114,123,000 pounds of young chickens, 720,000 pounds of mature chickens, 10,272,000 pounds of turkeys, and 173,000 pounds of other poultry.

Ante-mortem condemnations amounted to 2,441,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.31 percent; mature chickens, 0.75 percent; fryer-roaster turkeys, 0.23 percent; young turkeys, 0.22 percent; old turkeys, 0.30 percent; and ducks, 0.01 percent.

Post-mortem condemnations in February amounted to 26,365,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 4.09 percent; mature chickens, 5.25 percent; fryer-roaster turkeys, 1.81 percent; young turkeys, 2.83 percent; old turkeys, 4.21 percent; and ducks, 1.83 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, FEBRUARY 1969 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS
JANUARY 1969	208,298	14,816	223,114	800	1,905	47	2,752	523	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	172,697	13,131	185,828	1,004	1,060	31	2,095	248	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	175,087	12,913	188,000	834	906	30	1,770	334	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1968	362,577	29,803	392,380	2,297	3,323	103	5,723	645	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1969	383,384	27,728	411,112	1,634	2,811	77	4,522	857	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED 4/	759,674	66,548	826,222	7,685	45,197	937	53,819	3,214	---	---	---	---	---	---	---	---	---
JANUARY 1969	604,771	58,694	663,465	8,957	22,414	657	32,028	1,546	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	626,394	58,058	684,452	7,830	18,767	558	27,155	2,063	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1968	1,286,047	131,745	1,417,792	20,618	75,098	2,003	97,719	3,954	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1969	1,386,068	124,605	1,510,673	15,515	63,964	1,496	80,975	5,278	---	---	---	---	---	---	---	---	---
AVERAGE LIVWEIGHTS/	3.65	4.49	3.70	9.60	23.73	19.80	19.55	6.14	---	---	---	---	---	---	---	---	---
JANUARY 1969	3.50	4.47	3.57	8.92	21.15	21.06	15.29	6.24	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	3.58	4.50	3.64	9.39	20.70	18.55	15.34	6.18	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1968	3.55	4.42	3.61	8.98	22.60	19.46	17.07	6.13	---	---	---	---	---	---	---	---	---
JAN.-FEB. 1969	3.62	4.49	3.67	9.50	22.75	19.32	17.91	6.16	---	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROTILER BREEDING STOCK) WAS:
 1/ JANUARY 1969, 2,203; FEBRUARY 1968, 1,821; AND FEBRUARY 1969, 1,738.
 2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
 1/ JANUARY 1969, 26; FEBRUARY 1968, 26; AND FEBRUARY 1969, 24.
 3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS 6/ POUNDS INSPECTED IN DECEMBER 1968 WAS 722, INCORRECTLY PUBLISHED 644.

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), FEBRUARY 1969 WITH COMPARISONS 1/

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	
JANUARY 1969	486,008	32,660	518,668	1,081	10,970	321	12,372	272	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	54,685	9,885	64,570	4,907	24,899	416	30,222	2,048	---	---	---	---	---	---	---	---	---
TOTAL	540,693	42,545	583,238	5,988	35,869	737	42,594	2,320	---	---	---	---	---	---	---	---	---
FEBRUARY 1968	382,341	30,725	413,066	1,232	4,258	61	5,551	123	---	---	---	---	---	---	---	---	---
JANUARY 1969	46,624	8,006	54,630	5,780	13,321	470	19,571	992	---	---	---	---	---	---	---	---	---
TOTAL	428,965	38,731	467,696	7,012	17,579	531	25,122	1,115	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	398,837	29,214	428,051	2,119	3,489	232	5,840	131	---	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1968	46,750	8,159	54,909	3,990	11,303	203	15,496	1,328	---	---	---	---	---	---	---	---	---
TOTAL	445,587	37,373	482,960	6,109	14,792	435	21,336	1,459	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	811,912	66,073	877,985	2,532	13,651	145	16,328	328	---	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1968	100,962	20,033	120,995	13,471	45,772	1,466	60,709	2,525	---	---	---	---	---	---	---	---	---
TOTAL	912,874	86,106	998,980	16,003	59,423	1,611	77,037	2,853	---	---	---	---	---	---	---	---	---
FEBRUARY 1969	884,844	61,874	946,718	3,200	14,459	552	18,211	402	---	---	---	---	---	---	---	---	---
JANUARY-FEBRUARY 1968	101,436	18,044	119,480	8,896	36,202	621	45,719	3,377	---	---	---	---	---	---	---	---	---
TOTAL	986,280	79,918	1,066,198	12,096	50,661	1,173	63,930	3,779	---	---	---	---	---	---	---	---	---

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, FEBRUARY 1969 WITH COMPARISONS 3/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTI-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
FEBRUARY 1968:	1,677	357	2,034	18	62	3	83	---	---	2,117
FEBRUARY 1969:	1,943	436	2,379	18	42	2	62	---	---	2,441
JAN.-FEB. 1968:	4,016	984	5,000	66	220	9	295	1	---	5,296
JAN.-FEB. 1969:	4,512	916	5,428	39	179	6	224	1	---	5,654
PERCENT 1/										
FEBRUARY 1968:	.27	.60	.30	.20	.27	.39	.25	.02	.14	.30
FEBRUARY 1969:	.31	.75	.34	.23	.22	.30	.22	.01	.25	.34
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
FEBRUARY 1968:	23,623	2,507	26,130	148	830	22	1,000	22	2	27,154
FEBRUARY 1969:	22,978	2,725	25,703	128	477	21	626	34	2	26,365
JAN.-FEB. 1968:	50,925	5,887	56,812	446	2,263	56	2,765	61	5	59,642
JAN.-FEB. 1969:	51,656	5,956	57,612	301	1,537	62	1,900	82	5	59,598
PERCENT 2/										
FEBRUARY 1968:	4.35	4.77	4.39	1.83	4.12	3.80	3.48	1.60	1.20	4.34
FEBRUARY 1969:	4.09	5.25	4.18	1.81	2.83	4.21	2.56	1.83	1.15	4.11

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, FEBRUARY 1969 WITH COMPARISONS 1/

	YOUNG CHICKENS : FURTHER PROCESSED	MATURE CHICKENS : FURTHER PROCESSED	TURKEYS : FURTHER PROCESSED	OTHER POULTRY 2/ : FURTHER PROCESSED	TOTAL POULTRY : FURTHER PROCESSED	YOUNG CHICKENS : CUT UP	MATURE CHICKENS : CUT UP	TURKEYS : CUT UP	OTHER POULTRY 2/ : CUT UP	TOTAL POULTRY : CUT UP
POUNDS USED READY-TO-COOK WEIGHT 3/										
JANUARY 1969:	19,083	33,815	1,522	37,327	11,378	7,369	439	97,594	148,347	148,347
FEBRUARY 1968:	34,486	33,209	674	25,833	8,414	6,199	102	99,727	129,298	129,298
FEBRUARY 1969:	18,628	32,975	720	37,291	10,272	6,894	173	95,788	125,288	125,288
JANUARY-FEBRUARY 1968:	65,035	252,360	2,445	53,159	17,678	13,219	201	197,813	272,684	272,684
JANUARY-FEBRUARY 1969:	37,711	249,131	2,242	74,618	21,651	14,263	611	193,382	273,635	273,635
LBS. CONDEMNED READY-TO-COOK WEIGHT 3/										
JANUARY 1969:	102	47	1	35	12	4	---	188	972	972
FEBRUARY 1968 4/:	37	36	---	20	4	5	---	98	623	623
FEBRUARY 1969:	102	32	1	29	8	9	---	172	821	821
JANUARY-FEBRUARY 1968 4/:	144	122	1	38	8	107	---	411	1,517	1,517
JANUARY-FEBRUARY 1969:	204	78	2	63	20	13	---	358	1,793	1,793

1/ POUNDS OF WHOLE CARCASS BIRDS CAN BE DERIVED BY SUBTRACTING THE SUM OF FURTHER PROCESSED AND CUT-UP FROM POUNDS CERTIFIED.

2/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

3/ 1,000 POUNDS. 4/ REVISED.

POULTRY SLAUGHTER, April 1969

REGION AND STATE	YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1968 AND 1969											
	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT: INSPECTED/1: (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		PERCENT 2/	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
U. S.	172,697	175,087	604,771	626,394	3.50	3.58	428,965	445,587	23,623	22,979	4.35	4.09
MAINE	5,951	4,231	24,701	17,910	4.15	4.23	17,913	12,952	948	739	4.28	4.61
PENNSYLVANIA	6,474	6,156	25,784	24,428	3.98	3.97	17,994	17,261	1,385	1,060	5.99	4.84
INDIANA	824	936	2,907	3,413	3.53	3.65	2,124	2,557	60	77	2.33	2.50
MISSOURI	1,182	1,227	4,753	5,108	4.02	4.16	3,471	3,695	77	128	1.80	2.79
DELAWARE	2,815	3,730	9,845	12,857	3.50	3.45	6,824	9,094	419	435	4.73	3.76
MARYLAND	7,244	6,153	27,798	23,661	3.84	3.85	19,278	16,784	1,209	911	4.84	4.29
MARYLAND	10,167	11,262	38,453	43,154	3.78	3.83	27,472	30,825	1,729	1,496	5.01	3.86
VIRGINIA	4,195	5,651	13,406	18,593	3.20	3.29	8,992	12,616	578	824	4.81	4.93
NORTH CAROLINA	18,773	18,166	67,055	67,389	3.57	3.71	47,874	48,025	2,487	2,450	4.13	4.05
SOUTH CAROLINA	1,704	1,854	5,817	6,277	3.41	3.39	4,046	4,306	245	321	4.70	5.71
GEORGIA	28,371	28,394	94,874	99,464	3.34	3.50	66,617	70,080	4,485	5,012	5.26	5.61
TENNESSEE	4,302	4,642	14,229	16,434	3.31	3.54	10,277	11,798	414	589	3.24	3.99
ALABAMA	19,281	19,988	66,916	69,690	3.47	3.49	48,000	49,683	2,290	2,152	3.81	3.44
MISSISSIPPI	12,794	12,926	43,186	44,542	3.38	3.45	31,628	32,554	1,137	1,063	2.93	2.65
ARKANSAS	26,398	25,903	86,791	87,398	3.29	3.37	61,079	61,593	3,284	3,313	4.21	4.22
LOUISIANA	3,423	4,115	11,926	15,049	3.48	3.66	8,298	10,729	426	393	3.98	2.91
TEXAS	10,534	11,281	36,343	40,395	3.45	3.58	25,724	29,107	1,539	1,103	4.71	3.04
WASHINGTON	852	857	3,220	3,274	3.78	3.82	2,274	2,299	75	93	2.58	3.17
CALIFORNIA	1,976	2,266	7,226	8,469	3.66	3.74	5,155	6,094	167	200	2.57	2.64

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1969

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- GEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	GADAVER	INMATION	CONTAM- OVER-		TOTAL
										NO.	NO.	
N. ATLANTIC	---	275,277	111,850	68,925	5,856	1,266	2,860	12,684	14,315	410	15,444	508,887
E. N. CENTRAL	---	12,848	14,819	17,144	478	70	1,338	3,327	2,376	272	798	53,470
W. N. CENTRAL	---	41,958	28,623	37,993	2,245	261	2,017	4,770	7,268	1,056	5,092	131,283
S. ATLANTIC	---	1,914,247	470,951	480,619	36,901	6,973	34,769	64,614	139,865	15,666	102,384	3,266,989
S. CENTRAL	---	990,050	516,055	609,812	57,087	8,892	42,634	76,944	116,601	14,707	69,685	2,502,467
WEST	---	38,980	27,685	16,088	1,445	107	1,269	4,829	2,831	281	6,253	99,768
U. S.	---	3,273,360	1,169,983	1,230,581	104,012	17,569	84,887	167,168	283,256	32,392	199,656	6,562,864
MAINE	---	98,192	53,571	6,524	3,933	323	973	6,742	4,559	153	4,003	178,973
PENNSYLVANIA	---	166,737	50,133	57,537	1,247	718	1,511	5,343	8,185	146	10,475	302,032
INDIANA	---	3,914	3,500	12,911	249	10	517	1,170	650	87	6	23,014
WISCONSIN	---	8,476	10,881	4,181	228	29	810	2,050	1,614	183	663	29,115
MISSOURI	---	40,330	26,094	37,877	2,214	224	1,830	4,508	5,724	1,052	1,609	121,462
DELAWARE	---	169,244	43,647	42,490	2,322	496	1,602	5,417	7,397	274	4,858	277,747
MARYLAND	---	264,144	66,017	69,530	2,277	985	2,413	8,641	12,285	3,087	3,421	432,800
VIRGINIA	---	161,979	42,635	51,028	879	308	1,226	2,700	3,620	292	3,583	268,250
NORTH CAROLINA	---	231,440	147,237	148,091	20,860	2,590	14,643	17,926	52,074	2,477	53,749	691,087
SOUTH CAROLINA	---	67,470	13,271	15,029	400	134	1,184	1,914	2,995	1,466	1,804	105,667
GEORGIA	---	984,914	151,766	143,995	9,613	2,387	13,445	26,879	60,336	7,846	33,186	1,434,367
TENNESSEE	---	49,871	25,450	54,229	2,103	425	2,237	5,613	18,222	633	13,652	172,435
ALABAMA	---	330,277	114,484	75,644	6,636	2,602	6,784	16,846	32,170	4,994	12,512	602,949
MISSISSIPPI	---	108,591	32,759	72,672	8,418	1,627	5,106	7,497	12,416	1,293	16,172	266,551
ARKANSAS	---	387,487	195,068	294,182	19,795	1,937	12,220	24,183	32,936	5,473	13,798	987,079
LOUISIANA	---	24,201	41,709	22,731	3,884	423	3,295	2,786	4,226	171	3,050	106,476
TEXAS	---	76,936	93,405	49,997	15,141	1,760	10,511	18,747	13,615	1,571	8,491	290,174
WASHINGTON	---	4,072	4,743	4,923	811	47	430	1,857	1,379	104	5,341	22,707
CALIFORNIA	---	26,915	19,701	7,874	616	58	684	1,776	1,841	176	749	60,390

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIMEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--	
N. ATLANTIC	1,617	1,564	8,008	7,634	4.95	4.88	5,330	4,944	317	315
E. N. CENTRAL	1,480	1,695	6,414	7,193	4.33	4.24	4,134	4,474	266	280
W. N. CENTRAL	2,990	2,782	12,316	11,956	4.12	4.30	8,138	7,677	547	573
S. ATLANTIC	3,858	3,284	17,867	15,276	4.63	4.65	11,851	9,897	713	756
S. CENTRAL	1,957	2,241	9,079	10,602	4.64	4.73	6,106	7,043	415	499
WEST	1,229	1,347	5,010	5,397	4.08	4.01	3,172	3,338	249	302
U. S.	13,131	12,913	58,694	58,058	4.47	4.50	38,731	37,373	2,507	2,725
MAINE	292	289	1,773	1,695	6.07	5.87	1,259	1,202	66	62
NEW JERSEY	823	908	3,448	3,912	4.19	4.31	2,119	2,366	180	203
PENNSYLVANIA	132	85	802	585	6.08	6.92	543	402	24	14
OHIO	331	445	1,391	1,886	4.20	4.24	899	1,154	59	78
INDIANA	538	648	2,207	2,566	4.10	3.96	1,419	1,617	94	78
ILLINOIS	430	---	1,734	---	4.03	---	1,079	---	80	---
MINNESOTA	968	923	3,579	3,452	3.70	3.74	2,310	2,080	195	182
MISSOURI	1,000	929	5,031	4,890	5.03	5.27	3,359	3,301	178	216
DELAWARE	60	38	461	289	7.62	7.58	324	206	8	7
MARYLAND	567	522	2,329	2,086	4.10	4.00	1,491	1,337	104	111
VIRGINIA	220	177	1,212	1,081	5.50	6.09	841	757	38	40
NORTH CAROLINA	528	315	3,386	2,205	6.41	7.00	2,266	1,490	113	81
GEORGIA	1,170	1,001	5,434	4,628	4.64	4.62	3,814	3,085	178	186
ALABAMA	57	202	386	1,009	6.76	5.00	268	673	15	48
MISSISSIPPI	1,257	1,332	5,064	5,784	4.03	4.34	3,377	3,826	245	259
ARKANSAS	134	178	1,047	1,286	7.82	7.23	751	901	33	54
LOUISIANA	72	28	516	229	7.14	8.07	362	167	19	7
TEXAS	366	420	1,598	1,871	4.37	4.46	1,013	1,181	88	117
WASHINGTON	155	129	625	535	4.02	4.16	396	349	31	22
CALIFORNIA	1,036	1,157	4,244	4,621	4.09	3.99	2,683	2,836	215	273

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1969

REGION AND STATE	: TUBER- : : COLONIS :		: LEU- : : KOSIS :		: SEPTI- : : GEMIA :		: AIRSAC- : : CULITIS :		: SYNO- : : VITIS :		: TUMORS : : BRUISES :		: CADAVER : : INATION :		: CONTAM- : : OVER- : : SCALD :		: OTHER : : NO. :		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	2	2,521	35,490	15	711	23,433	1,212	2,081	5,469	154	2,947	74,035							
E. N. CENTRAL	501	5,401	24,312	353	69	27,024	3,131	2,232	5,104	327	9,003	77,457							
W. N. CENTRAL	4,014	8,676	52,687	998	253	52,515	6,944	3,177	11,846	596	13,471	155,177							
S. ATLANTIC	13	8,543	73,654	884	1,409	45,819	5,109	5,992	23,146	451	22,942	187,962							
S. CENTRAL	---	13,683	42,969	193	2,251	30,246	3,032	3,054	6,256	305	22,862	124,851							
WEST	---	874	35,213	184	611	29,081	2,702	1,431	4,498	615	7,712	82,921							
U. S.	4,530	39,698	264,325	2,627	5,304	208,118	22,130	17,967	56,319	2,448	78,937	702,403							
MAINE	---	558	5,582	7	417	2,299	344	300	545	9	665	10,726							
NEW JERSEY	---	1,391	26,518	3	35	17,357	714	1,554	4,338	125	1,897	53,932							
PENNSYLVANIA	2	181	1,163	---	7	600	38	61	176	---	287	2,515							
OHIO	21	1,348	4,158	2	25	6,398	624	884	2,230	192	3,188	19,070							
INDIANA	47	977	9,458	123	14	9,333	2,013	762	2,073	95	785	25,680							
MINNESOTA	1,852	2,031	17,361	202	37	23,319	1,538	568	3,987	128	5,788	56,811							
MISSOURI	246	2,447	22,885	188	182	11,047	3,359	684	3,244	138	4,175	48,595							
DELAWARE	---	289	525	19	4	52	13	39	46	---	23	1,010							
MARYLAND	13	565	13,803	31	264	6,749	665	999	2,154	67	1,243	26,553							
VIRGINIA	---	705	5,126	14	60	1,758	159	59	508	4	13	8,406							
NORTH CAROLINA	---	1,395	5,185	250	191	3,059	605	202	2,155	27	1,155	14,224							
GEORGIA	---	1,235	15,729	118	354	13,518	971	828	4,388	66	10,799	48,006							
ALABAMA	---	707	4,190	11	32	2,860	141	753	1,122	5	239	10,080							
MISSISSIPPI	---	1,542	24,298	---	1,871	22,923	2,440	1,342	3,518	192	15,272	73,398							
ARKANSAS	---	535	4,342	100	145	583	61	254	618	91	449	7,178							
LOUISIANA	---	111	632	---	18	27	38	142	44	---	46	1,058							
TEXAS	---	10,470	7,754	68	171	3,668	275	531	707	14	6,588	30,246							
WASHINGTON	---	322	2,045	1	21	826	123	177	399	18	1,632	5,564							
CALIFORNIA	---	528	32,194	181	590	27,656	2,389	1,215	3,972	579	6,077	75,381							

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--			
N. ATLANTIC	47	70	1,287	1,765	27.38	25.21	1,033	1,430	22	35	1.89	2.20
E. N. CENTRAL	39	38	928	724	23.88	19.28	752	570	17	16	2.06	2.50
W. N. CENTRAL	175	163	3,521	3,347	20.09	20.56	2,622	2,596	255	110	8.08	3.66
S. ATLANTIC	488	344	9,238	6,856	18.95	19.92	7,370	5,381	233	173	2.81	2.80
S. CENTRAL	169	159	3,588	3,120	21.19	19.59	2,674	2,476	258	56	8.01	2.00
WEST	142	132	3,652	2,955	27.08	22.43	3,128	2,339	45	87	1.30	3.27
U. S.	1,060	906	22,414	18,767	21.15	20.70	17,579	14,792	830	477	4.12	2.83
PENNSYLVANIA	44	71	1,214	1,766	27.81	24.88	977	1,430	21	35	1.92	2.20
OHIO	11	20	303	361	26.68	17.84	247	281	5	7	1.84	2.13
INDIANA	0	---	7	---	14.38	---	6	---	0	---	5.09	---
WISCONSIN	24	---	565	---	23.96	---	457	---	11	---	2.12	---
MINNESOTA	111	122	2,186	2,287	19.68	18.76	1,739	1,846	45	64	2.31	3.11
MISSOURI	11	---	193	---	17.46	---	145	---	10	---	5.63	---
VIRGINIA	154	132	3,269	2,641	21.27	19.98	2,520	2,054	135	64	4.61	2.69
NORTH CAROLINA	319	135	5,771	2,517	18.11	18.58	4,697	2,006	95	49	1.83	2.17
ARKANSAS	7	---	101	---	14.65	---	80	---	1	---	1.52	---
TEXAS	154	157	3,296	3,046	21.43	19.41	2,442	2,418	249	56	8.43	2.03
CALIFORNIA	139	129	3,785	2,886	27.19	22.42	3,075	2,283	43	86	1.26	3.30

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1969

REGION AND STATE	TUBER- : NO.		LEU- : NO.		KOSIS : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYNO- : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		SCALD : NO.		OTHER : NO.		TOTAL NO.	
N. ATLANTIC																												2,451
E. N. CENTRAL																												655
W. N. CENTRAL																												4,474
S. ATLANTIC																												7,477
S. CENTRAL																												2,353
WEST																												6,605
U. S.																												24,015
PENNSYLVANIA																												2,451
OHIO																												357
MINNESOTA																												3,096
VIRGINIA																												2,788
NORTH CAROLINA																												2,209
TEXAS																												2,338
CALIFORNIA																												6,568

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
			-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	3	10	27	109	9.00	10.90	24	87	---	1
E. N. CENTRAL	153	144	1,440	1,389	9.38	9.67	1,131	1,091	20	16
W. N. CENTRAL	464	452	4,100	4,280	8.83	9.47	3,278	3,396	61	58
S. ATLANTIC	257	205	2,347	1,860	9.11	9.08	1,758	1,388	49	48
S. CENTRAL	72	3	586	27	8.19	9.37	463	22	12	1
WEST	55	20	457	165	8.31	8.32	358	125	6	4
U. S.	1,004	834	8,957	7,830	8.92	9.39	7,012	6,109	148	128
WISCONSIN	3/	71	638	---	8.96	---	504	---	7	---
MINNESOTA	464	452	4,096	4,280	8.83	9.47	3,276	3,396	61	58
VIRGINIA	211	157	1,922	1,421	9.10	9.06	1,422	1,052	44	31
CALIFORNIA	41	16	362	135	8.90	8.46	283	101	5	4

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1969

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNDROME		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	3	---	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	18	
E. N. CENTRAL	---	---	1	381	---	311	18	---	1	42	149	4	4	121	2	15	---	---	---	---	15	1,041	
W. N. CENTRAL	---	---	4	4,008	---	524	---	5	62	62	163	971	9	971	9	106	---	---	---	---	9	5,852	
S. ATLANTIC	---	---	1	1,659	---	2,336	27	---	78	139	457	16	59	457	16	59	---	---	---	---	16	4,772	
S. CENTRAL	---	---	---	71	---	14	---	---	---	---	2	---	---	2	---	---	---	---	---	---	---	89	
WEST	---	---	---	120	---	243	4	---	16	25	8	---	---	8	---	---	---	---	---	---	---	416	
U. S.	---	---	6	6,242	---	3,434	49	6	198	482	1,563	27	181	1,563	27	181	---	---	---	---	27	12,168	
MINNESOTA	---	---	4	4,008	---	524	---	5	62	163	971	9	106	971	9	106	---	---	---	---	9	5,852	
VIRGINIA	---	---	---	1,491	---	1,049	6	---	71	137	307	4	---	307	4	---	---	---	---	---	4	3,081	
CALIFORNIA	---	---	---	105	---	243	4	---	6	24	5	---	---	5	---	---	---	---	---	---	---	387	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, FEBRUARY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS (LIVEMEIGHT)		AVERAGE LIVEMEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	POUNDS (NYO)	PERCENT 2/
	-THOUSANDS-	-THOUSANDS-	-POUNDS-	-POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	4	1	1	1	1	1	1	1	1	1
E. N. CENTRAL	4	79	12	22.40	31.30	63	9	2	1	2.53
M. N. CENTRAL	7	8	108	20.99	16.24	6	85	3	4.47	2.67
S. ATLANTIC	15	13	294	19.80	18.95	232	186	11	13	4.18
S. CENTRAL	9	222	23.77	---	---	186	---	8	---	4.14
WEST	3	10	55	17.47	19.09	43	155	1	4	2.13
U. S.	31	30	657	21.06	18.55	531	435	22	21	3.80
MINNESOTA	3	6	104	16.01	---	---	82	3	---	2.68

POULTRY SLAUGHTER, April 1969

- 1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
- 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
- 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
- 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, FEBRUARY 1969

REGION AND STATE	TUBER-SCULOSIS		LEU-KOSIS		SEPTI-CEMIA		AIRSAC-CULITIS		SYNO-VITIS		TUMORS		BRUISES		CADAVER INATION		CONTAMINATION		OVER-SCALD		OTHER		TOTAL		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
E. N. CENTRAL	---	---	9	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	18	
M. N. CENTRAL	---	---	115	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	168	
S. ATLANTIC	---	---	117	123	12	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	406	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	---	200	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	222	
U. S.	---	---	441	138	17	12	23	7	97	6	72	814	---	---	---	---	---	---	---	---	---	---	---	---	
MINNESOTA	---	---	113	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	166

Crop Reporting Board, SRS, USDA

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF AGRICULTURE

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.