

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
APRIL 1969

Release:
May 27, 1969
3:00 P.M. EDT

Inspected Poultry - There were 845,127,000 pounds of live weight poultry (chickens, turkeys, and ducks) inspected for slaughter during April under the Poultry Inspection Act carried on by the U.S.D.A. This was 9 percent more than the previous month and 8 percent more than April 1968.

Number of head and pounds live weight inspected by classes were: young chickens, 208,555,000 head, 748,385,000 pounds; mature chickens, 14,065,000 head, 63,635,000 pounds; fryer-roaster turkeys, 716,000 head, 6,391,000 pounds; young turkeys, 979,000 head, 18,730,000 pounds; old turkeys, 80,000 head, 1,645,000 pounds; and ducks, 1,002,000 head, 6,341,000 pounds.

Poultry certified as wholesome in April totaled 599,457,000 pounds ready-to-cook weight of which 517,366,000 pounds were chilled and 82,091,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 533,481,000; mature chickens, 40,383,000; fryer-roaster turkeys, 4,965,000; young turkeys, 14,765,000; old turkeys, 1,280,000; ducks, 4,481,000; and other poultry, 102,000 pounds.

Further Processed - Poultry inspected and used for canning and other processed food in April totaled 95,210,000 pounds ready-to-cook, compared with 82,052,000 pounds in April 1968. The April total consisted of 21,698,000 pounds of young chickens, 33,380,000 pounds of mature chickens, 33,434,000 pounds of turkeys, and 6,698,000 pounds of other poultry.

Poultry cut-up and packaged during April totaled 140,739,000 pounds ready-to-cook compared with 115,513,000 pounds a year earlier. The breakdown by classes was: young chickens, 129,256,000 pounds; mature chickens, 635,000 pounds; turkeys, 10,612,000 pounds; and other poultry, 236,000 pounds.

Ante-mortem condemnations during April were 2,623,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.28 percent; mature chickens, 0.67 percent; fryer-roaster turkeys, 0.13 percent; young turkeys, 0.20 percent; old turkeys, 0.39 percent; and ducks, 0.04 percent.

Post-mortem condemnations in April amounted to 29,968,000 pounds (NYD). Condemnations by classes as a percent of quantities inspected were: young chickens, 3.90 percent; mature chickens, 5.40 percent; fryer-roaster turkeys, 1.90 percent; young turkeys, 2.60 percent; old turkeys, 4.40 percent; and ducks, 1.51 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1969 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG : MATURE		: TOTAL :		: FRYER- : YOUNG		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY
MARCH 1969	190,002	13,249	203,251	857	1,178	55	2,090	554	---	---	---	---
APRIL 1968	190,954	13,804	204,758	747	1,339	63	2,149	919	---	---	---	---
APRIL 1969	208,555	14,065	222,620	716	979	80	1,775	1,002	---	---	---	---
JAN.-APRIL 1968	733,155	55,127	788,282	3,998	5,659	204	9,861	2,001	---	---	---	---
JAN.-APRIL 1969	781,941	55,042	836,983	3,207	4,967	212	8,386	2,413	---	---	---	---
POUNDS INSPECTED												
MARCH 1969	679,084	61,267	740,351	7,802	21,165	973	29,940	3,494	162	773,947	162	773,947
APRIL 1968	680,023	63,288	743,311	6,354	25,318	1,285	32,957	5,996	182	782,446	182	782,446
APRIL 1969	748,385	63,635	812,020	6,391	18,730	1,645	26,766	6,341	190	845,317	190	845,317
JAN.-APRIL 1968	2,599,454	246,928	2,846,382	35,532	119,100	4,068	158,700	12,729	812	3,018,623	812	3,018,623
JAN.-APRIL 1969	2,813,537	249,507	3,063,044	29,708	103,859	4,113	137,680	15,113	795	3,216,632	795	3,216,632
AVERAGE LIVeweIGHTS/												
MARCH 1969	3.57	4.62	3.64	9.10	17.97	17.78	14.33	6.31	---	---	---	---
APRIL 1968	3.56	4.58	3.63	8.51	18.90	20.24	15.33	6.53	---	---	---	---
APRIL 1969	3.59	4.52	3.65	8.92	19.14	20.63	15.08	6.33	---	---	---	---
JAN.-APRIL 1968	3.55	4.48	3.61	8.89	21.04	19.96	16.09	6.36	---	---	---	---
JAN.-APRIL 1969	3.60	4.53	3.66	9.26	20.91	19.41	16.42	6.26	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MARCH 1969, 2,107; APRIL 1968, 2,024; AND APRIL 1969, 1,786.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MARCH 1969, 12; APRIL 1968, 62; AND APRIL 1969, 29.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), APRIL 1969 WITH COMPARISONS 1/

MARCH 1969	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- : YOUNG		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY
CHILLED	433,706	30,947	464,653	2,110	4,575	201	6,886	223	0	471,762	0	471,762	223	471,762
FROZEN	48,912	8,381	57,293	3,894	12,092	546	16,532	2,256	86	76,167	86	76,167	2,256	76,167
TOTAL	482,618	39,328	521,946	6,004	16,667	747	23,418	2,479	86	547,929	86	547,929	2,479	547,929
APRIL 1968	437,247	31,031	468,278	1,183	6,377	227	7,787	201	11	476,277	11	476,277	201	476,277
CHILLED	47,675	10,012	57,687	3,688	13,600	779	18,067	4,083	86	79,923	86	79,923	4,083	79,923
FROZEN	484,922	41,043	525,965	4,871	19,977	1,006	25,854	4,284	97	556,200	97	556,200	4,284	556,200
TOTAL	479,624	31,064	510,688	1,957	3,931	318	6,206	472	---	517,366	---	517,366	472	517,366
APRIL 1969	53,857	9,319	63,176	3,008	10,834	962	14,804	4,009	102	82,091	102	82,091	4,009	82,091
CHILLED	533,481	40,383	573,864	4,965	14,765	1,280	21,010	4,481	102	599,457	102	599,457	4,481	599,457
TOTAL	1,649,297	124,440	1,773,737	4,998	23,039	482	28,519	716	50	1,803,022	50	1,803,022	716	1,803,022
JANUARY-APRIL 1968	197,276	36,477	233,753	22,394	71,077	2,744	96,215	8,424	387	338,779	387	338,779	8,424	338,779
CHILLED	1,846,573	160,917	2,007,490	27,392	94,116	3,226	124,734	9,140	437	2,141,801	437	2,141,801	9,140	2,141,801
FROZEN	1,798,174	123,885	1,922,059	7,267	22,964	1,071	31,302	1,098	7	1,954,466	7	1,954,466	1,098	1,954,466
TOTAL	204,205	35,744	239,949	15,798	59,130	2,128	77,056	9,642	422	327,069	422	327,069	9,642	327,069
JANUARY-APRIL 1969	2,002,379	159,629	2,162,008	23,065	82,094	3,199	108,358	10,740	429	2,281,535	429	2,281,535	10,740	2,281,535

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1969 WITH COMPARISONS 3/

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
APRIL 1968:	1,640	416	2,056	9	40	9	58	---	---	2,115
APRIL 1969:	2,134	432	2,566	9	39	6	54	---	---	2,623
JAN.-APRIL 1968:	7,634	1,743	9,377	86	299	20	405	1	1	9,785
JAN.-APRIL 1969:	8,775	1,759	10,534	66	262	15	343	4	2	10,883
PERCENT 1/										
APRIL 1968:	.24	.65	.27	.14	.15	.70	.17	.01	.19	.27
APRIL 1969:	.28	.67	.31	.13	.20	.39	.20	.04	.26	.31
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
APRIL 1968:	23,563	2,600	26,163	92	536	49	677	52	2	26,894
APRIL 1969:	26,197	3,070	29,267	109	438	65	612	87	2	29,968
JAN.-APRIL 1968:	99,329	10,628	109,957	666	3,257	130	4,053	143	9	114,163
JAN.-APRIL 1969:	103,438	11,863	115,301	580	2,473	163	3,216	209	8	118,735
PERCENT 2/										
APRIL 1968:	3.86	4.59	3.92	1.61	2.35	4.31	2.29	.96	1.08	3.83
APRIL 1969:	3.90	5.40	4.01	1.90	2.60	4.40	2.54	1.51	1.02	3.95

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, APRIL 1969 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY	TOTAL POULTRY
	CUT UP	CUT UP	CUT UP	CUT UP	CUT UP
	FURTHER PROCESSED	FURTHER PROCESSED	FURTHER PROCESSED	FURTHER PROCESSED	FURTHER PROCESSED
POUNDS USED READY-TO-COOK WEIGHT 2/					
MARCH 1969:	20,345	122,307	34,810	724	36,391
APRIL 1968:	17,612	107,283	31,840	504	25,618
APRIL 1969:	21,698	129,256	33,380	635	33,434
JANUARY-APRIL 1968:	100,379	458,774	131,320	3,481	104,794
JANUARY-APRIL 1969:	79,754	500,695	134,980	3,600	144,444
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/					
MARCH 1969:	120	732	36	1	34
APRIL 1968:	49	819	99	10	18
APRIL 1969:	129	801	36	1	36
JANUARY-APRIL 1968:	237	3,023	257	12	67
JANUARY-APRIL 1969:	453	3,304	151	4	134
PERCENT 3/					
MARCH 1969:	.0005	.0019	.0001	.0000	.0002
APRIL 1968:	.0003	.0025	.0001	.0000	.0004
APRIL 1969:	.0006	.0026	.0001	.0000	.0007
JANUARY-APRIL 1968:	.0003	.0025	.0001	.0000	.0004
JANUARY-APRIL 1969:	.0003	.0025	.0001	.0000	.0004

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.
 3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE LIVELINEWEIGHT		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS				
			1968	1969		1968	1969			
N. ATLANTIC	13,492	54,729	4.06	4.09	38,894	38,625	2,021	2,108	4.11	4.35
E. N. CENTRAL	2,173	8,433	3.88	3.90	6,144	7,459	161	201	2.13	2.20
W. N. CENTRAL	4,442	16,012	3.60	3.57	11,460	13,333	414	728	2.88	4.29
S. ATLANTIC	79,529	285,249	3.59	3.65	202,941	223,754	11,680	12,382	4.56	4.37
S. CENTRAL	87,610	301,637	3.44	3.45	215,540	238,694	8,885	10,440	3.28	3.47
WEST	3,708	13,963	3.77	3.62	9,943	10,616	402	338	3.20	2.53
U. S.	190,954	680,023	3.56	3.59	484,922	533,481	23,563	26,197	3.86	3.90
MAINE	5,882	23,693	4.03	4.14	16,925	16,388	772	802	3.63	3.96
PENNSYLVANIA	6,846	27,970	4.09	4.07	19,837	19,964	1,159	1,193	4.61	4.72
INDIANA	828	2,955	3.57	3.70	2,138	3,147	63	69	2.37	1.80
WISCONSIN	1,309	5,223	3.99	3.89	3,820	3,888	93	116	1.97	2.42
MISSOURI	3,726	13,251	3.56	3.50	9,387	10,994	366	691	3.07	4.84
DELAWARE	7,890	30,234	3.83	3.90	21,584	22,110	1,177	1,137	4.33	4.04
MARYLAND	10,812	41,427	3.83	3.90	29,796	37,739	1,666	1,918	4.48	4.02
VIRGINIA	6,145	19,729	3.21	3.52	13,390	17,390	852	812	4.81	3.58
NORTH CAROLINA	21,063	76,592	3.64	3.71	55,188	56,610	2,327	2,790	3.38	3.91
SOUTH CAROLINA	2,005	6,936	3.46	3.48	4,841	5,474	342	350	5.50	4.94
GEORGIA	29,884	104,538	3.50	3.50	74,014	78,382	5,181	5,177	5.52	5.23
TENNESSEE	5,181	17,658	3.41	3.51	12,774	13,996	426	639	2.68	3.63
ALABAMA	21,729	76,703	3.53	3.55	54,811	61,935	2,385	2,922	3.46	3.77
MISSISSIPPI	13,495	46,421	3.44	3.40	33,910	38,159	3,970	1,186	2.32	2.52
ARKANSAS	28,572	95,394	3.34	3.34	67,394	73,481	3,071	3,773	3.58	4.02
LOUISIANA	3,907	13,546	3.47	3.58	9,587	12,429	427	386	3.51	2.49
TEXAS	12,508	43,943	3.51	3.54	31,371	33,363	1,379	1,301	3.49	3.13
WASHINGTON	1,029	4,065	3.80	3.81	2,857	2,655	87	91	2.39	2.66
CALIFORNIA	2,170	8,065	3.72	3.72	5,751	6,540	201	210	2.77	2.58

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1969

REGION AND STATE	:TUBER-:		:LEU-:		:SEPTI-:		:AIRSAC-:		:SYNO-:		:TUMORS:		:BRUISES:		:CADAVER:		:CONTAM-:		:OVER-:		:OTHER:		:TOTAL:	
	:CULOSIS:	:NO.	:KOSIS:	:NO.	:CEMIA:	:CULITIS:	:NO.	:NO.	:NO.	:VITIS:	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.
N. ATLANTIC	---	---	341,912	113,716	47,463	7,711	1,248	3,021	9,518	15,074	966	13,201	553,830											
F. N. CENTRAL	---	---	15,375	13,788	7,073	675	57	1,259	2,169	3,344	752	1,053	45,545											
W. N. CENTRAL	---	---	72,771	25,853	83,812	2,341	318	2,312	3,612	7,326	221	4,724	203,290											
S. ATLANTIC	---	---	2,223,765	447,453	353,990	42,097	7,573	33,940	76,371	188,921	17,087	109,119	3,500,316											
S. CENTRAL	---	---	1,346,195	547,849	573,120	61,562	10,039	44,135	86,389	144,863	17,923	84,578	2,916,653											
WFST	---	---	35,414	29,458	6,595	1,355	133	1,501	4,865	4,541	995	4,954	89,811											
U. S.	---	---	4,035,432	1,178,117	1,072,053	115,741	19,368	86,168	182,924	364,069	37,944	217,629	7,309,445											
MAINE	---	---	118,224	62,165	5,277	6,028	364	978	5,129	5,405	72	3,232	206,874											
PENNSYLVANIA	---	---	210,576	42,723	40,008	1,467	720	1,695	3,750	7,943	638	8,014	317,534											
INDIANA	---	---	6,413	4,783	1,864	320	13	585	850	1,292	466	90	16,676											
WISCONSIN	---	---	7,320	8,402	5,090	354	21	661	1,191	1,904	271	802	26,016											
MISSOURI	---	---	71,332	23,546	83,476	2,265	277	2,165	3,543	6,216	212	2,408	195,440											
DELAWARE	---	---	213,576	42,337	45,894	3,187	697	2,361	6,605	10,183	2,387	6,896	334,123											
MARYLAND	---	---	351,186	61,395	78,118	2,951	1,131	2,616	8,887	15,479	3,870	4,468	530,101											
VIRGINIA	---	---	164,621	37,185	21,484	1,030	384	1,739	3,585	4,783	495	4,186	239,492											
NORTH CAROLINA	---	---	318,422	147,227	113,304	24,095	2,519	12,573	19,886	67,344	2,780	55,191	763,341											
SOUTH CAROLINA	---	---	81,055	11,591	7,399	730	195	1,174	3,228	4,296	1,512	2,478	113,658											
GEORGIA	---	---	1,059,203	140,937	84,039	9,168	2,543	13,010	27,381	84,824	5,875	32,966	1,459,406											
TENNESSEE	---	---	64,783	30,741	23,525	1,945	446	2,063	5,264	23,800	2,524	13,930	169,021											
ALABAMA	---	---	505,317	111,875	54,077	7,288	2,697	7,693	16,665	41,241	6,176	19,815	772,844											
MISSISSIPPI	---	---	133,213	39,370	88,426	6,044	1,898	5,727	7,969	13,348	1,485	17,188	314,668											
ARKANSAS	---	---	495,989	208,464	295,484	22,499	2,377	11,606	37,752	39,462	3,989	18,020	1,135,642											
LOUISIANA	---	---	29,894	44,662	9,029	4,751	541	3,472	1,214	4,929	881	2,806	102,179											
TEXAS	---	---	100,458	98,829	75,502	18,561	1,882	10,329	14,724	17,474	1,978	11,402	351,137											
WASHINGTON	---	---	6,615	5,036	1,673	340	85	724	1,705	1,257	521	1,181	19,137											
CALIFORNIA	---	---	25,309	21,965	2,943	961	45	629	2,098	2,337	352	2,341	58,980											

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	INSPECTED (LIVEWEIGHT)	INSPECTED (LIVEWEIGHT)	INSPECTED (LIVEWEIGHT)	INSPECTED/100 (READY-TO-COOK WT.)	INSPECTED/100 (READY-TO-COOK WT.)	INSPECTED/100 (READY-TO-COOK WT.)	INSPECTED/100 (READY-TO-COOK WT.)	POUNDS (NYD)	PERCENT 2/
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,560	1,706	7,776	8,394	4.98	4.92	5,153	5,424	272	351
E. N. CENTRAL	1,451	1,795	6,302	7,615	4.34	4.24	4,087	4,670	298	320
W. N. CENTRAL	2,905	2,611	12,285	11,237	4.23	4.30	7,927	7,020	580	578
S. ATLANTIC	3,567	3,327	17,150	15,270	4.81	4.59	11,049	9,723	619	758
S. CENTRAL	2,235	2,654	11,214	13,090	5.02	4.93	7,542	8,623	444	649
WEST	2,086	1,972	8,561	8,029	4.11	4.07	5,285	4,923	387	414
U. S.	13,804	14,065	63,288	63,635	4.58	4.52	41,043	40,383	2,600	3,070
MAINE	317	260	2,022	1,609	6.37	6.19	1,443	1,093	60	53
NEW JERSEY	807	1,038	3,350	4,390	4.15	4.23	2,055	2,670	153	237
PENNSYLVANIA	133	112	814	745	6.12	6.63	552	514	22	20
OHIO	383	519	1,628	2,242	4.25	4.32	1,038	1,366	63	98
INDIANA	399	513	1,600	2,057	4.01	4.01	1,058	1,272	73	69
ILLINOIS	440	---	1,739	---	3.95	---	1,106	---	111	---
MINNESOTA	973	872	3,597	3,237	3.70	3.71	2,286	1,948	184	182
MISSOURI	894	886	4,759	4,628	5.32	5.22	3,188	3,086	208	221
DELAWARE	60	41	475	251	7.95	6.04	337	174	10	6
MARYLAND	592	709	2,451	2,833	4.14	4.00	1,536	1,818	93	145
VIRGINIA	140	82	884	562	6.33	6.85	623	393	23	23
NORTH CAROLINA	490	275	3,417	2,038	6.98	7.42	2,313	1,368	104	76
GEORGIA	1,141	1,184	5,369	5,481	4.71	4.63	3,464	3,506	160	211
ALABAMA	56	355	425	1,827	7.65	5.15	306	1,171	15	73
MISSISSIPPI	1,317	1,466	5,640	6,646	4.28	4.53	3,738	4,417	223	305
ARKANSAS	239	206	1,802	1,444	7.53	7.00	1,268	987	64	80
LOUISIANA	36	34	282	264	7.84	7.86	193	185	14	15
OKLAHOMA	104	92	522	501	5.03	5.46	348	334	16	14
TEXAS	401	415	2,020	1,946	5.03	4.68	1,316	1,242	94	136
WASHINGTON	160	172	650	703	4.07	4.08	418	450	36	34
CALIFORNIA	1,883	1,759	7,735	7,172	4.11	4.08	4,752	4,373	349	374

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONCERNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1969

REGION AND STATE	: TUBER- :		: LEU- :		: SEPTI- :		: AIRSAC- :		: SYNO- :		: BRUISES :		: CADAVER :		: INMATION :		: OVER- :		TOTAL NO.
	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	
N. ATLANTIC	44	3,232	36,783	41	464	22,979	1,505	2,092	5,894	185	4,549	77,768							
E. N. CENTRAL	754	5,606	27,070	456	279	28,492	1,979	4,486	5,590	100	10,011	84,823							
W. N. CENTRAL	1,724	7,292	46,878	911	547	54,942	7,096	2,964	8,664	468	11,083	142,569							
S. ATLANTIC	81	7,403	62,444	497	905	53,744	5,939	5,969	25,135	1,268	27,170	190,555							
S. CENTRAL	---	18,020	43,050	336	1,041	37,492	5,517	3,696	11,421	196	27,255	148,024							
WEST	---	1,215	44,858	170	158	42,369	2,960	2,240	9,787	670	8,571	112,998							
U. S.	2,603	42,768	261,083	2,411	3,394	240,018	24,996	21,447	66,491	2,887	88,639	756,737							
MAINE	---	653	4,255	3	79	1,587	123	324	859	9	463	8,355							
NEW JERSEY	---	1,864	28,707	27	278	16,303	1,230	1,490	4,361	170	3,345	57,775							
PENNSYLVANIA	44	436	1,554	10	8	991	59	32	159	---	309	3,602							
OHIO	418	1,175	5,650	7	1	6,542	1,047	917	2,726	45	3,625	22,153							
INDIANA	3	1,149	9,330	1	18	9,601	292	1,468	1,546	8	555	23,971							
MINNESOTA	733	1,231	17,808	182	25	26,057	1,998	455	2,473	179	4,072	55,213							
MISSOURI	235	1,966	17,463	175	436	11,182	1,792	753	2,261	60	4,860	41,183							
DELAWARE	---	333	640	34	7	73	12	41	136	---	9	1,285							
MARYLAND	81	1,153	14,845	40	142	11,782	1,256	1,662	2,914	13	326	34,214							
VIRGINIA	---	370	1,453	3	17	1,344	89	9	338	---	36	3,659							
NORTH CAROLINA	---	1,006	3,524	197	237	1,768	1,157	182	1,548	70	1,053	10,742							
GEORGIA	---	1,105	13,876	147	236	15,842	1,393	1,162	4,924	221	13,373	52,279							
ALABAMA	---	2,770	6,361	10	54	1,775	322	428	2,237	14	441	14,412							
MISSISSIPPI	---	887	21,087	1	130	30,322	4,464	2,305	4,239	66	16,663	80,164							
ARKANSAS	---	863	4,962	155	461	971	358	244	1,070	29	998	10,111							
LOUISIANA	---	125	1,059	2	11	31	32	26	76	---	123	1,485							
OKLAHOMA	---	127	1,919	21	87	1,63	93	178	241	---	118	2,947							
TEXAS	---	13,148	6,864	83	290	3,456	223	413	906	67	7,767	33,217							
WASHINGTON	---	364	3,918	---	1	876	161	158	993	29	994	7,494							
CALIFORNIA	---	834	40,043	169	156	40,939	2,744	2,046	8,644	634	7,570	103,779							

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWEIGHT	TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
		1968	1969		1968	1969	1968	1969	PERCENT
		- THOUSANDS -			- POUNDS -		- 1,000 POUNDS -		- PERCENT -
N. ATLANTIC	54	1,218	661	22.56	16.95	986	523	19	1.73
F. N. CENTRAL	30	586	211	19.62	19.74	467	166	12	2.33
W. N. CENTRAL	137	2,719	1,208	19.83	19.50	2,060	944	120	4.91
S. ATLANTIC	622	11,017	8,842	17.72	19.72	8,671	6,961	215	2.77
S. CENTRAL	282	6,436	5,102	22.85	19.86	5,127	3,990	135	2.32
WEST	214	3,342	2,706	15.60	16.72	2,666	2,181	35	1.15
U. S.	1,339	25,318	18,730	18.90	19.14	19,977	14,765	536	2.35
PENNSYLVANIA	50	1,100	650	22.18	16.93	892	515	18	1.82
OHIO	9	191	---	20.19	---	148	---	5	2.63
WISCONSIN	16	302	---	18.76	---	245	---	6	2.03
MINNESOTA	63	1,011	354	16.05	13.01	800	285	21	2.32
IOWA	70	1,623	---	23.11	---	1,194	---	96	6.55
MISSOURI	3	71	---	20.51	---	54	---	3	4.90
VIRGINIA	196	3,952	3,316	20.16	20.21	3,003	2,572	103	2.89
NORTH CAROLINA	367	6,045	4,540	16.46	19.46	4,872	3,644	96	1.77
TEXAS	259	5,888	4,800	22.77	20.31	4,690	3,757	123	2.43
CALIFORNIA	188	3,009	2,706	15.96	16.72	2,405	2,181	32	1.19

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1969

REGION AND STATE	TUBER- : NO.		LEU- : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYND- : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		SCALD : NO.		OTHER : NO.		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	3	197	---	---	---	20	5	---	---	---	1	5	296	1	---	---	---	---	---	---	---	---	528
F. N. CENTRAL	---	---	8	149	---	---	26	---	---	---	---	1	16	14	---	---	---	---	---	---	---	---	---	---	221
W. N. CENTRAL	---	---	1	899	---	---	356	5	---	---	---	4	17	46	---	---	---	---	---	---	---	---	---	---	1,345
S. ATLANTIC	---	---	19	3,613	---	---	4,163	306	11	---	---	128	224	726	---	---	---	---	---	---	---	---	---	---	9,679
S. CENTRAL	---	---	10	1,809	---	---	1,330	394	45	---	---	127	40	144	---	---	---	---	---	---	---	---	---	---	4,310
WEST	---	---	114	872	---	---	1,702	146	---	---	---	12	86	146	---	---	---	---	---	---	---	---	---	---	3,109
U. S.	---	---	155	7,539	---	---	7,597	856	56	---	---	273	388	1,372	---	---	---	---	---	---	---	---	---	---	19,192
PENNSYLVANIA	---	---	3	197	---	---	20	5	---	---	---	1	5	296	---	---	---	---	---	---	---	---	---	---	528
MINNESOTA	---	---	---	443	---	---	35	3	---	---	---	1	14	15	---	---	---	---	---	---	---	---	---	---	516
VIRGINIA	---	---	---	1,502	---	---	1,548	33	2	---	---	46	107	99	---	---	---	---	---	---	---	---	---	---	3,337
NORTH CAROLINA	---	---	6	1,664	---	---	2,182	254	8	---	---	46	101	385	---	---	---	---	---	---	---	---	---	---	5,097
TEXAS	---	---	---	1,609	---	---	1,179	380	41	---	---	125	26	79	---	---	---	---	---	---	---	---	---	---	3,852
CALIFORNIA	---	---	114	872	---	---	1,702	146	---	---	---	12	86	146	---	---	---	---	---	---	---	---	---	---	3,109

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
		1968	1969	1968	1969	1968	1969	1968	1969
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	10	102	110	10.20	10.00	79	85	2	2.04
E. N. CENTRAL	95	718	325	7.60	8.46	545	254	5	2.52
W. N. CENTRAL	246	2,266	3,283	9.21	9.11	1,785	2,606	43	1.26
S. ATLANTIC	154	1,395	2,213	9.06	8.85	1,036	1,657	54	1.96
S. CENTRAL	27	205	---	7.46	---	161	---	2	1.07
WEST	215	1,668	460	7.77	8.14	1,265	363	5	1.53
U. S.	747	6,354	6,391	8.51	8.92	4,871	4,965	92	1.61
WISCONSIN	69	615	---	8.87	---	482	---	13	2.29
MINNESOTA	235	2,190	3,283	9.32	9.11	1,725	2,606	25	1.26
VIRGINIA	145	1,317	1,442	9.11	8.95	974	1,064	23	1.98
CALIFORNIA	189	1,482	353	7.86	8.73	1,118	277	4	1.61

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1969

REGION AND STATE	TUBER- NO.	LEU- NO.	KOSIS NO.	SEPTI- NO.	AIRSAC- NO.	SYNO- NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER NO.	INAM- NO.	SCALD NO.	OTHER NO.	TOTAL NO.
E. N. CENTRAL	---	1	183	51	614	8	---	---	39	61	38	2	3	386
W. N. CENTRAL	---	3	2,812	614	5	1	---	---	43	167	527	9	49	4,230
S. ATLANTIC	---	---	1,889	1,768	71	---	---	---	84	208	590	---	213	4,823
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	---	291	46	9	---	---	1	18	34	---	---	411
U. S.	---	7	5,428	2,499	93	2	---	---	185	455	1,192	11	265	10,137
MINNESOTA	---	3	2,812	614	5	1	---	---	43	167	527	9	49	4,230
VIRGINIA	---	---	1,339	550	8	---	---	---	64	194	394	---	3	2,552
CALIFORNIA	---	---	214	44	9	---	---	---	5	7	30	---	---	309

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
N. ATLANTIC	---	4	---	61	---	15.25	1	47	---	1	---	1.82
F. N. CENTRAL	10	3	209	73	21.29	22.42	167	58	8	3	4.31	3.89
M. N. CENTRAL	25	28	484	539	19.06	19.47	371	414	17	27	3.93	5.57
S. ATLANTIC	10	30	199	645	20.08	21.28	157	506	7	26	3.99	4.55
S. CENTRAL	6	4	122	90	19.19	21.11	100	63	5	3	4.74	4.65
WEST	12	11	271	247	22.60	21.68	212	192	12	5	5.02	2.21
U. S.	63	80	1,285	1,645	20.24	20.63	1,006	1,280	49	65	4.31	4.40
MINNESOTA	18	16	339	306	18.46	18.77	268	242	10	11	3.37	4.17
NORTH CAROLINA ^{3/}	---	30	---	632	---	21.27	---	495	---	26	---	4.58

POULTRY SLAUGHTER, May 1969

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1969

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER		CONTAMINATION		OVERSCALE		OTHER		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	24
F. N. CENTRAL	---	---	2	16	11	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	39
M. N. CENTRAL	---	---	6	655	146	4	8	4	4	9	69	---	---	---	---	---	---	---	---	---	---	---	903
S. ATLANTIC	---	---	6	742	197	41	19	23	1	21	140	---	---	---	---	---	---	---	---	---	---	---	1,239
S. CENTRAL	---	---	---	124	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	140
WEST	---	---	1	140	2	3	3	12	19	5	5	---	---	---	---	---	---	---	---	---	---	---	187
U. S.	---	---	15	1,698	353	48	27	45	50	230	66	---	---	---	---	---	---	---	---	---	---	---	2,532
MINNESOTA	---	---	1	322	99	4	2	7	6	67	---	---	---	---	---	---	---	---	---	---	---	---	509
NORTH CAROLINA	---	---	6	730	187	40	19	23	21	140	---	---	---	---	---	---	---	---	---	---	---	---	1,222

Crop Reporting Board, SRS, USDA

**UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250**

OFFICIAL BUSINESS



Definitions

- Young chickens** - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens** - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys** - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature)** - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders)** - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks** - Includes all ducks regardless of age and weight.
- Other poultry** - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.