

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
MAY 1969

Release:
July 2, 1969
3:00 P.M. EDT

Inspected Poultry - There were 911,479,000 pounds live weight poultry (chickens, turkeys, and ducks) inspected for slaughter during May under the Poultry Inspection Act carried on by the U.S.D.A. This was 8 percent more than the previous month and 6 percent more than May 1968.

The number of head and pounds live weight inspected by classes were: Young chickens, 220,210,000 head, 787,052,000 pounds; mature chickens, 14,510,000 head, 67,769,000 pounds; fryer-roaster turkeys, 588,000 head, 5,332,000 pounds; young turkeys, 2,287,000 head, 40,481,000 pounds; old turkeys, 178,000 head, 3,512,000 pounds; and ducks, 1,157,000 head, 7,333,000 pounds.

Poultry Certified as Wholesome in May totaled 650,012,000 pounds ready-to-cook weight of which 550,615,000 pounds were chilled and 99,397,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 562,706,000; mature chickens, 43,075,000; fryer-roaster turkeys, 4,128,000; young turkeys, 32,014,000; old turkeys 2,810,000; ducks, 5,157,000; and other poultry, 122,000 pounds.

Further Processed - Poultry inspected and used for further processing in May totaled 93,631,000 pounds ready-to-cook weight, compared with 88,754,000 pounds in May 1968. The May 1969 total consisted of 22,059,000 pounds of young chickens, 33,612,000 pounds of mature chickens, 30,327,000 pounds of turkeys and 7,633,000 pounds of other poultry.

Poultry cut-up and Packaged during May totaled 150,439,000 pounds ready-to-cook weight compared with 127,259,000 pounds a year earlier. The breakdown by classes was: young chickens, 137,923,000 pounds; mature chickens, 515,000 pounds; turkeys 11,663,000 pounds; and other poultry, 338,000 pounds.

Ante-mortem condemnations during May were 3,149,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.30 percent; mature chickens, 0.92 percent; fryer-roaster turkeys, 0.17 percent; young turkeys, 0.20 percent; old turkeys, 0.49 percent; and ducks, 0.02 percent.

Post-mortem condemnations in May amounted to 29,868,000 pounds (NYD weight). Condemnations by classes as a percent of quantities inspected were: young chickens, 3.60 percent; mature chickens, 5.20 percent; fryer-roaster turkeys, 2.27 percent; young turkeys, 2.68 percent; old turkeys, 3.83 percent; and ducks, 1.55 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1969 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER	
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
APRIL 1969	208,555	14,065	222,620	716	979	80	1,775	1,002	---	---	---	---	---	---	---	---
MAY 1968	208,927	12,946	221,873	678	2,102	264	3,044	1,151	---	---	---	---	---	---	---	---
MAY 1969	220,210	14,510	234,720	588	2,287	178	3,053	1,157	---	---	---	---	---	---	---	---
JAN.-MAY 1968	942,083	68,074	1,010,157	4,675	7,761	468	12,904	3,152	---	---	---	---	---	---	---	---
JAN.-MAY 1969	1,002,152	69,552	1,071,704	3,796	7,254	390	11,440	3,570	---	---	---	---	---	---	---	---
POUNDS INSPECTED																
APRIL 1969	748,385	63,635	812,020	6,391	18,730	1,645	26,766	6,341	190	845,317	---	---	---	---	---	---
MAY 1968	743,379	60,279	803,658	6,188	37,959	5,454	49,601	7,537	252	861,048	---	---	---	---	---	---
MAY 1969	787,052	67,769	854,821	5,332	40,481	3,512	49,325	7,333	229	911,708	---	---	---	---	---	---
JAN.-MAY 1968	3,342,832	307,207	3,650,039	41,720	157,059	9,522	208,301	20,265	1,064	3,879,669	---	---	---	---	---	---
JAN.-MAY 1969	3,600,589	317,276	3,917,865	35,040	144,340	7,625	187,005	22,446	1,025	4,128,341	---	---	---	---	---	---
AVERAGE LIVeweIGHTS/																
APRIL 1969	3.59	4.52	3.65	8.92	19.14	20.63	15.08	6.33	---	---	---	---	---	---	---	---
MAY 1968	3.56	4.66	3.62	9.13	18.06	20.67	16.30	6.55	---	---	---	---	---	---	---	---
MAY 1969	3.57	4.67	3.64	9.06	17.70	19.72	16.16	6.34	---	---	---	---	---	---	---	---
JAN.-MAY 1968	3.55	4.51	3.61	8.92	20.24	20.36	16.14	6.43	---	---	---	---	---	---	---	---
JAN.-MAY 1969	3.59	4.56	3.66	9.23	19.50	19.55	16.35	6.29	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

APRIL 1969, 1,786; MAY 1968, 2,284; AND MAY 1969, 2,467.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

APRIL 1969, 29; MAY 1968, 146; AND MAY 1969, 171.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MAY 1969 WITH COMPARISONS 1/

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER	
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
APRIL 1969	479,624	31,064	510,688	1,957	3,931	318	6,206	472	---	---	---	---	---	---	---	---
FROZEN	53,857	9,319	63,176	3,008	10,834	962	14,804	4,009	---	---	---	---	---	---	---	---
TOTAL	533,481	40,383	573,864	4,965	14,765	1,280	21,010	4,481	---	---	---	---	---	---	---	---
MAY 1968	482,929	30,137	513,066	1,361	8,535	665	10,561	143	13	523,783	---	---	---	---	---	---
FROZEN	49,262	9,094	58,356	3,435	21,396	3,710	28,541	5,231	122	92,250	---	---	---	---	---	---
TOTAL	532,191	39,231	571,422	4,796	29,931	4,375	39,102	5,374	135	616,033	---	---	---	---	---	---
MAY 1969	511,622	30,673	542,295	1,317	5,730	1,117	8,164	156	---	550,615	---	---	---	---	---	---
FROZEN	51,084	12,402	63,486	2,811	26,284	1,693	30,788	5,001	122	99,397	---	---	---	---	---	---
TOTAL	562,706	43,075	605,781	4,128	32,014	2,810	38,952	5,157	122	650,012	---	---	---	---	---	---
JANUARY-MAY 1968																
CHILLED	2,132,226	154,577	2,286,803	6,359	31,574	1,147	39,080	858	63	2,326,804	---	---	---	---	---	---
FROZEN	246,538	45,571	292,109	25,829	92,473	6,454	124,756	13,657	509	431,031	---	---	---	---	---	---
TOTAL	2,378,764	200,148	2,578,912	32,188	124,047	7,601	163,836	14,515	572	2,757,835	---	---	---	---	---	---
JANUARY-MAY 1969																
CHILLED	2,309,796	154,558	2,464,354	8,584	28,694	2,188	39,466	1,254	7	2,505,081	---	---	---	---	---	---
FROZEN	255,289	48,146	303,435	18,610	85,414	3,822	107,846	14,643	544	426,468	---	---	---	---	---	---
TOTAL	2,565,085	202,704	2,767,789	27,194	114,108	6,010	147,312	15,897	551	2,931,549	---	---	---	---	---	---

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1969 WITH COMPARISONS 3/

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVEMEIGHT) :										
MAY 1968:	1,767	421	2,188	13	55	12	80	2	---	2,270
MAY 1969:	2,411	626	3,037	10	82	18	110	2	---	3,149
JAN.-MAY 1968:	9,401	2,164	11,565	99	353	32	484	4	1	12,054
JAN.-MAY 1969:	11,185	2,385	13,570	75	344	32	451	6	2	14,029
PERCENT 1/ :										
MAY 1968:	.23	.69	.27	.21	.14	.22	.16	.02	.18	.26
MAY 1969:	.30	.92	.35	.17	.20	.49	.22	.02	.27	.34
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED) :										
MAY 1968:	23,637	2,513	26,150	106	762	159	1,027	66	2	27,245
MAY 1969:	25,416	3,142	28,558	109	976	121	1,206	102	2	29,868
JAN.-MAY 1968:	122,966	13,141	136,107	772	4,019	289	5,080	209	11	141,407
JAN.-MAY 1969:	128,855	15,006	143,861	688	3,449	284	4,421	312	10	148,603
PERCENT 2/ :										
MAY 1968:	3.54	4.66	3.62	1.90	2.23	3.23	2.30	.96	1.06	3.52
MAY 1969:	3.60	5.20	3.72	2.27	2.68	3.83	2.72	1.55	1.01	3.65

POULTRY SLAUGHTER, July 1969

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEMEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, MAY 1969 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY 1/	TOTAL POULTRY
POUNDS USED READY-TO-COOK WEIGHT 2/ :					
APRIL 1969 :	21,698	129,256	33,380	635	33,434
MAY 1968 :	19,342	118,843	31,033	517	32,232
MAY 1969 :	22,059	137,923	33,612	515	30,327
JANUARY-MAY 1968 :	119,721	577,617	162,353	3,998	137,026
JANUARY-MAY 1969 :	101,813	638,618	168,592	4,115	174,771
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ :					
APRIL 1969 :	129	801	36	1	36
MAY 1968 3/ :	77	891	123	1	35
MAY 1969 :	184	977	43	5	28
JANUARY-MAY 1968 3/ :	314	3,914	381	13	103
JANUARY-MAY 1969 :	637	4,281	194	9	162
CUT UP : FURTHER : OTHER POULTRY 1/ : FURTHER : TOTAL POULTRY					
APRIL 1969 :	6,698	10,612	6,698	236	95,210
MAY 1968 :	6,147	7,805	6,147	94	88,754
MAY 1969 :	7,633	11,663	7,633	338	93,631
JANUARY-MAY 1968 :	32,993	42,213	32,993	752	452,093
JANUARY-MAY 1969 :	35,453	56,590	35,453	1,707	480,629
CUT UP : FURTHER : OTHER POULTRY 1/ : FURTHER : TOTAL POULTRY					
APRIL 1969 :	230	4	29	---	230
MAY 1968 3/ :	259	7	24	1	259
MAY 1969 :	320	6	65	---	320
JANUARY-MAY 1968 3/ :	1,022	26	224	2	1,022
JANUARY-MAY 1969 :	1,107	34	115	---	1,107

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY."
 2/ 1,000 POUNDS.
 3/ REVISED.

Crop Reporting Board, SRS, USDA

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 POUNDS (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
N. ATLANTIC	14,481	13,636	57,763	55,204	3.99	4.05	41,196	39,448	2,122	2,073	4.09	4.18
E. N. CENTRAL	2,442	2,591	9,422	10,185	3.86	3.93	6,842	7,420	185	212	2.18	2.32
W. N. CENTRAL	4,878	5,286	17,283	18,702	3.54	3.54	12,421	13,350	355	582	2.28	3.48
S. ATLANTIC	87,363	94,074	315,470	342,457	3.61	3.64	224,736	243,298	11,988	12,941	4.23	4.21
S. CENTRAL	95,653	100,216	328,222	344,531	3.43	3.44	236,165	247,794	8,640	9,242	2.93	2.99
WEST	4,110	4,407	15,219	15,973	3.70	3.62	10,831	11,396	347	366	2.54	2.55
U. S.	208,927	220,210	743,379	787,052	3.56	3.57	532,191	562,706	23,637	25,416	3.54	3.60
MAINE	6,355	5,787	25,057	23,463	3.94	4.05	18,057	17,043	908	815	4.03	3.86
PENNSYLVANIA	7,190	6,978	29,013	28,197	4.03	4.04	20,518	19,878	1,113	1,135	4.27	4.48
INDIANA	1,009	1,195	3,731	4,310	3.70	3.61	2,698	3,190	87	82	2.61	2.11
WISCONSIN	1,401	1,337	5,495	5,476	3.92	4.10	4,005	3,938	93	123	1.89	2.51
MISSOURI	4,149	4,527	14,571	15,674	3.51	3.46	10,398	11,036	308	545	2.35	3.89
DELAWARE	7,853	8,235	30,162	32,484	3.84	3.94	21,423	23,047	1,126	1,100	4.15	3.77
MARYLAND	12,261	14,534	46,368	56,758	3.78	3.91	33,198	41,026	1,779	1,792	4.27	3.51
VIRGINIA	6,688	7,893	22,115	27,411	3.31	3.47	15,057	18,912	915	838	4.61	3.40
NORTH CAROLINA	24,129	24,747	88,559	90,799	3.67	3.67	63,897	64,686	2,516	3,008	3.16	3.69
SOUTH CAROLINA	2,201	2,583	7,600	8,936	3.45	3.42	5,310	6,125	322	425	4.72	5.36
GEORGIA	32,241	32,253	113,887	113,269	3.53	3.51	80,927	80,053	5,184	5,503	5.06	5.41
TENNESSEE	5,836	5,995	19,863	20,991	3.40	3.50	14,361	15,039	517	659	2.90	3.50
ALABAMA	22,837	25,039	80,151	87,870	3.51	3.51	57,672	63,206	2,521	2,760	3.50	3.50
MISSISSIPPI	15,768	15,430	54,251	52,780	3.44	3.42	39,909	38,975	890	960	1.82	2.02
ARKANSAS	30,834	32,199	102,825	107,319	3.33	3.33	72,979	76,128	2,825	2,870	3.05	2.98
LOUISIANA	4,341	4,835	15,277	17,109	3.52	3.54	10,985	12,340	390	395	2.84	2.58
TEXAS	13,537	13,795	47,003	48,648	3.47	3.53	33,917	35,046	1,248	1,392	2.95	3.19
WASHINGTON	1,156	1,145	4,355	4,418	3.77	3.86	3,075	3,099	102	109	2.61	2.76
CALIFORNIA	2,397	2,626	8,937	9,778	3.73	3.72	6,389	7,055	173	213	2.15	2.43

POULTRY SLAUGHTER, July 1969

Crop Reporting Board, USDA

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1969

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS	SEPTI- CENIA	AIRSAC- CULTIS	SYND- VITIS	TUMORS	BRUISES:	CADAVER:	CONTAM- INATION:	OVER-		TOTAL
										NO.	NO.	
N. ATLANTIC	---	348,749	104,690	38,922	8,137	1,088	3,481	9,169	17,144	1,717	12,805	545,902
E. N. CENTRAL	---	17,603	13,071	5,720	689	119	1,292	2,895	3,579	957	960	46,885
W. N. CENTRAL	---	57,268	26,169	57,875	1,665	383	2,213	3,365	6,861	1,622	4,999	162,420
S. ATLANTIC	---	2,223,061	473,987	354,904	35,988	8,702	35,782	74,982	240,459	20,443	91,170	3,559,478
S. CENTRAL	---	1,074,805	531,327	408,399	75,355	10,395	43,981	89,917	154,906	17,563	87,247	2,493,895
WEST	---	41,601	26,311	6,023	893	107	1,266	4,706	5,068	2,197	6,805	94,977
U. S.	---	3,763,087	1,175,555	871,843	122,727	20,794	88,015	185,034	428,017	44,499	203,986	6,903,557
MAINE	---	127,345	54,311	4,032	6,846	334	1,233	5,170	5,965	103	3,136	208,475
PENNSYLVANIA	---	205,734	41,749	33,468	932	585	1,763	3,319	8,779	1,609	8,163	306,101
INDIANA	---	9,205	4,524	2,817	143	30	562	1,122	1,111	252	10	19,776
WISCONSIN	---	7,910	8,257	2,857	542	81	722	1,720	2,363	700	868	26,020
MISSOURI	---	54,841	24,219	57,736	1,618	351	2,076	3,278	5,880	1,616	3,042	154,657
DELAWARE	---	213,922	36,117	23,654	2,725	576	2,095	5,850	11,879	1,476	8,067	306,361
MARYLAND	---	316,031	65,224	49,744	3,001	1,235	3,254	9,785	18,559	4,279	4,516	475,628
VIRGINIA	---	169,999	40,584	27,490	556	409	1,653	4,162	5,857	1,286	4,278	256,274
NORTH CAROLINA	---	291,821	163,290	139,864	15,935	2,986	14,063	20,200	89,356	5,326	34,561	777,402
SOUTH CAROLINA	---	100,326	12,296	14,374	812	213	1,501	3,316	5,201	957	2,909	141,905
GEORGIA	---	1,081,101	146,862	94,555	12,034	3,092	12,674	29,726	107,968	6,408	33,347	1,526,867
TENNESSEE	---	64,263	31,469	26,027	2,167	492	2,276	4,406	26,497	1,713	13,529	172,839
ALABAMA	---	508,313	99,288	33,981	7,360	2,741	8,626	23,250	39,905	6,232	22,174	751,870
MISSISSIPPI	---	89,056	32,481	42,453	4,812	1,955	5,241	8,841	13,772	943	15,896	215,450
ARKANSAS	---	272,334	199,949	199,682	27,114	2,520	11,244	33,030	46,192	5,164	17,724	814,953
LOUISIANA	---	28,542	51,620	5,358	5,311	482	3,312	1,921	5,633	347	2,620	103,146
TEXAS	---	98,767	103,115	87,084	28,030	1,984	10,170	14,709	17,100	2,004	14,263	377,226
WASHINGTON	---	7,341	4,830	2,215	362	50	675	1,866	959	1,316	2,012	21,626
CALIFORNIA	---	26,328	18,838	2,342	239	53	492	1,880	3,375	869	3,003	57,419

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED	INSPECTED (LIVWEIGHT)	INSPECTED	INSPECTED (LIVWEIGHT)	LIVWEIGHT	INSPECTED	CERTIFIED	CERTIFIED (READY-TO-COOK WT.)	POUNDS (NYD)	PERCENT 2/		
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	1,242	1,548	6,251	7,746	5.03	5.00	4,140	5,026	246	318	4.39	4.58
E. N. CENTRAL	1,355	1,783	5,901	7,636	4.35	4.28	3,792	4,737	230	284	4.36	4.17
W. N. CENTRAL	3,061	3,102	13,136	13,429	4.29	4.33	8,446	8,327	596	667	5.09	5.58
S. ATLANTIC	3,630	3,389	17,790	16,820	4.90	4.96	11,562	10,801	727	790	4.57	5.27
S. CENTRAL	2,273	2,812	11,532	14,503	5.07	5.16	7,840	9,518	478	644	4.64	4.99
WEST	1,385	1,876	5,669	7,635	4.09	4.07	3,451	4,666	236	439	4.64	6.41
U. S.	12,946	14,510	60,279	67,769	4.66	4.67	39,231	43,075	2,513	3,142	4.66	5.20
MAINE	267	293	1,718	1,826	6.44	6.23	1,222	1,240	64	56	4.19	3.40
NEW JERSEY	699	928	2,887	3,988	4.13	4.30	1,776	2,457	132	212	5.09	5.94
PENNSYLVANIA	83	70	553	494	6.70	7.02	385	343	14	13	2.90	3.01
OHIO	438	520	1,875	2,223	4.28	4.28	1,201	1,353	71	92	4.25	4.63
INDIANA	414	---	1,675	---	4.04	---	1,091	---	69	---	4.63	---
ILLINOIS	339	---	1,362	---	4.02	---	825	---	55	---	4.49	---
MINNESOTA	1,157	1,096	4,297	4,192	3.71	3.83	2,729	2,522	197	212	5.13	5.65
MISSOURI	777	919	4,464	5,004	5.74	5.44	3,006	3,310	195	224	4.89	5.05
DELAWARE	---	23	---	170	---	7.52	---	119	---	---	4	2.31
MARYLAND	576	665	2,238	2,683	3.89	4.03	1,464	1,733	106	153	5.31	6.40
VIRGINIA	122	132	791	958	6.47	7.26	556	660	26	26	3.64	3.08
NORTH CAROLINA	457	499	3,323	3,638	7.27	7.29	2,227	2,440	106	136	3.57	4.17
GEORGIA	1,084	1,088	5,668	5,400	5.23	4.96	3,746	3,461	174	191	3.42	3.96
ALABAMA	103	560	843	2,492	8.15	4.45	580	1,582	46	120	6.04	5.42
MISSISSIPPI	1,437	1,437	5,452	7,618	4.30	5.30	3,718	5,029	217	298	4.45	4.39
ARKANSAS	269	178	1,967	1,256	7.30	7.07	1,379	864	69	52	3.92	4.63
LOUISIANA	32	---	243	---	7.58	---	175	---	7	---	3.15	---
TEXAS	446	488	1,985	2,112	4.45	4.33	1,256	1,339	107	138	6.02	7.33
WASHINGTON	132	146	556	586	4.20	4.01	346	385	22	26	4.41	4.96
CALIFORNIA	1,189	1,671	4,893	6,825	4.12	4.08	2,958	4,136	208	406	4.74	6.65

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1969

REGION AND STATE	TUBER-	LEU-	SEPTI-	AIRSAC-	SYNO-	TUMORS	BRUISES	CADAVER:	CONTAM-:	OVER-	OTHER :	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	2,604	29,803	2	623	21,946	1,332	1,267	3,456	35	6,271	67,339
E. N. CENTRAL	242	5,756	21,193	301	13	28,737	1,481	1,800	4,599	345	8,726	73,193
W. N. CENTRAL	2,644	8,594	51,233	1,519	175	65,334	7,415	3,530	11,051	2,455	12,207	166,157
S. ATLANTIC	33	8,233	59,058	1,133	1,472	48,231	5,712	6,009	23,347	1,133	21,822	176,183
S. CENTRAL	---	16,975	44,260	196	1,467	34,137	3,341	4,829	13,096	695	25,834	144,830
WEST	---	989	40,678	208	41	47,057	2,729	2,082	13,194	707	8,040	115,725
U. S.	2,919	43,151	246,225	3,359	3,791	245,442	22,010	19,517	68,743	5,370	82,900	743,427
MAINE	---	583	4,258	---	308	1,421	229	308	449	9	475	8,040
NEW JERSEY	---	1,526	22,663	---	241	16,828	963	801	2,521	15	5,106	50,664
PENNSYLVANIA	---	196	895	---	---	482	42	21	124	---	413	2,173
OHIO	102	2,344	3,130	12	2	8,079	786	439	1,981	198	2,920	19,993
MINNESOTA	1,369	1,725	15,944	380	62	28,554	2,275	809	4,005	233	5,440	60,796
MISSOURI	125	2,022	19,381	234	78	11,603	1,549	828	2,643	1,768	3,762	43,993
DELAWARE	---	122	268	23	11	38	5	7	41	---	7	522
MARYLAND	33	1,006	15,708	21	145	12,046	1,129	2,766	3,051	198	511	36,614
VIRGINIA	---	500	2,342	92	24	319	88	55	145	2	2	3,569
NORTH CAROLINA	---	2,116	5,840	218	672	3,887	1,365	349	2,161	29	1,518	18,155
GEORGIA	---	1,202	13,097	143	338	11,637	1,191	1,403	5,315	111	8,878	43,315
ALABAMA	---	5,908	11,592	13	108	2,364	442	669	3,708	1	1,104	25,909
MISSISSIPPI	---	804	19,403	9	985	23,043	2,408	3,506	6,037	125	15,199	71,519
ARKANSAS	---	466	3,831	73	193	468	110	192	553	---	614	6,500
TEXAS	---	9,307	7,759	34	134	7,713	276	409	1,381	104	8,110	35,227
WASHINGTON	---	152	2,718	---	2	934	268	301	1,785	183	1,059	6,402
CALIFORNIA	---	809	36,652	208	39	45,595	2,448	1,699	12,314	523	6,978	107,265

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS (LIVWEIGHT)		AVERAGE LIVWEIGHT (INSPECTED)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	- THOUSANDS -	- THOUSANDS -	- POUNDS -	- POUNDS -	- POUNDS -	- POUNDS -	- 1,000 POUNDS -	- 1,000 POUNDS -	- 1,000 POUNDS -	- PERCENT -
N. ATLANTIC	34	34	731	649	20.31	19.09	583	508	8	11
E. N. CENTRAL	58	60	1,081	872	18.63	14.59	854	694	36	20
W. N. CENTRAL	417	345	6,792	5,824	16.27	16.89	5,458	4,640	132	140
S. ATLANTIC	680	573	12,173	10,942	17.89	19.09	9,459	8,589	274	310
S. CENTRAL	486	719	9,405	13,367	19.33	18.59	7,396	10,591	230	261
WEST	425	556	7,777	8,627	18.30	15.87	6,181	6,992	82	234
U. S.	2,102	2,287	37,959	40,481	18.06	17.70	29,931	32,014	762	976
PENNSYLVANIA	32	33	665	634	20.66	19.26	530	497	9	10
WISCONSIN	35	29	710	501	20.51	17.58	568	401	20	13
MINNESOTA	238	167	3,772	2,392	15.84	14.32	3,061	1,938	50	40
IOWA	73	116	1,512	2,544	20.78	21.85	1,172	1,978	60	90
MISSOURI	93	61	1,202	887	12.98	14.47	982	724	15	10
VIRGINIA	249	177	5,147	3,518	20.66	19.92	3,975	2,709	156	108
NORTH CAROLINA	356	324	5,706	5,872	16.03	18.15	4,436	4,710	89	128
ARKANSAS	173	---	3,323	---	19.20	---	2,602	---	65	---
TEXAS	264	309	5,244	6,473	19.84	20.98	4,109	5,129	145	145
CALIFORNIA	333	445	6,193	7,066	18.61	15.88	4,934	5,591	68	217

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1969

REGION AND STATE	TUBERCULOSIS : NO.	LEUKOSIS : NO.	SEPTICEMIA : NO.	AIRSAC-CULITIS : NO.	SYNOVITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER INJURY : NO.	CONTAMINATION : NO.	SCALD : NO.	OTHER : NO.	TOTAL NO.
N. ATLANTIC	---	3	130	99	2	1	---	7	59	---	57	358
E. N. CENTRAL	---	31	354	135	2	3	10	58	58	4	24	679
W. N. CENTRAL	---	6	3,285	921	118	6	50	235	285	22	60	4,988
S. ATLANTIC	---	81	6,673	4,445	418	26	352	391	1,283	169	502	14,340
S. CENTRAL	---	161	5,116	3,186	878	72	172	187	491	42	425	10,730
WEST	---	13	4,669	8,119	1,131	35	105	252	300	73	19	14,716
U. S.	---	295	20,227	16,905	2,549	143	689	1,130	2,476	310	1,087	45,811
PENNSYLVANIA	---	3	129	99	2	1	---	7	59	---	57	357
WISCONSIN	---	6	227	78	2	3	4	44	22	1	4	391
MINNESOTA	---	1	1,433	181	77	1	13	158	148	10	25	2,047
IOWA	---	5	1,684	705	40	5	35	50	103	10	19	2,656
MISSOURI	---	---	168	35	1	---	2	27	34	2	16	285
VIRGINIA	---	8	1,742	2,581	14	3	186	97	78	45	1	4,755
NORTH CAROLINA	---	8	3,267	1,544	376	19	95	220	698	122	394	6,743
TEXAS	---	10	2,227	2,220	658	61	65	28	106	---	408	5,783
CALIFORNIA	---	13	4,125	6,064	1,004	32	28	160	268	63	18	13,775

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVELINEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1	10	106	106	10.60	10.60	83	1	1.44	1.04
E. N. CENTRAL	22	12	229	103	10.32	8.52	181	3	1.96	2.86
W. N. CENTRAL	277	264	2,707	2,559	9.77	9.70	2,141	48	2.33	1.63
S. ATLANTIC	249	229	2,200	1,973	8.83	8.62	1,651	46	.94	3.11
S. CENTRAL	11	---	98	---	8.72	---	80	---	---	---
WEST	118	73	954	591	8.08	8.08	743	8	.97	2.18
U. S.	678	588	6,188	5,332	9.13	9.06	4,796	106	1.90	2.27
WISCONSIN	22	---	229	---	10.32	---	181	3	1.44	---
MINNESOTA	261	264	2,581	2,559	9.88	9.70	2,048	45	2.61	1.63
VIRGINIA	202	126	1,792	1,134	8.89	9.00	1,327	42	2.61	1.80
CALIFORNIA	88	52	749	451	8.52	8.71	581	6	.91	2.54

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1969

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNDROME		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	1	59	81	---	---	---	---	3	9	3	15	20	24	1	157	1	
E. N. CENTRAL	---	---	3	85	157	9	17	197	371	2	17	197	371	24	104	---	278	---	
W. N. CENTRAL	---	---	1	1,933	589	80	3	85	353	---	---	---	---	---	253	---	3,249	---	
S. ATLANTIC	---	---	---	---	3,476	---	---	---	---	---	---	---	---	---	---	---	---	5,943	---
S. CENTRAL	---	---	12	858	311	61	2	15	64	---	---	---	---	---	---	---	---	---	
WEST	---	---	17	4,522	4,614	150	7	121	817	7	24	353	817	24	362	---	10,987	---	
U. S.	---	---	3	1,933	589	9	2	17	371	2	197	197	371	24	104	---	3,249	---	
MINNESOTA	---	---	---	1,050	286	---	---	46	208	---	---	---	---	---	---	---	---	1,680	---
VIRGINIA	---	---	---	805	310	59	---	7	40	---	---	---	---	---	---	---	---	1,240	---
CALIFORNIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	9	19	165	321	18.50	17.32	132	253	6	8
W. N. CENTRAL	100	70	2,032	1,384	20.25	19.68	1,623	1,102	59	52
S. ATLANTIC	25	40	483	778	19.49	19.50	369	616	30	33
S. CENTRAL	59	12	1,228	230	20.76	19.46	999	190	33	7
WEST	71	37	1,546	795	21.87	21.31	1,253	646	31	21
U. S.	264	178	5,454	3,512	20.67	19.72	4,375	2,810	159	121
MINNESOTA	85	48	1,711	925	20.06	19.23	1,375	737	50	31
NORTH CAROLINA	---	27	---	515	---	19.09	---	414	---	20
CALIFORNIA	---	24	---	553	---	23.03	---	456	---	12


1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1969

REGION AND STATE	TUBER- : CULOSIS:		LEU- : KOSIS :		SEPTI- : CEMIA :		AIRSAC- : CULITIS :		SYNO- : VITIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- : INATION:		OVER- : SCALD :		OTHER :		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	3
E. N. CENTRAL	---	---	7	159	61	20	2	11	1	25	15	1	25	15	6	6	6	6	6	6	6	306	
W. N. CENTRAL	---	---	46	1,123	318	3	6	30	30	22	168	31	22	168	31	65	31	65	31	65	65	1,812	
S. ATLANTIC	---	---	15	533	282	13	112	23	23	57	94	5	57	94	5	80	5	80	5	80	80	1,214	
S. CENTRAL	---	---	2	168	78	1	1	4	4	1	15	---	1	15	---	---	---	---	---	---	---	270	
WEST	---	---	7	671	92	52	6	49	49	27	17	---	27	17	---	16	---	16	---	16	16	937	
U. S.	---	---	77	2,654	832	89	127	118	118	132	310	36	132	310	36	167	36	167	36	167	167	4,542	
MINNESOTA	---	---	2	798	269	3	6	27	27	21	137	19	21	137	19	9	19	9	9	9	9	1,291	
NORTH CAROLINA	---	---	9	413	232	13	22	15	15	5	85	2	5	85	2	39	2	39	2	39	39	825	
CALIFORNIA	---	---	---	415	2	35	4	5	5	11	12	---	11	12	---	16	---	16	---	16	16	500	

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.