

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
JUNE 1969

Release:
July 29, 1969
3:00 P.M. EDT

Inspected Poultry - There were 976,306,000 pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during June under the Poultry Inspection Act carried on by the U.S.D.A. This is 7 percent more than the previous month and 18 percent more than June 1968.

The number of head and pounds live weight inspected by classes were: Young chickens, 225,345,000 head, 800,900,000 pounds; mature chickens, 12,688,000 head, 59,348,000 pounds; fryer-roaster turkeys, 656,000 head, 5,953,000 pounds; young turkeys, 5,313,000 head, 93,959,000 pounds; old turkeys, 376,000 head, 7,605,000 pounds; and ducks, 1,368,000 head, 8,541,000 pounds.

Poultry Certified as Wholesome in June totaled 703,295,000 pounds ready-to-cook weight of which 560,797,000 pounds were chilled and 142,498,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 573,945,000; mature chickens, 37,786,000; fryer-roaster turkeys, 4,584,000; young turkeys, 74,807,000; old turkeys, 6,037,000; ducks, 5,982,000; and other poultry, 154,000 pounds.

Further Processed - Poultry inspected and used for further processing in June totaled 92,351,000 pounds ready-to-cook weight, compared with 78,025,000 pounds in June 1968. The June 1969 total consisted of 21,694,000 pounds of young chickens, 33,385,000 pounds of mature chickens, 31,425,000 pounds of turkeys, and 5,847,000 pounds of other poultry.

Poultry Cut-up and Packaged during June totaled 151,997,000 pounds ready-to-cook weight compared with 118,481,000 pounds a year earlier. The breakdown by classes was: Young chickens, 138,598,000 pounds; mature chickens, 186,000 pounds; turkeys, 12,843,000 pounds; and other poultry 370,000 pounds.

Ante-mortem Condemnations during June were 5,047,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens, 0.51 percent; mature chickens, 1.11 percent; fryer-roaster turkeys, 0.19 percent; young turkeys, 0.24 percent; old turkeys, 0.38 percent; and ducks, 0.02 percent.

Post-mortem Condemnations in June were 28,361,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 3.22 percent; mature chickens, 5.39 percent; fryer-roaster turkeys, 1.83 percent; young turkeys, 2.26 percent; old turkeys, 3.77 percent; and ducks, 1.54 percent.

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1969 WITH COMPARISONS

| | : YOUNG : MATURE : | | : TOTAL : FRYER- : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | | TOTAL |
|----------------------------|--------------------|--------------|----------------------------|-------------|-------------|-------------|-------------|-------------|-----------|------------|-------|
| | : CHICKENS : | : CHICKENS : | : CHICKENS : | : ROASTERS: | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY: | |
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT): | | | | | | | | | | | |
| JUNE 1968: | 2,393 | 453 | 2,846 | 12 | 169 | 32 | 213 | 1 | 2 | 3,062 | |
| JUNE 1969: | 4,111 | 660 | 4,771 | 12 | 232 | 29 | 273 | 2 | 1 | 5,047 | |
| JAN.-JUNE 1968: | 11,795 | 2,617 | 14,412 | 111 | 523 | 64 | 698 | 5 | 4 | 15,119 | |
| JAN.-JUNE 1969: | 15,296 | 3,045 | 18,341 | 87 | 576 | 62 | 725 | 8 | 3 | 19,077 | |
| PERCENT 1/ | | | | | | | | | | | |
| JUNE 1968: | .34 | 1.02 | .38 | .18 | .23 | .31 | .24 | .01 | .81 | .36 | |
| JUNE 1969: | .51 | 1.11 | .55 | .19 | .24 | .38 | .25 | .02 | .40 | .51 | |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 LBS. (N.Y. DRESSED): | | | | | | | | | | | |
| JUNE 1968: | 20,577 | 1,727 | 22,304 | 92 | 1,210 | 241 | 1,543 | 63 | 3 | 23,913 | |
| JUNE 1969: | 23,124 | 2,846 | 25,970 | 98 | 1,913 | 257 | 2,268 | 119 | 3 | 28,361 | |
| JAN.-JUNE 1968: | 143,543 | 14,868 | 158,411 | 864 | 5,229 | 530 | 6,623 | 272 | 14 | 165,320 | |
| JAN.-JUNE 1969: | 151,979 | 17,851 | 169,830 | 787 | 5,363 | 541 | 6,691 | 431 | 13 | 176,964 | |
| PERCENT 2/ | | | | | | | | | | | |
| JUNE 1968: | 3.32 | 4.41 | 3.38 | 1.58 | 1.90 | 2.62 | 1.96 | .98 | 1.00 | 3.21 | |
| JUNE 1969: | 3.22 | 5.39 | 3.37 | 1.83 | 2.26 | 3.77 | 2.35 | 1.54 | 1.15 | 3.24 | |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1969 WITH COMPARISONS

| | : YOUNG CHICKENS : | | : MATURE CHICKENS : | | : TURKEYS : | | : OTHER POULTRY 1/: | | TOTAL POULTRY | |
|---|--------------------|-------------|---------------------|-------------|-------------|-------------|---------------------|-------------|---------------|---------|
| | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | : FURTHER : | CUT UP |
| POUNDS USED READY-TO-COOK WEIGHT 2/ | | | | | | | | | | |
| MAY 1969: | 22,059 | 137,923 | 33,612 | 515 | 30,327 | 11,663 | 7,633 | 338 | 93,631 | 150,439 |
| JUNE 1968: | 17,921 | 108,242 | 30,508 | 271 | 24,298 | 9,899 | 5,298 | 69 | 78,025 | 118,481 |
| JUNE 1969: | 21,694 | 138,598 | 33,385 | 186 | 31,425 | 12,843 | 5,847 | 370 | 92,351 | 151,997 |
| JANUARY-JUNE 1968: | 137,642 | 685,859 | 192,861 | 4,269 | 161,324 | 52,112 | 38,291 | 821 | 530,118 | 743,061 |
| JANUARY-JUNE 1969: | 123,507 | 777,216 | 201,977 | 4,301 | 206,196 | 69,433 | 41,300 | 2,077 | 572,980 | 853,027 |
| LBS. CONDEMNED READY-TO-COOK WEIGHT 2/: | | | | | | | | | | |
| MAY 1969: | 184 | 977 | 43 | --- | 28 | --- | 65 | --- | 320 | 989 |
| JUNE 1968: | 86 | 1,085 | 115 | --- | 33 | 7 | 91 | --- | 325 | 1,092 |
| JUNE 1969: | 117 | 1,012 | 48 | 5 | 45 | 9 | 55 | 5 | 265 | 1,031 |
| JANUARY-JUNE 1968: | 399 | 4,999 | 496 | 13 | 136 | 33 | 315 | 2 | 1,346 | 5,047 |
| JANUARY-JUNE 1969: | 754 | 5,293 | 242 | 14 | 208 | 43 | 169 | 5 | 1,373 | 5,355 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

2/ 1,000 POUNDS.

3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1968 AND 1969

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|---------|-------------------------------|---------|------------------------------|------|--|---------|---------------------------|--------|
| | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 13,508 | 14,263 | 53,444 | 57,121 | 3.96 | 4.00 | 38,603 | 40,986 | 1,915 | 1,996 |
| E. N. CENTRAL | 2,452 | 2,757 | 8,985 | 10,722 | 3.66 | 3.89 | 6,575 | 7,896 | 170 | 250 |
| W. N. CENTRAL | 4,538 | 5,395 | 15,858 | 19,301 | 3.49 | 3.58 | 11,297 | 13,650 | 332 | 642 |
| S. ATLANTIC | 82,298 | 95,801 | 291,426 | 346,911 | 3.54 | 3.62 | 208,322 | 247,356 | 10,393 | 11,377 |
| S. CENTRAL | 90,532 | 102,605 | 307,810 | 350,490 | 3.40 | 3.42 | 222,526 | 252,421 | 7,426 | 8,486 |
| WEST | 3,858 | 4,524 | 13,777 | 16,355 | 3.57 | 3.61 | 9,814 | 11,636 | 341 | 373 |
| U. S. | 197,186 | 225,345 | 691,300 | 800,900 | 3.51 | 3.55 | 497,137 | 573,945 | 20,577 | 23,124 |
| MAINE | 6,186 | 6,240 | 24,687 | 24,840 | 3.99 | 3.98 | 18,169 | 18,146 | 903 | 846 |
| PENNSYLVANIA | 6,381 | 7,130 | 24,995 | 28,669 | 3.92 | 4.02 | 17,763 | 20,266 | 916 | 1,035 |
| INDIANA | 1,118 | 1,214 | 3,933 | 4,334 | 3.52 | 3.57 | 2,905 | 3,213 | 78 | 88 |
| WISCONSIN | 1,322 | 1,477 | 4,989 | 5,960 | 3.77 | 4.04 | 3,626 | 4,373 | 90 | 152 |
| MISSOURI | 3,833 | 4,647 | 13,203 | 16,336 | 3.44 | 3.52 | 9,321 | 11,384 | 291 | 595 |
| DELAWARE | 6,929 | 8,401 | 25,618 | 32,777 | 3.70 | 3.90 | 18,223 | 23,325 | 1,058 | 1,013 |
| MARYLAND | 11,951 | 15,382 | 43,824 | 59,862 | 3.67 | 3.89 | 31,790 | 43,224 | 1,554 | 1,762 |
| VIRGINIA | 6,527 | 7,732 | 21,552 | 26,458 | 3.30 | 3.42 | 14,616 | 18,228 | 842 | 743 |
| NORTH CAROLINA | 22,209 | 24,386 | 80,838 | 89,845 | 3.64 | 3.68 | 58,531 | 64,156 | 2,184 | 2,521 |
| SOUTH CAROLINA | 2,343 | 2,645 | 8,012 | 9,053 | 3.42 | 3.42 | 5,625 | 6,331 | 336 | 329 |
| GEORGIA | 30,337 | 33,503 | 104,739 | 115,982 | 3.45 | 3.46 | 74,622 | 82,217 | 4,272 | 4,759 |
| TENNESSEE | 5,371 | 5,844 | 18,158 | 20,560 | 3.38 | 3.52 | 13,333 | 14,797 | 423 | 574 |
| ALABAMA | 22,722 | 25,937 | 78,788 | 89,447 | 3.47 | 3.45 | 56,385 | 64,120 | 2,278 | 2,540 |
| MISSISSIPPI | 14,363 | 15,851 | 48,215 | 53,443 | 3.36 | 3.37 | 35,957 | 39,605 | 844 | 890 |
| ARKANSAS | 29,291 | 32,818 | 97,291 | 109,578 | 3.32 | 3.34 | 69,555 | 77,896 | 2,314 | 2,638 |
| LOUISIANA | 4,111 | 4,851 | 14,657 | 17,118 | 3.57 | 3.53 | 10,541 | 12,532 | 374 | 366 |
| TEXAS | 12,445 | 14,194 | 42,984 | 49,688 | 3.45 | 3.50 | 31,182 | 35,904 | 1,035 | 1,249 |
| WASHINGTON | 1,081 | 1,206 | 4,025 | 4,732 | 3.72 | 3.92 | 2,855 | 3,302 | 85 | 107 |
| CALIFORNIA | 2,242 | 2,617 | 7,966 | 9,633 | 3.55 | 3.68 | 6,948 | 8,498 | 205 | 215 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

| REGION AND STATE | | LEU- KOSIS | SEPTI- CENIA | AIRSAC- CULITIS | SYNO- VITIS | TUMORS | BRUISES | CADAVERS | CONTAM- INATION | OVER- SCALD | OTHER | TOTAL |
|------------------|--|---------------|-----------------|--------------------|----------------|--------|---------|----------|--------------------|----------------|---------|-----------|
| | | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. |
| N. ATLANTIC | | 287,580 | 120,292 | 36,132 | 8,085 | 1,173 | 3,812 | 13,033 | 20,180 | 2,940 | 14,972 | 508,199 |
| E. N. CENTRAL | | 20,111 | 14,927 | 8,255 | 758 | 33 | 1,194 | 4,208 | 4,756 | 2,251 | 1,350 | 57,843 |
| W. N. CENTRAL | | 45,758 | 27,797 | 53,274 | 2,443 | 413 | 2,756 | 4,936 | 11,457 | 1,226 | 6,840 | 156,900 |
| S. ATLANTIC | | 1,813,937 | 439,515 | 223,348 | 32,642 | 8,605 | 35,975 | 84,054 | 273,330 | 25,546 | 99,613 | 3,036,565 |
| S. CENTRAL | | 800,638 | 470,261 | 362,964 | 66,157 | 11,285 | 46,928 | 97,023 | 174,591 | 23,497 | 95,120 | 2,148,464 |
| WEST | | 41,856 | 25,973 | 7,520 | 1,026 | 116 | 1,445 | 4,230 | 4,448 | 480 | 6,485 | 93,579 |
| U. S. | | 3,009,880 | 1,098,765 | 691,493 | 111,111 | 21,625 | 92,110 | 207,484 | 488,762 | 55,940 | 224,380 | 6,001,550 |
| MAINE | | 118,067 | 68,024 | 2,923 | 6,881 | 332 | 1,399 | 7,885 | 7,233 | 1,168 | 4,025 | 217,937 |
| PENNSYLVANIA | | 156,994 | 45,668 | 32,846 | 1,013 | 705 | 2,059 | 4,462 | 10,746 | 1,754 | 9,732 | 265,979 |
| INDIANA | | 8,807 | 4,284 | 6,071 | 161 | 10 | 478 | 1,476 | 1,181 | 146 | 7 | 22,621 |
| WISCONSIN | | 10,610 | 10,207 | 2,146 | 597 | 18 | 695 | 2,584 | 3,399 | 2,059 | 1,272 | 33,587 |
| MISSOURI | | 42,231 | 25,266 | 51,548 | 2,357 | 337 | 2,558 | 4,521 | 10,235 | 1,224 | 4,762 | 145,039 |
| DELAWARE | | 189,747 | 38,285 | 19,076 | 2,660 | 566 | 2,582 | 6,372 | 13,063 | 2,737 | 11,790 | 286,878 |
| MARYLAND | | 300,644 | 70,968 | 34,283 | 3,569 | 1,268 | 3,674 | 11,869 | 20,655 | 7,169 | 5,448 | 459,547 |
| VIRGINIA | | 128,491 | 42,070 | 26,368 | 690 | 447 | 1,934 | 7,171 | 5,061 | 1,699 | 4,516 | 218,447 |
| NORTH CAROLINA | | 234,342 | 139,302 | 69,155 | 12,921 | 3,282 | 13,478 | 23,215 | 102,075 | 6,147 | 33,408 | 637,325 |
| SOUTH CAROLINA | | 59,606 | 9,717 | 11,660 | 550 | 227 | 1,407 | 4,468 | 4,999 | 1,248 | 2,193 | 96,075 |
| GEORGIA | | 861,994 | 128,704 | 59,965 | 11,624 | 2,608 | 12,145 | 29,277 | 123,459 | 6,350 | 38,151 | 1,274,277 |
| TENNESSEE | | 54,881 | 24,263 | 16,158 | 1,722 | 451 | 2,015 | 3,912 | 26,398 | 1,297 | 15,000 | 146,097 |
| ALABAMA | | 410,586 | 90,582 | 22,961 | 8,336 | 3,071 | 10,143 | 27,734 | 44,541 | 6,731 | 24,426 | 649,111 |
| MISSISSIPPI | | 71,841 | 27,094 | 38,314 | 5,425 | 2,027 | 5,244 | 7,057 | 14,397 | 1,224 | 16,977 | 189,600 |
| ARKANSAS | | 158,353 | 188,318 | 184,164 | 23,100 | 3,068 | 13,349 | 34,510 | 59,312 | 8,268 | 21,199 | 693,641 |
| LOUISIANA | | 20,168 | 37,098 | 9,204 | 4,158 | 526 | 3,096 | 3,400 | 5,148 | 2,491 | 3,017 | 88,306 |
| TEXAS | | 70,998 | 87,953 | 75,238 | 22,550 | 1,945 | 9,656 | 16,674 | 17,287 | 1,882 | 13,416 | 317,599 |
| WASHINGTON | | 4,991 | 5,177 | 2,226 | 280 | 64 | 737 | 1,425 | 940 | 277 | 1,027 | 17,144 |
| CALIFORNIA | | 26,452 | 18,699 | 2,668 | 245 | 46 | 616 | 1,897 | 2,900 | 201 | 2,634 | 56,358 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1968 AND 1969

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEMEIGHT) | | AVERAGE LIVEMEIGHT | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|------------------|--------|-------------------------------|--------|--------------------|------|--|--------|---------------------------|-----------|------|------|
| | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | | |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -1,000 POUNDS- | -PERCENT- | | |
| N. ATLANTIC | 998 | 1,453 | 5,292 | 7,459 | 5.30 | 5.13 | 3,512 | 4,872 | 168 | 294 | 3.55 | 4.41 |
| E. N. CENTRAL | 1,223 | 1,634 | 5,310 | 6,996 | 4.34 | 4.28 | 3,379 | 4,366 | 186 | 261 | 3.93 | 4.17 |
| W. N. CENTRAL | 2,479 | 2,903 | 10,448 | 12,675 | 4.22 | 4.37 | 6,639 | 7,872 | 528 | 700 | 5.68 | 6.21 |
| S. ATLANTIC | 2,195 | 2,684 | 11,082 | 12,839 | 5.05 | 4.78 | 7,080 | 8,159 | 389 | 624 | 3.94 | 5.49 |
| S. CENTRAL | 1,475 | 2,579 | 7,668 | 13,493 | 5.20 | 5.23 | 5,155 | 8,929 | 290 | 620 | 4.26 | 5.18 |
| WEST | 1,030 | 1,435 | 4,200 | 5,886 | 4.08 | 4.10 | 2,589 | 3,588 | 166 | 347 | 4.41 | 6.59 |
| U. S. | 9,400 | 12,688 | 44,000 | 59,348 | 4.68 | 4.68 | 28,354 | 37,786 | 1,727 | 2,886 | 4.41 | 5.39 |
| MAINE | 215 | 296 | 1,401 | 1,901 | 6.53 | 6.43 | 975 | 1,301 | 55 | 64 | 4.36 | 3.78 |
| NEW JERSEY | 450 | 815 | 1,870 | 3,502 | 4.16 | 4.30 | 1,141 | 2,132 | 73 | 181 | 4.39 | 5.78 |
| PENNSYLVANIA | 67 | 73 | 471 | 521 | 7.01 | 7.11 | 323 | 364 | 11 | 13 | 2.54 | 2.74 |
| OHIO | 341 | 385 | 1,385 | 1,420 | 4.25 | 4.17 | 885 | 883 | 50 | 55 | 4.01 | 4.36 |
| INDIANA | 394 | 569 | 1,606 | 2,291 | 4.08 | 4.02 | 1,044 | 1,437 | 56 | 81 | 3.93 | 3.94 |
| ILLINOIS | 388 | --- | 1,606 | --- | 4.14 | --- | 977 | --- | 61 | --- | 4.27 | --- |
| MINNESOTA | 784 | --- | 3,969 | 3,027 | 3.67 | 3.86 | 2,476 | 1,825 | 220 | 163 | 6.22 | 6.03 |
| MISSOURI | 558 | 964 | 3,194 | 5,247 | 5.72 | 5.44 | 2,147 | 3,473 | 139 | 245 | 4.89 | 5.26 |
| DELAWARE | 35 | --- | 276 | --- | 7.93 | --- | 195 | --- | 7 | --- | 2.99 | --- |
| MARYLAND | 467 | --- | 2,122 | 1,873 | 4.06 | 4.01 | 1,361 | 1,211 | 81 | 120 | 4.29 | 7.18 |
| VIRGINIA | 79 | --- | 675 | 592 | 7.37 | 7.53 | 474 | 397 | 21 | 19 | 3.44 | 3.54 |
| NORTH CAROLINA | 319 | --- | 2,218 | 2,415 | 7.23 | 7.57 | 1,500 | 1,614 | 66 | 82 | 3.77 | 3.32 |
| GEORGIA | 698 | --- | 3,513 | 4,544 | 5.03 | 4.62 | 2,189 | 2,909 | 106 | 181 | 3.37 | 4.49 |
| ALABAMA | 49 | --- | 397 | 1,534 | 8.05 | 4.44 | 280 | 958 | 19 | 88 | 5.32 | 6.63 |
| MISSISSIPPI | 806 | --- | 3,558 | 7,194 | 4.41 | 5.26 | 2,372 | 4,801 | 133 | 271 | 4.23 | 4.24 |
| ARKANSAS | 1,369 | --- | 1,217 | 1,671 | 6.35 | 7.28 | 826 | 1,185 | 45 | 69 | 4.13 | 4.67 |
| LOUISIANA | 229 | --- | 211 | --- | 7.45 | --- | 147 | --- | 10 | --- | 5.11 | --- |
| OKLAHOMA | 87 | --- | 583 | --- | 6.69 | --- | 419 | --- | 12 | --- | 2.27 | --- |
| TEXAS | 489 | --- | 1,596 | 2,180 | 5.35 | 4.46 | 1,036 | 1,371 | 66 | 153 | 4.70 | 7.85 |
| WASHINGTON | 99 | --- | 406 | 501 | 4.12 | 4.06 | 249 | 314 | 23 | 24 | 6.21 | 5.31 |
| CALIFORNIA | 1,267 | --- | 3,691 | 5,216 | 4.08 | 4.12 | 2,275 | 3,164 | 142 | 314 | 4.28 | 6.73 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1969

| REGION AND STATE | TUBERCULOSIS | | LEUROSIS | | SEPTICEMIA | | AIRSAC-CULITIS | | SYNOVITIS | | TUMORS | | BRUISES | | CADAVER | | CONTAMINATION | | OVERSCALE | | OTHER | | TOTAL |
|------------------|--------------|--------|----------|-------|------------|---------|----------------|--------|-----------|-------|--------|---------|---------|-----|---------|-----|---------------|-----|-----------|-----|-------|-----|-------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. |
| N. ATLANTIC | --- | 2,798 | 25,583 | 21 | 274 | 17,272 | 1,488 | 1,729 | 4,515 | 71 | 5,465 | 59,216 | | | | | | | | | | | |
| E. N. CENTRAL | 360 | 4,504 | 20,133 | 289 | 43 | 26,361 | 1,269 | 3,060 | 3,957 | 370 | 7,657 | 68,003 | | | | | | | | | | | |
| W. N. CENTRAL | 2,812 | 9,454 | 49,117 | 1,659 | 499 | 66,151 | 8,523 | 5,341 | 13,844 | 889 | 13,226 | 171,515 | | | | | | | | | | | |
| S. ATLANTIC | 193 | 9,130 | 46,479 | 665 | 1,096 | 34,910 | 5,027 | 8,930 | 23,073 | 963 | 15,194 | 145,660 | | | | | | | | | | | |
| S. CENTRAL | 1 | 21,823 | 43,248 | 300 | 662 | 25,152 | 3,265 | 3,823 | 10,756 | 544 | 24,699 | 134,273 | | | | | | | | | | | |
| WEST | --- | 1,190 | 31,752 | 44 | 212 | 38,396 | 2,376 | 988 | 5,605 | 272 | 6,761 | 87,596 | | | | | | | | | | | |
| U. S. | 3,366 | 48,899 | 216,312 | 2,978 | 2,786 | 208,242 | 21,948 | 23,871 | 61,750 | 3,109 | 73,002 | 666,263 | | | | | | | | | | | |
| MAINE | --- | 1,081 | 4,330 | 17 | 131 | 1,366 | 150 | 431 | 1,722 | 8 | 474 | 9,710 | | | | | | | | | | | |
| NEW JERSEY | --- | 1,181 | 18,815 | --- | 27 | 12,695 | 1,221 | 1,183 | 2,314 | 54 | 4,386 | 41,876 | | | | | | | | | | | |
| PENNSYLVANIA | --- | 248 | 567 | 2 | 6 | 330 | 21 | 15 | 106 | --- | 422 | 1,717 | | | | | | | | | | | |
| OHIO | 137 | 1,720 | 2,296 | 7 | --- | 4,036 | 336 | 390 | 1,519 | 46 | 2,153 | 12,640 | | | | | | | | | | | |
| INDIANA | 11 | 550 | 8,709 | 7 | 19 | 10,801 | 304 | 2,463 | 965 | 12 | 1,362 | 25,203 | | | | | | | | | | | |
| MINNESOTA | 1,231 | 1,562 | 10,795 | 376 | 59 | 21,440 | 1,750 | 480 | 2,705 | 107 | 5,119 | 45,624 | | | | | | | | | | | |
| MISSOURI | 250 | 1,832 | 21,159 | 196 | 136 | 12,988 | 1,507 | 2,564 | 3,934 | 338 | 3,817 | 48,721 | | | | | | | | | | | |
| MARYLAND | 161 | 721 | 10,756 | 30 | 195 | 9,301 | 1,622 | 794 | 2,444 | 130 | 988 | 27,142 | | | | | | | | | | | |
| VIRGINIA | --- | 365 | 1,16 | 57 | 115 | 190 | 93 | 35 | 133 | --- | 14 | 2,318 | | | | | | | | | | | |
| NORTH CAROLINA | --- | 1,422 | 3,820 | 130 | 247 | 1,941 | 576 | 202 | 1,032 | 16 | 1,078 | 10,464 | | | | | | | | | | | |
| GEORGIA | --- | 997 | 12,867 | 99 | 147 | 10,949 | 973 | 4,982 | 9,519 | 105 | 3,803 | 44,441 | | | | | | | | | | | |
| ALABAMA | --- | 5,266 | 11,073 | 5 | 40 | 1,130 | 492 | 359 | 1,374 | 83 | 772 | 20,594 | | | | | | | | | | | |
| MISSISSIPPI | --- | 892 | 16,769 | 1 | 110 | 20,314 | 2,271 | 2,529 | 5,144 | 352 | 13,614 | 61,996 | | | | | | | | | | | |
| ARKANSAS | --- | 584 | 4,532 | 225 | 314 | 462 | 106 | 241 | 843 | 15 | 421 | 7,743 | | | | | | | | | | | |
| TEXAS | --- | 14,793 | 8,798 | 48 | 160 | 2,888 | 334 | 609 | 1,716 | 32 | 8,909 | 38,287 | | | | | | | | | | | |
| WASHINGTON | --- | 185 | 2,531 | 13 | 2 | 720 | 507 | 58 | 690 | 35 | 959 | 5,700 | | | | | | | | | | | |
| CALIFORNIA | --- | 961 | 28,635 | 31 | 210 | 36,043 | 1,858 | 889 | 4,817 | 237 | 5,800 | 79,481 | | | | | | | | | | | |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1968 AND 1969

| REGION AND STATE | NUMBER INSPECTED | POUNDS INSPECTED | | AVERAGE LIVEMEIGHT | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|------------------|--------|--------------------|------------------------|--------|---------------------------|------|
| | | 1968 | 1969 | | 1968 | 1969 | 1968 | 1969 |
| | -THOUSANDS- | -1,000 POUNDS- | | -POUNDS- | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 42 | 614 | 765 | 14.62 | 481 | 603 | 4 | .72 |
| E. N. CENTRAL | 234 | 4,595 | 4,010 | 19.60 | 3,591 | 3,186 | 99 | 2.40 |
| W. N. CENTRAL | 722 | 11,692 | 21,488 | 16.19 | 9,316 | 17,305 | 170 | 1.61 |
| S. ATLANTIC | 801 | 14,784 | 15,849 | 18.47 | 11,688 | 12,481 | 427 | 2.29 |
| S. CENTRAL | 1,107 | 1,375 | 25,281 | 18.46 | 16,136 | 19,949 | 516 | 2.33 |
| WEST | 1,013 | 1,489 | 26,566 | 18.42 | 15,059 | 21,283 | 203 | 1.21 |
| U. S. | 3,919 | 70,774 | 93,959 | 18.06 | 56,271 | 74,807 | 1,210 | 1.90 |
| PENNSYLVANIA | 38 | 511 | 764 | 13.41 | 399 | 603 | 3 | .71 |
| OHIO | 76 | 1,481 | --- | 19.56 | 1,133 | --- | 32 | 2.42 |
| WISCONSIN | 123 | 2,370 | 1,837 | 19.32 | 1,875 | 1,475 | 50 | 2.33 |
| MINNESOTA | 290 | 4,893 | 8,566 | 16.87 | 3,931 | 6,938 | 62 | 1.40 |
| IOWA | 236 | 3,954 | 6,484 | 16.72 | 3,098 | 5,131 | 64 | 1.79 |
| MISSOURI | 345 | 2,433 | 5,862 | 13.89 | 1,955 | 4,772 | 38 | 1.99 |
| VIRGINIA | 243 | 5,731 | 4,740 | 21.80 | 4,466 | 3,643 | 140 | 2.71 |
| NORTH CAROLINA | 498 | 6,887 | 8,716 | 16.66 | 5,485 | 6,937 | 132 | 2.71 |
| TEXAS | 342 | 6,576 | 10,251 | 19.22 | 5,234 | 8,069 | 233 | 1.86 |
| COLORADO | 94 | 1,503 | 4,353 | 15.95 | 1,235 | 3,533 | 12 | .86 |
| UTAH | 111 | 2,024 | 2,784 | 18.20 | 1,614 | 2,212 | 12 | .67 |
| CALIFORNIA | 740 | 14,021 | 18,427 | 18.95 | 11,328 | 14,746 | 164 | 1.30 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1969

| REGION AND STATE | TUBER- : NO. | CULOSIS: NO. | LEU- KOSIS : NO. | SEPTI- : NO. | CEMIA : NO. | AIRSAC- : NO. | CULITIS : NO. | SYNO- : NO. | VIRII : NO. | TUMORS : NO. | BRUISES: NO. | GADAVER: NO. | INATION: NO. | CONTAM- : NO. | OVER- : NO. | SCALD : NO. | OTHER : NO. | TOTAL NO. |
|------------------|--------------|--------------|------------------|--------------|-------------|---------------|---------------|-------------|-------------|--------------|--------------|--------------|--------------|---------------|-------------|-------------|-------------|-----------|
| N. ATLANTIC | --- | --- | 1 | 129 | 79 | 6 | --- | --- | --- | 47 | 8 | 181 | 229 | 1 | 3 | 5 | 276 | |
| E. N. CENTRAL | --- | --- | 34 | 1,878 | 953 | 58 | 17 | 40 | 3 | 40 | 181 | 852 | 1,342 | 158 | 133 | 680 | 3,526 | |
| W. N. CENTRAL | --- | --- | 134 | 11,023 | 3,612 | 126 | 90 | 323 | 21 | 299 | 697 | 2,053 | 2,053 | 59 | 473 | 18,340 | | |
| S. ATLANTIC | --- | --- | 42 | 10,694 | 4,761 | 633 | 21 | 299 | 116 | 454 | 554 | 937 | 118 | 1,079 | 79 | 22,531 | | |
| S. CENTRAL | --- | --- | 49 | 13,879 | 3,408 | 1,937 | 116 | 229 | 226 | 229 | 541 | 1,289 | 340 | 79 | 24,682 | | | |
| WEST | --- | --- | 64 | 13,237 | 6,520 | 2,157 | 470 | 1,345 | 679 | 2,449 | 2,833 | 5,897 | 679 | 2,449 | 89,087 | | | |
| U. S. | --- | --- | 324 | 50,840 | 19,333 | 4,917 | 470 | 1,345 | 679 | 2,449 | 2,833 | 5,897 | 679 | 2,449 | 89,087 | | | |
| PENNSYLVANIA | --- | --- | 1 | 129 | 79 | 6 | --- | --- | --- | 47 | 8 | 181 | 229 | 1 | 3 | 5 | 276 | |
| WISCONSIN | --- | --- | 31 | 1,091 | 172 | 22 | 7 | 11 | 1 | 85 | 79 | 495 | 499 | 81 | 252 | 1,501 | | |
| MINNESOTA | --- | --- | 29 | 4,576 | 1,595 | 22 | 12 | 83 | 43 | 483 | 162 | 162 | 300 | 33 | 290 | 7,744 | | |
| IOWA | --- | --- | 96 | 3,303 | 1,288 | 28 | 68 | 151 | 79 | 180 | 180 | 300 | 300 | 17 | 4 | 4,534 | | |
| MISSOURI | --- | --- | 7 | 3,004 | 582 | 49 | 10 | 59 | 104 | 104 | 185 | 185 | 1,640 | 35 | 329 | 6,353 | | |
| VIRGINIA | --- | --- | 1 | 3,938 | 2,005 | 35 | 5 | 201 | 274 | 252 | 439 | 252 | 207 | 25 | 1,001 | 11,078 | | |
| NORTH CAROLINA | --- | --- | 21 | 5,294 | 2,539 | 568 | 12 | 274 | 36 | 44 | 103 | 103 | 507 | 29 | 14 | 8,906 | | |
| TEXAS | --- | --- | 33 | 4,232 | 2,014 | 764 | 32 | 66 | 84 | 726 | 161 | 161 | 2 | 2 | 65 | 1,846 | | |
| COLORADO | --- | --- | 1 | 1,408 | 209 | 13 | 2 | 2 | 192 | 267 | 1,489 | 1,489 | 192 | 65 | 19,291 | | | |
| UTAH | --- | --- | 4 | 1,483 | 292 | 267 | 2 | 66 | 84 | 726 | 161 | 161 | 2 | 2 | 65 | 1,846 | | |
| CALIFORNIA | --- | --- | 59 | 10,092 | 6,008 | 1,489 | 192 | 66 | 84 | 726 | 161 | 161 | 2 | 2 | 65 | 1,846 | | |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1968 AND 1969

| REGION AND STATE | NUMBER INSPECTED | POUNDS INSPECTED (LIVEWEIGHT) | AVERAGE | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|------------------|-------------------------------|--------------|-------|------------------------|-------|---------------------------|------|------------|------------|
| | | | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | PERCENT 2/ | PERCENT 2/ |
| | | | - POUNDS- | | -1,000 POUNDS- | | -PERCENT- | | | |
| | | | - THOUSANDS- | | | | | | | |
| N. ATLANTIC | 9 | 94 | 56 | 10.44 | 8.00 | 72 | 43 | 1 | 1.18 | --- |
| E. N. CENTRAL | 94 | 914 | 222 | 9.68 | 9.51 | 715 | 176 | 17 | 2.07 | 1.18 |
| W. N. CENTRAL | 280 | 2,605 | 2,332 | 9.32 | 9.25 | 2,091 | 1,849 | 33 | 1.41 | 1.49 |
| S. ATLANTIC | 230 | 2,048 | 2,780 | 8.91 | 9.02 | 1,536 | 2,083 | 30 | 1.65 | 2.10 |
| S. CENTRAL | 8 | 71 | 112 | 9.17 | 10.82 | 53 | 84 | 1 | 2.01 | 3.01 |
| WEST | 99 | 733 | 451 | 7.42 | 8.12 | 570 | 349 | 10 | 1.44 | 2.16 |
| U. S. | 720 | 6,465 | 5,953 | 8.98 | 9.08 | 5,037 | 4,584 | 92 | 1.58 | 1.83 |
| WISCONSIN | 94 | 914 | --- | 9.68 | --- | 715 | --- | 17 | 2.07 | --- |
| MINNESOTA | 274 | 2,560 | 2,332 | 9.34 | 9.25 | 2,054 | 1,849 | 33 | 1.41 | 1.49 |
| VIRGINIA | 224 | 2,005 | 1,961 | 8.94 | 9.03 | 1,502 | 1,445 | 29 | 1.62 | 1.99 |
| CALIFORNIA | 79 | 604 | 293 | 7.61 | 8.94 | 468 | 222 | 8 | 1.46 | 2.83 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1969

| REGION AND STATE | TUBER- NO. | LEU- NO. | KOSIS NO. | SEPTI- NO. | AIRSAC- NO. | CULITIS NO. | VITIS NO. | SYNO- NO. | TUMORS NO. | BRUISES NO. | CADAVER NO. | INAM- NO. | CONTAM- NO. | OVER- NO. | SCALD NO. | OTHER NO. | TOTAL NO. |
|------------------|---------------|-------------|--------------|---------------|----------------|----------------|--------------|--------------|---------------|----------------|----------------|--------------|----------------|--------------|--------------|--------------|--------------|
| | | | | | | | | | | | | | | | | | |
| E. N. CENTRAL | --- | --- | --- | 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 109 |
| W. N. CENTRAL | --- | --- | --- | 54 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 109 |
| S. ATLANTIC | --- | --- | --- | 2,785 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3,599 |
| S. CENTRAL | --- | --- | --- | 2,422 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4,503 |
| WEST | --- | --- | --- | 117 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 255 |
| U. S. | --- | --- | --- | 765 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1,011 |
| MINNESOTA | --- | --- | --- | 6,152 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9,490 |
| VIRGINIA | --- | --- | --- | 2,785 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3,599 |
| CALIFORNIA | --- | --- | --- | 1,848 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3,206 |
| | --- | --- | --- | 693 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 889 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1968 AND 1969

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|-----------|-----------------------|-----------|-----------------------|-----------|-----------|--------------|-----------|---------------------------|------------|------|------|
| | INSPECTED | INSPECTED (LIVWEIGHT) | INSPECTED | INSPECTED (LIVWEIGHT) | LIVWEIGHT | INSPECTED | CERTIFIED | CERTIFIED | POUNDS (NYD) | PERCENT 2/ | | |
| | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | 1968 | 1969 | | |
| N. ATLANTIC | 9 | 13 | 184 | 252 | 20.44 | 19.38 | 147 | 201 | 1 | 6 | .61 | 2.71 |
| E. N. CENTRAL | 25 | 38 | 513 | 761 | 20.48 | 19.86 | 401 | 611 | 13 | 15 | 2.83 | 2.20 |
| W. N. CENTRAL | 128 | 52 | 2,458 | 1,059 | 19.20 | 20.26 | 1,928 | 818 | 72 | 33 | 3.25 | 3.50 |
| S. ATLANTIC | 58 | 74 | 1,118 | 1,439 | 19.22 | 19.41 | 878 | 1,112 | 40 | 72 | 3.95 | 5.64 |
| S. CENTRAL | 140 | 52 | 2,685 | 1,071 | 19.17 | 20.47 | 2,177 | 891 | 60 | 39 | 2.49 | 4.04 |
| WEST | 163 | 147 | 3,284 | 3,023 | 20.13 | 20.53 | 2,633 | 2,404 | 55 | 92 | 1.85 | 3.38 |
| U. S. | 523 | 376 | 10,242 | 7,605 | 19.57 | 20.21 | 8,164 | 6,037 | 241 | 257 | 2.62 | 3.77 |
| OHIO | 13 | --- | 258 | --- | 19.65 | --- | 198 | --- | 6 | --- | 2.58 | --- |
| MINNESOTA | 98 | 37 | 1,866 | 760 | 19.06 | 20.32 | 1,474 | 586 | 54 | 24 | 3.22 | 3.44 |
| NORTH CAROLINA | 46 | 32 | 883 | 628 | 18.99 | 19.49 | 693 | 488 | 31 | 29 | 3.93 | 5.26 |
| CALIFORNIA | 52 | 72 | 986 | 1,428 | 18.87 | 19.96 | 798 | 1,150 | 17 | 34 | 1.86 | 2.67 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1969

| REGION AND STATE | TUBER | | LEU | | SEPTI | | AIRSAC | | SYNO | | TUMORS | | BRUISES | | CADAVER | | CONTAM | | OVER | | TOTAL |
|------------------|-------|-----|-----|-------|-------|-------|--------|-----|------|-----|--------|-----|---------|-----|---------|-----|--------|-----|------|--------|-------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | |
| N. ATLANTIC | --- | --- | 3 | 76 | --- | 9 | 4 | --- | --- | --- | 4 | --- | --- | --- | 3 | 14 | --- | --- | 38 | 147 | |
| E. N. CENTRAL | --- | --- | 27 | 192 | 7 | 132 | 2 | 8 | --- | --- | 2 | 8 | --- | --- | 20 | 51 | --- | --- | 9 | 448 | |
| W. N. CENTRAL | --- | --- | 42 | 621 | 15 | 236 | 11 | 31 | --- | --- | 11 | 31 | --- | --- | 50 | 102 | --- | --- | 4 | 1,072 | |
| S. ATLANTIC | --- | --- | 2 | 935 | 13 | 803 | 119 | 37 | --- | --- | 40 | 37 | --- | --- | 40 | 277 | --- | --- | 4 | 2,697 | |
| S. CENTRAL | --- | --- | 2 | 978 | 15 | 527 | --- | 12 | --- | --- | --- | 12 | --- | --- | 12 | 88 | --- | --- | 2 | 1,636 | |
| WEST | --- | --- | 70 | 2,200 | 50 | 1,105 | 280 | 163 | --- | --- | 79 | 163 | --- | --- | 322 | 322 | --- | --- | 22 | 4,293 | |
| U. S. | --- | --- | 146 | 5,002 | 100 | 2,812 | 416 | 251 | --- | --- | 204 | 251 | --- | --- | 854 | 854 | --- | --- | 6 | 10,293 | |
| MINNESOTA | --- | --- | 2 | 478 | --- | 206 | 11 | 29 | --- | --- | 43 | 29 | --- | --- | 86 | 86 | --- | --- | 4 | 859 | |
| NORTH CAROLINA | --- | --- | 27 | 567 | 12 | 387 | 35 | 14 | --- | --- | 20 | 14 | --- | --- | 20 | 120 | --- | --- | 3 | 1,230 | |
| CALIFORNIA | --- | --- | 50 | 1,115 | 12 | 275 | 6 | 6 | --- | --- | 36 | 6 | --- | --- | 168 | 168 | --- | --- | 22 | 1,686 | |

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS



Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.