

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
August 1969

Release:
October 1, 1969
3:00 P.M. EDT

Inspected Poultry - There were 1,089 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during August under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 6 percent more than the previous month and 2 percent more than August 1968.

The number of head and pounds live weight inspected by classes were: Young chickens 224,603,000 head, 796,878,000 pounds; mature chickens 11,134,000 head, 51,594,000 pounds; fryer-roaster turkeys 803,000 head, 7,288,000 pounds; young turkeys 12,074,000 head, 224,652,000 pounds; old turkeys 50,000 head, 823,000 pounds; ducks 1,244,000 head, 7,453,000 pounds.

Poultry Certified as Wholesome in August totaled 797,444,000 pounds ready-to-cook weight of which 570,434,000 pounds were chilled and 227,010,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 573,757,000; mature chickens, 32,928,000; fryer-roaster turkeys, 5,654,000; young turkeys, 178,945,000; old turkeys, 653,000; ducks, 5,313,000; and other poultry, 194,000 pounds.

Further Processed - Poultry inspected and used for further processing in August totaled 100,631,000 pounds ready-to-cook weight, compared with 91,310,000 pounds in August 1968. The August total consisted of 23,557,000 pounds of young chickens, 26,548,000 pounds of mature chickens, 44,770,000 pounds of turkeys, and 5,756,000 pounds of other poultry.

Poultry Cut-up and Packaged during August totaled 156,357,000 pounds ready-to-cook weight compared with 132,295,000 pounds a year earlier. The breakdown by classes was: Young chickens, 140,879,000 pounds; mature chickens, 534,000 pounds; turkeys, 14,350,000 pounds; and other poultry, 594,000 pounds.

Ante-Mortem Condemnations during August were 4,962,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens 0.50 percent; mature chickens, 0.85 percent; fryer-roaster turkeys, 0.20 percent; young turkeys 0.22 percent; old turkeys, 0.51 percent; and ducks, 0.05 percent.

Post-Mortem Condemnations in August were 28,074,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 2.91 percent; mature chickens, 5.34 percent; fryer-roaster turkeys, 1.86 percent; young turkeys, 2.25 percent; old turkeys, 3.24 percent; and ducks, 1.58 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1969 WITH COMPARISONS

NUMBER INSPECTED ^{3/}	: YOUNG :			: MATURE :			: TOTAL :			: FRYER- :			: YOUNG :			: OLD :			: TOTAL :			
	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	
JULY 1969	226,408	10,995	237,403	787	9,503	314	10,604	1,395	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1968	219,662	11,441	231,103	926	12,637	72	13,635	1,179	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1969	224,603	11,134	235,737	803	12,074	50	12,927	1,244	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1968	1,579,100	100,104	1,679,204	7,316	32,364	1,366	41,046	6,770	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1969	1,678,508	104,370	1,782,878	6,041	34,143	1,130	41,314	7,576	---	---	---	---	---	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED ^{4/}																						
JULY 1969	789,254	50,178	839,432	7,347	169,250	5,935	182,532	8,472	353	1,030,789	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1968	760,986	53,379	814,365	7,887	234,184	1,267	243,338	7,183	346	1,065,232	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1969	796,878	51,594	848,472	7,288	224,652	823	232,763	7,453	355	1,089,043	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1968	5,562,619	456,536	6,019,155	64,993	601,957	26,747	693,697	42,449	2,123	6,757,424	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1969	5,987,621	478,396	6,466,017	55,628	632,201	21,988	709,817	46,912	2,013	7,224,759	---	---	---	---	---	---	---	---	---	---	---	---
AVERAGE LIVEMILEIGHTS ^{5/}																						
JULY 1969	3.49	4.56	3.54	9.33	17.81	18.89	17.21	6.07	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1968	3.46	4.67	3.52	8.51	18.53	17.61	17.85	6.09	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1969	3.55	4.63	3.60	9.08	18.61	16.56	18.01	5.99	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1968	3.52	4.56	3.58	8.88	18.60	19.57	16.90	6.27	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-AUG. 1969	3.57	4.58	3.63	9.21	18.52	19.46	17.18	6.19	---	---	---	---	---	---	---	---	---	---	---	---	---	---

^{1/} OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

JULY 1969, 1,740; AUGUST 1968, 2,242; AND AUGUST 1969, 1,884.

^{2/} OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

JULY 1969, 357; AUGUST 1968, 57; AND AUGUST 1969, 67.

^{3/} THOUSANDS ^{4/} 1,000 POUNDS ^{5/} POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), AUGUST 1969 WITH COMPARISONS ^{1/}

JULY 1969	: YOUNG :			: MATURE :			: TOTAL :			: FRYER- :			: YOUNG :			: OLD :			: TOTAL :			
	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	: CHICKENS :	: TURKEYS :	: DUCKS :	
CHILLED	512,773	24,397	537,170	1,284	20,323	1,174	22,781	275	30	560,256	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	55,586	7,470	63,056	4,393	114,792	3,506	122,691	5,727	158	191,632	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	568,359	31,867	600,226	5,677	135,115	4,680	145,472	6,002	188	751,888	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1968	493,533	25,157	518,690	1,539	24,617	349	26,505	122	16	545,333	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	54,210	9,969	64,179	4,515	162,334	660	167,509	5,052	168	236,908	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	547,743	35,126	582,869	6,054	186,951	1,009	194,014	5,174	184	782,241	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	518,075	24,560	542,635	1,386	26,082	37	27,505	254	40	570,434	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	55,682	8,368	64,050	4,268	152,863	616	157,747	5,059	154	227,010	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	573,757	32,928	606,685	5,654	178,945	653	185,252	5,313	194	797,444	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	539,439	41,296	580,735	10,912	331,808	1,269	333,017	10,372	348	824,454	---	---	---	---	---	---	---	---	---	---	---	---
JANUARY-AUGUST 1968	3,574,947	225,564	3,800,511	11,159	81,901	4,039	97,099	1,305	116	3,899,031	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	399,558	71,677	471,235	39,012	396,186	17,286	452,484	29,161	1,014	953,894	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	3,974,505	297,241	4,271,746	50,171	478,087	21,325	549,583	30,466	1,130	4,852,925	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	3,860,961	231,757	4,092,718	12,028	85,112	4,465	101,605	2,148	97	4,196,568	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	420,184	73,528	493,712	31,082	417,864	12,914	461,860	31,046	990	987,608	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	4,281,145	305,285	4,586,430	43,110	502,976	17,379	563,465	33,194	1,087	5,184,176	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	4,701,329	378,813	5,080,142	74,192	920,840	30,393	1,025,325	64,240	2,077	6,180,784	---	---	---	---	---	---	---	---	---	---	---	---

^{1/} 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1969 WITH COMPARISONS 3/

		: YOUNG : MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :		: TOTAL :	
		:CHICKENS :		:CHICKENS :		:ROASTERS:		:TURKEYS :		:TURKEYS :		:TURKEYS :		:DUCKS :		:POULTRY :	
		:CHICKENS :		:CHICKENS :		:CHICKENS :		:CHICKENS :		:CHICKENS :		:CHICKENS :		:CHICKENS :		:CHICKENS :	
ANTE-MORTEM																	
1,000 POUNDS (LIVWEIGHT):																	
AUGUST	1968:	4,695	478	5,173	14	603	6	623	3	1	5,800						
AUGUST	1969:	3,997	439	4,436	15	502	4	521	4	1	4,962						
JAN.-AUG.	1968:	20,245	3,526	23,771	141	1,444	81	1,666	9	7	25,453						
JAN.-AUG.	1969:	24,050	4,000	28,050	123	1,476	80	1,679	14	6	29,749						
PERCENT 1/																	
AUGUST	1968:	.61	.89	.63	.18	.25	.44	.25	.03	.37	.54						
AUGUST	1969:	.50	.85	.52	.20	.22	.51	.22	.05	.34	.45						
POST-MORTEM																	
1,000 LBS. (N.Y. DRESSED):																	
AUGUST	1968:	20,325	2,252	22,577	126	3,763	38	3,927	83	3	26,589						
AUGUST	1969:	20,809	2,459	23,268	122	4,549	24	4,695	107	4	28,074						
JAN.-AUG.	1968:	185,466	19,264	204,730	1,146	11,293	709	13,148	440	21	218,339						
JAN.-AUG.	1969:	193,952	22,650	216,602	1,034	12,946	748	14,728	647	20	231,998						
PERCENT 2/																	
AUGUST	1968:	2.98	4.73	3.10	1.77	1.79	3.31	1.79	1.29	1.05	2.79						
AUGUST	1969:	2.91	5.34	3.06	1.86	2.25	3.24	2.24	1.58	1.19	2.87						

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, AUGUST 1969 WITH COMPARISONS

		: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
		: FURTHER :		: FURTHER :		: FURTHER :		: FURTHER :		: FURTHER :	
		:PROCESSED:		:PROCESSED:		:PROCESSED:		:PROCESSED:		:PROCESSED:	
POUNDS USED READY-TO-COOK WEIGHT 2/ :											
JULY	1969 :	23,992	158,334	29,860	313	35,363	13,339	6,472	673	95,687	172,659
AUGUST	1968 :	22,590	119,143	28,171	259	35,731	12,811	4,818	82	91,310	132,295
AUGUST	1969 :	23,557	140,879	26,548	534	44,770	14,350	5,756	594	100,631	156,357
JANUARY-AUGUST	1968 :	178,423	923,420	251,513	4,944	228,742	76,079	47,609	992	706,287	1,005,435
JANUARY-AUGUST	1969 :	171,056	1,076,429	258,385	5,148	286,329	97,123	53,529	3,344	769,299	1,182,044
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ :											
JULY	1969 3/ :	148	995	33	1	29	8	60	---	270	1,004
AUGUST	1968 3/ :	83	1,321	103	1	28	11	34	---	248	1,333
AUGUST	1969 :	127	1,016	32	15	100	13	32	1	291	1,045
JANUARY-AUGUST	1968 3/ :	625	7,610	661	16	191	52	377	2	1,854	7,680
JANUARY-AUGUST	1969 :	1,030	7,304	307	30	337	64	261	6	1,935	7,404

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.
 3/ REVISED.

POULTRY SLAUGHTER, October 1969

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED ^{1/}		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1969	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-	-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-			
N. ATLANTIC	14,786	13,953	57,236	54,622	3.87	3.91	41,214	39,138	1,794	1,774	3.49
E. N. CENTRAL	2,752	-2,642	10,132	10,035	3.68	3.80	7,437	7,408	171	216	1.88
W. N. CENTRAL	5,445	5,576	19,104	19,808	3.51	3.55	13,744	14,218	395	561	2.30
S. ATLANTIC	89,893	95,197	310,669	343,808	3.46	3.61	222,499	247,182	9,655	9,686	3.48
S. CENTRAL	102,541	102,272	348,677	350,755	3.40	3.43	252,056	253,145	7,913	8,083	2.57
WEST	4,245	4,963	15,168	17,850	3.57	3.60	10,793	12,666	397	489	2.91
U. S.	219,662	224,603	760,986	796,878	3.46	3.55	547,743	573,757	20,325	20,809	2.98
MAINE	6,481	6,279	25,575	24,450	3.95	3.89	18,565	17,795	838	702	3.65
PENNSYLVANIA	7,419	6,901	28,273	27,198	3.81	3.94	20,215	19,217	884	968	3.49
INDIANA	1,242	1,225	4,207	4,421	3.39	3.61	3,125	3,289	68	80	1.81
WISCONSIN	1,484	1,396	5,765	5,485	3.89	3.93	4,198	4,028	99	131	1.91
MINNESOTA	805	803	3,187	3,247	3.96	4.04	2,414	2,487	43	47	1.51
MISSOURI	4,594	4,728	15,528	16,163	3.38	3.42	11,037	11,436	342	501	2.46
DELAWARE	7,835	8,415	28,675	32,512	3.66	3.86	20,445	23,259	921	886	3.58
MARYLAND	12,940	13,996	47,129	52,367	3.64	3.74	34,275	37,718	1,373	1,392	3.25
VIRGINIA	6,861	7,636	22,400	26,312	3.26	3.45	15,294	18,178	707	599	3.52
NORTH CAROLINA	24,196	25,369	84,351	94,620	3.49	3.73	60,776	67,633	2,139	2,533	2.84
SOUTH CAROLINA	3,377	2,740	8,136	9,255	3.42	3.38	5,807	6,519	311	273	4.30
GEORGIA	33,719	33,300	113,397	115,982	3.36	3.48	81,080	84,283	4,049	3,735	4.00
TENNESSEE	5,998	5,258	20,403	18,485	3.40	3.52	14,782	13,385	476	507	2.61
ALABAMA	25,282	25,917	88,119	91,648	3.49	3.54	63,302	66,068	2,351	2,294	2.98
MISSISSIPPI	16,252	16,244	54,426	55,731	3.35	3.43	40,405	41,439	957	928	1.96
ARKANSAS	32,904	32,745	108,233	108,531	3.29	3.31	77,478	76,877	2,306	2,668	2.38
LOUISIANA	4,766	5,066	17,080	17,956	3.58	3.54	12,405	12,969	425	370	2.78
TEXAS	14,401	14,200	50,410	48,720	3.50	3.43	36,539	35,448	1,195	1,102	2.65
WASHINGTON	1,224	1,153	4,614	4,438	3.77	3.85	3,274	3,115	81	98	1.96
CALIFORNIA	2,493	2,670	8,891	9,943	3.57	3.72	6,324	7,161	259	277	3.12

^{1/} AVERAGE WEIGHT BASED ON UNROUNDED DATA.
^{2/} POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1969

REGION AND STATE	TUBER- : NO.	CULOSIS: : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CEMIA : NO.	AIRSAC- : NO.	CULITIS : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRAUISES: : NO.	CADAVER: : NO.	CONTAM-:		OVER-:		TOTAL : NO.
														INATION: : NO.	SCALD: : NO.	OTHER: : NO.	SCALD: : NO.	
N. ATLANTIC	---	---	233,482	102,014	6,419	1,088	4,235	13,376	26,350	2,350	13,052	422,920						
E. N. CENTRAL	---	---	20,884	13,046	734	114	1,762	4,734	5,157	2,263	1,310	51,983						
W. N. CENTRAL	---	---	41,670	26,981	2,394	675	2,997	5,037	13,110	1,223	6,128	139,946						
S. ATLANTIC	---	---	1,255,582	393,224	37,895	8,403	40,865	104,449	308,954	26,425	128,124	2,443,687						
S. CENTRAL	---	---	652,031	436,805	44,883	13,026	50,056	86,704	210,577	24,302	95,888	1,891,197						
WEST	---	---	68,895	27,192	546	154	1,475	7,077	5,299	906	9,665	134,964						
U. S.	---	---	2,272,544	999,262	92,871	23,460	101,390	221,377	569,447	57,469	254,167	5,084,697						
MAINE	---	---	87,085	49,813	4,536	273	1,499	7,377	8,737	638	4,683	167,481						
PENNSYLVANIA	---	---	137,200	45,614	1,274	639	2,426	5,254	14,215	1,662	7,058	232,335						
INDIANA	---	---	11,190	4,750	306	25	787	2,340	2,134	334	197	22,714						
WISCONSIN	---	---	9,287	8,132	428	88	971	2,318	2,970	1,929	1,018	28,457						
MINNESOTA	---	---	2,969	3,141	99	119	255	412	1,535	70	2,297	11,280						
MISSOURI	---	---	37,789	23,467	2,285	505	2,735	4,619	11,558	1,147	3,827	127,255						
DELAWARE	---	---	151,209	38,187	2,597	509	3,131	9,934	14,435	3,132	10,507	244,562						
MARYLAND	---	---	207,853	56,852	4,847	937	3,781	14,948	26,743	3,743	4,275	346,394						
VIRGINIA	---	---	84,989	45,691	421	319	1,851	3,594	5,179	1,250	3,940	164,159						
NORTH CAROLINA	---	---	177,050	117,061	11,165	3,456	15,973	32,356	117,377	10,052	60,880	590,331						
SOUTH CAROLINA	---	---	38,999	8,595	568	214	1,559	5,258	9,060	213	3,881	74,625						
GEORGIA	---	---	552,723	116,410	17,769	2,774	13,683	35,383	132,120	7,789	40,491	955,026						
TENNESSEE	---	---	48,825	22,439	895	448	2,077	5,746	28,192	769	11,878	124,250						
ALABAMA	---	---	310,291	73,461	6,613	4,835	9,998	20,945	52,508	5,126	24,937	523,104						
MISSISSIPPI	---	---	49,419	25,476	4,378	1,997	5,778	9,549	23,455	3,372	16,632	176,050						
ARKANSAS	---	---	145,830	194,045	16,000	2,937	13,520	30,596	71,333	5,047	24,008	688,242						
LOUISIANA	---	---	20,095	33,530	4,353	604	3,356	1,992	6,188	2,018	2,703	78,749						
TEXAS	---	---	64,540	71,258	11,951	1,908	12,096	15,423	21,287	6,208	14,486	244,026						
WASHINGTON	---	---	4,482	4,542	271	76	526	998	916	386	1,884	17,800						
CALIFORNIA	---	---	38,566	17,201	151	38	618	2,982	3,368	390	2,922	75,043						

POULTRY SLAUGHTER, October 1969

REGION AND STATE	MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1968 AND 1969										
	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	
	-THOUSANDS-			-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,055	1,398	5,463	6,966	5.18	4.98	3,700	4,494	213	315	5.06
E. N. CENTRAL	1,585	1,507	6,979	6,519	4.40	4.33	4,502	4,042	253	244	4.19
W. N. CENTRAL	2,887	2,949	12,524	12,895	4.34	4.37	8,173	7,997	673	724	6.30
S. ATLANTIC	2,589	2,242	12,826	11,029	4.95	4.92	8,328	7,198	468	546	5.55
S. CENTRAL	2,121	1,805	10,626	9,097	5.01	5.04	7,262	6,091	418	393	4.85
WEST	1,204	1,233	4,961	5,088	4.12	4.13	3,161	3,106	227	237	5.21
U. S.	11,441	11,134	53,379	51,594	4.67	4.63	35,126	32,928	2,252	2,459	5.34
MAINE	197	262	1,316	1,680	6.69	6.41	998	1,151	54	72	4.58
NEW JERSEY	531	839	2,225	3,638	4.19	4.34	1,361	2,227	110	195	6.00
PENNSYLVANIA	58	67	396	481	6.82	7.17	287	335	9	10	2.61
OHIO	348	285	1,468	1,246	4.22	4.37	938	773	50	52	3.86
INDIANA	490	553	1,977	2,203	4.03	3.99	1,279	1,367	76	78	4.31
MINNESOTA	1,198	1,173	4,500	4,477	3.76	3.82	2,833	2,690	270	272	6.80
MISSOURI	711	835	4,186	4,755	5.89	5.69	2,906	3,193	160	206	4.86
DELAWARE	55	---	284	---	5.19	---	199	---	9	---	3.38
MARYLAND	550	---	2,255	---	4.10	---	1,439	---	110	---	5.49
VIRGINIA	100	85	712	616	7.11	7.26	501	434	21	25	3.29
NORTH CAROLINA	336	246	2,405	1,908	7.15	7.77	1,602	1,307	66	52	3.09
GEORGIA	896	1,029	4,527	4,817	5.05	4.68	3,011	3,087	153	233	3.78
ALABAMA	99	399	757	1,807	7.68	4.53	532	1,132	36	96	5.28
MISSISSIPPI	1,282	912	5,855	4,783	4.57	5.25	4,048	3,289	217	172	4.18
ARKANSAS	165	116	1,228	854	7.44	7.39	886	614	41	35	3.75
LOUISIANA	12	---	83	---	6.93	---	60	---	3	---	4.37
OKLAHOMA	140	---	787	---	5.63	---	545	---	21	---	2.95
TEXAS	419	366	1,874	1,559	4.47	4.26	1,161	993	98	87	5.84
WASHINGTON	105	74	436	323	4.13	4.37	285	203	24	12	6.14
CALIFORNIA	1,080	1,136	4,445	4,678	4.11	4.12	2,824	2,846	201	223	5.04

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1969

REGION AND STATE	TUBER- : NO.		LEU- : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYNO- : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		TOTAL : NO.
	:CULOSIS:	:KOSIS :	:CEMIA :	:CULITIS :	:AIRSAC- :	:SYNO- :	:BRUISES :	:CADAVER :	:CONTAM- :	:OVER- :	:SCALD :	:OTHER :	:TOTAL :						
N. ATLANTIC	---	2,697	26,928	12	19,320	218	2,738	1,881	4,247	77	5,698	63,816							
NE. N. CENTRAL	836	4,333	19,871	221	23,325	12	1,482	1,326	4,941	298	5,011	63,658							
SE. N. CENTRAL	8,968	8,814	52,447	1,530	73,745	360	8,908	3,752	10,620	655	15,809	185,608							
S. ATLANTIC	98	4,070	43,220	618	23,321	984	4,890	7,191	15,336	361	8,210	114,299							
OS. CENTRAL	---	14,467	30,504	107	11,771	268	2,723	2,648	6,133	340	16,138	85,099							
WEST	6	690	25,992	2	21,621	175	2,050	1,177	3,961	1,084	5,378	62,136							
U. S.	9,910	35,071	198,962	2,490	181,103	2,017	22,791	17,975	45,238	2,815	56,244	574,616							
MAINE	---	782	4,977	4	2,038	97	821	376	1,210	20	517	10,842							
NEW JERSEY	---	1,512	19,136	1	13,904	59	1,760	769	2,126	48	4,508	43,823							
PENNSYLVANIA	---	155	800	4	276	2	30	24	87	5	175	1,558							
OHIO	107	1,146	1,120	10	2,925	---	412	435	1,686	170	3,154	11,165							
INDIANA	6	895	8,948	---	12,071	4	215	558	1,653	53	862	25,265							
MINNESOTA	5,045	2,677	19,824	407	37,396	45	2,992	939	3,254	161	7,559	80,299							
MISSOURI	664	1,799	18,500	208	8,074	75	3,016	1,044	3,159	327	4,078	40,944							
VIRGINIA	---	587	2,274	9	492	40	138	18	843	2	14	4,417							
NORTH CAROLINA	---	627	2,266	207	548	199	195	273	1,059	12	728	6,114							
GEORGIA	---	956	19,308	141	13,821	447	1,263	2,892	6,973	193	3,461	49,455							
ALABAMA	---	4,914	11,983	12	508	35	326	330	1,201	188	846	20,343							
MISSISSIPPI	---	523	10,456	---	9,589	67	2,027	1,311	3,546	130	9,511	37,160							
ARKANSAS	---	310	2,846	38	139	86	61	226	472	10	258	4,446							
TEXAS	---	8,692	4,990	57	1,519	79	300	776	880	12	5,522	22,827							
WASHINGTON	---	71	1,134	---	297	41	95	38	373	8	508	2,571							
CALIFORNIA	---	608	24,544	2	21,116	133	1,946	1,074	3,547	1,076	4,859	58,905							

POULTRY SLAUGHTER, October 1969

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969		
U. S.	12,637	12,074	234,184	224,652	18.53	18.61	186,951	178,945	3,763	4,549	1.79	2.25
N. ATLANTIC	178	256	3,043	4,633	17.10	18.10	2,438	3,705	31	45	1.13	1.08
E. N. CENTRAL	1,637	1,388	28,796	25,930	17.59	18.68	22,990	20,897	392	380	1.51	1.63
W. N. CENTRAL	4,691	4,254	89,117	78,545	19.00	18.46	71,251	62,866	1,557	1,632	1.94	2.31
S. ATLANTIC	1,399	1,684	24,870	30,528	17.77	18.13	19,668	23,784	465	831	2.08	3.03
S. CENTRAL	1,979	1,762	36,507	32,924	18.45	18.69	28,782	25,876	779	893	2.37	3.02
WEST	2,753	2,730	51,851	52,092	18.84	19.08	41,822	41,817	539	768	1.15	1.64
PENNSYLVANIA	172	254	2,924	4,620	17.01	18.17	2,348	3,696	29	45	1.12	1.07
OHIO	617	247	10,567	4,853	17.13	19.64	8,541	3,877	119	57	1.25	1.31
INDIANA	488	539	8,358	9,220	17.13	17.11	6,661	7,452	101	119	1.34	1.43
WISCONSIN	395	447	7,150	8,258	18.10	18.46	5,619	6,710	138	121	2.15	1.63
MINNESOTA	2,220	2,075	41,817	38,903	18.84	18.75	33,428	31,279	631	728	1.68	2.08
IOWA	1,040	1,041	20,172	19,532	19.40	18.77	16,040	15,520	297	386	1.64	2.20
MISSOURI	1,062	904	19,983	15,757	18.81	17.43	16,020	12,640	522	420	2.91	2.97
VIRGINIA	384	563	6,946	9,905	18.07	17.60	5,384	7,445	157	228	2.51	2.55
NORTH CAROLINA	711	866	12,435	14,915	17.48	17.22	9,888	11,847	199	401	1.78	2.99
ARKANSAS	1,043	925	18,506	17,323	17.75	18.73	14,583	13,646	382	451	2.29	2.90
TEXAS	687	678	13,153	12,481	19.15	18.41	10,427	9,732	301	375	2.54	3.34
COLORADO	303	319	6,213	6,228	20.47	19.51	5,034	5,060	74	66	1.33	1.18
UTAH	509	507	9,626	10,631	18.92	20.97	7,778	8,469	80	177	.92	1.85
CALIFORNIA	1,620	1,682	30,053	31,204	18.55	18.55	24,278	25,075	327	474	1.21	1.69

U.S. AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2027 POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED; PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1969

REGION AND STATE	:TUBER- : :CULOSIS:	LEU- KOSIS	SEPTI- : :CEMIA :	AIRSAC- : :CULITIS :	SYNO- : :VITIS :	TUMORS : :NO.	BRUISES : :NO.	CADAVER : :NO.	CONTAM- : :INATION:	OVER- : :SCALD :	OTHER : :NO.	TOTAL :NO.
N. ATLANTIC	---	3	726	681	109	---	15	57	149	1	18	1,759
E. N. CENTRAL	---	177	8,112	5,365	504	15	288	834	971	125	336	16,727
W. N. CENTRAL	---	291	50,635	22,256	3,917	58	1,473	2,135	4,658	574	1,121	87,118
S. ATLANTIC	---	726	15,172	15,926	1,141	54	679	978	3,139	67	2,786	40,668
S. CENTRAL	---	312	21,073	16,067	5,834	78	452	682	1,302	284	544	46,628
WEST	---	161	23,620	7,724	3,707	43	762	1,384	1,380	136	153	39,070
U. S.	---	1,670	119,338	68,019	15,212	248	3,669	6,070	11,599	1,187	4,958	231,970
PENNSYLVANIA	---	3	723	681	107	---	14	57	148	1	17	1,751
OHIO	---	3	1,095	499	1	2	28	288	170	13	42	2,141
INDIANA	---	3	2,051	2,401	207	2	59	276	493	74	156	5,722
WISCONSIN	---	114	4,146	865	274	10	196	137	226	10	83	6,061
MINNESOTA	---	152	25,084	7,906	1,087	27	362	1,301	2,922	160	196	39,197
IOWA	---	57	10,243	5,943	284	28	537	251	554	130	220	18,247
MISSOURI	---	81	12,895	6,951	1,274	3	529	519	918	236	694	24,100
VIRGINIA	---	671	6,311	4,735	72	---	157	323	314	9	4	12,596
NORTH CAROLINA	---	31	6,106	7,137	843	44	382	460	2,453	51	2,252	19,759
ARKANSAS	---	7	11,786	6,043	2,370	9	155	347	517	200	19	21,453
TEXAS	---	286	8,365	9,542	1,182	66	276	291	691	76	525	21,300
COLORADO	---	8	1,535	422	147	18	249	191	91	6	6	2,673
UTAH	---	22	5,905	1,087	1,003	5	190	404	442	70	82	9,210
CALIFORNIA	---	130	14,340	5,927	2,112	16	171	737	804	60	61	24,358

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVELINEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--	
N. ATLANTIC	14	9	141	90	10.07	10.00	112	70	1	.79
E. N. CENTRAL	43	62	393	570	9.16	9.26	305	441	9	2.59
W. N. CENTRAL	440	400	3,767	3,705	8.56	9.25	2,984	2,951	56	1.65
S. ATLANTIC	311	279	2,638	2,482	8.49	8.90	1,912	1,852	46	1.94
S. CENTRAL	28	10	230	82	8.06	8.22	178	63	6	2.75
WEST	90	43	718	359	7.99	8.29	563	277	8	1.29
U. S.	926	803	7,887	7,288	8.51	9.08	6,054	5,654	122	1.77
MINNESOTA	429	389	3,671	3,609	8.56	9.27	2,910	2,876	54	1.64
VIRGINIA	308	189	2,615	1,680	8.49	8.88	1,894	1,239	26	1.94
CALIFORNIA	71	28	582	241	8.21	8.71	454	182	7	1.40

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1969

REGION AND STATE	TUBERCULOSIS		LEUROSIS		KOSIS		SEPTICEMIA		AIRSAC		SYNOVITIS		VITIS		TUMORS		BRUISES		CADAVER		CONTAMINATION		OVERSCALE		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	17	9	---	---	---	1	23	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	51
E. N. CENTRAL	---	---	---	209	43	---	---	---	4	49	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	325
W. N. CENTRAL	---	---	---	3,711	431	---	---	---	55	686	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	40
S. ATLANTIC	---	---	---	2,273	937	---	---	---	113	180	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5,086
S. CENTRAL	---	---	---	37	15	---	---	---	---	6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	145
WEST	---	---	---	336	711	---	---	---	12	68	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	61
U. S.	---	---	---	6,583	2,146	---	---	---	6	185	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,166
MINNESOTA	---	---	---	4	431	---	---	---	3	54	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	194
VIRGINIA	---	---	---	161	210	---	---	---	44	113	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	57
CALIFORNIA	---	---	---	287	711	---	---	---	8	122	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	28
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	40
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	26
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2
	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT/INSPECTED/ (1968 : 1969)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	7	3	138	66	19.84	20.23	110	53	3	2	2.45
W. N. CENTRAL	24	25	399	375	16.89	14.81	318	302	12	10	3.35
S. ATLANTIC	29	8	518	142	17.64	18.28	409	108	17	7	3.75
S. CENTRAL	1	---	21	---	16.59	---	18	---	---	---	1.35
WEST	11	13	192	239	17.83	17.97	155	190	5	4	2.85
U. S.	72	50	1,267	823	17.61	16.56	1,009	653	38	24	3.31
MINNESOTA	24	25	399	375	16.89	14.81	318	302	12	10	3.35
NORTH CAROLINA ^{3/}	29	---	518	---	17.64	---	409	---	17	---	3.75

^{1/} AVERAGE WEIGHT BASED ON UNROUNDED DATA.

^{2/} POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

^{3/} DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

^{4/} DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1969

REGION AND STATE	TUBERCULOSIS		LEUROSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	60	
E. N. CENTRAL	---	4	25	24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	561	
W. N. CENTRAL	---	2	275	187	4	6	11	11	18	56	---	---	---	---	---	---	---	---	---	---	---	2	294	
S. ATLANTIC	---	---	119	99	3	3	11	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	17	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	7	187	4	---	1	7	6	12	---	---	---	---	---	---	---	---	---	---	---	---	---	224	
U. S.	---	13	606	314	7	10	29	32	109	---	---	---	---	---	---	---	---	---	---	---	---	---	1,139	
MINNESOTA	---	2	275	187	4	6	11	18	56	---	---	---	---	---	---	---	---	---	---	---	---	---	2	561

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.