

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
September 1969

Release:
October 28, 1969
3:00 P.M. EST

Inspected Poultry - There were 1,156 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during September under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 6 percent more than the previous month and 12 percent more than September 1968.

The number of head and pounds live weight inspected by classes were: Young chickens 218,945,000 head, 804,101,000 pounds; mature chickens 12,812,000 head, 60,176,000 pounds; fryer-roasters 632,000 head, 5,668,000 pounds; young turkeys 14,062,000 head, 277,709,000 pounds; old turkeys 58,000 head, 732,000 pounds; ducks 1,233,000 head, 7,635,000 pounds.

Poultry Certified As Wholesome in September totaled 847,957,000 pounds ready-to-cook weight of which 589,979,000 pounds were chilled and 257,978,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 578,011,000; mature chickens, 38,590,000; fryer-roaster turkeys, 4,400,000; young turkeys, 220,785,000; old turkeys, 581,000; ducks, 5,446,000; and other poultry, 144,000 pounds.

Further Processed- Poultry inspected and used for further processing in September totaled 111,201,000 pounds ready-to-cook weight, compared with 82,912,000 pounds in September 1968. The September total consisted of 25,200,000 pounds of young chickens, 28,584,000 pounds of mature chickens, 51,502,000 pounds of turkeys, and 5,915,000 pounds of other poultry.

Poultry Cut-Up and Packaged during September totaled 159,779,000 pounds ready-to-cook weight compared with 126,436,000 pounds a year earlier. The breakdown by classes was: Young chickens, 142,515,000 pounds; mature chickens, 555,000 pounds; turkeys, 16,361,000 pounds; and other poultry, 348,000 pounds.

Ante-Mortem Condemnations during September were 4,054,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens, 0.37 percent; mature chickens, 0.68 percent; fryer-roaster turkeys, 0.24 percent; young turkeys, 0.21 percent; old turkeys, 0.16 percent; and ducks, 0.07 percent.

Post-Mortem Condemnations in September were 31,053,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 2.96 percent; mature chickens, 5.59 percent; fryer-roaster turkeys, 2.19 percent; young turkeys, 2.57 percent; old turkeys, 2.34 percent; and ducks, 1.58 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, SEPTEMBER 1969 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		: TOTAL			
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
AUGUST 1969	224,603	11,134	235,737	803	12,074	50	12,927	1,244	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1968	194,136	9,910	204,046	808	13,426	20	14,254	1,003	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1969	218,945	12,812	231,757	632	14,062	58	14,752	1,233	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1968	1,773,236	110,014	1,883,250	8,124	45,789	1,387	55,300	7,774	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1969	1,897,453	117,182	2,014,635	6,674	48,205	1,188	56,067	8,809	---	---	---	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED	796,878	51,594	848,472	7,288	224,652	823	232,763	7,453	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1969	700,801	47,482	748,283	7,216	269,977	319	277,512	6,385	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1968	804,101	60,176	864,277	5,668	277,709	732	284,109	7,635	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1969	6,263,420	504,019	6,767,439	72,209	871,934	27,067	911,210	48,833	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1968	6,791,722	538,572	7,330,294	61,296	909,910	22,720	939,926	54,547	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1969	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AVERAGE LIVEMEIGHT	3.55	4.63	3.60	9.08	18.61	16.56	18.01	5.99	---	---	---	---	---	---	---	---	---	---	---	---
AUGUST 1969	3.61	4.79	3.67	8.93	20.11	15.61	19.47	6.36	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1968	3.67	4.70	3.73	8.96	19.75	12.60	19.26	6.19	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1969	3.53	4.58	3.59	8.89	19.04	19.52	17.56	6.28	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1968	3.58	4.60	3.64	9.18	18.88	19.12	17.73	6.19	---	---	---	---	---	---	---	---	---	---	---	---
JAN.-SEPT. 1969	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

AUGUST 1969, 1,884; SEPTEMBER 1968, 2,131; AND SEPTEMBER 1969, 2,483.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

AUGUST 1969, 67; SEPTEMBER 1968, 14; AND SEPTEMBER 1969, 33.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), SEPTEMBER 1969 WITH COMPARISONS 1/

AUGUST 1969	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		: TOTAL			
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
CHILLED	518,075	24,560	542,635	1,386	26,082	37	27,505	254	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	55,682	8,368	64,050	4,268	152,863	616	157,747	5,059	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	573,757	32,928	606,685	5,654	178,945	653	185,252	5,313	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1968	452,051	24,965	477,016	1,150	30,738	51	31,939	122	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	50,764	5,999	56,763	4,419	184,625	206	189,250	4,485	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	502,815	30,964	533,779	5,569	215,363	257	221,189	4,607	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	518,524	30,169	548,693	6,80	40,055	234	40,969	282	---	---	---	---	---	---	---	---	---	---	---	---
SEPTEMBER 1969	59,487	8,421	67,908	3,720	180,730	347	184,797	5,164	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	578,011	38,590	616,601	4,400	220,785	581	225,766	5,446	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	4,026,998	250,529	4,277,527	12,310	112,639	4,091	129,040	1,427	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	4,503,22	77,676	527,998	43,430	580,811	17,491	641,732	33,647	---	---	---	---	---	---	---	---	---	---	---	---
JANUARY-SEPTEMBER 1968	4,477,320	328,205	4,805,525	55,740	693,450	21,582	770,772	35,074	---	---	---	---	---	---	---	---	---	---	---	---
CHILLED	4,379,485	261,925	4,641,410	12,707	125,167	4,699	142,573	2,430	---	---	---	---	---	---	---	---	---	---	---	---
FROZEN	479,671	81,949	561,620	34,803	598,595	13,261	646,659	36,210	---	---	---	---	---	---	---	---	---	---	---	---
TOTAL	4,859,156	343,874	5,203,030	47,510	723,762	17,960	789,232	38,640	---	---	---	---	---	---	---	---	---	---	---	---

1/ 1,000 POUNDS

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1968 AND 1969

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	1969	INSPECTED (LIVEWEIGHT)	1969	LIVEWEIGHT	INSPECTED/100 (READY-TO-COOK WT.)	1968	1969	POUNDS (NYD)	PERCENT 2/
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	13,152	13,455	53,270	54,911	4.05	4.08	38,213	39,514	1,732	2,027
E. N. CENTRAL	2,406	2,537	9,508	10,070	3.95	3.97	6,899	7,397	149	226
W. N. CENTRAL	4,623	5,136	17,253	19,480	3.73	3.79	12,306	13,963	395	513
S. ATLANTIC	80,287	93,543	292,725	344,313	3.65	3.68	209,073	247,334	9,603	9,340
S. CENTRAL	90,110	99,503	315,340	357,742	3.50	3.60	227,227	257,353	7,602	8,758
WEST	3,558	4,771	12,705	17,585	3.57	3.69	9,097	12,450	335	526
U. S.	194,136	218,945	700,801	804,101	3.61	3.67	502,815	578,011	19,816	21,390
MAINE	5,471	5,941	21,723	24,224	3.97	4.08	15,786	17,748	778	836
PENNSYLVANIA	6,756	6,756	27,683	27,488	4.10	4.07	19,647	19,487	875	1,075
INDIANA	1,059	1,173	4,027	4,420	3.80	3.77	2,895	3,257	43	78
WISCONSIN	1,319	1,335	5,312	5,470	4.03	4.10	3,886	4,011	99	143
MINNESOTA	709	803	3,036	3,396	4.28	4.23	2,296	2,573	42	51
MISSOURI	3,842	4,263	13,564	15,463	3.53	3.63	9,526	10,935	330	439
DELAWARE	6,950	7,934	27,050	31,510	3.69	3.97	19,432	22,445	868	933
MARYLAND	11,373	13,848	43,653	53,373	3.84	3.85	31,188	38,508	1,355	1,395
VIRGINIA	6,085	7,370	20,683	25,446	3.40	3.45	14,270	17,590	650	596
NORTH CAROLINA	21,088	24,597	78,627	92,247	3.73	3.75	56,382	66,149	2,184	2,402
SOUTH CAROLINA	2,472	2,925	8,764	10,213	3.55	3.49	6,104	7,098	321	342
GEORGIA	30,268	33,429	107,065	119,697	3.54	3.58	76,745	86,817	4,053	3,429
TENNESSEE	5,355	4,377	18,703	15,976	3.49	3.65	13,580	11,700	461	391
ALABAMA	22,254	25,342	79,953	92,059	3.59	3.63	57,552	66,229	2,259	2,535
MISSISSIPPI	14,533	16,240	50,257	58,724	3.46	3.62	37,198	42,659	927	993
ARKANSAS	28,943	31,493	98,721	110,656	3.41	3.51	70,188	78,695	2,244	2,926
LOUISIANA	3,851	4,852	13,959	18,312	3.63	3.77	9,941	13,367	378	399
TEXAS	12,731	14,275	45,305	51,378	3.56	3.60	32,773	37,130	1,143	1,209
WASHINGTON	958	1,074	3,722	4,196	3.89	3.91	2,617	2,929	84	103
CALIFORNIA	2,029	2,676	7,150	9,975	3.52	3.73	5,178	7,155	195	323

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969

REGION AND STATE	TUBER- :CULOSIS:	LEU- :KOSIS:	SEPTI- :CEMIA:	AIRSAC- :CULITIS:	SYNO- :VITIS:	TUMORS	BRUISES:	CADAVER:	CONTAM- INATION:	OVER- SCALD:	OTHER:	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	284,170	112,462	16,872	6,378	1,314	4,011	13,795	25,695	4,544	13,549	482,790
E. N. CENTRAL	---	21,667	13,904	3,290	1,117	130	1,262	5,329	4,937	657	1,635	53,928
W. N. CENTRAL	---	36,833	23,602	4,110	4,110	498	2,501	4,164	9,097	1,766	5,382	108,746
S. ATLANTIC	---	1,154,503	374,419	173,459	38,605	8,512	38,282	82,072	293,368	28,247	106,388	2,297,855
S. CENTRAL	---	687,503	446,154	339,219	66,316	12,154	46,227	91,009	198,236	21,323	94,804	2,002,945
WEST	---	68,443	28,262	10,516	493	103	1,502	4,507	6,938	1,656	9,732	132,152
U. S.	---	2,253,119	998,803	564,149	117,019	22,711	93,785	200,876	538,271	58,193	231,490	5,078,416
MAINE	---	107,500	59,203	2,257	5,066	405	1,212	8,821	8,192	1,010	5,027	198,693
PENNSYLVANIA	---	167,901	45,176	14,277	804	698	2,418	4,231	14,988	3,149	7,484	261,126
INDIANA	---	8,317	4,415	1,516	305	17	598	3,040	1,508	283	471	20,470
WISCONSIN	---	13,108	9,265	1,744	812	113	661	2,255	3,246	372	1,095	32,671
MINNESOTA	---	2,517	3,500	241	110	110	234	800	1,595	42	2,560	11,709
MISSOURI	---	32,786	19,218	20,506	4,000	351	2,260	3,363	7,470	1,714	2,822	94,490
DELAWARE	---	154,158	34,766	14,805	2,812	549	3,271	5,971	14,909	3,810	11,349	246,400
MARYLAND	---	204,493	50,567	27,222	5,572	1,020	3,955	9,488	27,858	4,626	4,652	339,453
VIRGINIA	---	92,040	41,830	19,203	569	345	1,964	2,771	5,230	1,592	5,376	170,920
NORTH CAROLINA	---	177,654	112,290	58,184	8,396	3,086	13,381	19,871	109,356	8,763	36,411	547,412
SOUTH CAROLINA	---	35,825	10,113	12,774	2,607	374	1,756	5,600	8,763	2,192	4,338	84,342
GEORGIA	---	460,226	112,849	38,410	18,020	2,967	13,053	35,325	123,048	7,187	39,968	851,053
TENNESSEE	---	37,915	18,839	7,586	758	401	1,501	3,907	12,336	615	7,415	91,273
ALABAMA	---	372,076	82,791	24,288	6,252	3,573	9,389	21,082	50,776	4,910	18,646	593,783
MISSISSIPPI	---	47,980	23,932	49,035	5,271	2,110	5,558	9,936	19,907	2,867	22,834	189,430
ARKANSAS	---	125,835	197,531	204,974	25,093	3,084	12,463	33,407	74,990	7,041	25,982	710,400
LOUISIANA	---	16,596	35,221	4,511	11,990	685	3,207	1,687	6,773	406	2,084	83,160
TEXAS	---	72,066	66,988	32,863	16,232	1,957	10,616	15,558	23,948	4,645	15,430	260,303
WASHINGTON	---	5,175	4,085	1,354	326	51	587	838	1,009	77	1,392	14,894
CALIFORNIA	---	42,562	19,502	7,707	141	38	665	2,165	4,958	1,415	5,075	84,228

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	1,233	1,583	6,601	8,088	5.35	5.11	4,457	5,272	236	377	3.99
E. N. CENTRAL	1,320	1,596	5,796	6,902	4.39	4.32	3,711	4,305	238	270	4.59
W. N. CENTRAL	2,955	3,587	12,762	15,997	4.32	4.46	8,207	9,964	758	992	6.64
S. ATLANTIC	2,195	2,580	11,185	12,210	5.10	4.73	7,308	7,944	450	585	4.50
S. CENTRAL	1,295	2,178	7,350	11,616	5.67	5.33	4,969	7,790	320	498	4.86
WEST	912	1,288	3,788	5,363	4.15	4.16	2,312	3,315	176	284	5.20
U. S.	9,910	12,812	47,482	60,176	4.79	4.70	30,964	38,590	2,178	3,006	5.12
MAINE	345	312	2,204	1,977	6.38	6.33	1,574	1,334	78	66	3.96
NEW JERSEY	494	830	2,005	3,659	4.06	4.41	1,227	2,286	99	219	5.50
PENNSYLVANIA	81	80	562	594	6.92	7.46	393	413	17	15	3.36
OHIO	245	---	1,002	---	4.09	---	624	---	45	---	5.03
INDIANA	546	551	2,201	2,225	4.03	4.04	1,414	1,412	86	82	4.35
MINNESOTA	1,328	1,440	4,985	5,565	3.76	3.86	3,107	3,336	343	391	7.85
MISSOURI	659	1,087	4,079	6,368	6.19	5.86	2,774	4,234	156	306	4.27
DELAWARE	48	---	353	---	7.34	---	247	---	10	---	3.20
MARYLAND	433	---	1,737	---	4.01	---	1,104	---	80	---	5.16
VIRGINIA	85	54	616	408	7.25	7.53	428	297	18	13	3.20
NORTH CAROLINA	349	238	2,436	1,809	6.98	7.62	1,640	1,221	88	59	4.02
GEORGIA	698	1,025	3,573	4,702	5.12	4.59	2,392	3,065	127	219	3.97
ALABAMA	41	165	309	898	7.48	5.45	218	586	15	47	5.31
MISSISSIPPI	782	1,339	4,067	7,359	5.20	5.50	2,718	4,989	170	283	4.67
ARKANSAS	138	73	1,013	516	7.32	7.10	711	362	46	22	5.11
LOUISIANA	27	22	192	159	7.03	7.16	136	114	6	5	3.27
TEXAS	237	536	1,302	2,378	5.48	4.44	857	1,517	68	133	5.81
WASHINGTON	133	153	574	646	4.32	4.23	358	409	29	29	5.72
CALIFORNIA	758	1,072	3,131	4,467	4.13	4.17	1,901	2,736	144	246	5.14

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969

REGION AN STATE	TUBER- : NO.	CULOSIS: : NO.	LEU- KOSIS : : NO.	SEPTI- : CEMIA : : NO.	AIRSAC- : CULITIS : : NO.	SYNO- : VITIS : : NO.	TUMORS : : NO.	BRUISES: : NO.	CADAVER: : NO.	INATAM: : NO.	CONTAM- : NO.	OVER- SCALD : : NO.	OTHER : : NO.	TOTAL : NO.
N. ATLANTIC	85		2,773	31,755	16	433	27,064	1,495	2,101	5,644	297	7,497		79,160
E. N. CENTRAL	1,470		5,413	25,515	296	29	26,278	1,686	1,323	5,512	105	5,366		72,993
W. N. CENTRAL	18,593		12,588	71,630	1,991	944	100,301	8,702	4,322	15,945	1,029	24,660		260,705
S. ATLANTIC	87		5,373	46,934	1,187	992	27,785	5,003	5,704	19,533	377	18,184		131,159
S. CENTRAL			13,162	34,191	403	471	20,559	3,570	3,027	8,892	264	22,402		106,941
WEST			1,050	29,483	50	137	27,799	2,680	980	5,140	636	5,259		73,214
U. S.	20,235		40,359	239,508	3,943	3,006	229,786	23,136	17,457	60,666	2,708	83,368		724,172
MAINE			756	4,884	2	194	1,385	225	488	1,109	44	641		9,728
NEW JERSEY	85		1,422	22,046		55	17,905	1,052	1,367	2,965	225	5,709		52,831
PENNSYLVANIA			237	1,161	5	24	345	22	32	218	12	165		2,221
INDIANA	92		867	9,959		7	11,726	272	832	1,600	13	1,118		26,486
MINNESOTA	8,681		4,151	24,331	625	689	55,496	2,984	1,708	5,301	269	14,926		119,221
MISSOURI	1,679		2,926	27,695	236	206	14,667	2,507	1,294	5,431	689	5,692		63,022
VIRGINIA			209	1,177	13	5	199	67	20	193	1	10		1,894
NORTH CAROLINA			715	3,003	171	162	688	162	208	1,351	19	769		7,248
GEORGIA			883	16,791	129	204	10,949	1,049	1,903	6,840	181	6,749		45,678
ALABAMA			2,589	5,560	7	20	372	90	161	781	37	253		9,870
MISSISSIPPI			824	17,596	8	146	17,574	2,784	1,928	6,301	139	12,609		59,909
ARKANSAS			148	1,759	19	43	131	82	97	292	2	212		2,785
LOUISIANA			67	486	8	13	19	9	10	36		18		666
TEXAS			9,396	7,838	351	195	2,381	583	789	1,358	84	9,284		32,259
WASHINGTON			257	2,563	3	6	526	166	112	842	37	1,076		5,588
CALIFORNIA			649	25,692	25	130	26,730	2,437	772	4,158	593	3,747		64,933

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVELWEIGHT)		AVERAGE LIVELWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (READY-TO-COOK Wt.)		POST-MORTEM CONDEMNATIONS	
	1968	1969	1968	1969	1968	1969	1968	1969	1968	1969
	- THOUSANDS -		- 1,000 POUNDS -		- POUNDS -		- 1,000 POUNDS -		- 1,000 POUNDS -	
N. ATLANTIC	267	292	4,893	5,891	18.33	20.17	3,949	4,712	47	63
E. N. CENTRAL	1,744	1,609	34,261	33,040	19.65	20.53	27,416	26,493	536	595
W. N. CENTRAL	4,690	5,019	95,022	97,242	20.26	19.38	76,467	77,794	1,949	2,278
S. ATLANTIC	1,481	1,928	28,422	37,980	19.19	19.70	22,213	29,748	813	1,102
S. CENTRAL	2,196	2,288	43,573	45,639	19.85	19.94	34,395	35,793	924	1,318
WEST	3,048	2,926	63,806	57,917	20.94	19.80	50,923	46,245	767	1,063
U. S.	13,426	14,062	269,977	277,709	20.11	19.75	215,363	220,785	5,036	6,419
PENNSYLVANIA	257	292	4,669	5,891	18.16	20.18	3,788	4,711	45	62
OHIO	662	363	13,475	7,677	20.34	21.17	10,742	6,110	179	154
INDIANA	470	567	9,553	11,106	20.32	19.57	7,719	8,936	148	186
WISCONSIN	448	441	8,061	8,555	18.01	19.40	6,458	6,886	166	137
MINNESOTA	2,273	2,532	45,724	47,706	20.11	18.84	36,659	38,423	807	1,048
IOWA	938	1,095	19,296	21,700	20.56	19.82	15,674	17,209	413	474
MISSOURI	1,047	1,066	21,021	21,547	20.07	20.21	16,940	17,187	572	610
VIRGINIA	470	590	9,060	11,756	19.29	19.93	6,987	8,971	240	386
NORTH CAROLINA	707	1,024	12,990	18,829	18.36	18.39	10,251	15,027	328	498
ARKANSAS	1,060	1,230	21,071	24,351	19.87	19.80	16,561	19,110	460	721
TEXAS	808	821	15,996	15,883	19.79	19.36	12,726	12,397	360	524
COLORADO	339	354	7,066	6,912	20.82	19.53	5,744	5,656	72	86
UTAH	563	521	12,782	11,491	22.71	22.05	10,051	9,217	124	203
CALIFORNIA	1,754	1,701	35,755	32,446	20.38	19.08	28,639	25,851	485	665

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969

REGION AND STATE	TUBER- : : NO.	CULLOSIS : : NO.	LEU- : KDSIS : : NO.	SEPTI- : : NO.	CENIA : : NO.	CULITIS : : NO.	AIRSAC- : : NO.	SYNO- : : NO.	VITIS : : NO.	TUMORS : : NO.	BRUISES : : NO.	CADAVER : : NO.	INATON : : NO.	CONTIAM- : : NO.	OVER- : SCALO : : NO.	OTHER : : NO.	TOTAL : : NO.
N. ATLANTIC			23	1,026		906	135				41	130	195	31	46		2,533
E. N. CENTRAL			218	11,550		9,751	1,719	50			383	951	1,289	266	256		26,433
W. N. CENTRAL			530	67,472		32,500	6,540	99			1,642	2,463	5,351	1,047	1,462		119,107
S. ATLANTIC			95	19,157		20,657	1,032	48			833	960	4,252	464	3,354		50,852
S. CENTRAL			374	25,970		24,783	7,736	89			399	1,006	2,210	495	701		63,763
WEST			148	31,217		11,807	4,685	44			709	1,044	1,438	367	704		52,163
U. S.	1	1,388	156,392	100,404	21,847	330	4,007	6,554	14,735	2,670	6,523	314,851					
PENNSYLVANIA			23	1,026		906	135				41	130	195	31	46		2,533
OHIO			13	3,028		1,708	683				58	299	269	154	30		6,245
INDIANA			22	2,449		5,373	545	10			60	338	549	66	78		9,490
WISCONSIN			133	4,407		947	350	32			258	141	303	11	96		6,678
MINNESOTA			299	34,618		12,950	4,556	68			474	1,422	3,034	417	320		58,158
IOWA			44	11,289		8,365	248	19			525	211	580	236	331		21,848
MISSOURI			168	17,796		8,692	958	9			587	721	1,328	339	766		31,364
VIRGINIA			6	10,336		7,253	293	9			241	417	418	51	251		19,275
NORTH CAROLINA			12	6,464		9,342	640	27			391	388	3,147	272	2,600		23,283
ARKANSAS			322	14,395		10,574	6,517	15			193	671	1,061	438	99		34,285
TEXAS			12	9,932		13,229	1,154	67			189	279	1,036	41	602		26,541
COLORADO			14	2,034		1,128	175	7			102	156	106	1	5		3,728
UTAH			22	5,550		1,518	833	4			253	271	527	47	553		9,578
CALIFORNIA			102	20,884		8,133	1,930	27			149	530	750	316	135		32,956

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, SEPTEMBER 1968 AND 1969

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)	AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
			1968	1969		1968	1969
N. ATLANTIC	---	---	---	---	---	---	---
E. N. CENTRAL	1	---	---	---	---	---	---
W. N. CENTRAL	13	180	517	13.55	145	410	3
S. ATLANTIC	1	42	101	34.65	33	81	1
S. CENTRAL	1	25	---	27.45	21	---	---
WEST	5	72	114	14.28	58	90	2
U. S.	20	319	732	15.61	257	581	5
MINNESOTA	13	180	517	13.55	145	410	3

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, SEPTEMBER 1969

REGION AND STATE	TUBER- NO.	CULOSIS NO.	LEU- NO.	SEPTI- NO.	AIRSAC- NO.	SYNO- NO.	VITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER INATION NO.	CONTAM- NO.	OVER- NO.	SCALD NO.	OTHER NO.	TOTAL NO.
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	6	554	137	---	8	9	32	181	61	1	989	---	
S. ATLANTIC	---	---	---	33	45	3	2	2	7	9	---	3	104	---	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	---	3	131	4	1	3	8	4	2	---	---	156	---	
U. S.	---	---	9	718	186	4	13	19	43	192	61	4	1,249	---	
MINNESOTA	---	---	6	554	137	---	8	9	32	181	61	1	989	---	

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS.



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.