

POULTRY

Slaughtered Under Federal Inspection and Poultry
Used in Further Processing
January 1970

Release:
March 4, 1970
3:00 P.M. EST

Inspected Poultry - There were 937 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during January under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 9 percent less than the previous month but 6 percent more than January 1969.

The number of head and pounds live weight inspected by classes were: Young chickens -- 221,765,000 head, 819,813,000 pounds; mature chickens -- 13,635,000 head, 61,389,000 pounds; fryer-roaster turkeys -- 788,000 head, 7,447,000 pounds; young turkeys -- 1,773,000 head, 44,018,000 pounds; old turkeys -- 36,000 head, 872,000 pounds; ducks -- 621,000 head, 3,697,000 pounds.

Poultry Certified as Wholesome in January totaled 662,264,000 pounds ready-to-cook weight, of which 560,509,000 pounds were chilled and 101,755,000 pounds were frozen. Pounds certified by class of poultry were: Young chickens, 580,085,000; mature chickens, 38,941,000; fryer-roaster turkeys, 5,760,000; young turkeys, 34,066,000; old turkeys, 697,000; ducks, 2,609,000; and other poultry, 106,000.

Further Processed - Poultry inspected and used for further processing in January totaled 100,439,000 pounds ready-to-cook weight, compared with 97,594,000 pounds in January 1969. The January 1970 total consisted of 24,612,000 pounds of young chickens, 31,243,000 pounds of mature chickens, 36,516,000 pounds of turkeys, and 8,068,000 pounds of other poultry.

Poultry Cut-Up and Packaged during January totaled 161,260,000 pounds ready-to-cook weight, compared with 148,347,000 pounds a year earlier. The breakdown by classes was: Young chickens, 149,473,000 pounds; mature chickens, 869,000 pounds; turkeys, 10,815,000 pounds; and other poultry, 103,000 pounds.

Ante-Mortem Condemnations during January were 4,885,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: Young chickens, 0.49 percent; mature chickens, 1.13; fryer-roaster turkeys, 0.26; young turkeys, 0.27; old turkeys, 0.34; and ducks, 0.15 percent.

Post-Mortem Condemnations in January were 38,721,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: Young chickens, 4.46 percent; mature chickens, 6.55; fryer-roaster turkeys, 2.21; young turkeys, 5.30; old turkeys, 2.84; and ducks, 2.91 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1970 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	:CHICKENS	:CHICKENS	:CHICKENS	:CHICKENS	:ROASTERS	:TURKEYS	:TURKEYS	:TURKEYS	:TURKEYS	:DUCKS	:POULTRY	:POULTRY
DECEMBER 1969	210,012	11,474	221,486	980	7,941	33	8,954	885	---	---	---	---
JANUARY 1969	208,298	14,816	223,114	800	1,905	47	2,752	523	---	---	---	---
JANUARY 1970	221,765	13,635	235,400	788	1,773	36	2,597	621	---	---	---	---
POUNDS INSPECTED	777,944	54,566	832,510	9,336	176,510	658	186,504	5,489	845	1,025,348	262	883,517
DECEMBER 1969	759,674	66,548	826,222	7,685	45,197	937	53,819	3,214	199	3,697	---	---
JANUARY 1969	819,813	61,389	881,202	7,447	44,018	872	52,337	3,697	---	---	---	---
JANUARY 1970	819,813	61,389	881,202	7,447	44,018	872	52,337	3,697	---	---	---	---
AVERAGE LIVWEIGHTS	3.70	4.76	3.76	9.53	22.23	19.75	20.83	6.21	---	---	---	---
DECEMBER 1969	3.65	4.49	3.70	9.60	23.73	19.80	19.55	6.14	---	---	---	---
JANUARY 1969	3.70	4.50	3.74	9.45	24.82	23.90	20.15	5.95	---	---	---	---
JANUARY 1970	3.70	4.50	3.74	9.45	24.82	23.90	20.15	5.95	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

DECEMBER 1969, 2,508; JANUARY 1969, 2,203; AND JANUARY 1970, 2,365.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

DECEMBER 1969, 14; JANUARY 1969, 27; AND JANUARY 1970, 36.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JANUARY 1970 WITH COMPARISONS 1/

DECEMBER 1969	: YOUNG : MATURE :		: TOTAL :		: FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	:CHICKENS	:CHICKENS	:CHICKENS	:CHICKENS	:ROASTERS	:TURKEYS	:TURKEYS	:TURKEYS	:TURKEYS	:DUCKS	:POULTRY	:POULTRY
CHILLED	493,564	27,623	521,187	2,319	43,925	205	46,449	333	87	568,056	494	172,110
FROZEN	59,594	7,517	67,111	4,928	95,683	314	100,925	3,580	581	740,166	6	531,318
TOTAL	553,158	35,140	588,298	7,247	139,608	519	147,374	2,048	145	628,297	139	96,979
JANUARY 1969	486,008	32,660	518,668	1,081	10,970	321	12,372	272	6	531,318	15	560,509
CHILLED	54,685	9,885	64,570	4,907	24,899	416	30,222	2,048	92	662,264	91	101,755
FROZEN	540,693	42,545	583,238	5,988	35,869	737	42,594	2,320	106	662,264	106	662,264
TOTAL	520,210	29,943	550,153	1,986	8,223	40	10,249	92	15	560,509	15	560,509
JANUARY 1970	59,875	8,998	68,873	3,774	25,843	657	30,274	2,517	91	101,755	91	101,755
TOTAL	580,085	38,941	619,026	5,760	34,066	697	40,523	2,609	106	662,264	106	662,264

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1970 WITH COMPARISONS ^{1/}

	YOUNG : MATURE : TOTAL : FRYER- : YOUNG : OLD : TOTAL : OTHER :	CHICKENS : CHICKENS : CHICKENS : ROSTERS: TURKEYS : TURKEYS : TURKEYS : TURKEYS : POULTRY: POULTRY	DUCKS :	TOTAL :						
ANTE-MORTEM										
1,000 POUNDS (LIVEMEIGHT):										
JANUARY 1969:	2,569	480	3,049	21	137	4	162	1	---	3,212
JANUARY 1970:	4,036	697	4,733	20	123	3	146	6	---	4,885
PERCENT ^{1/}										
JANUARY 1969:	.33	.72	.36	.27	.30	.40	.30	.01	.28	.36
JANUARY 1970:	.49	1.13	.53	.26	.27	.34	.27	.15	.36	.52
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
JANUARY 1969:	28,678	3,231	31,909	173	1,060	41	1,274	48	3	33,233
JANUARY 1970:	32,780	3,577	36,357	148	2,094	22	2,264	97	2	38,721
PERCENT ^{2/}										
JANUARY 1969:	4.21	5.43	4.30	2.51	2.61	4.91	2.63	1.64	1.15	4.19
JANUARY 1970:	4.46	6.55	4.61	2.21	5.30	2.84	4.82	2.91	1.38	4.61

^{1/} POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEMEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
^{2/} POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
^{3/} DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JANUARY 1970 WITH COMPARISONS

	YOUNG CHICKENS : MATURE CHICKENS : TURKEYS : OTHER POULTRY ^{1/} : TOTAL POULTRY	FURTHER : FURTHER : FURTHER : FURTHER :	CUT UP : CUT UP : CUT UP : CUT UP :	PROCESSED: CUT UP : PROCESSED: CUT UP : PROCESSED: CUT UP : PROCESSED: CUT UP :						
POUNDS USED READY-TO-COOK WEIGHT ^{2/}										
DECEMBER 1969 :	23,433	139,048	28,899	883	44,756	12,477	7,515	95	104,603	152,503
JANUARY 1969 :	19,083	135,008	33,815	1,522	37,327	11,378	7,369	439	97,594	148,347
JANUARY 1970 :	24,612	149,473	31,243	869	36,516	10,815	8,068	103	100,439	161,260
LBS. CONDEMNED READY-TO-COOK WEIGHT ^{2/}										
DECEMBER 1969 :	96	929	121	31	111	6	71	1	399	967
JANUARY 1969 :	102	959	47	1	35	12	4	---	188	972
JANUARY 1970 :	111	956	92	21	401	10	35	2	639	989

^{1/} POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
^{2/} 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	- THOUSANDS-	- 1,000 POUNDS-	- POUNDS-	- POUNDS-	- POUNDS-	- POUNDS-	- 1,000 POUNDS-	- 1,000 POUNDS-	- PERCENT-	- PERCENT-
N. ATLANTIC	13,591	14,134	55,692	59,062	4.10	4.18	39,724	42,256	2,383	2,361
E. N. CENTRAL	2,519	2,636	9,873	10,647	3.52	4.04	7,256	7,789	228	287
W. N. CENTRAL	4,833	5,640	17,554	20,457	3.63	3.63	12,413	14,233	593	860
S. ATLANTIC	87,882	94,987	323,992	356,313	3.69	3.75	230,011	251,084	13,611	16,005
S. CENTRAL	95,279	99,286	336,931	354,886	3.54	3.57	240,274	251,700	11,152	12,781
WEST	4,194	5,082	15,632	18,446	3.73	3.65	11,015	13,023	511	486
U. S.	208,298	221,765	759,674	819,813	3.65	3.70	540,693	580,085	28,678	32,780
MAINE	5,749	6,340	24,585	26,786	4.28	4.22	17,714	19,514	1,061	933
PENNSYLVANIA	6,953	6,748	27,253	27,801	3.92	4.12	19,250	19,597	1,188	1,227
OHIO	14	30	94	204	6.47	6.83	69	146	1	5
INDIANA	1,156	1,224	4,272	4,477	3.69	3.66	3,195	3,294	88	103
WISCONSIN	1,313	1,339	5,272	5,662	4.01	4.23	3,826	4,126	129	170
MINNESOTA	---	925	---	3,747	---	4.05	---	2,728	---	76
MISSOURI	4,075	4,704	14,629	16,646	3.59	3.54	10,245	11,464	543	780
DELAWARE	7,794	7,468	30,377	30,205	3.90	4.04	21,375	21,397	1,175	1,309
MARYLAND	13,781	14,631	52,292	58,510	3.79	4.00	37,588	41,530	1,860	2,445
VIRGINIA	7,012	7,497	24,341	26,638	3.47	3.55	16,704	17,798	987	1,314
NORTH CAROLINA	22,469	25,138	85,958	95,926	3.83	3.82	61,701	67,668	3,237	3,550
SOUTH CAROLINA	2,115	2,624	7,200	9,365	3.40	3.57	4,892	6,306	436	517
GEORGIA	32,521	33,704	115,988	121,792	3.57	3.61	82,202	86,543	5,819	6,214
TENNESSEE	5,577	5,424	20,746	20,503	3.72	3.78	14,791	14,908	743	644
ALABAMA	23,710	24,076	86,169	86,009	3.63	3.57	61,464	60,939	3,110	3,893
MISSISSIPPI	15,501	16,471	53,758	58,996	3.47	3.58	39,165	42,872	1,474	1,551
ARKANSAS	29,873	31,567	101,326	109,636	3.39	3.47	71,453	76,545	3,355	3,817
LOUISIANA	4,628	5,106	17,183	18,648	3.71	3.65	12,165	13,116	538	635
TEXAS	13,519	14,459	49,045	53,451	3.63	3.70	35,029	37,923	1,693	1,972
WASHINGTON	954	977	3,725	3,673	3.91	3.76	2,599	2,576	111	105
CALIFORNIA	2,667	2,747	10,186	10,540	3.82	3.84	7,240	7,506	341	267

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1970

REGION AND STATE	:TUBER- :		:LEU- :		:KOSIS :		:SEPTI- :		:AIRSAC- :		:SYND- :		:VITIS :		:TUMORS :		:BRUISES:		:CADAVER:		:CONTAM-:		:OVER- :		: TOTAL NO.
	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	: NO.	
N. ATLANTIC	---	222,333	192,303	84,036	6,111	1,491	4,508	16,373	30,084	2,955	21,696	581,890													
E. N. CENTRAL	---	20,858	22,836	5,534	590	73	1,988	6,092	7,666	765	2,956	69,358													
W. N. CENTRAL	---	72,770	47,859	73,363	3,799	402	3,809	10,802	14,583	2,923	4,682	235,392													
S. ATLANTIC	---	1,727,701	718,673	1,155,421	46,222	8,975	56,058	133,896	315,826	26,806	131,396	4,320,974													
S. CENTRAL	---	1,160,850	759,054	930,703	128,642	13,007	73,535	126,550	170,557	24,466	99,401	3,486,765													
WEST	---	45,142	36,008	19,546	1,190	512	1,881	6,145	5,031	394	10,784	126,633													
U. S.	---	3,249,654	1,776,733	2,268,603	186,554	24,460	141,779	299,858	544,147	58,309	270,915	8,821,012													
MAINE	---	73,088	98,430	18,484	4,369	395	1,202	8,001	7,045	805	8,156	219,975													
PENNSYLVANIA	---	137,699	76,948	59,676	970	684	2,477	4,840	19,126	1,809	11,942	316,171													
OHIO	---	355	283	4	---	26	14	71	19	2	4	778													
INDIANA	---	10,035	9,008	3,208	345	10	1,169	1,266	1,503	242	160	26,946													
WISCONSIN	---	10,012	13,152	2,267	245	34	795	4,565	5,917	492	2,571	40,050													
MINNESOTA	---	3,292	4,448	655	269	62	334	187	3,841	122	1,775	14,985													
MISSOURI	---	69,426	43,336	72,586	3,530	327	3,459	10,595	10,930	2,777	2,904	219,870													
DELAWARE	---	147,585	57,111	105,409	4,962	464	4,020	11,627	18,053	2,656	8,907	360,794													
MARYLAND	---	261,389	131,982	179,783	6,886	1,132	3,891	23,075	29,056	5,024	3,524	645,742													
VIRGINIA	---	123,857	74,827	172,199	771	312	3,294	7,965	6,981	1,555	3,654	395,415													
NORTH CAROLINA	---	203,335	179,347	273,791	15,100	3,155	20,907	28,900	102,182	5,352	55,940	888,009													
SOUTH CAROLINA	---	56,385	23,298	39,703	782	349	2,008	4,984	7,430	666	2,574	138,179													
GEORGIA	---	848,499	226,823	343,442	16,169	3,408	20,291	53,178	146,244	10,962	45,376	1,714,392													
TENNESSEE	---	50,242	44,475	23,016	2,248	552	3,207	7,605	21,258	4,721	9,046	166,370													
ALABAMA	---	677,583	136,980	181,137	8,050	3,479	11,590	25,683	40,377	4,722	19,188	1,108,789													
MISSISSIPPI	---	91,782	42,780	157,219	12,307	2,431	7,413	11,153	23,534	3,426	25,446	377,491													
ARKANSAS	---	195,695	318,294	387,388	43,044	3,542	20,028	43,923	52,643	7,051	24,376	1,095,964													
LOUISIANA	---	25,831	73,206	36,898	11,864	814	6,505	4,622	4,670	772	2,927	168,109													
TEXAS	---	107,385	122,123	117,450	50,065	2,047	20,622	27,021	24,101	2,983	15,526	489,323													
WASHINGTON	---	1,817	6,729	6,154	696	33	709	1,024	1,058	182	3,948	22,350													
CALIFORNIA	---	29,171	21,578	7,410	290	404	733	2,719	2,801	19	4,481	69,606													

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED	1970	INSPECTED	1970	LIVWEIGHT	INSPECTED/1	CERTIFIED	(READY-TO-COOK WT.)	POUNDS (NY)	PERCENT 2/		
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970		
	-THOUSANDS-	-THOUSANDS-	-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-	-PERCENT-		
N. ATLANTIC	1,752	1,441	8,803	7,343	5.02	5.10	5,790	4,737	361	361	4.59	5.53
E. N. CENTRAL	1,663	1,693	7,023	7,134	4.22	4.21	4,385	4,385	295	280	4.72	4.43
W. N. CENTRAL	3,056	2,621	12,857	11,270	4.21	4.30	8,028	6,931	629	630	5.50	6.31
S. ATLANTIC	4,000	3,672	18,291	16,540	4.57	4.50	11,810	10,485	926	1,082	5.65	7.33
S. CENTRAL	2,710	2,903	12,925	13,761	4.77	4.74	8,466	9,147	656	863	5.67	7.04
WEST	1,635	1,305	6,649	5,341	4.07	4.09	4,066	3,256	364	361	6.11	7.58
U. S.	14,816	13,635	66,548	61,389	4.49	4.50	42,545	38,941	3,231	3,577	5.43	6.55
MAINE	358	316	2,206	2,013	6.16	6.38	1,585	1,374	75	93	3.79	5.19
NEW JERSEY	1,008	826	4,347	3,571	4.31	4.32	2,664	2,148	229	219	5.90	6.94
PENNSYLVANIA	127	86	846	632	6.67	7.37	587	441	20	16	2.68	2.77
OHIO	423	316	1,729	1,226	4.09	3.87	1,056	727	78	54	5.04	4.94
INDIANA	583	548	2,292	2,131	3.93	3.89	1,451	1,339	78	77	3.85	4.14
MINNESOTA	1,040	869	3,801	3,298	3.65	3.80	2,315	2,002	221	184	6.54	6.28
MISSOURI	937	610	5,007	3,752	5.34	6.15	3,324	2,485	196	176	4.38	5.28
DELAWARE	57	---	376	---	6.63	---	264	---	8	---	2.37	---
MARYLAND	653	---	2,670	---	4.09	---	1,712	---	157	---	6.58	---
VIRGINIA	136	45	849	338	6.22	7.46	597	233	29	15	3.87	5.22
NORTH CAROLINA	459	384	3,194	2,684	6.96	7.00	2,137	1,785	127	107	4.41	4.44
GEORGIA	1,248	2,222	5,689	9,590	4.56	4.32	3,697	6,108	220	535	4.32	6.25
ALABAMA	286	586	1,313	2,335	4.59	3.98	841	1,451	55	219	4.70	10.67
MISSISSIPPI	1,558	1,469	6,952	7,310	4.46	4.97	4,574	4,999	322	432	5.18	6.62
ARKANSAS	245	127	1,798	865	7.35	6.81	1,252	606	94	37	5.85	4.71
LOUISIANA	35	25	261	178	7.49	7.03	188	130	10	7	4.33	4.09
TEXAS	439	593	1,890	2,513	4.31	4.23	1,149	1,581	146	149	8.65	6.63
WASHINGTON	160	99	647	408	4.04	4.11	404	256	30	19	5.25	5.19
CALIFORNIA	1,431	1,146	5,852	4,681	4.05	4.09	3,566	2,836	330	334	6.28	8.00

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

		MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1970											
REGION AND STATE	: TUBER- : : CULOSIS :	LEU- : KOSIS :	SEPTI- : CEMIA :	AIRSAC- : CULITIS :	SYNG- : VITIS :	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : INATION :	OVER- : SCALD :	OTHER : NO.	TOTAL NO.	
													NO.
N. ATLANTIC	---	3,383	35,335	45	318	20,048	1,107	1,312	6,912	135	6,876	75,471	
E. N. CENTRAL	497	5,595	26,947	505	54	23,867	1,871	2,070	9,857	117	8,508	79,892	
W. N. CENTRAL	2,603	7,198	59,773	1,657	696	61,081	6,390	4,159	12,488	348	14,469	170,862	
S. ATLANTIC	293	6,624	123,690	1,263	1,283	54,290	5,569	11,789	41,846	899	32,048	279,594	
S. CENTRAL	---	22,946	108,354	318	1,506	29,104	4,159	4,176	17,235	453	21,290	209,541	
WEST	---	1,239	51,866	35	59	39,085	2,035	1,015	4,453	241	9,401	109,429	
U. S.	3,393	46,989	405,965	3,823	3,916	227,475	21,131	24,521	92,791	2,193	92,592	924,789	
MAINE	---	1,089	7,636	27	160	2,174	147	337	2,306	23	426	14,325	
NEW JERSEY	---	1,862	24,309	---	92	14,842	781	745	3,879	107	5,921	52,538	
PENNSYLVANIA	---	200	1,431	9	---	328	17	30	197	1	265	2,478	
OHIO	70	1,985	3,758	14	1	3,787	254	199	2,611	13	1,645	14,337	
INDIANA	9	638	10,259	---	4	10,058	136	1,245	3,974	19	979	27,321	
MINNESOTA	1,191	1,610	15,020	378	585	21,357	1,693	1,910	3,562	95	6,777	54,178	
MISSOURI	323	1,588	16,495	140	83	6,126	1,963	469	2,423	147	3,299	33,056	
VIRGINIA	---	188	1,414	27	10	99	27	44	118	4	17	1,948	
NORTH CAROLINA	---	978	7,148	287	541	2,638	1,172	732	3,458	35	1,389	18,378	
GEORGIA	---	1,510	52,641	781	546	35,027	2,203	8,508	30,541	557	16,010	148,324	
ALABAMA	10,212	37,910	67	50	544	747	613	3,902	124	1,377	55,546		
MISSISSIPPI	---	849	53,184	28	1,153	23,351	2,247	1,653	10,150	245	10,881	103,741	
ARKANSAS	---	355	3,868	100	74	309	80	290	534	22	147	5,779	
LOUISIANA	---	80	659	---	12	27	27	10	33	---	21	869	
TEXAS	---	10,693	9,232	54	182	4,723	975	1,532	2,422	30	8,837	38,680	
WASHINGTON	---	225	2,047	21	14	722	105	141	620	13	1,924	5,832	
CALIFORNIA	---	961	48,644	9	40	37,745	1,885	841	3,619	226	7,293	101,263	

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1969 AND 1970

REGION AND STATE	NUMBER : INSPECTED		POUNDS : (LIVEMEIGHT)		AVERAGE : LIVEMEIGHT : INSPECTED/		TOTAL POUNDS : CERTIFIED (READY-TO-COOK WT.) :		POST-MORTEM CONDEMNATIONS : POUNDS (NYD) :		PERCENT 2/ :	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-											
	121	103	3,612	3,326	29.85	32.29	2,963	2,652	26	33	.80	1.10
N. ATLANTIC	133	153	2,928	2,592	22.04	16.94	2,299	2,061	71	42	2.69	1.81
E. N. CENTRAL	339	273	7,420	6,632	21.91	24.32	5,861	5,326	208	207	3.13	3.48
W. N. CENTRAL	564	445	12,525	9,965	22.20	22.38	9,705	7,682	428	518	3.80	5.78
S. ATLANTIC	314	415	6,997	9,983	22.25	24.04	5,649	7,041	125	1,163	1.98	12.99
S. CENTRAL	434	384	11,715	11,520	26.99	30.01	9,392	9,304	202	131	1.92	1.26
WEST	1,905	1,773	45,197	44,018	23.73	24.82	35,869	34,066	1,060	2,094	2.61	5.30
U. S.	119	103	3,588	3,325	30.05	32.25	2,943	2,652	26	34	.80	1.12
PENNSYLVANIA	36	118	794	1,750	22.27	14.79	603	1,393	22	27	3.08	1.74
OHIO	78	33	1,667	772	21.25	23.75	1,328	612	41	14	2.73	2.08
WISCONSIN	260	230	5,505	5,467	21.21	23.80	4,405	4,399	159	187	3.22	3.82
MINNESOTA	12	15	214	384	18.49	25.65	171	308	3	11	1.59	3.19
MISSOURI	212	184	4,983	4,077	23.47	22.12	3,855	3,151	178	183	3.97	5.01
VIRGINIA	259	189	5,292	4,164	20.43	22.05	4,111	3,328	174	111	3.65	2.95
NORTH CAROLINA	314	294	6,992	6,584	22.26	22.38	5,645	5,119	124	164	1.98	2.77
TEXAS	356	362	9,740	10,942	27.39	30.25	7,811	8,836	180	123	2.05	1.25
CALIFORNIA												

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1970

REGION AND STATE	: TUBER- : NO.	: CULOSIS: : NO.	: LEU- : NO.	: KOSIS : NO.	: SEPTI- : NO.	: CEMIA : NO.	: AIRSAC- : NO.	: CULITIS : NO.	: SYND- : NO.	: VITIS : NO.	: TUMORS : NO.	: BRUISES : NO.	: CADAVER: : NO.	: INATION: : NO.	: CONTAM-: : NO.	: OVER-: : NO.	: SCALD : : NO.	: OTHER : : NO.	: TOTAL : NO.
N. ATLANTIC			12		342		316		31		4	5	24	74	57	24			889
E. N. CENTRAL			2		1,052		334		88		3	18	88	127	3	8			1,723
W. N. CENTRAL			10		3,158		2,211		582		5	83	131	566	43	38			6,827
S. ATLANTIC			866		5,545		12,061		315		9	211	195	1,338	101	332			20,973
S. CENTRAL			83		4,213		32,555		461		99	136	296	663	109	205			38,820
WEST			24		2,636		1,014		293		10	42	96	72	26	140			4,353
U. S.			997		16,946		48,491		1,770		130	495	830	2,840	339	747			73,585
PENNSYLVANIA			12		342		316		31		4	5	24	74	57	24			889
OHIO			1		866		162		77		3	17	67	92	3	3			1,291
WISCONSIN			1		180		164		11		---	1	19	35	---	2			413
MINNESOTA			10		2,940		2,071		569		3	50	96	500	43	20			6,302
MISSOURI			---		24		103		13		1	25	27	59	---	18			270
VIRGINIA			841		3,256		4,047		27		2	96	118	221	34	---			8,642
NORTH CAROLINA			14		996		1,911		201		6	84	60	804	9	243			4,328
TEXAS			83		3,312		2,074		212		99	124	280	372	109	203			6,868
CALIFORNIA			24		2,505		973		212		7	26	88	60	24	127			4,046

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/ (LIVEWEIGHT)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--	
N. ATLANTIC	5	10	45	95	9.00	9.50	36	74	---	3
E. N. CENTRAL	119	135	1,062	1,305	8.90	9.65	833	1,005	13	18
W. N. CENTRAL	468	475	4,499	4,496	9.62	9.47	3,578	3,542	80	83
S. ATLANTIC	184	159	1,702	1,486	9.23	9.37	1,256	1,089	63	43
S. CENTRAL	---	5	---	31	---	5.98	---	23	---	1
WEST	24	4	377	34	15.43	7.73	285	27	17	---
U. S.	800	788	7,685	7,447	9.60	9.45	5,988	5,760	173	148
WISCONSIN	81	---	689	---	8.55	---	541	---	9	---
MINNESOTA	468	449	4,499	4,241	9.62	9.44	3,578	3,348	80	82
VIRGINIA	121	147	1,103	1,373	9.11	9.37	812	1,002	26	39
CALIFORNIA	24	---	377	---	15.43	---	285	---	17	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1970

REGION AND STATE	TUBER- : NO.		LEU- : NO.		SEPTI- : NO.		AIRSAC : NO.		SYND- : NO.		VITIS : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		SCALD : NO.		OTHER : NO.		TOTAL : NO.			
	N. ATLANTIC	---	---	---	57	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	184
E. N. CENTRAL	---	---	4	577	63	56	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11	
W. N. CENTRAL	---	---	17	4,477	830	1,171	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8	
S. ATLANTIC	---	---	2	2,357	1,439	9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	101	
S. CENTRAL	---	---	---	72	16	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	
WEST	---	---	---	10	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
U. S.	---	---	23	7,550	2,359	1,237	2	228	594	2,044	110	64	14,211	110	64	14,211	110	64	14,211	110	64	14,211	110	64	14,211	110	64	14,211	14,211	
MINNESOTA	---	---	17	4,427	756	1,171	1	104	168	1,515	96	28	8,283	96	28	8,283	96	28	8,283	96	28	8,283	96	28	8,283	96	28	8,283	8,283	
VIRGINIA	---	---	1	2,304	1,323	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
N. ATLANTIC 3/	---	1	---	1	---	1.00	---	---	---	---
E. N. CENTRAL	3	2	75	54	23.02	23.31	60	43	2	1
W. N. CENTRAL	7	11	118	211	17.71	19.80	94	161	9	5
S. ATLANTIC	32	7	665	144	20.71	20.57	520	113	29	8
S. CENTRAL 3/	---	1	11	16	39.66	21.09	9	12	---	2
WEST	5	16	68	446	13.60	28.38	54	368	1	6
U. S.	47	36	937	872	19.80	23.90	737	697	41	22
MINNESOTA	7	6	118	127	17.71	19.82	94	101	9	3


1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1970

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALE		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	23
E. N. CENTRAL	---	---	---	3	14	28	49	4	3	22	3	2	3	22	3	22	3	3	3	200	
W. N. CENTRAL	---	---	5	86	118	144	12	7	12	2	57	2	2	57	12	57	12	12	12	367	
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	72
S. CENTRAL	---	---	---	67	3	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	247
WEST	---	---	1	185	16	5	6	15	1	18	1	1	1	18	1	18	1	1	1	909	
U. S.	---	---	9	485	179	66	13	32	9	101	9	101	9	101	15	101	15	15	15	909	
MINNESOTA	---	---	5	85	19	2	---	4	3	21	3	3	21	3	21	3	3	3	3	142	

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS.



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Poul from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.