

POULTRY

Slaughtered Under Federal Inspection and Poultry
Used in Further Processing
April 1970

Release:
June 3, 1970
3:00 P. M. EDT

Inspected Poultry - There were 1,000 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during April under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 10 percent more than the previous month and 18 percent more than April 1969.

The number of head and pounds live weight inspected by classes were: young chickens--243,508,000 head, 884,370,000 pounds; mature chickens--16,453,000 head, 74,604,000 pounds; fryer-roaster turkeys--889,000 head, 8,368,000 pounds; young turkeys--1,508,000 head, 26,223,000 pounds; old turkeys--45,000 head, 883,000 pounds; ducks--918,000 head, 5,862,000 pounds.

Poultry Certified as Wholesome in April totaled 706,841,000 pounds ready-to-cook weight, of which 609,231,000 pounds were chilled and 97,610,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 627,967,000; mature chickens, 47,012,000; fryer-roaster turkeys, 6,476,000; young turkeys, 20,404,000; old turkeys, 687,000; ducks, 4,203,000; and other poultry, 92,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 96,688,000 pounds ready-to-cook weight, compared with 95,210,000 pounds in April 1969. The April 1970 total consisted of 32,264,000 pounds of young chickens, 30,301,000 pounds of mature chickens, 25,667,000 pounds of turkeys, and 8,456,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 159,644,000 pounds ready-to-cook weight, compared with 140,739,000 pounds a year earlier. The breakdown by classes were: young chickens, 148,819,000 pounds; mature chickens, 813,000 pounds; turkeys, 9,758,000 pounds; and other poultry, 254,000 pounds.

Ante-Mortem Condemnations during April were 4,265,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.39 percent; mature chickens, 0.85; fryer-roaster turkeys, 0.24; young turkeys, 0.36; old turkeys, 0.37 and ducks, 0.06 percent.

Post-Mortem Condemnations in April were 38,856,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 4.26 percent; mature chickens, 5.81; fryer-roaster turkeys, 2.05; young turkeys, 3.82; old turkeys, 6.69 and ducks, 1.48 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1970 WITH COMPARISONS

| NUMBER INSPECTED | : YOUNG | | : MATURE | | : TOTAL | | : FRYER- | | : YOUNG | | : OLD | | : TOTAL | | : OTHER | | : TOTAL | |
|------------------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS |
| MARCH 1970 | 224,624 | 15,255 | 239,879 | 1,013 | 1,089 | 30 | 2,132 | 616 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| APRIL 1969 | 208,555 | 14,065 | 222,620 | 716 | 979 | 80 | 1,775 | 1,002 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| APRIL 1970 | 243,508 | 16,453 | 259,961 | 889 | 1,508 | 45 | 2,442 | 918 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| JAN.-APRIL 1969 | 781,941 | 55,042 | 836,983 | 3,207 | 4,967 | 212 | 8,386 | 2,413 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| JAN.-APRIL 1970 | 894,842 | 58,130 | 952,972 | 3,274 | 5,415 | 144 | 8,833 | 2,606 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| POUNDS INSPECTED | 807,120 | 71,017 | 878,137 | 9,405 | 18,565 | 601 | 28,571 | 3,935 | 167 | 910,810 | 167 | 910,810 | 167 | 910,810 | 167 | 910,810 | 167 | 910,810 |
| MARCH 1970 | 748,385 | 63,635 | 812,020 | 6,391 | 18,730 | 1,645 | 26,766 | 6,341 | 191 | 845,318 | 191 | 845,318 | 191 | 845,318 | 191 | 845,318 | 191 | 845,318 |
| APRIL 1969 | 884,370 | 74,604 | 958,974 | 8,368 | 26,223 | 883 | 35,474 | 5,862 | 170 | 1,000,480 | 170 | 1,000,480 | 170 | 1,000,480 | 170 | 1,000,480 | 170 | 1,000,480 |
| APRIL 1970 | 2,813,537 | 249,507 | 3,063,044 | 29,708 | 103,859 | 4,113 | 137,680 | 15,113 | 795 | 3,216,632 | 795 | 3,216,632 | 795 | 3,216,632 | 795 | 3,216,632 | 795 | 3,216,632 |
| JAN.-APRIL 1969 | 3,248,666 | 266,234 | 3,514,900 | 30,717 | 110,960 | 3,055 | 144,732 | 16,234 | 703 | 3,676,569 | 703 | 3,676,569 | 703 | 3,676,569 | 703 | 3,676,569 | 703 | 3,676,569 |
| JAN.-APRIL 1970 | 3,59 | 4.66 | 3.66 | 9.28 | 17.05 | 20.18 | 13.40 | 6.39 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MARCH 1970 | 3.59 | 4.52 | 3.65 | 8.92 | 19.14 | 20.63 | 15.08 | 6.33 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| APRIL 1969 | 3.63 | 4.53 | 3.69 | 9.41 | 17.39 | 19.63 | 14.53 | 6.38 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| APRIL 1970 | 3.60 | 4.53 | 3.66 | 9.26 | 20.91 | 19.41 | 16.42 | 6.26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| JAN.-APRIL 1969 | 3.63 | 4.58 | 3.69 | 9.38 | 20.49 | 21.19 | 16.38 | 6.23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| JAN.-APRIL 1970 | 3.63 | 4.58 | 3.69 | 9.38 | 20.49 | 21.19 | 16.38 | 6.23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MARCH 1970, 2,825; APRIL 1969, 1,786; AND APRIL 1970, 2,423.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MARCH 1970, 64; APRIL 1969, 29; AND APRIL 1970, 75.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), APRIL 1970 WITH COMPARISONS 1/

| MARCH 1970 | : YOUNG | | : MATURE | | : TOTAL | | : FRYER- | | : YOUNG | | : OLD | | : TOTAL | | : OTHER | | : TOTAL | |
|--------------------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|----------|-----------|----------|
| | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS | :CHICKENS | :TURKEYS |
| CHILLED | 509,594 | 34,881 | 544,475 | 1,727 | 4,109 | 63 | 5,899 | 167 | 13 | 550,554 | 13 | 550,554 | 167 | 13 | 550,554 | 13 | 550,554 | |
| FROZEN | 63,492 | 10,502 | 73,994 | 5,601 | 10,223 | 398 | 16,222 | 2,643 | 78 | 92,937 | 78 | 92,937 | 2,643 | 78 | 92,937 | 78 | 92,937 | |
| TOTAL | 573,086 | 45,383 | 618,469 | 7,328 | 14,332 | 461 | 22,121 | 2,810 | 91 | 643,491 | 91 | 643,491 | 2,810 | 91 | 643,491 | 91 | 643,491 | |
| APRIL 1969 | 479,624 | 31,064 | 510,688 | 1,957 | 3,931 | 318 | 6,206 | 472 | --- | 517,366 | --- | 517,366 | 472 | --- | 517,366 | --- | 517,366 | |
| CHILLED | 53,857 | 9,319 | 63,176 | 3,008 | 10,834 | 962 | 14,804 | 4,009 | 154 | 82,143 | 154 | 82,143 | 4,009 | 154 | 82,143 | 154 | 82,143 | |
| FROZEN | 533,481 | 40,383 | 573,864 | 4,965 | 14,765 | 1,280 | 21,010 | 4,481 | --- | 599,509 | --- | 599,509 | 4,481 | --- | 599,509 | --- | 599,509 | |
| TOTAL | 564,919 | 36,563 | 601,482 | 1,618 | 5,742 | 65 | 7,425 | 311 | 13 | 609,231 | 13 | 609,231 | 311 | 13 | 609,231 | 13 | 609,231 | |
| CHILLED | 63,048 | 10,449 | 73,497 | 4,858 | 14,662 | 622 | 20,142 | 3,892 | 79 | 97,610 | 79 | 97,610 | 3,892 | 79 | 97,610 | 79 | 97,610 | |
| FROZEN | 627,967 | 47,012 | 674,979 | 6,476 | 20,404 | 687 | 27,567 | 4,203 | 92 | 706,841 | 92 | 706,841 | 4,203 | 92 | 706,841 | 92 | 706,841 | |
| TOTAL | 1,798,174 | 123,885 | 1,922,059 | 7,267 | 22,964 | 1,071 | 31,302 | 1,098 | 7 | 1,954,466 | 7 | 1,954,466 | 1,098 | 7 | 1,954,466 | 7 | 1,954,466 | |
| APRIL 1970 | 204,205 | 35,744 | 239,949 | 15,798 | 59,130 | 2,128 | 77,056 | 9,642 | 422 | 327,069 | 422 | 327,069 | 9,642 | 422 | 327,069 | 422 | 327,069 | |
| JANUARY-APRIL 1969 | 2,002,379 | 159,629 | 2,162,008 | 23,065 | 82,094 | 3,199 | 108,358 | 10,740 | 429 | 2,281,535 | 429 | 2,281,535 | 10,740 | 429 | 2,281,535 | 429 | 2,281,535 | |
| CHILLED | 2,059,355 | 130,422 | 2,189,777 | 6,422 | 22,669 | 215 | 29,306 | 719 | 53 | 2,219,855 | 53 | 2,219,855 | 719 | 53 | 2,219,855 | 53 | 2,219,855 | |
| FROZEN | 244,643 | 38,777 | 283,420 | 17,405 | 63,557 | 2,175 | 83,137 | 10,847 | 322 | 377,726 | 322 | 377,726 | 10,847 | 322 | 377,726 | 322 | 377,726 | |
| TOTAL | 2,303,998 | 169,199 | 2,473,197 | 23,827 | 86,226 | 2,390 | 112,443 | 11,566 | 375 | 2,597,581 | 375 | 2,597,581 | 11,566 | 375 | 2,597,581 | 375 | 2,597,581 | |

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1970 WITH COMPARISONS 3/

| | YOUNG CHICKENS | MATURE CHICKENS | TOTAL CHICKENS | FRYERS | ROASTERS | TURKEYS | OLD TURKEYS | TOTAL TURKEYS | DUCKS | OTHER | TOTAL |
|----------------------------|----------------|-----------------|----------------|--------|----------|---------|-------------|---------------|-------|-------|---------|
| ANTE-MORTEM | | | | | | | | | | | |
| 1,000 POUNDS (LIVWEIGHT): | | | | | | | | | | | |
| APRIL 1969: | 2,134 | 432 | 2,566 | 9 | 39 | 6 | 54 | 3 | 1 | | 2,624 |
| APRIL 1970: | 3,504 | 639 | 4,143 | 20 | 95 | 3 | 118 | 4 | | | 4,265 |
| JAN.-APRIL 1969: | 8,775 | 1,759 | 10,534 | 66 | 262 | 15 | 343 | 4 | 2 | | 10,883 |
| JAN.-APRIL 1970: | 13,501 | 2,391 | 15,892 | 68 | 332 | 10 | 410 | 18 | 2 | | 16,322 |
| PERCENT 1/: | | | | | | | | | | | |
| APRIL 1969: | .28 | .67 | .31 | .13 | .20 | .39 | .20 | .04 | .26 | | .31 |
| APRIL 1970: | .39 | .85 | .43 | .24 | .36 | .37 | .33 | .06 | .29 | | .42 |
| POST-MORTEM | | | | | | | | | | | |
| 1,000 LBS. (N.Y. DRESSED): | | | | | | | | | | | |
| APRIL 1969: | 26,197 | 3,070 | 29,267 | 109 | 438 | 65 | 612 | 87 | 2 | | 29,968 |
| APRIL 1970: | 33,806 | 3,865 | 37,671 | 154 | 898 | 53 | 1,105 | 78 | 2 | | 38,856 |
| JAN.-APRIL 1969: | 103,438 | 11,863 | 115,301 | 580 | 2,473 | 163 | 3,216 | 209 | 8 | | 118,735 |
| JAN.-APRIL 1970: | 127,381 | 13,766 | 141,147 | 526 | 4,409 | 144 | 5,079 | 280 | 8 | | 146,513 |
| PERCENT 2/: | | | | | | | | | | | |
| APRIL 1969: | 3.90 | 5.40 | 4.01 | 1.90 | 2.60 | 4.40 | 2.54 | 1.51 | 1.02 | | 3.95 |
| APRIL 1970: | 4.26 | 5.81 | 4.38 | 2.05 | 3.82 | 6.69 | 3.47 | 1.48 | 1.20 | | 4.33 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, APRIL 1970 WITH COMPARISONS

| | YOUNG CHICKENS | MATURE CHICKENS | TURKEYS | OTHER POULTRY 1/ | TOTAL POULTRY |
|--|----------------|-----------------|---------|------------------|---------------|
| POUNDS USED READY-TO-COOK WEIGHT 2/: | | | | | |
| MARCH 1970: | 27,875 | 142,253 | 31,537 | 950 | 27,511 |
| APRIL 1969: | 21,698 | 129,256 | 33,380 | 635 | 33,434 |
| APRIL 1970: | 32,264 | 148,819 | 30,301 | 813 | 25,667 |
| JANUARY-APRIL 1969: | 79,754 | 500,695 | 134,980 | 3,600 | 144,444 |
| JANUARY-APRIL 1970: | 110,911 | 574,520 | 123,471 | 3,575 | 120,112 |
| LBS. CONDEMNED READY-TO-COOK WEIGHT 2/3: | | | | | |
| MARCH 1970: | 264 | 930 | 34 | 20 | 569 |
| APRIL 1969: | 129 | 801 | 36 | 1 | 36 |
| APRIL 1970: | 145 | 960 | 39 | 9 | 49 |
| JANUARY-APRIL 1969: | 453 | 3,304 | 151 | 4 | 134 |
| JANUARY-APRIL 1970: | 639 | 3,639 | 251 | 64 | 1,083 |
| FURTHER PROCESSED: | | | | | |
| CUT UP: | 27,875 | 142,253 | 31,537 | 950 | 27,511 |
| FURTHER PROCESSED: | 21,698 | 129,256 | 33,380 | 635 | 33,434 |
| CUT UP: | 32,264 | 148,819 | 30,301 | 813 | 25,667 |
| FURTHER PROCESSED: | 79,754 | 500,695 | 134,980 | 3,600 | 144,444 |
| CUT UP: | 110,911 | 574,520 | 123,471 | 3,575 | 120,112 |
| FURTHER PROCESSED: | 27,875 | 142,253 | 31,537 | 950 | 27,511 |
| CUT UP: | 21,698 | 129,256 | 33,380 | 635 | 33,434 |
| FURTHER PROCESSED: | 32,264 | 148,819 | 30,301 | 813 | 25,667 |
| CUT UP: | 79,754 | 500,695 | 134,980 | 3,600 | 144,444 |
| FURTHER PROCESSED: | 110,911 | 574,520 | 123,471 | 3,575 | 120,112 |
| CUT UP: | 27,875 | 142,253 | 31,537 | 950 | 27,511 |
| FURTHER PROCESSED: | 21,698 | 129,256 | 33,380 | 635 | 33,434 |
| CUT UP: | 32,264 | 148,819 | 30,301 | 813 | 25,667 |
| FURTHER PROCESSED: | 79,754 | 500,695 | 134,980 | 3,600 | 144,444 |
| CUT UP: | 110,911 | 574,520 | 123,471 | 3,575 | 120,112 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|---------|-------------------------------|---------|------------------------------|------|------------------------|---------|---------------------------|-----------|
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -1,000 POUNDS- | -PERCENT- |
| N. ATLANTIC | 13,182 | 14,318 | 53,906 | 58,998 | 4.09 | 4.12 | 38,625 | 42,198 | 2,108 | 2,391 |
| E. N. CENTRAL | 2,612 | 2,680 | 10,178 | 10,435 | 3.90 | 3.89 | 7,459 | 7,685 | 201 | 254 |
| W. N. CENTRAL | 5,288 | 6,517 | 18,871 | 23,176 | 3.57 | 3.56 | 13,333 | 16,246 | 728 | 931 |
| S. ATLANTIC | 86,366 | 102,552 | 315,440 | 377,268 | 3.65 | 3.68 | 223,754 | 267,213 | 12,382 | 16,380 |
| S. CENTRAL | 96,996 | 110,942 | 335,100 | 390,050 | 3.45 | 3.52 | 239,694 | 277,365 | 10,440 | 13,199 |
| WEST | 4,111 | 6,499 | 14,890 | 24,443 | 3.62 | 3.76 | 10,616 | 17,260 | 338 | 651 |
| U. S. | 208,555 | 243,508 | 748,385 | 884,370 | 3.59 | 3.63 | 533,481 | 627,967 | 26,197 | 33,806 |
| MAINE | 5,451 | 6,347 | 22,559 | 26,409 | 4.14 | 4.16 | 16,388 | 19,314 | 802 | 883 |
| PENNSYLVANIA | 6,917 | 7,218 | 28,171 | 29,368 | 4.07 | 4.07 | 19,964 | 20,610 | 1,193 | 1,353 |
| INDIANA | 1,148 | 1,250 | 4,245 | 4,515 | 3.70 | 3.61 | 3,147 | 3,353 | 69 | 115 |
| WISCONSIN | 1,376 | 1,379 | 5,352 | 5,565 | 3.89 | 4.04 | 3,888 | 4,071 | 116 | 129 |
| MISSOURI | 4,530 | 5,735 | 15,870 | 20,136 | 3.50 | 3.51 | 10,994 | 13,962 | 691 | 887 |
| DELAWARE | 8,041 | 7,977 | 31,355 | 31,565 | 3.90 | 3.96 | 22,110 | 22,262 | 1,137 | 1,226 |
| MARYLAND | 13,600 | 15,230 | 53,103 | 59,082 | 3.90 | 3.88 | 37,739 | 42,098 | 1,918 | 2,280 |
| VIRGINIA | 7,173 | 8,114 | 25,220 | 28,059 | 3.52 | 3.46 | 17,390 | 19,121 | 812 | 1,061 |
| NORTH CAROLINA | 21,449 | 27,135 | 79,549 | 101,880 | 3.71 | 3.75 | 56,610 | 71,983 | 2,790 | 4,164 |
| SOUTH CAROLINA | 2,271 | 3,004 | 7,900 | 10,862 | 3.48 | 3.62 | 5,474 | 7,431 | 350 | 611 |
| GEORGIA | 31,419 | 36,514 | 110,101 | 129,638 | 3.50 | 3.55 | 78,382 | 92,673 | 5,177 | 6,330 |
| TENNESSEE | 5,572 | 6,192 | 19,567 | 21,716 | 3.51 | 3.51 | 13,996 | 15,626 | 639 | 742 |
| ALABAMA | 24,289 | 28,608 | 86,273 | 101,924 | 3.55 | 3.56 | 61,935 | 71,939 | 2,922 | 4,842 |
| MISSISSIPPI | 15,393 | 17,454 | 52,378 | 62,138 | 3.40 | 3.56 | 38,159 | 45,302 | 1,186 | 1,328 |
| ARKANSAS | 31,230 | 33,752 | 104,443 | 114,106 | 3.34 | 3.38 | 73,481 | 80,331 | 3,773 | 3,570 |
| LOUISIANA | 4,823 | 5,311 | 17,286 | 19,295 | 3.58 | 3.63 | 12,429 | 13,526 | 386 | 601 |
| TEXAS | 13,095 | 16,570 | 46,302 | 59,870 | 3.54 | 3.61 | 33,363 | 42,764 | 1,301 | 1,796 |
| WASHINGTON | 996 | 1,594 | 3,800 | 6,214 | 3.81 | 3.90 | 2,655 | 4,270 | 91 | 203 |
| CALIFORNIA | 2,438 | 3,266 | 9,079 | 12,778 | 3.72 | 3.91 | 6,540 | 9,179 | 210 | 291 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1970

| REGION AND STATE | TUBER- : NO. | CULOSIS : NO. | LEU- : NO. | KOSIS : NO. | SEPTI- : NO. | CEMIA : NO. | AIRSAC- : NO. | CULITIS : NO. | SYND- : NO. | VITIS : NO. | TUMDRS : NO. | BRUISES : NO. | CADAVER : NO. | INATON : NO. | CONTAM- : NO. | OVER- : NO. | SCALD : NO. | OTHER : NO. | TOTAL : NO. |
|------------------|--------------|---------------|------------|-------------|--------------|-------------|---------------|---------------|-------------|-------------|--------------|---------------|---------------|--------------|---------------|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | | | | | | |
| N. ATLANTIC | --- | --- | 276,511 | 151,702 | 90,717 | 6,102 | 1,102 | 3,903 | 12,840 | 27,814 | 1,707 | 12,820 | 585,218 | | | | | | |
| E. N. CENTRAL | --- | --- | 33,837 | 13,960 | 2,894 | 792 | 43 | 2,836 | 4,464 | 5,757 | 432 | 1,687 | 66,702 | | | | | | |
| W. N. CENTRAL | --- | --- | 75,766 | 38,753 | 108,642 | 4,666 | 372 | 4,459 | 9,164 | 14,533 | 1,533 | 7,100 | 264,988 | | | | | | |
| S. ATLANTIC | --- | --- | 2,269,725 | 645,895 | 847,295 | 44,751 | 9,058 | 53,243 | 91,506 | 332,868 | 28,261 | 150,099 | 4,472,701 | | | | | | |
| S. CENTRAL | --- | --- | 1,590,247 | 682,769 | 670,422 | 96,448 | 12,749 | 65,299 | 122,835 | 221,862 | 21,959 | 113,220 | 3,597,810 | | | | | | |
| WEST | --- | --- | 52,582 | 43,814 | 41,288 | 1,251 | 150 | 2,029 | 5,966 | 5,639 | 1,379 | 16,557 | 170,655 | | | | | | |
| U. S. | --- | --- | 4,298,668 | 1,576,893 | 1,761,258 | 154,010 | 23,474 | 131,769 | 246,775 | 608,473 | 55,271 | 301,483 | 9,158,074 | | | | | | |
| MAINE | --- | --- | 94,795 | 77,744 | 6,978 | 2,508 | 342 | 1,081 | 6,323 | 7,268 | 473 | 3,706 | 201,218 | | | | | | |
| PENNSYLVANIA | --- | --- | 169,146 | 61,114 | 77,456 | 3,252 | 577 | 2,444 | 5,634 | 18,003 | 1,052 | 7,874 | 346,552 | | | | | | |
| INDIANA | --- | --- | 22,731 | 6,972 | 819 | 399 | 14 | 764 | 1,515 | 1,325 | 156 | 573 | 35,268 | | | | | | |
| WISCONSIN | --- | --- | 10,308 | 6,531 | 2,039 | 393 | 20 | 2,065 | 2,894 | 4,390 | 275 | 985 | 29,900 | | | | | | |
| MISSOURI | --- | --- | 72,786 | 35,310 | 108,545 | 4,602 | 326 | 4,268 | 9,008 | 12,193 | 1,451 | 4,696 | 253,185 | | | | | | |
| DELAWARE | --- | --- | 194,101 | 41,771 | 64,660 | 3,029 | 390 | 2,877 | 5,558 | 15,457 | 999 | 6,727 | 335,569 | | | | | | |
| MARYLAND | --- | --- | 288,233 | 108,673 | 154,364 | 4,551 | 1,003 | 4,444 | 12,347 | 25,953 | 4,222 | 3,184 | 606,974 | | | | | | |
| VIRGINIA | --- | --- | 158,353 | 68,719 | 87,586 | 997 | 364 | 4,082 | 6,696 | 9,764 | 1,538 | 5,087 | 342,986 | | | | | | |
| NORTH CAROLINA | --- | --- | 281,360 | 196,204 | 271,796 | 16,211 | 3,461 | 21,958 | 24,125 | 124,433 | 11,200 | 72,535 | 1,023,283 | | | | | | |
| SOUTH CAROLINA | --- | --- | 108,755 | 15,347 | 26,715 | 1,006 | 281 | 2,137 | 3,891 | 8,009 | 201 | 3,756 | 170,098 | | | | | | |
| GEORGIA | --- | --- | 1,139,142 | 193,017 | 223,474 | 17,440 | 3,338 | 15,769 | 32,364 | 129,412 | 9,627 | 44,951 | 1,808,534 | | | | | | |
| TENNESSEE | --- | --- | 123,313 | 37,285 | 14,573 | 2,305 | 439 | 2,650 | 6,407 | 16,456 | 1,448 | 10,480 | 215,356 | | | | | | |
| ALABAMA | --- | --- | 914,594 | 131,287 | 182,403 | 10,156 | 3,277 | 11,117 | 32,063 | 72,750 | 6,539 | 29,352 | 1,393,538 | | | | | | |
| MISSISSIPPI | --- | --- | 108,585 | 37,148 | 78,139 | 9,741 | 2,407 | 6,938 | 7,083 | 30,721 | 2,580 | 25,918 | 309,260 | | | | | | |
| ARKANSAS | --- | --- | 254,982 | 273,434 | 271,081 | 43,499 | 3,725 | 18,592 | 42,524 | 61,392 | 6,192 | 25,888 | 1,003,309 | | | | | | |
| LOUISIANA | --- | --- | 36,268 | 55,089 | 26,093 | 5,950 | 729 | 5,460 | 9,837 | 5,768 | 1,139 | 3,866 | 150,199 | | | | | | |
| TEXAS | --- | --- | 131,217 | 120,158 | 83,824 | 21,408 | 1,994 | 15,819 | 18,399 | 27,941 | 3,078 | 14,747 | 438,585 | | | | | | |
| WASHINGTON | --- | --- | 6,363 | 10,245 | 17,004 | 731 | 56 | 947 | 1,894 | 2,229 | 480 | 9,213 | 49,162 | | | | | | |
| CALIFORNIA | --- | --- | 24,841 | 21,756 | 17,537 | 193 | 59 | 635 | 2,283 | 2,311 | 265 | 4,859 | 74,739 | | | | | | |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1969 AND 1970

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | | |
|------------------|-------------|--------|----------------|--------|-----------|------|----------------|--------|---------------------------|-------|-----------|
| | INSPECTED | | INSPECTED | | LIVWEIGHT | | CERTIFIED | | POUNDS (NYD) | | |
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -1,000 POUNDS- | | -PERCENT- |
| N. ATLANTIC | 1,706 | 2,015 | 8,394 | 10,043 | 4.92 | 4.98 | 5,424 | 6,485 | 351 | 523 | 4.68 |
| E. N. CENTRAL | 1,795 | 1,888 | 7,615 | 8,168 | 4.24 | 4.33 | 4,670 | 5,045 | 320 | 280 | 4.70 |
| W. N. CENTRAL | 2,611 | 3,587 | 11,237 | 15,677 | 4.30 | 4.37 | 7,020 | 9,697 | 578 | 900 | 5.75 |
| S. ATLANTIC | 3,327 | 4,489 | 15,270 | 19,974 | 4.59 | 4.45 | 9,723 | 12,508 | 758 | 1,075 | 5.56 |
| S. CENTRAL | 2,654 | 2,613 | 13,090 | 13,132 | 4.93 | 5.03 | 8,623 | 8,671 | 649 | 623 | 5.54 |
| WEST | 1,972 | 1,861 | 8,029 | 7,610 | 4.07 | 4.09 | 4,923 | 4,606 | 414 | 464 | 5.75 |
| U. S. | 14,065 | 16,453 | 63,635 | 74,604 | 4.52 | 4.53 | 40,383 | 47,012 | 3,070 | 3,865 | 5.40 |
| MAINE | 260 | 420 | 1,609 | 2,596 | 6.19 | 6.18 | 1,093 | 1,786 | 53 | 103 | 3.69 |
| NEW JERSEY | 1,038 | 1,104 | 4,390 | 4,826 | 4.23 | 4.37 | 2,670 | 2,911 | 237 | 329 | 6.05 |
| PENNSYLVANIA | 112 | 146 | 745 | 802 | 6.63 | 5.50 | 514 | 548 | 20 | 22 | 2.96 |
| OHIO | 519 | 459 | 2,242 | 1,987 | 4.32 | 4.33 | 1,366 | 1,230 | 98 | 81 | 4.87 |
| INDIANA | 513 | 634 | 2,057 | 2,521 | 4.01 | 3.98 | 1,272 | 1,570 | 69 | 71 | 3.76 |
| MINNESOTA | 872 | 1,220 | 3,237 | 4,694 | 3.71 | 3.85 | 1,948 | 2,841 | 182 | 252 | 6.28 |
| MISSOURI | 1,092 | 1,092 | 4,628 | 6,241 | 5.22 | 5.71 | 3,086 | 4,128 | 221 | 369 | 5.35 |
| DELAWARE | 41 | --- | 251 | --- | 6.04 | --- | 174 | --- | 6 | --- | 2.70 |
| MARYLAND | 709 | --- | 2,833 | --- | 4.00 | --- | 1,818 | --- | 145 | --- | 5.73 |
| VIRGINIA | 82 | 54 | 562 | 410 | 6.85 | 7.64 | 393 | 288 | 23 | 13 | 4.59 |
| NORTH CAROLINA | 275 | 355 | 2,038 | 2,792 | 7.42 | 7.87 | 1,368 | 1,880 | 76 | 103 | 4.12 |
| GEORGIA | 1,184 | 2,811 | 5,481 | 11,610 | 4.63 | 4.13 | 3,506 | 7,166 | 211 | 600 | 4.31 |
| ALABAMA | 355 | 322 | 1,827 | 1,569 | 5.15 | 4.87 | 1,171 | 992 | 73 | 98 | 7.02 |
| MISSISSIPPI | 1,466 | 1,538 | 6,646 | 7,875 | 4.53 | 5.12 | 4,417 | 5,293 | 305 | 337 | 5.12 |
| ARKANSAS | 206 | 74 | 1,444 | 550 | 7.00 | 7.38 | 987 | 384 | 80 | 20 | 6.16 |
| LOUISIANA | 34 | --- | 264 | --- | 7.86 | --- | 185 | --- | 15 | --- | 6.15 |
| OKLAHOMA | 92 | --- | 501 | --- | 5.46 | --- | 334 | --- | 14 | --- | 3.11 |
| TEXAS | 415 | 630 | 1,946 | 2,829 | 4.68 | 4.49 | 1,242 | 1,781 | 136 | 160 | 7.81 |
| WASHINGTON | 172 | 138 | 703 | 572 | 4.08 | 4.14 | 450 | 373 | 34 | 24 | 5.33 |
| CALIFORNIA | 1,759 | 1,608 | 7,172 | 6,530 | 4.08 | 4.06 | 4,373 | 3,902 | 374 | 420 | 5.82 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1970

| REGION AND STATE | TURFR- : NO. | CULOSIS : NO. | LEU- : NO. | KOSIS : NO. | SEPTI- : NO. | CEMIA : NO. | AIRSAC- : NO. | CULITIS : NO. | SYNO- : NO. | VIRII : NO. | TUMORS : NO. | BRUISES : NO. | CADAVER : NO. | CONTAM- : | | OVER- : NO. | SCALD : NO. | OTHER : NO. | TOTAL : NO. |
|------------------|--------------|---------------|------------|-------------|--------------|-------------|---------------|---------------|-------------|-------------|--------------|---------------|---------------|---------------|-----|-------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | INATION : NO. | NO. | | | | |
| N. ATLANTIC | | | 4,059 | 45,751 | 154 | 588 | 34,168 | 2,317 | 1,784 | 7,793 | 176 | 10,892 | 107,682 | | | | | | |
| E. N. CENTRAL | | 188 | 5,796 | 22,875 | 414 | 23 | 27,686 | 3,464 | 1,508 | 9,336 | 255 | 10,862 | 82,407 | | | | | | |
| W. N. CENTRAL | | 2,426 | 12,324 | 69,454 | 2,251 | 246 | 79,519 | 11,568 | 6,013 | 11,642 | 416 | 18,552 | 214,411 | | | | | | |
| S. ATLANTIC | | 2,362 | 5,867 | 87,009 | 1,011 | 966 | 69,964 | 10,963 | 12,070 | 31,322 | 542 | 19,316 | 241,392 | | | | | | |
| S. CENTRAL | | 1 | 13,780 | 51,266 | 194 | 527 | 36,011 | 5,036 | 3,246 | 13,466 | 496 | 21,289 | 145,312 | | | | | | |
| WEST | | 4 | 1,191 | 46,974 | 67 | 18 | 55,230 | 3,695 | 1,565 | 6,574 | 406 | 10,564 | 126,288 | | | | | | |
| U. S. | 4,981 | 43,017 | 323,329 | 4,091 | 2,368 | 302,578 | 37,043 | 26,186 | 80,133 | 2,291 | 91,475 | 917,492 | | | | | | | |
| MAINE | | | 1,122 | 8,654 | 32 | 273 | 1,919 | 312 | 396 | 2,029 | 43 | 364 | 15,144 | | | | | | |
| NEW JERSEY | | | 1,893 | 31,146 | 39 | 28 | 25,491 | 1,664 | 1,053 | 4,044 | 81 | 9,647 | 75,086 | | | | | | |
| PENNSYLVANIA | | | 344 | 1,791 | 61 | 21 | 960 | 59 | 73 | 700 | 39 | 469 | 4,517 | | | | | | |
| OHIO | | | 3,193 | 4,012 | 26 | | 4,569 | 1,366 | 166 | 3,045 | 29 | 2,939 | 19,347 | | | | | | |
| INDIANA | | | 791 | 9,126 | 2 | 8 | 8,883 | 388 | 793 | 4,213 | 90 | 2,099 | 26,399 | | | | | | |
| MINNESOTA | | | 2,253 | 15,335 | 604 | 80 | 34,905 | 3,577 | 2,210 | 3,683 | 126 | 9,278 | 73,061 | | | | | | |
| MISSOURI | | | 3,909 | 32,742 | 518 | 138 | 14,707 | 3,697 | 1,324 | 4,891 | 160 | 4,511 | 66,770 | | | | | | |
| VIRGINIA | | | 182 | 1,011 | 16 | 4 | 150 | 77 | 31 | 244 | | 18 | 1,733 | | | | | | |
| NORTH CAROLINA | | | 1,355 | 2,536 | 631 | 244 | 1,183 | 255 | 252 | 2,286 | 29 | 2,042 | 10,813 | | | | | | |
| GEORGIA | | | 1,059 | 56,304 | 132 | 401 | 45,308 | 6,783 | 8,770 | 21,470 | 418 | 6,856 | 147,501 | | | | | | |
| ALABAMA | | | 1,250 | 12,847 | 40 | 45 | 5,743 | 154 | 254 | 2,750 | 35 | 564 | 23,682 | | | | | | |
| MISSISSIPPI | | | 1,623 | 28,764 | 5 | 244 | 26,089 | 3,875 | 1,628 | 7,985 | 367 | 9,743 | 80,324 | | | | | | |
| ARKANSAS | | | 234 | 1,325 | 65 | 79 | 125 | 32 | 78 | 239 | 8 | 75 | 2,260 | | | | | | |
| TEXAS | | | 10,557 | 7,612 | 78 | 148 | 4,000 | 957 | 1,140 | 2,431 | 85 | 10,879 | 37,887 | | | | | | |
| WASHINGTON | | | 212 | 2,533 | 11 | 1 | 931 | 182 | 104 | 768 | 10 | 1,664 | 6,416 | | | | | | |
| CALIFORNIA | | | 800 | 41,824 | 31 | 15 | 53,417 | 3,366 | 1,235 | 5,333 | 354 | 8,397 | 114,772 | | | | | | |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | | POUNDS (LIVWEIGHT) | | AVERAGE LIVWEIGHT | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|-------|--------------------|--------|-------------------|-------|------------------------|--------|---------------------------|-------------|
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 |
| | - THOUSANDS - | | - 1,000 POUNDS - | | - POUNDS - | | - 1,000 POUNDS - | | - 1,000 POUNDS - | - PERCENT - |
| N. ATLANTIC | 39 | 61 | 1,364 | 1,364 | 16.95 | 22.36 | 523 | 1,084 | 9 | 34 |
| E. N. CENTRAL | 11 | 87 | 1,556 | 1,556 | 19.74 | 17.81 | 166 | 1,228 | 7 | 26 |
| W. N. CENTRAL | 62 | 249 | 3,756 | 3,756 | 19.50 | 15.09 | 944 | 2,971 | 33 | 77 |
| S. ATLANTIC | 448 | 513 | 8,683 | 8,683 | 19.72 | 16.93 | 6,961 | 6,677 | 220 | 364 |
| S. CENTRAL | 257 | 357 | 7,413 | 7,413 | 19.86 | 20.77 | 3,990 | 5,742 | 115 | 279 |
| WEST | 162 | 241 | 3,451 | 3,451 | 16.72 | 14.32 | 2,181 | 2,702 | 54 | 118 |
| U. S. | 979 | 1,508 | 18,730 | 26,223 | 19.14 | 17.39 | 14,765 | 20,404 | 438 | 898 |
| PENNSYLVANIA | 38 | 59 | 1,334 | 1,334 | 16.93 | 22.66 | 515 | 1,064 | 9 | 33 |
| MINNESOTA | 27 | 55 | 929 | 929 | 13.01 | 16.87 | 285 | 714 | 7 | 28 |
| MISSOURI | --- | 168 | 2,200 | 2,200 | --- | 13.09 | --- | 1,765 | --- | 38 |
| VIRGINIA | 164 | 247 | 3,316 | 4,620 | 20.21 | 18.72 | 2,572 | 3,459 | 85 | 228 |
| NORTH CAROLINA | 233 | 242 | 4,540 | 3,676 | 19.46 | 15.22 | 3,644 | 2,918 | 96 | 129 |
| TEXAS | 236 | 327 | 4,800 | 6,801 | 20.31 | 20.77 | 3,757 | 5,261 | 105 | 262 |
| CALIFORNIA | 162 | 215 | 2,706 | 3,033 | 16.72 | 14.12 | 2,181 | 2,370 | 54 | 110 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1970

| REGION AND STATE | TUBER- CULOSIS: | LEU- KOSIS: | SEPTI- CEMIA: | AIRSAC- CULITIS: | SYNO- VITIS: | TUMORS: | BRUISES: | CADAVER: | INATON: | CONTAM- INATION: | OVER- SCALD: | OTHER: | TOTAL |
|---------------------|--------------------|----------------|------------------|---------------------|-----------------|---------|----------|----------|---------|---------------------|-----------------|--------|--------|
| | | | | | | | | | | | | | |
| N. ATLANTIC | --- | 1 | 563 | 1,028 | 10 | --- | 22 | 14 | 93 | 15 | --- | 15 | 1,746 |
| E. N. CENTRAL | --- | 6 | 642 | 108 | 2 | 7 | 14 | 14 | 35 | 1 | --- | --- | 829 |
| W. N. CENTRAL | --- | 229 | 1,641 | 894 | 37 | 3 | 159 | 175 | 274 | 10 | 54 | --- | 3,476 |
| S. ATLANTIC | --- | 468 | 6,137 | 7,816 | 269 | 15 | 338 | 179 | 871 | 69 | 446 | --- | 16,608 |
| S. CENTRAL | --- | 145 | 5,260 | 4,410 | 984 | 63 | 239 | 165 | 626 | 5 | 280 | --- | 12,177 |
| WEST | --- | 12 | 1,486 | 9,237 | 78 | 3 | 49 | 88 | 363 | 15 | 25 | --- | 11,356 |
| U. S. | --- | 861 | 15,729 | 23,493 | 1,380 | 91 | 821 | 635 | 2,262 | 100 | 820 | --- | 46,192 |
| PENNSYLVANIA | --- | 1 | 555 | 1,021 | 9 | --- | 22 | 14 | 93 | --- | --- | 15 | 1,730 |
| MINNESOTA | --- | --- | 915 | 347 | 35 | --- | 23 | 20 | 101 | 7 | 19 | --- | 1,467 |
| MISSOURI | --- | 227 | 505 | 496 | 2 | 2 | 133 | 152 | 168 | 2 | 35 | --- | 1,722 |
| VIRGINIA | --- | 459 | 4,150 | 5,303 | 36 | 1 | 146 | 120 | 312 | 34 | 23 | --- | 10,584 |
| NORTH CAROLINA | --- | 8 | 1,917 | 2,436 | 231 | 14 | 189 | 55 | 462 | 35 | 414 | --- | 5,761 |
| TEXAS | --- | 138 | 4,831 | 4,133 | 984 | 63 | 231 | 149 | 576 | --- | 280 | --- | 11,385 |
| CALIFORNIA | --- | 12 | 1,210 | 9,217 | 71 | 3 | 20 | 66 | 345 | 8 | 24 | --- | 10,976 |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED/100 | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | | |
|------------------|------------------|-------------------------------|-------|----------------------------------|------------------------|-------|---------------------------|------|------|
| | | 1969 | 1970 | | 1969 | 1970 | 1969 | 1970 | 1969 |
| N. ATLANTIC | 11 | 110 | 110 | 10.00 | 85 | 1 | 2 | --- | 2.04 |
| E. N. CENTRAL | 38 | 325 | 1,479 | 8.46 | 254 | 1,154 | 5 | 17 | 1.71 |
| M. N. CENTRAL | 360 | 472 | 4,545 | 9.11 | 2,606 | 3,578 | 43 | 77 | 1.44 |
| S. ATLANTIC | 250 | 196 | 1,773 | 8.85 | 1,657 | 1,319 | 54 | 36 | 2.69 |
| S. CENTRAL | 7 | --- | 65 | --- | --- | 48 | --- | 3 | --- |
| WEST | 57 | 64 | 506 | 8.14 | 363 | 378 | 5 | 21 | 1.28 |
| U. S. | 716 | 889 | 8,368 | 8.92 | 4,965 | 6,476 | 109 | 154 | 1.90 |
| MINNESOTA | 360 | 472 | 4,545 | 9.11 | 2,606 | 3,578 | 43 | 77 | 1.44 |
| VIRGINIA | 161 | 163 | 1,462 | 8.95 | 1,064 | 1,075 | 28 | 30 | 2.15 |
| CALIFORNIA | 40 | 50 | 394 | 8.73 | 277 | 289 | 4 | 20 | 1.37 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1970

| REGION AND STATE | TUBERCULOSIS | LEUCOSIS | KOSIS | LEU- | SEPTI- | AIRSAC- | CULITIS | VIITIS | SYNO- | TUMORS | BRUISES | CADAVER: | INAMATION: | OVER- | SCALD: | OTHER: | TOTAL | |
|------------------|--------------|----------|-------|-------|--------|---------|---------|--------|-------|--------|---------|----------|------------|-------|--------|--------|-------|-----|
| | | | | | | | | | | | | | | | | | | NO. |
| N. ATLANTIC | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. CENTRAL | --- | --- | --- | 727 | 48 | 21 | 1 | 31 | 59 | 108 | 1 | 8 | 1,005 | --- | --- | --- | --- | |
| M. N. CENTRAL | --- | --- | --- | 4,843 | 701 | 83 | 2 | 154 | 287 | 956 | 8 | 102 | 7,137 | --- | --- | --- | --- | |
| S. ATLANTIC | --- | --- | --- | 1,289 | 768 | 11 | 1 | 113 | 174 | 189 | --- | 42 | 2,674 | --- | --- | --- | --- | |
| S. CENTRAL | --- | --- | --- | 101 | 52 | 1 | --- | 44 | 23 | 58 | --- | 6 | 285 | --- | --- | --- | --- | |
| WEST | --- | --- | --- | 352 | 2,071 | 4 | --- | 13 | 15 | 101 | 1 | 6 | 2,563 | --- | --- | --- | --- | |
| U. S. | --- | --- | --- | 7,312 | 3,640 | 120 | 4 | 355 | 558 | 1,412 | 10 | 164 | 13,664 | --- | --- | --- | --- | |
| MINNESOTA | --- | --- | --- | 4,843 | 701 | 83 | 2 | 154 | 287 | 956 | 8 | 102 | 7,137 | --- | --- | --- | --- | |
| VIRGINIA | --- | --- | --- | 1,214 | 652 | 4 | 1 | 109 | 169 | 163 | --- | 7 | 2,319 | --- | --- | --- | --- | |
| CALIFORNIA | --- | --- | --- | 291 | 2,068 | 4 | --- | 1 | 13 | 80 | 1 | --- | 2,458 | --- | --- | --- | --- | |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT | TOTAL POUNDS CERTIFIED | POST-MORTEM CONDEMNATIONS | | PERCENT 2/ |
|------------------------------|------------------|-------------------------------|------|--------------------|------------------------|---------------------------|------|------------|
| | | 1969 | 1970 | | | 1969 | 1970 | |
| N. ATLANTIC | 4 | 61 | --- | 15.25 | 47 | 2 | 1 | 1.82 |
| E. N. CENTRAL | 3 | 73 | --- | 22.42 | 58 | 41 | 3 | 3.89 |
| W. N. CENTRAL | 28 | 539 | 242 | 19.47 | 414 | 188 | 27 | 5.57 |
| S. ATLANTIC | 30 | 645 | 258 | 21.28 | 506 | 193 | 26 | 4.55 |
| S. CENTRAL | 4 | 80 | 17 | 21.11 | 63 | 13 | 3 | 4.65 |
| WEST | 11 | 247 | 313 | 21.68 | 192 | 250 | 5 | 2.21 |
| U. S. | 80 | 1,645 | 883 | 20.63 | 1,280 | 687 | 65 | 4.40 |
| MINNESOTA | 16 | 306 | 240 | 18.77 | 242 | 187 | 11 | 4.17 |
| NORTH CAROLINA ^{3/} | 30 | 632 | --- | 21.27 | 495 | --- | 26 | 4.58 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1970

| REGION AND STATE | TUBER- NO. | CULOSIS: NO. | LEU- KOSIS NO. | SEPTI- CEMIA NO. | AIRSAC- CULITIS NO. | SYNG- VITIS NO. | TUMORS NO. | BRUISES NO. | CADAVER: NO. | INATION: NO. | CONTAM- NO. | DVER- NO. | SCALD: NO. | OTHER: NO. | TOTAL NO. |
|------------------|---------------|-----------------|----------------------|------------------------|---------------------------|-----------------------|---------------|----------------|-----------------|-----------------|----------------|--------------|---------------|---------------|--------------|
| | | | | | | | | | | | | | | | |
| E. N. CENTRAL | --- | --- | 28 | 17 | 70 | 4 | --- | 14 | 1 | 3 | --- | --- | --- | --- | 63 |
| W. N. CENTRAL | --- | --- | 723 | 324 | 70 | 84 | 7 | 18 | 1 | 60 | 3 | --- | --- | 12 | 907 |
| S. ATLANTIC | --- | --- | 404 | 37 | 2 | --- | --- | 15 | 7 | 68 | 1 | --- | --- | 288 | 1,203 |
| S. CENTRAL | --- | --- | 2 | 2 | 2 | --- | --- | --- | 1 | 1 | --- | --- | --- | --- | 6 |
| WEST | --- | --- | 384 | 37 | 5 | 23 | 5 | 50 | 13 | 7 | --- | --- | --- | 5 | 525 |
| U. S. | --- | --- | 1,541 | 450 | 111 | 12 | 12 | 97 | 23 | 139 | 4 | --- | --- | 305 | 2,704 |
| MINNESOTA | --- | --- | 16 | 70 | 3 | --- | --- | 18 | 1 | 60 | 3 | --- | --- | 12 | 902 |

**UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250**



OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.