

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Further Processing  
May 1970

Release:  
July 2, 1970  
3:00 P.M. EDT

Inspected Poultry - There were 978 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during May under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 2 percent less than the previous month but 7 percent more than May 1969.

The number of head and pounds live weight inspected by classes were: young chickens - 235,119,000 head, 845,769,000 pounds; mature chickens--14,908,000 head, 68,534,000 pounds; fryer-roaster turkeys--824,000 head, 7,486,000 pounds; young turkeys--2,742,000 head, 47,371,000 pounds; old turkeys--104,000 head, 2,128,000 pounds; ducks--1,022,000 head, 6,545,000 pounds.

Poultry Certified as Wholesome in May totaled 694,634,000 pounds ready-to-cook weight, of which 586,189,000 pounds were chilled and 108,445,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 601,410,000; mature chickens, 43,542,000; fryer-roaster turkeys, 5,831,000; young turkeys, 37,359,000; old turkeys, 1,692,000; ducks, 4,669,000; and other poultry, 131,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 87,521,000 pounds ready-to-cook weight, compared with 93,631,000 pounds in May 1969. The May 1970 total consisted of 27,063,000 pounds of young chickens, 28,223,000 pounds of mature chickens, 24,654,000 pounds of turkeys, and 7,581,000 pounds of other poultry.

Poultry Cut-up and Packaged - totaled 159,183,000 pounds ready-to-cook weight, compared with 150,439,000 pounds in May 1969. The breakdown by classes was: young chickens, 148,869,000 pounds; mature chickens, 363,000 pounds; turkeys, 9,763,000 pounds; and other poultry, 188,000 pounds.

Anti-Mortem Condemnations during May were 3,589,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.33 percent; mature chickens, 0.88; fryer-roaster turkeys, 0.16; young turkeys, 0.20; old turkeys, 0.26; and ducks, 0.11 percent.

Post-Mortem Condemnations in May were 34,993,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.98 percent; mature chickens, 5.60; fryer-roaster turkeys, 1.76; young turkeys, 2.42; old turkeys, 4.19; and ducks, 1.35 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1970 WITH COMPARISONS

NUMBER INSPECTED 3/ APRIL 1970 MAY 1969 MAY 1970 JAN.-MAY 1969 JAN.-MAY 1970	: YOUNG : MATURE :		: CHICKENS : CHICKENS :		: TOTAL : FRYER- : YOUNG :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: OTHER : POULTRY :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
	: 243,508	: 16,453	: 259,961	: 889	: 1,508	: 45	: 2,442				: 918	
	: 220,210	: 14,510	: 234,720	: 588	: 2,287	: 178	: 3,053				: 1,157	
	: 235,119	: 14,908	: 250,027	: 824	: 2,742	: 104	: 3,670				: 1,022	
	: 1,002,152	: 69,552	: 1,071,704	: 3,796	: 7,254	: 390	: 11,440				: 3,570	
	: 1,129,960	: 73,038	: 1,202,998	: 4,098	: 8,157	: 249	: 12,504				: 3,628	
POUNDS INSPECTED 4/ APRIL 1970 MAY 1969 MAY 1970 JAN.-MAY 1969 JAN.-MAY 1970	: 884,370	: 74,604	: 958,974	: 8,368	: 26,223	: 863	: 35,474				: 5,862	: 170
	: 787,052	: 67,769	: 854,821	: 5,332	: 40,481	: 3,512	: 49,325				: 7,333	: 229
	: 845,769	: 68,534	: 914,303	: 7,486	: 47,371	: 2,128	: 56,985				: 6,545	: 241
	: 3,600,589	: 317,276	: 3,917,865	: 35,040	: 144,340	: 7,625	: 187,005				: 22,446	: 1,025
	: 4,094,435	: 334,768	: 4,429,203	: 38,203	: 158,331	: 5,183	: 201,717				: 22,780	: 944
AVERAGE LIVEWEIGHTS/ APRIL 1970 MAY 1969 MAY 1970 JAN.-MAY 1969 JAN.-MAY 1970	: 3.63	: 4.53	: 3.69	: 9.41	: 17.39	: 19.63	: 14.53				: 6.38	
	: 3.57	: 4.67	: 3.64	: 9.06	: 17.70	: 19.72	: 16.16				: 6.34	
	: 3.60	: 4.60	: 3.66	: 9.09	: 17.28	: 20.39	: 15.53				: 6.41	
	: 3.59	: 4.56	: 3.66	: 9.23	: 19.90	: 19.55	: 16.35				: 6.29	
	: 3.62	: 4.58	: 3.68	: 9.32	: 19.41	: 20.86	: 16.13				: 6.28	

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

APRIL 1970, 2,423; MAY 1969, 2,467; AND MAY 1970, 2,692.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

APRIL 1970, 75; MAY 1969, 171; AND MAY 1970, 228.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), MAY 1970 WITH COMPARISONS 1/

APRIL 1970 MAY 1969 MAY 1970 JANUARY-MAY 1969 JANUARY-MAY 1970	: YOUNG : MATURE :		: CHICKENS : CHICKENS :		: TOTAL : FRYER- : YOUNG :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: OTHER : POULTRY :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :
CHILLED	: 564,919	: 36,563	: 601,482	: 1,618	: 5,742	: 65	: 7,425				: 311	: 13
FROZEN	: 63,048	: 10,449	: 73,497	: 4,858	: 14,662	: 622	: 20,142				: 3,892	: 79
TOTAL	: 627,967	: 47,012	: 674,979	: 6,476	: 20,404	: 687	: 27,567				: 4,203	: 92
CHILLED	: 511,622	: 30,673	: 542,295	: 1,317	: 5,730	: 1,117	: 8,164				: 156	
FROZEN	: 51,084	: 12,402	: 63,486	: 2,811	: 26,284	: 1,693	: 30,788				: 5,001	: 122
TOTAL	: 562,706	: 43,075	: 605,781	: 4,128	: 32,014	: 2,810	: 38,952				: 5,157	: 122
CHILLED	: 542,945	: 31,803	: 574,748	: 1,346	: 9,185	: 619	: 11,150				: 268	: 23
FROZEN	: 58,465	: 11,739	: 70,204	: 4,485	: 28,174	: 1,073	: 33,732				: 4,401	: 108
TOTAL	: 601,410	: 43,542	: 644,952	: 5,831	: 37,359	: 1,692	: 44,882				: 4,669	: 131
CHILLED	: 2,309,796	: 154,558	: 2,464,354	: 8,584	: 28,694	: 2,188	: 39,466				: 1,254	: 7
FROZEN	: 255,289	: 48,146	: 303,435	: 18,610	: 85,414	: 3,822	: 107,846				: 14,643	: 544
TOTAL	: 2,565,085	: 202,704	: 2,767,789	: 27,194	: 114,108	: 6,010	: 147,312				: 15,897	: 551
CHILLED	: 2,602,300	: 162,225	: 2,764,525	: 7,768	: 31,854	: 833	: 40,455				: 987	: 75
FROZEN	: 303,108	: 50,516	: 353,624	: 21,890	: 91,731	: 3,249	: 116,870				: 15,248	: 431
TOTAL	: 2,905,408	: 212,741	: 3,118,149	: 29,658	: 123,585	: 4,082	: 157,325				: 16,235	: 506

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, MAY 1970 WITH COMPARISONS 3/

	: YOUNG : : CHICKENS :	: MATURE : : CHICKENS :	: TOTAL : : CHICKENS :	: FRYER- : : ROASTERS:	: YOUNG : : TURKEYS :	: OLD : : TURKEYS :	: TOTAL : : TURKEYS :	: DUCKS :	: OTHER : : POULTRY:	: TOTAL : : POULTRY:
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
MAY 1969:	2,411	626	3,037	10	82	18	110	2	---	3,149
MAY 1970:	2,859	606	3,465	12	98	6	116	8	---	3,589
JAN.-MAY 1969:	11,185	2,385	13,570	75	344	32	451	6	2	14,029
JAN.-MAY 1970:	16,360	2,997	19,357	80	431	16	527	25	2	19,911
PERCENT 1/										
MAY 1969:	.30	.92	.35	.17	.20	.49	.22	.02	.27	.34
MAY 1970:	.33	.88	.37	.16	.20	.26	.20	.11	.27	.36
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
MAY 1969:	25,416	3,142	28,558	109	976	121	1,206	102	2	29,868
MAY 1970:	30,256	3,425	33,681	119	1,032	80	1,231	80	2	34,993
JAN.-MAY 1969:	128,855	15,006	143,861	688	3,449	284	4,421	312	10	148,603
JAN.-MAY 1970:	157,636	17,191	174,827	645	5,441	224	6,310	360	10	181,507
PERCENT 2/										
MAY 1969:	3.60	5.20	3.72	2.27	2.68	3.83	2.72	1.55	1.01	3.65
MAY 1970:	3.98	5.60	4.11	1.76	2.42	4.19	2.40	1.35	.98	3.99

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

	: YOUNG CHICKENS : : FURTHER : : PROCESSED:	: MATURE CHICKENS : : FURTHER : : PROCESSED:	: TURKEYS : : FURTHER : : PROCESSED:	: OTHER POULTRY 1/ : : FURTHER : : PROCESSED:	: TOTAL POULTRY : : FURTHER : : PROCESSED:	: CUT UP : : CUT UP :				
POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, MAY 1970 WITH COMPARISONS										
POUNDS USED READY-TO-COOK WEIGHT 2/										
APRIL 1970:	32,264	148,819	30,301	813	25,667	9,758	8,456	254	96,688	159,644
MAY 1969:	22,059	137,923	33,612	515	30,327	11,663	7,633	338	93,631	150,439
MAY 1970:	27,063	148,869	28,223	363	24,654	9,763	7,581	188	87,521	159,183
JANUARY-MAY 1969:	101,813	638,618	168,592	4,115	174,771	56,590	35,453	1,707	480,629	701,030
JANUARY-MAY 1970:	137,975	723,389	151,694	3,938	144,766	50,568	40,635	956	475,070	778,851
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
APRIL 1970:	145	960	39	9	49	853	35	---	268	1,822
MAY 1969:	184	977	43	5	28	6	65	---	320	988
MAY 1970:	165	919	99	9	87	251	46	---	397	1,179
JANUARY-MAY 1969:	637	4,281	194	9	162	34	115	---	1,107	4,324
JANUARY-MAY 1970:	804	4,558	350	73	1,170	1,118	154	5	2,478	5,754

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

POULTRY SLAUGHTER, July 1970

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	1970	INSPECTED (LIVEWEIGHT)	1970	LIVEWEIGHT	1970	CERTIFIED (READY-TO-COOK WT.)	1970	POUNDS (NYD)	PERCENT 2/
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	13,636	13,831	55,204	56,047	4.05	4.05	39,448	40,001	2,073	2,166
E. N. CENTRAL	2,591	2,440	10,185	9,320	3.93	3.82	7,420	6,867	212	207
W. N. CENTRAL	5,286	6,032	18,702	21,312	3.54	3.53	13,350	15,079	582	725
S. ATLANTIC	94,074	98,957	342,457	360,269	3.64	3.64	243,298	259,574	12,941	14,161
S. CENTRAL	100,216	108,005	344,531	377,290	3.44	3.49	247,794	268,790	9,242	12,248
WEST	4,407	5,854	15,973	21,531	3.62	3.68	11,396	15,099	366	749
U. S.	220,210	235,119	787,052	845,769	3.57	3.60	562,706	601,410	25,416	30,256
MAINE	5,787	6,089	23,463	25,138	4.05	4.13	17,043	18,259	815	804
PENNSYLVANIA	6,978	6,941	28,197	27,676	4.04	3.99	19,878	19,475	1,135	1,207
INDIANA	1,195	1,177	4,310	4,287	3.61	3.64	3,190	3,181	82	91
WISCONSIN	1,337	1,237	5,476	4,854	4.10	3.93	3,938	3,536	123	111
MISSOURI	4,527	5,319	15,674	18,499	3.46	3.48	11,036	12,940	545	682
DELAWARE	8,235	7,511	32,484	28,900	3.94	3.85	23,047	20,334	1,100	949
MARYLAND	14,534	14,361	56,758	54,878	3.91	3.82	41,026	39,579	1,792	1,850
VIRGINIA	7,893	7,867	27,411	27,341	3.47	3.48	18,912	18,831	838	867
NORTH CAROLINA	24,747	26,418	90,799	98,059	3.67	3.71	64,686	69,402	3,008	3,655
SOUTH CAROLINA	2,583	2,907	8,836	10,519	3.42	3.62	6,125	7,263	425	450
GEORGIA	32,253	35,235	113,269	124,070	3.51	3.52	80,053	88,649	5,503	5,770
TENNESSEE	5,995	6,372	20,991	22,438	3.50	3.52	15,039	16,174	659	744
ALABAMA	25,039	28,117	87,870	99,409	3.51	3.54	63,206	69,796	2,760	4,631
MISSISSIPPI	15,430	17,968	52,780	63,063	3.42	3.51	38,575	46,053	960	1,287
ARKANSAS	32,199	31,379	107,319	105,755	3.33	3.37	76,128	74,843	2,870	3,068
LOUISIANA	4,835	4,854	17,109	17,333	3.54	3.57	12,340	12,351	395	445
TEXAS	13,795	15,437	48,648	55,659	3.53	3.61	35,046	39,847	1,392	1,718
WASHINGTON	1,145	1,593	4,418	6,037	3.86	3.79	3,099	4,119	109	248
CALIFORNIA	2,626	2,531	9,778	9,867	3.72	3.90	7,055	7,082	213	312

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1970

REGION AND STATE	TUBER- :CULOSIS:	LEU- KOSIS:	SEPTI- CEMIA:	AIRSAC- CULITIS:	SYND- VITIS:	TUMORS	BRUISES	CADAVER:	CONTAM- INATION:	OVER- SCALD:	OTHER:	TOTAL
N. ATLANTIC	---	240,083	127,180	74,916	4,581	1,139	3,937	12,897	30,283	1,781	16,513	513,310
E. N. CENTRAL	---	23,958	11,683	3,051	732	51	2,522	3,285	6,464	518	1,413	53,677
W. N. CENTRAL	---	53,114	34,397	68,356	6,935	431	4,105	4,287	11,352	731	8,214	191,962
S. ATLANTIC	---	2,169,558	548,861	440,369	37,836	10,531	47,945	96,826	334,680	26,289	143,504	3,856,399
S. CENTRAL	---	1,498,897	573,932	559,096	103,919	12,224	57,190	112,296	213,092	21,247	110,226	3,262,119
WEST	---	75,816	39,093	58,693	1,674	100	1,844	6,250	6,988	1,379	10,075	201,912
U. S.	---	4,061,426	1,335,146	1,204,481	155,717	24,476	117,543	235,641	602,859	51,945	289,945	8,079,379
MAINE	---	82,061	65,682	6,964	3,524	375	1,211	6,946	6,581	396	3,917	177,657
PENNSYLVANIA	---	144,911	48,196	64,622	845	523	2,236	5,083	21,119	1,310	11,545	300,390
INDIANA	---	16,317	4,949	469	342	33	655	1,326	1,874	390	452	26,807
WISCONSIN	---	7,288	6,586	2,554	390	11	1,867	1,904	4,561	122	874	26,157
MISSOURI	---	50,251	31,080	67,605	6,878	391	3,877	4,213	9,294	731	4,033	178,353
DELAWARE	---	148,331	39,349	38,732	2,662	362	2,290	6,638	13,483	1,387	6,028	259,262
MARYLAND	---	266,580	97,782	75,739	4,378	844	3,909	10,961	25,542	5,374	2,744	493,853
VIRGINIA	---	138,570	57,542	41,107	858	331	3,967	6,971	7,665	2,400	5,626	265,037
NORTH CAROLINA	---	271,603	160,281	176,857	14,536	3,199	19,275	24,669	124,440	6,776	72,689	874,325
SOUTH CAROLINA	---	76,080	11,250	11,355	811	200	1,932	3,173	8,874	1,859	3,326	118,860
GEORGIA	---	1,178,052	164,624	84,227	12,979	5,399	14,744	38,234	138,933	7,680	40,953	1,685,825
TENNESSEE	---	117,663	36,214	7,401	2,047	535	2,772	8,692	21,497	853	9,906	207,380
ALABAMA	---	95,788	109,692	165,402	8,463	3,026	9,902	27,643	57,996	4,661	25,909	1,327,748
MISSISSIPPI	---	201,181	32,216	67,838	7,477	2,569	6,060	7,704	29,359	3,731	29,771	282,513
ARKANSAS	---	31,765	227,031	198,457	55,610	3,558	16,135	38,440	66,051	4,354	22,745	833,562
LOUISIANA	---	110,722	36,956	12,748	3,760	584	3,866	7,898	5,570	448	3,481	107,076
TEXAS	---	26,806	104,036	95,380	24,434	1,754	13,670	17,245	25,389	4,569	14,242	411,441
WASHINGTON	---	24,268	17,280	36,293	491	37	819	1,169	3,245	905	4,720	56,779
CALIFORNIA	---	82,061	65,682	6,964	3,524	375	1,211	6,946	6,581	396	3,917	177,657

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970			
N. ATLANTIC	1,548	1,621	7,746	8,101	5.00	5.00	5,026	5,242	318	434	4.58	6.00	
E. N. CENTRAL	1,783	1,767	7,636	7,778	4.28	4.40	4,737	4,794	284	268	4.17	3.86	
W. N. CENTRAL	3,102	3,231	13,429	14,130	4.33	4.37	8,327	8,743	667	751	5.58	5.98	
S. ATLANTIC	3,389	3,866	16,820	17,623	4.96	4.56	10,801	11,357	790	848	5.27	5.39	
S. CENTRAL	2,812	2,553	14,503	13,454	5.16	5.27	9,518	8,956	644	621	4.99	5.17	
WEST	1,876	1,870	7,635	7,448	4.07	3.98	4,666	4,450	439	503	6.41	7.57	
U. S.	14,510	14,908	67,769	68,534	4.67	4.60	43,075	43,542	3,142	3,425	5.20	5.60	
MAINE	293	234	1,826	1,524	6.23	6.52	1,240	1,032	56	58	3.40	4.22	
NEW JERSEY	928	964	3,988	4,132	4.30	4.29	2,457	2,539	212	286	5.94	7.76	
PENNSYLVANIA	70	156	494	1,046	7.02	6.71	343	712	13	27	3.01	2.92	
OHIO	520	393	2,223	1,662	4.28	4.23	1,353	1,007	92	70	4.63	4.68	
INDIANA 3/	---	592	---	2,349	---	3.97	---	1,496	---	---	80	3.84	---
MINNESOTA	1,096	1,226	4,192	4,533	3.83	3.70	2,522	2,694	212	230	5.65	5.68	
MISSOURI	919	890	5,004	5,426	5.44	6.09	3,310	3,657	224	291	5.05	6.02	
DELAWARE	23	---	170	---	7.52	---	119	---	4	---	2.31	---	
MARYLAND	665	---	2,683	---	4.03	---	1,733	---	153	---	6.40	---	
VIRGINIA	132	58	958	421	7.26	7.25	660	294	26	16	3.08	4.16	
NCRTH CAROLINA	499	302	3,638	2,377	7.29	7.88	2,440	1,608	136	98	4.17	4.59	
GEORGIA	1,088	2,339	5,400	10,059	4.96	4.30	3,461	6,505	191	459	3.96	5.10	
ALABAMA	560	287	2,492	1,617	4.45	5.64	1,582	1,083	120	75	5.42	5.23	
MISSISSIPPI	1,437	1,330	7,618	6,857	5.30	5.16	5,029	4,617	298	291	4.39	4.76	
ARKANSAS	178	248	1,256	1,734	7.07	6.98	864	1,171	52	73	4.63	4.69	
LOUISIANA 3/	---	28	---	205	---	7.33	---	145	---	---	7	3.94	---
TEXAS	488	593	2,112	2,621	4.33	4.42	1,339	1,651	138	163	7.33	6.95	
WASHINGTON	146	146	586	567	4.01	3.88	385	373	26	25	4.96	5.01	
CALIFORNIA	1,671	1,629	6,825	6,510	4.08	4.00	4,136	3,841	406	461	6.65	7.94	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1970

REGION AND STATE	TUBER- : :SCULOSIS:	LEU- : :KOSIS :	SEPTI- : :CEMIA :	AIRSAC- : :CULITIS :	SYNO- : :VITIS :	TUMORS : :NO.	BRUISES: CADAVER: INATION:	CONTAM-: OVER-: : : INATION: SCALD : :	OTHER : : NO.	TOTAL : NO.		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	1	3,374	35,286	56	336	30,532	2,604	1,434	4,485	146	10,620	88,874
E. N. CENTRAL	110	5,725	17,131	311	44	23,962	4,041	1,890	7,933	232	7,432	70,811
W. N. CENTRAL	1,799	10,182	55,393	1,798	233	63,969	8,457	4,420	10,839	538	16,707	174,335
S. ATLANTIC	121	5,458	60,090	1,094	1,060	45,197	8,559	4,179	25,937	1,037	16,979	169,711
S. CENTRAL	170	15,840	44,033	885	1,024	28,953	5,580	2,683	11,486	408	21,304	132,366
WEST	4	1,231	48,898	19	1,048	59,154	4,171	1,040	6,330	936	12,190	135,021
U. S.	2,205	41,810	260,831	4,163	3,745	253,767	33,412	15,646	67,010	3,297	85,232	771,118
MAINE	---	628	4,124	8	160	1,382	161	81	442	10	168	7,164
NEW JERSEY	---	1,645	25,722	3	35	22,785	2,047	1,155	2,826	118	9,693	66,029
PENNSYLVANIA	1	401	1,419	16	34	1,153	41	72	536	5	520	4,198
OHIO	75	2,845	2,654	15	2	3,996	959	342	2,324	59	2,614	15,885
INDIANA	3	979	6,480	---	20	10,994	371	1,059	3,384	18	1,752	25,060
MINNESOTA	963	2,247	13,485	580	52	29,319	3,535	1,687	4,517	234	8,819	65,438
MISSOURI	71	2,607	26,350	219	123	9,442	2,022	900	3,510	156	4,121	49,521
VIRGINIA	---	148	1,572	33	10	235	66	44	208	---	25	2,341
NORTH CAROLINA	---	1,201	2,608	450	453	1,007	336	184	2,151	45	2,841	11,276
GEORGIA	---	1,235	39,699	329	286	28,024	4,709	2,598	16,081	577	4,964	98,502
ALABAMA	---	1,195	6,775	66	262	2,582	135	107	2,476	43	622	14,263
MISSISSIPPI	---	1,432	24,002	12	289	23,244	3,758	1,125	6,501	260	8,480	69,103
ARKANSAS	---	664	4,471	51	242	386	151	296	610	5	344	7,220
LOUISIANA	---	137	645	11	12	30	24	80	42	---	46	1,027
TEXAS	170	12,040	7,103	740	192	2,620	1,443	1,042	1,764	97	11,773	38,984
WASHINGTON	---	553	1,718	6	1	887	161	142	522	3	2,225	6,218
CALIFORNIA	---	531	45,062	10	1,037	57,118	3,788	793	5,207	932	9,725	124,203

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	1970	INSPECTED	1970	LIVWEIGHT	INSPECTED/	CERTIFIED	(READY-TO-COOK WT.)	POUNDS	PERCENT
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
			-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	34	61	649	1,023	19.09	16.77	508	803	11	18
E. N. CENTRAL	60	167	872	2,754	14.59	16.52	694	2,138	20	65
W. N. CENTRAL	345	395	5,824	6,787	16.89	17.17	4,640	5,357	140	134
S. ATLANTIC	573	583	10,942	10,253	19.09	17.58	8,589	8,031	310	314
S. CENTRAL	719	669	13,367	11,797	18.59	17.64	10,591	9,197	261	307
WEST	556	867	8,827	14,757	15.87	17.02	6,992	11,833	234	194
U. S.	2,287	2,742	40,481	47,371	17.70	17.28	32,014	37,359	976	1,032
PENNSYLVANIA	33	61	634	1,022	19.26	16.67	497	804	10	18
WISCONSIN	29	501	501	17,58	17.58	---	401	---	13	---
MINNESOTA	167	149	2,392	2,498	14.32	16.71	1,938	2,000	40	61
IOWA	116	---	2,544	---	21.85	---	1,978	---	90	---
MISSOURI	61	171	887	2,878	14.47	16.79	724	2,297	10	33
VIRGINIA	177	279	3,518	5,550	19.92	19.92	2,709	4,304	108	157
NORTH CAROLINA	324	277	5,872	4,373	18.15	15.79	4,710	3,461	128	151
ARKANSAS	---	261	---	3,887	---	14.88	---	3,045	---	77
TEXAS	309	360	6,473	6,840	20.98	19.02	5,129	5,275	145	209
CALIFORNIA	445	660	7,066	11,519	15.88	17.44	5,591	9,292	217	158

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1970

REGION AND STATE	TUBER- : COLONIS :		LEU- : KOSIS :		SEPTI- : CEMIA :		AIRSAC- : CULITIS :		SYNO- : VITIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- : INATION :		OVER- : SCALD :		OTHER :		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	3	421	159	13	---	13	54	90	15	---	15	768									
E. N. CENTRAL	---	---	51	1,615	441	5	8	24	43	103	37	8	37	2,335									
W. N. CENTRAL	---	---	6	2,607	1,749	112	19	230	239	484	50	41	50	5,537									
S. ATLANTIC	---	---	20	6,146	6,082	317	18	195	279	1,001	46	46	317	14,421									
S. CENTRAL	---	---	33	5,920	3,164	1,117	88	561	1,322	1,193	18	18	715	14,131									
WEST	---	---	49	5,733	1,535	349	24	125	270	338	14	14	76	8,513									
U. S.	---	---	162	22,442	13,130	1,913	157	1,148	2,207	3,209	127	127	1,210	45,705									
PENNSYLVANIA	---	---	3	421	159	13	---	13	54	90	15	---	15	768									
MINNESOTA	---	---	1	1,574	826	68	12	29	161	217	15	15	13	2,916									
MISSOURI	---	---	2	414	497	14	1	197	64	185	5	5	35	1,414									
VIRGINIA	---	---	8	3,867	2,347	65	3	90	159	203	12	12	12	6,766									
NORTH CAROLINA	---	---	9	2,179	3,687	241	11	100	114	733	34	34	288	7,396									
ARKANSAS	---	---	13	1,428	1,191	58	3	47	854	218	8	8	17	3,837									
TEXAS	---	---	7	3,917	1,736	1,043	79	513	456	912	10	10	698	9,371									
CALIFORNIA	---	---	33	4,416	1,258	278	20	55	155	256	13	13	29	6,513									

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	10	37	106	331	10.60	8.95	83	265	1	4
E. N. CENTRAL	12	109	103	1,012	8.52	9.30	80	785	3	14
W. N. CENTRAL	264	358	2,559	3,355	9.70	9.37	2,041	2,665	38	44
S. ATLANTIC	229	247	1,973	2,158	8.62	8.75	1,472	1,632	55	39
S. CENTRAL	---	---	---	---	---	---	---	---	---	---
WEST	73	73	591	630	8.08	8.64	452	484	12	18
U. S.	588	824	5,332	7,486	9.06	9.09	4,128	5,831	109	119
MINNESOTA	264	358	2,559	3,355	9.70	9.37	2,041	2,665	38	44
VIRGINIA	126	186	1,134	1,648	9.00	8.86	839	1,231	18	30
CALIFORNIA	52	61	451	536	8.71	8.83	340	408	10	17

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1970

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	2	119	5	---	---	---	---	---	---	5	28	77	---	---	---	---	---	---	---	236	
E. N. CENTRAL	---	---	70	652	23	10	1	23	4	67	4	4	4	67	2	9	---	---	---	---	---	861	
W. N. CENTRAL	---	---	1	2,261	297	44	2	78	129	738	110	39	110	39	3,699	---	---	---	---	---	---	3,699	
S. ATLANTIC	---	---	13	1,480	530	10	1	58	144	403	48	94	48	94	2,781	---	---	---	---	---	---	2,781	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	---	1	671	1,083	12	1	3	22	121	47	21	47	21	1,982	---	---	---	---	---	---	1,982	
U. S.	---	---	87	5,183	1,938	76	5	167	327	1,406	207	163	207	163	9,559	---	---	---	---	---	---	9,559	
MINNESOTA	---	---	1	2,261	297	44	2	78	129	738	110	39	110	39	3,699	---	---	---	---	---	---	3,699	
VIRGINIA	---	---	7	1,335	402	4	1	51	129	312	48	6	48	6	2,295	---	---	---	---	---	---	2,295	
CALIFORNIA	---	---	1	641	1,078	5	1	2	12	117	47	---	---	---	---	---	---	---	---	---	---	---	1,904

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, MAY 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED	INSPECTED (LIVWEIGHT)	INSPECTED	INSPECTED (LIVWEIGHT)	INSPECTED	INSPECTED (LIVWEIGHT)	CERTIFIED	CERTIFIED (READY-TO-COOK WT.)	POUNDS (NYD)	PERCENT 2/
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	---	1	---	---	---	---	3	---	---	---
E. N. CENTRAL	19	12	321	4	245	17.32	21.18	253	8	10.
W. N. CENTRAL	70	48	1,384	1,384	934	19.68	19.65	1,102	741	52
S. ATLANTIC	40	14	778	778	272	19.50	19.61	616	212	33
S. CENTRAL	12	---	230	---	---	19.46	---	190	7	---
WEST	37	31	795	795	677	21.31	21.57	646	542	21
U. S.	178	104	3,512	3,512	2,128	19.72	20.39	2,810	1,692	80
MINNESOTA	48	41	925	925	812	19.23	19.67	737	646	31
NORTH CAROLINA	27	14	515	515	272	19.09	19.61	414	212	20
CALIFORNIA 3/	24	---	553	---	---	23.03	---	456	---	12

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.


OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, MAY 1970

REGION AND STATE	TUBER-		LEU-		SEPTI-		AIRSAC-		SYNO-		VITIS		TUMORS		BRUISES		CADAVER		CONTAM-		OVER-		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
E. N. CENTRAL	---	---	3	189	---	37	3	---	---	---	---	---	---	---	---	22	2	---	---	---	46	3	305	
W. N. CENTRAL	---	---	13	1,052	---	325	9	14	26	---	---	---	---	---	---	26	27	133	5	---	---	23	1,627	
S. ATLANTIC	---	---	12	150	---	101	7	16	12	---	---	---	---	---	---	12	11	120	1	---	---	123	553	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	5	780	---	49	5	20	19	---	---	---	---	---	---	19	11	38	---	---	---	23	950	
U. S.	---	---	33	2,171	---	512	24	50	79	---	---	---	---	---	---	79	51	337	6	---	---	172	3,435	
MINNESOTA	---	---	12	913	---	257	9	14	25	---	---	---	---	---	---	25	26	115	---	---	---	20	1,391	
NORTH CAROLINA	---	---	12	150	---	101	7	16	12	---	---	---	---	---	---	12	11	120	1	---	---	123	553	

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.