

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
June 1970

Release:
July 29, 1970
3:00 P.M. EDT

Inspected Poultry - There were 1,155 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during June under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 18 percent more than May and 18 percent more than a year earlier. An additional weekday in June this year partly contributed to the increase over June 1969.

The number of head and pounds live weight inspected by classes were: young chickens - 259,718,000 head, 936,822,000 pounds; mature chickens - 14,759,000 head, 69,937,000 pounds; fryer-roaster turkeys - 919,000 head, 3,209,000 pounds; young turkeys - 6,929,000 head, 124,079,000 pounds; old turkeys - 318,000 head, 6,221,000 pounds; ducks - 1,483,000 head, 9,395,000 pounds.

Poultry Certified as Wholesome in June totaled 827,178,000 pounds ready-to-cook weight of which 656,306,000 pounds were chilled and 170,872,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 666,065,000; mature chickens, 44,785,000; fryer-roaster turkeys, 6,341,000; young turkeys, 98,258,000; old turkeys, 4,923,000; ducks, 6,645,000; and other poultry 161,000 pounds.

Further Processed Poultry inspected and used for further processing totaled 104,096,000 pounds ready-to-cook weight, compared with 92,351,000 pounds in June 1969. The June total consisted of 30,250,000 pounds young chickens, 32,321,000 pounds mature chickens, 35,431,000 pounds of turkeys and 6,094,000 pounds of other poultry.

Poultry Cut-up and Packaged - totaled 174,135,000 pounds ready-to-cook weight, compared with 151,997,000 pounds in June 1969. The breakdown by classes was: young chickens, 159,467,000 pounds; mature chickens, 424,000 pounds; turkeys, 14,165,000 pounds; and other poultry, 79,000 pounds.

Ante-Mortem Condemnations during June were 5,715,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.50 percent; mature chickens, 0.98 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.22 percent; old turkeys, 0.30 percent; and ducks, 0.11 percent.

Post-Mortem Condemnations in June were 38,147,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.76 percent; mature chickens, 5.49; fryer-roaster turkeys, 1.99; young turkeys, 2.41; old turkeys, 3.50; and ducks, 1.75 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1970 WITH COMPARISONS

| NUMBER INSPECTED | : YOUNG : | | : MATURE : | | : TOTAL : | | : FRYER- : | | : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | |
|---------------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|
| | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : ROASTERS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : |
| MAY 1970 | 235,119 | 14,908 | 250,027 | 824 | 2,742 | 104 | 3,670 | | | | | | | | 1,022 | |
| JUNE 1969 | 225,345 | 12,688 | 238,033 | 656 | 5,313 | 376 | 6,345 | | | | | | | | 1,368 | |
| JUNE 1970 | 259,718 | 14,759 | 274,477 | 919 | 6,929 | 318 | 8,166 | | | | | | | | 1,483 | |
| JAN.-JUNE 1969 | 1,227,497 | 82,740 | 1,309,737 | 4,451 | 12,567 | 766 | 17,784 | | | | | | | | 4,938 | |
| JAN.-JUNE 1970 | 1,389,678 | 87,797 | 1,477,475 | 5,017 | 15,086 | 566 | 20,669 | | | | | | | | 5,111 | |
| POUNDS INSPECTED | | | | | | | | | | | | | | | | |
| MAY 1970 | 845,769 | 68,534 | 914,303 | 7,486 | 47,371 | 2,128 | 56,985 | | | | | | | | 6,545 | 978,074 |
| JUNE 1969 | 800,900 | 59,348 | 860,248 | 5,953 | 93,959 | 7,605 | 107,517 | | | | | | | | 8,541 | 976,585 |
| JUNE 1970 | 936,822 | 69,937 | 1,006,759 | 8,209 | 124,079 | 6,221 | 138,509 | | | | | | | | 9,395 | 1,154,962 |
| JAN.-JUNE 1969 | 4,401,489 | 376,624 | 4,778,113 | 40,993 | 238,299 | 15,230 | 294,522 | | | | | | | | 30,987 | 5,104,926 |
| JAN.-JUNE 1970 | 5,031,257 | 404,706 | 5,435,963 | 46,412 | 282,410 | 11,403 | 340,225 | | | | | | | | 32,175 | 5,809,606 |
| AVERAGE LIVELIVE WEIGHTS/ | | | | | | | | | | | | | | | | |
| MAY 1970 | 3.60 | 4.60 | 3.66 | 9.09 | 17.28 | 20.39 | 15.53 | | | | | | | | 6.41 | |
| JUNE 1969 | 3.55 | 4.68 | 3.61 | 9.08 | 17.68 | 20.21 | 16.95 | | | | | | | | 6.24 | |
| JUNE 1970 | 3.61 | 4.74 | 3.67 | 8.94 | 17.91 | 19.59 | 16.96 | | | | | | | | 6.33 | |
| JAN.-JUNE 1969 | 3.59 | 4.58 | 3.65 | 9.21 | 18.96 | 19.88 | 16.56 | | | | | | | | 6.28 | |
| JAN.-JUNE 1970 | 3.62 | 4.61 | 3.68 | 9.25 | 18.72 | 20.15 | 16.46 | | | | | | | | 6.29 | |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

MAY 1970, 2,692; JUNE 1969, 2,278; AND JUNE 1970, 3,296.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

MAY 1970, 228; JUNE 1969, 519; AND JUNE 1970, 616.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1970 WITH COMPARISONS 1/

| MAY 1970 | : YOUNG : | | : MATURE : | | : TOTAL : | | : FRYER- : | | : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | |
|-------------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|
| | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : CHICKENS : | : TURKEYS : | : ROASTERS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : |
| CHILLED | 542,945 | 31,803 | 574,748 | 1,346 | 9,185 | 619 | 11,150 | | | | | | | | 268 | 586,189 |
| FROZEN | 58,465 | 11,739 | 70,204 | 4,485 | 28,174 | 1,073 | 33,732 | | | | | | | | 4,401 | 108,445 |
| TOTAL | 601,410 | 43,542 | 644,952 | 5,831 | 37,359 | 1,692 | 44,882 | | | | | | | | 4,669 | 694,634 |
| JUNE 1969 | 520,317 | 28,241 | 548,558 | 773 | 10,013 | 1,066 | 11,852 | | | | | | | | 366 | 560,797 |
| CHILLED | 53,628 | 9,545 | 63,173 | 3,811 | 64,794 | 4,971 | 73,576 | | | | | | | | 5,616 | 142,498 |
| FROZEN | 573,945 | 37,786 | 611,731 | 4,584 | 74,807 | 6,037 | 85,428 | | | | | | | | 5,982 | 703,295 |
| TOTAL | 604,491 | 32,620 | 637,111 | 1,392 | 16,218 | 1,355 | 18,965 | | | | | | | | 201 | 656,306 |
| JUNE 1970 | 61,574 | 12,165 | 73,739 | 4,949 | 82,040 | 3,568 | 90,557 | | | | | | | | 6,444 | 170,872 |
| CHILLED | 666,065 | 44,785 | 710,850 | 6,341 | 98,258 | 4,923 | 109,522 | | | | | | | | 6,645 | 827,178 |
| FROZEN | 2,830,113 | 182,799 | 3,012,912 | 9,357 | 38,707 | 3,254 | 51,318 | | | | | | | | 1,620 | 3,065,877 |
| TOTAL | 3,08,916 | 57,691 | 366,607 | 22,421 | 150,209 | 8,793 | 181,423 | | | | | | | | 20,259 | 568,967 |
| JANUARY-JUNE 1969 | 3,139,029 | 240,490 | 3,379,519 | 31,778 | 188,916 | 12,047 | 232,741 | | | | | | | | 21,879 | 3,634,844 |
| JANUARY-JUNE 1970 | 3,206,790 | 194,845 | 3,401,635 | 9,160 | 48,072 | 2,188 | 59,420 | | | | | | | | 1,189 | 3,462,349 |
| CHILLED | 364,683 | 62,681 | 427,364 | 26,840 | 173,771 | 6,818 | 207,429 | | | | | | | | 21,691 | 657,046 |
| FROZEN | 3,571,473 | 257,526 | 3,828,999 | 36,000 | 221,843 | 9,006 | 266,849 | | | | | | | | 22,880 | 4,119,395 |
| TOTAL | | | | | | | | | | | | | | | | |

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1970 WITH COMPARISONS 3/

| | : YOUNG : MATURE : | | : TOTAL : FRYER- : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | | : TOTAL : | |
|----------------------------|--------------------|--------------|----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|-------------|
| | : CHICKENS : | : CHICKENS : | : CHICKENS : | : ROASTERS: | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : | : POULTRY : |
| ANTE-MORTEM | | | | | | | | | | | | |
| 1,000 POUNDS (LIVWEIGHT): | | | | | | | | | | | | |
| JUNE 1969: | 4,111 | 660 | 4,771 | 12 | 232 | 29 | 273 | 2 | 1 | | 5,047 | |
| JUNE 1970: | 4,698 | 690 | 5,388 | 21 | 276 | 19 | 316 | 11 | --- | | 5,715 | |
| JAN.-JUNE 1969: | 15,296 | 3,045 | 18,341 | 87 | 576 | 62 | 725 | 8 | 3 | | 19,077 | |
| JAN.-JUNE 1970: | 21,058 | 3,687 | 24,745 | 101 | 707 | 35 | 843 | 36 | 3 | | 25,627 | |
| PERCENT 1/ | | | | | | | | | | | | |
| JUNE 1969: | .51 | 1.11 | .55 | .19 | .24 | .38 | .25 | .02 | .40 | | .51 | |
| JUNE 1970: | .50 | .98 | .53 | .25 | .22 | .30 | .22 | .11 | .28 | | .49 | |
| POST-MORTEM | | | | | | | | | | | | |
| 1,000 LBS. (N.Y. DRESSED): | | | | | | | | | | | | |
| JUNE 1969: | 23,124 | 2,846 | 25,970 | 98 | 1,913 | 257 | 2,268 | 119 | 3 | | 28,361 | |
| JUNE 1970: | 31,538 | 3,421 | 34,959 | 147 | 2,695 | 196 | 3,038 | 148 | 3 | | 38,147 | |
| JAN.-JUNE 1969: | 151,979 | 17,851 | 169,830 | 787 | 5,363 | 541 | 6,691 | 431 | 13 | | 176,964 | |
| JAN.-JUNE 1970: | 189,175 | 20,612 | 209,787 | 792 | 8,136 | 420 | 9,348 | 508 | 12 | | 219,654 | |
| PERCENT 2/ | | | | | | | | | | | | |
| JUNE 1969: | 3.22 | 5.39 | 3.37 | 1.83 | 2.26 | 3.77 | 2.35 | 1.54 | 1.15 | | 3.24 | |
| JUNE 1970: | 3.76 | 5.49 | 3.88 | 1.99 | 2.41 | 3.50 | 2.44 | 1.75 | .95 | | 3.69 | |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1970 WITH COMPARISONS

| | : YOUNG CHICKENS : | | : MATURE CHICKENS : | | : TURKEYS : | | : OTHER POULTRY 1/ : | | : TOTAL POULTRY : | |
|--|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: | : FURTHER : : PROCESSED: |
| POUNDS USED READY-TO-COOK WEIGHT 2/ | | | | | | | | | | |
| MAY 1970 : | 27,063 | 148,869 | 28,223 | 363 | 24,654 | 9,763 | 7,581 | 188 | 87,521 | 159,183 |
| JUNE 1969 : | 21,694 | 138,598 | 33,385 | 136 | 31,425 | 12,843 | 5,847 | 370 | 92,351 | 151,997 |
| JUNE 1970 : | 30,250 | 159,467 | 32,321 | 424 | 35,431 | 14,165 | 6,094 | 79 | 104,096 | 174,135 |
| JANUARY-JUNE 1969 : | 123,507 | 777,216 | 201,977 | 4,301 | 206,196 | 69,433 | 41,300 | 2,077 | 572,980 | 853,027 |
| JANUARY-JUNE 1970 : | 168,225 | 882,855 | 184,016 | 4,362 | 180,197 | 64,733 | 46,729 | 1,034 | 579,167 | 952,984 |
| LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ | | | | | | | | | | |
| MAY 1970 : | 165 | 919 | 99 | 9 | 87 | 251 | 46 | --- | 397 | 1,179 |
| JUNE 1969 : | 117 | 1,012 | 48 | 5 | 45 | 9 | 55 | 5 | 265 | 1,031 |
| JUNE 1970 : | 313 | 1,169 | 18 | 25 | 66 | 12 | 18 | 3 | 445 | 1,209 |
| JANUARY-JUNE 1969 : | 754 | 5,293 | 242 | 14 | 208 | 43 | 169 | 5 | 1,373 | 5,355 |
| JANUARY-JUNE 1970 : | 1,117 | 5,727 | 398 | 98 | 1,236 | 172 | 172 | 8 | 2,923 | 6,963 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1969 AND 1970

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|---------------|---------|------------------|---------|------------|------|------------------|---------|---------------------------|--------|-------------|------|
| | INSPECTED | | INSPECTED | | LIVEMEIGHT | | CERTIFIED | | POUNDS (NYD) | | | |
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | | |
| | - THOUSANDS - | | - 1,000 POUNDS - | | - POUNDS - | | - 1,000 POUNDS - | | - 1,000 POUNDS - | | - PERCENT - | |
| N. ATLANTIC | 14,263 | 15,320 | 57,121 | 62,392 | 4.00 | 4.07 | 40,986 | 44,769 | 1,996 | 2,261 | 3.89 | 4.04 |
| F. N. CENTRAL | 2,757 | 2,826 | 10,722 | 10,796 | 3.89 | 3.82 | 7,896 | 7,917 | 250 | 271 | 2.60 | 2.80 |
| M. N. CENTRAL | 5,395 | 7,069 | 19,301 | 25,152 | 3.58 | 3.56 | 13,650 | 17,796 | 642 | 959 | 3.71 | 4.26 |
| S. ATLANTIC | 95,801 | 108,642 | 346,911 | 395,139 | 3.62 | 3.64 | 247,356 | 280,322 | 11,377 | 14,484 | 3.66 | 4.09 |
| S. CENTRAL | 107,605 | 119,063 | 350,490 | 418,574 | 3.42 | 3.52 | 252,421 | 297,931 | 8,486 | 12,857 | 2.70 | 3.43 |
| WEST | 4,524 | 6,798 | 16,355 | 24,769 | 3.61 | 3.64 | 11,636 | 17,330 | 373 | 706 | 2.54 | 3.18 |
| U. S. | 225,345 | 259,718 | 800,900 | 936,822 | 3.55 | 3.61 | 573,945 | 666,065 | 23,124 | 31,538 | 3.22 | 3.76 |
| MAINE | 6,240 | 6,892 | 24,840 | 28,711 | 3.98 | 4.17 | 18,146 | 20,845 | 846 | 925 | 3.80 | 3.59 |
| PENNSYLVANIA | 7,130 | 7,586 | 28,669 | 30,260 | 4.02 | 3.99 | 20,266 | 21,515 | 1,035 | 1,181 | 4.02 | 4.35 |
| INDIANA | 1,214 | 1,337 | 4,334 | 4,882 | 3.57 | 3.65 | 3,213 | 3,609 | 88 | 131 | 2.25 | 3.00 |
| MISSOURI | 4,647 | 5,757 | 16,336 | 20,236 | 4.04 | 3.90 | 11,384 | 14,166 | 595 | 839 | 4.06 | 4.62 |
| DELAWARE | 8,401 | 8,431 | 32,777 | 33,008 | 3.90 | 3.92 | 23,325 | 23,426 | 1,013 | 1,016 | 3.45 | 3.43 |
| MARYLAND | 15,382 | 16,153 | 59,862 | 61,915 | 3.89 | 3.83 | 43,224 | 44,533 | 1,762 | 1,884 | 3.28 | 3.39 |
| VIRGINIA | 7,732 | 8,262 | 26,458 | 28,350 | 3.42 | 3.43 | 18,228 | 19,399 | 743 | 905 | 3.12 | 3.55 |
| NORTH CAROLINA | 24,386 | 27,984 | 89,845 | 103,102 | 3.68 | 3.68 | 64,156 | 73,236 | 2,521 | 3,445 | 3.13 | 3.73 |
| SOUTH CAROLINA | 2,645 | 3,164 | 9,053 | 11,451 | 3.42 | 3.62 | 6,331 | 7,850 | 329 | 515 | 4.06 | 5.02 |
| GEORGIA | 33,503 | 39,370 | 115,982 | 138,360 | 3.46 | 3.51 | 82,217 | 98,560 | 4,759 | 6,066 | 4.58 | 4.89 |
| TENNESSEE | 5,844 | 6,608 | 20,560 | 22,753 | 3.52 | 3.44 | 14,797 | 16,515 | 574 | 692 | 3.12 | 3.39 |
| ALABAMA | 25,937 | 30,791 | 89,447 | 111,479 | 3.45 | 3.62 | 64,120 | 77,809 | 2,540 | 4,802 | 3.17 | 4.81 |
| MISSISSIPPI | 15,851 | 20,197 | 53,443 | 70,221 | 3.37 | 3.48 | 39,605 | 51,347 | 890 | 1,386 | 1.85 | 2.20 |
| ARKANSAS | 32,818 | 34,603 | 109,578 | 117,461 | 3.34 | 3.39 | 77,896 | 82,856 | 2,638 | 3,281 | 2.68 | 3.12 |
| LOUISIANA | 4,851 | 5,110 | 17,118 | 18,180 | 3.53 | 3.56 | 12,532 | 13,199 | 366 | 438 | 2.39 | 2.69 |
| TEXAS | 14,194 | 17,290 | 45,688 | 62,357 | 3.50 | 3.61 | 35,904 | 44,732 | 1,273 | 1,837 | 2.81 | 3.29 |
| WASHINGTON | 1,206 | 1,810 | 4,732 | 7,039 | 3.92 | 3.89 | 3,302 | 4,865 | 107 | 216 | 2.51 | 3.42 |
| CALIFORNIA | 2,617 | 3,176 | 9,633 | 11,906 | 3.68 | 3.75 | 6,948 | 8,487 | 215 | 310 | 2.49 | 2.91 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1970

| REGION AND STATE | TURFR- :CULOSIS: | LEU- :KOSIS: | SFPTI- :CFMIA: | AIRSAC- :CULITIS: | SYNO- :VITIS: | TUMORS :NO. | BRUISES :NO. | CADAVER :NO. | CONTAM- :INATION: | OVER- :SCALD: | OTHER :NO. | TOTAL :NO. |
|------------------|---------------------|-----------------|-------------------|----------------------|------------------|----------------|-----------------|-----------------|----------------------|------------------|---------------|---------------|
| | | | | | | | | | | | | |
| N. ATLANTIC | --- | 236,457 | 136,298 | 45,252 | 4,304 | 1,251 | 4,429 | 14,401 | 32,807 | 2,740 | 15,563 | 493,502 |
| F. N. CENTRAL | --- | 37,677 | 17,741 | 1,735 | 780 | 73 | 3,169 | 2,905 | 8,232 | 650 | 1,640 | 74,602 |
| W. N. CENTRAL | --- | 52,895 | 40,435 | 89,077 | 4,107 | 412 | 4,279 | 7,970 | 18,252 | 1,146 | 9,965 | 228,538 |
| S. ATLANTIC | --- | 2,179,417 | 543,844 | 419,604 | 39,424 | 9,468 | 52,497 | 103,024 | 391,785 | 31,161 | 176,793 | 3,947,017 |
| S. CENTRAL | --- | 1,542,552 | 581,782 | 432,107 | 103,471 | 16,503 | 64,947 | 122,486 | 253,097 | 25,377 | 130,746 | 3,273,068 |
| WEST | --- | 70,411 | 48,449 | 34,310 | 1,002 | 253 | 2,373 | 8,337 | 8,309 | 1,451 | 9,268 | 184,163 |
| U. S. | --- | 4,119,409 | 1,368,549 | 1,022,085 | 153,088 | 27,960 | 131,694 | 259,123 | 712,482 | 62,525 | 343,975 | 8,200,890 |
| MAINE | --- | 84,249 | 79,953 | 4,359 | 3,242 | 437 | 1,477 | 6,310 | 7,921 | 801 | 4,193 | 192,942 |
| PENNSYLVANIA | --- | 138,237 | 44,372 | 34,525 | 744 | 618 | 2,420 | 7,218 | 22,021 | 1,858 | 9,975 | 261,988 |
| INDIANA | --- | 28,926 | 6,741 | 568 | 201 | 44 | 773 | 1,243 | 1,942 | 26 | 310 | 40,774 |
| WISCONSIN | --- | 8,122 | 10,658 | 1,135 | 579 | 29 | 2,393 | 1,618 | 6,173 | 624 | 1,256 | 32,587 |
| MISSOURI | --- | 48,012 | 34,194 | 84,480 | 3,728 | 333 | 3,775 | 6,978 | 13,316 | 1,121 | 4,226 | 200,073 |
| DELAWARE | --- | 155,537 | 36,037 | 40,587 | 2,886 | 337 | 2,656 | 5,123 | 14,990 | 1,278 | 12,483 | 271,914 |
| MARYLAND | --- | 274,578 | 57,496 | 45,783 | 3,748 | 996 | 4,398 | 11,777 | 32,547 | 6,670 | 6,250 | 479,243 |
| VIRGINIA | --- | 142,829 | 52,959 | 58,711 | 2,088 | 438 | 4,019 | 6,565 | 9,242 | 3,480 | 6,169 | 286,500 |
| NORTH CAROLINA | --- | 278,126 | 147,166 | 140,940 | 12,993 | 3,903 | 20,353 | 26,721 | 141,331 | 6,300 | 79,467 | 857,300 |
| SOUTH CAROLINA | --- | 73,149 | 13,684 | 21,195 | 1,797 | 196 | 2,485 | 4,448 | 10,568 | 1,185 | 4,653 | 133,360 |
| GEORGIA | --- | 1,164,423 | 178,049 | 100,819 | 14,804 | 3,262 | 16,684 | 44,060 | 170,154 | 11,701 | 53,366 | 1,757,322 |
| TENNESSEE | --- | 94,488 | 34,695 | 6,852 | 2,004 | 527 | 2,453 | 9,348 | 27,360 | 1,237 | 11,570 | 190,534 |
| ALABAMA | --- | 967,628 | 120,177 | 73,983 | 8,601 | 5,703 | 11,982 | 31,317 | 72,962 | 7,984 | 28,931 | 1,329,268 |
| MISSISSIPPI | --- | 107,865 | 35,391 | 64,652 | 7,571 | 2,816 | 6,825 | 8,084 | 35,315 | 4,245 | 35,193 | 307,957 |
| ARKANSAS | --- | 195,691 | 223,478 | 171,163 | 56,590 | 4,455 | 18,854 | 39,507 | 73,820 | 5,965 | 28,337 | 817,860 |
| LOUISIANA | --- | 22,688 | 30,401 | 13,166 | 3,105 | 533 | 3,903 | 9,969 | 6,298 | 423 | 3,025 | 93,511 |
| TEXAS | --- | 115,686 | 112,337 | 88,397 | 23,864 | 2,236 | 15,855 | 17,099 | 29,809 | 2,916 | 19,480 | 427,729 |
| WASHINGTON | --- | 10,939 | 9,533 | 7,093 | 578 | 34 | 1,172 | 1,868 | 2,909 | 1,048 | 4,497 | 39,671 |
| CALIFORNIA | --- | 32,727 | 26,128 | 18,326 | 192 | 65 | 627 | 4,341 | 2,484 | 235 | 1,466 | 86,591 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1969 AND 1970

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | |
|------------------|---------------|-----------|------------------|-----------|---------------|---------------|-----------------------|-----------|---------------------------|------------|
| | INSPECTED | INSPECTED | LIVWEIGHT | LIVWEIGHT | INSPECTED/100 | INSPECTED/100 | READY-TO-COOK WT./100 | CERTIFIED | POUNDS (NYD) | PERCENT 2/ |
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 |
| | - THOUSANDS - | | - 1,000 POUNDS - | | - POUNDS - | | - 1,000 POUNDS - | | - PERCENT - | |
| N. ATLANTIC | 1,453 | 1,468 | 7,459 | 7,415 | 5.13 | 5.05 | 4,872 | 4,807 | 294 | 372 |
| F. N. CENTRAL | 1,634 | 1,979 | 6,996 | 8,584 | 4.28 | 4.34 | 4,366 | 5,248 | 261 | 287 |
| M. N. CENTRAL | 2,903 | 3,545 | 12,675 | 15,708 | 4.37 | 4.43 | 7,872 | 9,756 | 700 | 836 |
| S. ATLANTIC | 2,684 | 3,616 | 12,839 | 17,104 | 4.78 | 4.73 | 6,154 | 11,126 | 624 | 933 |
| S. CENTRAL | 2,579 | 2,590 | 13,493 | 14,508 | 5.23 | 5.60 | 8,929 | 9,810 | 593 | 593 |
| WEST | 1,435 | 1,561 | 5,886 | 6,618 | 4.10 | 4.24 | 3,588 | 4,038 | 347 | 400 |
| U. S. | 12,688 | 14,759 | 59,348 | 69,937 | 4.68 | 4.74 | 37,786 | 44,785 | 2,846 | 3,421 |
| MAINE | 296 | 244 | 1,901 | 1,548 | 6.43 | 6.34 | 1,301 | 1,041 | 64 | 55 |
| NEW JERSEY | 815 | 840 | 3,502 | 3,620 | 4.30 | 4.31 | 2,132 | 2,233 | 181 | 210 |
| PENNSYLVANIA | 73 | 95 | 521 | 667 | 7.11 | 7.01 | 364 | 454 | 13 | 19 |
| OHIO | 341 | 345 | 1,420 | 1,421 | 4.17 | 4.12 | 883 | 852 | 55 | 65 |
| INDIANA | 569 | 661 | 2,291 | 2,606 | 4.02 | 3.94 | 1,437 | 1,611 | 81 | 75 |
| MINNESOTA | 784 | 1,372 | 3,027 | 5,191 | 3.86 | 3.78 | 1,825 | 3,123 | 163 | 267 |
| MISSOURI | 964 | 981 | 5,247 | 6,048 | 5.44 | 6.17 | 3,473 | 4,096 | 245 | 293 |
| DELAWARE | 43 | 43 | --- | 324 | --- | 7.56 | --- | 231 | --- | 7 |
| MARYLAND | 467 | --- | 1,873 | --- | 4.01 | --- | 1,211 | --- | 120 | --- |
| VIRGINIA | 79 | 82 | 592 | 612 | 7.53 | 7.51 | 397 | 429 | 19 | 21 |
| NORTH CAROLINA | 319 | 378 | 2,415 | 2,899 | 7.57 | 7.67 | 1,614 | 1,955 | 82 | 121 |
| GEORGIA | 983 | 2,164 | 4,544 | 9,518 | 4.62 | 4.40 | 2,909 | 6,213 | 181 | 532 |
| ALABAMA | 346 | 269 | 1,534 | 1,883 | 4.44 | 4.40 | 956 | 1,270 | 88 | 75 |
| MISSISSIPPI | 1,369 | 1,353 | 7,194 | 7,031 | 5.26 | 5.20 | 4,801 | 4,786 | 271 | 271 |
| ARKANSAS | 229 | 233 | 1,671 | 1,712 | 7.28 | 7.34 | 1,185 | 1,172 | 69 | 75 |
| LOUISIANA | 51 | 51 | --- | 355 | --- | 6.94 | --- | 255 | --- | 10 |
| TEXAS | 489 | 528 | 2,180 | 2,678 | 4.46 | 5.07 | 1,371 | 1,737 | 153 | 133 |
| WASHINGTON | 123 | 116 | 501 | 529 | 4.06 | 4.57 | 314 | 342 | 24 | 22 |
| CALIFORNIA | 1,267 | 1,300 | 5,218 | 5,403 | 4.12 | 4.20 | 3,164 | 3,296 | 314 | 345 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CUNDFMNFED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1970

| REGION AND STATE | TURER- : LEU- : SFTI- : ATRAC- : SYND- : CONTAIN- : OVER- : TOTAL | | CULOSIS : KOSIS : GEMIA : CULLITIS : VITIS : TUMORS : BRUISES : CADAVER : INATION : SCALD : OTHER : NO. | | : NO. | | | | | | | |
|------------------|---|--------|---|-------|-------|---------|--------|--------|--------|-------|--------|---------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. |
| N. ATLANTIC | --- | 2,640 | 25,842 | 69 | 343 | 21,803 | 5,293 | 1,952 | 3,940 | 149 | 9,674 | 71,705 |
| F. N. CENTRAL | 310 | 8,170 | 23,514 | 476 | 25 | 23,633 | 4,523 | 1,953 | 7,472 | 65 | 7,567 | 77,708 |
| M. N. CENTRAL | 3,173 | 10,967 | 53,726 | 2,373 | 237 | 70,727 | 11,223 | 4,464 | 11,721 | 633 | 18,319 | 187,513 |
| S. ATLANTIC | 8 | 4,951 | 60,581 | 957 | 1,770 | 47,317 | 8,847 | 6,353 | 25,419 | 1,365 | 13,531 | 171,099 |
| S. CENTRAL | 4 | 10,055 | 43,279 | 246 | 1,331 | 24,606 | 5,420 | 2,325 | 9,088 | 532 | 15,916 | 112,752 |
| WEST | --- | 925 | 34,469 | 34 | 40 | 45,273 | 2,898 | 1,191 | 7,001 | 163 | 10,228 | 102,228 |
| U. S. | 3,445 | 37,708 | 241,361 | 4,155 | 3,752 | 233,359 | 38,204 | 18,238 | 64,641 | 2,907 | 75,235 | 723,005 |
| MAINE | --- | 626 | 3,822 | 8 | 134 | 1,490 | 399 | 155 | 567 | 5 | 164 | 7,370 |
| NEW JERSEY | --- | 1,285 | 17,187 | --- | 48 | 14,150 | 1,514 | 1,590 | 2,478 | 118 | 8,814 | 47,184 |
| PENNSYLVANIA | --- | 222 | 870 | 48 | 9 | 310 | 27 | 60 | 371 | 3 | 326 | 2,246 |
| OHIO | 171 | 3,198 | 3,033 | 17 | 3 | 3,255 | 921 | 588 | 1,527 | 21 | 2,399 | 15,133 |
| INDIANA | 3 | 1,832 | 7,898 | 5 | 3 | 9,780 | 511 | 389 | 3,684 | 10 | 2,192 | 26,307 |
| MINNESOTA | 1,820 | 2,697 | 14,008 | 987 | 104 | 30,642 | 4,110 | 1,781 | 3,744 | 189 | 10,462 | 70,544 |
| MISSOURI | 176 | 2,420 | 21,698 | 303 | 106 | 7,431 | 2,037 | 1,369 | 4,276 | 315 | 4,032 | 44,163 |
| DELAWARE | --- | 188 | 512 | 21 | 30 | 39 | 16 | 16 | 132 | 1 | 7 | 962 |
| VIRGINIA | --- | 303 | 1,659 | 30 | 23 | 250 | 125 | 60 | 381 | 1 | 163 | 2,995 |
| NORTH CAROLINA | --- | 1,398 | 3,095 | 445 | 375 | 953 | 532 | 266 | 1,953 | 16 | 3,394 | 12,427 |
| GEORGIA | --- | 1,245 | 40,241 | 340 | 1,019 | 33,833 | 4,597 | 2,658 | 16,952 | 369 | 4,521 | 105,775 |
| ALABAMA | --- | 823 | 4,957 | 67 | 169 | 922 | 120 | 207 | 1,545 | 107 | 668 | 9,485 |
| MISSISSIPPI | 4 | 1,215 | 24,975 | 1 | 596 | 19,963 | 4,130 | 966 | 5,295 | 159 | 7,852 | 64,756 |
| ARKANSAS | --- | 646 | 3,874 | 52 | 235 | 251 | 123 | 283 | 679 | 25 | 199 | 6,367 |
| LOUISIANA | --- | 228 | 940 | 10 | 14 | 36 | 34 | 44 | 60 | --- | 50 | 1,416 |
| TEXAS | --- | 6,308 | 5,592 | 78 | 174 | 3,646 | 881 | 648 | 1,061 | 222 | 6,982 | 25,592 |
| WASHINGTON | --- | 250 | 2,084 | 20 | 5 | 913 | 270 | 111 | 436 | 1 | 1,258 | 5,348 |
| CALIFORNIA | --- | 592 | 28,780 | 7 | 36 | 40,833 | 2,416 | 789 | 5,847 | 104 | 8,145 | 87,549 |

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1969 AND 1970

| REGION AND STATE | NUMBER | | POUNDS | | AVERAGE | | TOTAL POUNDS | | POST-MORTEM CONDEMNATIONS | | |
|------------------|-------------|-------------|----------------|----------------|------------|------------|----------------|-------------------|---------------------------|------------|-----|
| | INSPECTED | INSPECTED | INSPECTED | INSPECTED | LIVEWEIGHT | INSPECTED/ | CERTIFIED | READY-TO-COOK WT. | POUNDS (NYD) | PERCENT 2/ | |
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | |
| | -THOUSANDS- | -THOUSANDS- | -1,000 POUNDS- | -1,000 POUNDS- | -POUNDS- | -POUNDS- | -1,000 POUNDS- | -1,000 POUNDS- | -PERCENT- | -PERCENT- | |
| N. ATLANTIC | 45 | 72 | 765 | 1,167 | 17.00 | 16.21 | 603 | 918 | 8 | 15 | |
| F. N. CENTRAL | 224 | 444 | 4,010 | 7,795 | 17.92 | 17.54 | 3,186 | 6,182 | 90 | 135 | |
| M. N. CENTRAL | 1,325 | 1,660 | 21,488 | 27,217 | 16.22 | 16.40 | 17,305 | 21,655 | 402 | 585 | |
| S. ATLANTIC | 855 | 1,144 | 15,849 | 20,055 | 18.53 | 17.53 | 12,481 | 15,801 | 427 | 560 | |
| S. CENTRAL | 1,375 | 1,652 | 25,281 | 31,438 | 18.39 | 19.03 | 19,949 | 24,706 | 516 | 852 | |
| WEST | 1,489 | 1,957 | 26,566 | 36,407 | 17.84 | 18.61 | 21,283 | 28,996 | 470 | 548 | |
| U. S. | 5,313 | 6,929 | 93,959 | 124,079 | 17.68 | 17.91 | 74,807 | 98,258 | 1,913 | 2,695 | |
| PENNSYLVANIA | 45 | 67 | 764 | 1,117 | 17.01 | 16.69 | 603 | 880 | 8 | 13 | |
| OHIO | 140 | 226 | 1,837 | 2,640 | 13.08 | 11.72 | 1,475 | 2,089 | 35 | 56 | |
| WISCONSIN | 100 | 226 | 1,837 | 3,728 | 18.36 | 16.50 | 1,475 | 2,979 | 39 | 56 | |
| MINNESOTA | 551 | 725 | 8,566 | 12,243 | 15.55 | 16.89 | 6,938 | 9,767 | 151 | 256 | |
| IOWA | 394 | 398 | 6,484 | 6,563 | 16.47 | 16.49 | 5,131 | 5,101 | 141 | 187 | |
| MISSOURI | 345 | 432 | 5,862 | 6,487 | 17.00 | 15.00 | 4,772 | 5,245 | 105 | 101 | |
| VIRGINIA | 243 | 380 | 4,740 | 7,384 | 19.55 | 19.45 | 3,643 | 5,675 | 132 | 261 | |
| NORTH CAROLINA | 498 | 590 | 8,716 | 9,416 | 17.49 | 15.96 | 6,937 | 7,618 | 233 | 208 | |
| ARKANSAS | --- | 812 | --- | 15,261 | --- | 18.80 | --- | 12,049 | --- | 433 | --- |
| TEXAS | 540 | 744 | 10,251 | 14,077 | 18.99 | 18.92 | 8,069 | 10,999 | 211 | 363 | |
| COLORADO | 232 | 291 | 4,353 | 5,918 | 18.74 | 20.30 | 3,533 | 4,642 | 44 | 64 | |
| UTAH | 154 | 249 | 2,784 | 4,272 | 18.07 | 17.18 | 2,212 | 3,400 | 49 | 79 | |
| CALIFORNIA | 1,046 | 1,284 | 18,427 | 23,813 | 17.61 | 18.55 | 14,746 | 19,026 | 361 | 384 | |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1970

| REGION AND STATE | : TURFR- : | | : LEU- : | | : SEPTI- : | | : AIRSAC- : | | : SYNO- : | | : TUMORS : | | : BRUISES : | | : CADAVER : | | : INATION : | | : OVER- : | | : TOTAL : | |
|------------------|------------|---------|----------|---------|------------|---------|-------------|---------|-----------|---------|------------|---------|-------------|---------|-------------|---------|-------------|---------|-----------|---------|-----------|---------|
| | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : | : NO. : |
| N. ATLANTIC | --- | --- | 26 | 384 | 142 | 3 | --- | 9 | 75 | 163 | 2 | 15 | 819 | | | | | | | | | |
| P. N. CENTRAL | --- | --- | 88 | 2,702 | 1,257 | 159 | 29 | 200 | 169 | 234 | 72 | 38 | 4,948 | | | | | | | | | |
| W. N. CENTRAL | --- | --- | 107 | 14,421 | 7,177 | 1,020 | 112 | 494 | 856 | 2,399 | 398 | 531 | 27,515 | | | | | | | | | |
| S. ATLANTIC | --- | --- | 42 | 13,111 | 7,822 | 537 | 18 | 428 | 492 | 2,141 | 281 | 1,430 | 26,302 | | | | | | | | | |
| S. CENTRAL | --- | --- | 108 | 17,117 | 8,659 | 3,954 | 304 | 1,089 | 1,480 | 2,656 | 252 | 1,457 | 37,076 | | | | | | | | | |
| WEST | --- | --- | 177 | 13,062 | 4,518 | 1,704 | 118 | 375 | 1,124 | 1,016 | 191 | 607 | 22,892 | | | | | | | | | |
| U. S. | --- | --- | 548 | 60,797 | 29,575 | 7,377 | 581 | 2,595 | 4,196 | 8,609 | 1,196 | 4,078 | 119,552 | | | | | | | | | |
| PENNSYLVANIA | --- | --- | 6 | 332 | 142 | 3 | --- | 7 | 75 | 103 | 2 | 11 | 681 | | | | | | | | | |
| OHIO | --- | --- | 14 | 639 | 162 | --- | 12 | 27 | 59 | 40 | 64 | 1 | 1,018 | | | | | | | | | |
| WISCONSIN | --- | --- | 27 | 1,264 | 421 | 159 | 9 | 165 | 60 | 128 | 8 | 4 | 2,245 | | | | | | | | | |
| MINNESOTA | --- | --- | 101 | 7,425 | 2,474 | 521 | 7 | 132 | 408 | 1,063 | 291 | 149 | 12,571 | | | | | | | | | |
| IOWA | --- | --- | 3 | 4,014 | 2,316 | 17 | 100 | 147 | 153 | 637 | 59 | 135 | 7,581 | | | | | | | | | |
| MISSOURI | --- | --- | 1 | 2,215 | 1,305 | 221 | 1 | 191 | 236 | 482 | 48 | 131 | 4,831 | | | | | | | | | |
| VIRGINIA | --- | --- | 2 | 8,335 | 3,805 | 34 | 1 | 127 | 147 | 392 | 21 | 15 | 12,879 | | | | | | | | | |
| NORTH CAROLINA | --- | --- | 25 | 3,327 | 3,062 | 394 | 13 | 246 | 266 | 1,391 | 195 | 1,103 | 10,022 | | | | | | | | | |
| ARKANSAS | --- | --- | 93 | 8,469 | 4,668 | 1,786 | 14 | 251 | 857 | 1,284 | 224 | 33 | 17,679 | | | | | | | | | |
| TEXAS | --- | --- | 13 | 7,433 | 3,816 | 1,089 | 282 | 827 | 588 | 1,263 | 13 | 1,424 | 16,748 | | | | | | | | | |
| COLORADO | --- | --- | 16 | 1,682 | 366 | 64 | 12 | 32 | 228 | 90 | 59 | 27 | 2,576 | | | | | | | | | |
| UTAH | --- | --- | 14 | 1,533 | 480 | 248 | 10 | 162 | 573 | 346 | 13 | 35 | 3,414 | | | | | | | | | |
| CALIFORNIA | --- | --- | 147 | 9,182 | 3,631 | 1,283 | 94 | 113 | 300 | 567 | 118 | 539 | 15,974 | | | | | | | | | |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED/1969 : 1970 | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | |
|------------------|------------------|------|-------------------------------|-------|--|-------|--|------|---------------------------|------|------|
| | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | |
| N. ATLANTIC | 7 | 57 | 506 | 8,00 | 8.88 | 43 | 403 | --- | 6 | --- | 1.31 |
| F. N. CENTRAL | 23 | 87 | 808 | 9.51 | 9.26 | 176 | 617 | 2 | 11 | 1.18 | 1.56 |
| M. N. CENTRAL | 752 | 346 | 3,168 | 9.25 | 9.16 | 1,849 | 2,516 | 31 | 44 | 1.49 | 1.55 |
| S. ATLANTIC | 308 | 345 | 3,025 | 9.02 | 8.76 | 2,083 | 2,262 | 53 | 69 | 2.10 | 2.53 |
| S. CENTRAL | 10 | 10 | 86 | 10.82 | 8.47 | 84 | 66 | 3 | 1 | 3.01 | .83 |
| WEST | 56 | 74 | 616 | 8.12 | 8.27 | 349 | 477 | 9 | 16 | 2.16 | 2.88 |
| U. S. | 656 | 919 | 5,953 | 9.08 | 8.94 | 4,584 | 6,341 | 98 | 147 | 1.83 | 1.99 |
| MINNESOTA | 252 | 346 | 2,332 | 9.25 | 9.16 | 1,849 | 2,516 | 31 | 44 | 1.49 | 1.55 |
| VIRGINIA | 217 | 781 | 2,473 | 9.03 | 8.80 | 1,445 | 1,826 | 35 | 57 | 1.99 | 2.57 |
| CALIFORNIA | 33 | 56 | 479 | 8.94 | 8.55 | 222 | 368 | 7 | 14 | 2.83 | 3.27 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1970

| REGION AND STATE | TUBERCULOSIS | | LEUROSIS | | SEPTICEMIA | | AIRSAC | | SYNOVITIS | | TUMORS | | BRUISES | | CADAVER | | CONTAMINATION | | OVERSCALE | | TOTAL NO. |
|------------------|--------------|-----|----------|-------|------------|-----|--------|-----|-----------|-------|--------|-----|---------|-----|---------|-----|---------------|-----|-----------|-----|-----------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | | |
| N. ATLANTIC | --- | --- | 10 | 223 | 103 | 11 | --- | 3 | 25 | 109 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 484 |
| F. N. CENTRAL | --- | --- | 2 | 336 | 207 | 2 | --- | 21 | 30 | 45 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 647 |
| M. N. CENTRAL | --- | --- | 1 | 2,588 | 207 | 17 | 6 | 41 | 140 | 983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4,002 |
| S. ATLANTIC | --- | --- | --- | 4,373 | 1,052 | 10 | 1 | 123 | 195 | 725 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6,571 |
| S. CENTRAL | --- | --- | --- | 25 | --- | --- | --- | --- | 1 | 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 51 |
| WEST | --- | --- | --- | 1,125 | 105 | 49 | --- | 64 | 33 | 192 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1,686 |
| U. S. | --- | --- | 13 | 8,670 | 1,674 | 89 | 7 | 252 | 424 | 2,079 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13,441 |
| MINNESOTA | --- | --- | 1 | 2,588 | 207 | 17 | 6 | 41 | 140 | 983 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4,002 |
| VIRGINIA | --- | --- | --- | 4,188 | 776 | 2 | --- | 114 | 132 | 601 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5,846 |
| CALIFORNIA | --- | --- | --- | 997 | 102 | 25 | --- | 27 | 25 | 188 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1,461 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1969 AND 1970

| REGION AND STATE | NUMBER INSPECTED | PCUNDS | | AVERAGE LIVWEIGHT | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|------------------|--------|-------|-------------------|-------|------------------------|-------|---------------------------|------|------|------|
| | | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | 1969 | 1970 | | |
| N. ATLANTIC | 13 | 752 | --- | 19.38 | --- | 201 | --- | 6 | --- | 2.71 | --- |
| E. N. CENTRAL | 38 | 761 | 1,028 | 19.86 | 19.64 | 611 | 816 | 15 | 24 | 2.20 | 2.62 |
| W. N. CENTRAL | 52 | 1,059 | 2,426 | 20.26 | 19.21 | 818 | 1,908 | 33 | 92 | 3.50 | 4.20 |
| S. ATLANTIC | 74 | 1,439 | 498 | 19.41 | 19.19 | 1,112 | 392 | 72 | 26 | 5.64 | 5.89 |
| S. CENTRAL | 52 | 1,071 | --- | 20.47 | --- | 891 | --- | 39 | --- | 4.04 | --- |
| WEST | 147 | 3,023 | 2,769 | 20.53 | 20.09 | 2,404 | 1,807 | 92 | 54 | 3.38 | 2.62 |
| U. S. | 376 | 7,605 | 6,221 | 20.21 | 19.59 | 6,037 | 4,923 | 257 | 196 | 3.77 | 3.50 |
| MINNESOTA | 37 | 760 | 1,214 | 20.32 | 20.39 | 586 | 963 | 24 | 42 | 3.44 | 3.87 |
| MISSOURI | 66 | --- | 1,195 | --- | 18.15 | --- | 931 | --- | 49 | --- | 4.56 |
| NORTH CAROLINA | 32 | 628 | 498 | 19.49 | 19.19 | 488 | 392 | 29 | 26 | 5.26 | 5.89 |
| CALIFORNIA | 72 | 1,428 | 1,254 | 19.96 | 19.89 | 1,150 | 1,004 | 34 | 30 | 2.67 | 2.64 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ FASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.


OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1970

| REGION AND STATE | TURB- SCULOSIS | LEU- KOSIS | SEPTI- CEMIA | ATRSAC- CULITIS | SYNO- VILIS | TUMORS | BRUISES | CADAVER | INAYON | CONTAM- SCALD | OVER- OTHER | TOTAL |
|------------------|-------------------|---------------|-----------------|--------------------|----------------|--------|---------|---------|--------|------------------|----------------|-------|
| | | | | | | | | | | | | |
| N. ATLANTIC | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. CENTRAL | 11 | 467 | 170 | 17 | 3 | 26 | 20 | 70 | --- | --- | 3 | 787 |
| W. N. CENTRAL | 67 | 2,022 | 1,129 | 28 | 120 | 50 | 72 | 452 | 52 | 135 | 208 | 4,127 |
| S. ATLANTIC | 16 | 423 | 387 | 14 | 11 | 6 | 3 | 90 | --- | --- | --- | 1,158 |
| S. CENTRAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| WEST | 18 | 1,896 | 53 | 64 | 219 | 151 | 32 | 61 | 2 | 26 | --- | 2,522 |
| U. S. | 112 | 4,808 | 1,739 | 123 | 353 | 233 | 127 | 673 | 54 | 372 | 10 | 8,594 |
| MINNESOTA | 7 | 1,008 | 411 | 21 | 5 | 29 | 44 | 244 | 11 | 11 | 10 | 1,790 |
| MISSOURI | 60 | 1,007 | 706 | 7 | 115 | 21 | 28 | 208 | 41 | 125 | 208 | 2,318 |
| NORTH CAROLINA | 16 | 423 | 387 | 14 | 11 | 6 | 3 | 90 | --- | --- | --- | 1,158 |
| CALIFORNIA | --- | 1,114 | 16 | 59 | 202 | 23 | 8 | 33 | --- | --- | 22 | 1,477 |

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.