

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Further Processing  
July 1970

Release:  
September 2, 1970  
3:00 P.M. EDT

Inspected Poultry - There were 1,208 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during July under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 10 percent more than June and 12 percent more than a year earlier.

The number of head and pounds live weight inspected by classes were: young chickens--258,551,000 head, 921,863,000 pounds; mature chickens--12,839,000 head, 59,810,000 pounds; fryer-roaster turkeys--997,000 head, 8,889,000 pounds; young turkeys--11,161,000 head, 203,217,000 pounds; old turkeys--263,000 head, 4,922,000 pounds; ducks--1,444,000 head, 8,851,000 pounds.

Poultry Certified as Wholesome in July totaled 874,037,000 pounds ready-to-cook weight of which 654,465,000 pounds were chilled and 219,572,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 656,951,000; mature chickens, 38,494,000; fryer-roaster turkeys, 6,843,000; young turkeys, 161,362,000; old turkeys, 3,920,000; ducks, 6,273,000; and other poultry, 194,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 111,782,000 pounds ready-to-cook weight, compared with 95,687,000 pounds in July 1969. The July total consisted of 28,745,000 pounds young chickens, 30,642,000 pounds mature chickens, 47,144,000 pounds of turkeys and 5,251,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 182,672,000 pounds ready-to-cook weight, compared with 172,659,000 pounds in July 1969. The breakdown by classes was: young chickens, 161,662,000 pounds; mature chickens, 957,000 pounds; turkeys, 19,983,000 pounds; and other poultry, 70,000 pounds.

Ante-Mortem Condemnations during July were 7,331,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.66 percent; mature chickens, 1.10 percent; fryer-roaster turkeys, 0.25 percent; young turkeys, 0.23 percent; old turkeys, 0.50 percent; and ducks, 0.09 percent.

Post-Mortem Condemnations in July were 36,631,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.53 percent; mature chickens, 5.45 percent; fryer-roaster turkeys, 2.12 percent; young turkeys, 2.26 percent; old turkeys, 3.14 percent; and ducks, 1.75 percent.

---

UNITED STATES DEPARTMENT OF AGRICULTURE  
Statistical Reporting Service  
Pou 2-1 (9-2-70)

Crop Reporting Board  
Washington, D. C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1970 WITH COMPARISONS

NUMBER INSPECTED	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
JUNE 1970	259,718	14,759	274,477	919	6,929	318	8,166	1,483	---	---
JULY 1969	226,408	10,995	237,403	787	9,503	314	10,604	1,395	---	---
JULY 1970	258,551	12,839	271,390	997	11,161	263	12,421	1,444	---	---
JAN.-JULY 1969	1,453,905	93,236	1,547,141	5,238	22,070	1,080	28,388	6,333	---	---
JAN.-JULY 1970	1,648,229	100,637	1,748,866	6,014	26,247	829	33,090	6,555	---	---
POUNDS INSPECTED	926,822	69,937	1,006,759	8,209	124,079	6,221	138,509	9,395	299	1,154,962
JUNE 1970	789,254	50,178	839,432	7,347	169,250	5,935	182,532	8,472	353	1,030,789
JULY 1969	921,863	59,810	981,673	8,889	203,217	4,922	217,028	8,851	357	1,207,909
JAN.-JULY 1969	5,190,743	426,892	5,617,635	48,340	407,549	21,165	477,054	39,460	1,659	6,135,117
JAN.-JULY 1970	5,953,120	464,516	6,417,636	55,301	485,627	16,376	557,254	41,025	1,601	7,017,516
AVERAGE LIVEWEIGHTS	3.61	4.74	3.67	8.94	17.91	19.59	16.96	6.33	---	---
JUNE 1970	3.49	4.56	3.54	9.33	17.81	18.89	17.21	6.07	---	---
JULY 1969	3.57	4.66	3.62	8.92	18.21	18.74	17.47	6.13	---	---
JAN.-JULY 1969	3.57	4.58	3.63	9.23	18.47	19.59	16.80	6.23	---	---
JAN.-JULY 1970	3.61	4.62	3.67	9.20	18.50	19.70	16.84	6.26	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROTILER BREEDING STOCK) WAS:

JULY 1969, 1,740; AND JULY 1970, 2,790.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

JULY 1969, 616; AND JULY 1970, 491.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1970 WITH COMPARISONS 1/

NUMBER INSPECTED	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
JUNE 1970	604,491	32,620	637,111	1,392	16,218	1,355	18,965	201	29	656,306
JULY 1969	61,574	12,165	73,739	4,949	82,040	3,568	90,557	6,444	132	170,872
TOTAL	666,065	44,785	710,850	6,341	98,258	4,923	109,522	6,645	161	827,178
JULY 1970	512,773	24,397	537,170	1,284	20,323	1,174	22,781	275	30	560,256
TOTAL	55,596	7,470	63,066	4,393	114,792	3,506	122,691	5,727	158	191,632
JULY 1970	568,359	31,867	600,226	5,677	135,115	4,680	145,472	6,002	188	751,888
CHILLED	597,951	27,085	625,036	1,296	26,913	1,018	29,227	168	34	654,465
FROZEN	59,000	11,409	70,409	5,547	134,449	2,902	142,898	6,105	160	219,572
TOTAL	656,951	38,494	695,445	6,843	161,362	3,920	172,125	6,273	194	874,037
JANUARY-JULY 1969	3,342,886	277,196	3,550,082	10,641	59,030	4,428	74,099	1,894	58	3,626,133
JULY 1970	3,645,502	65,161	4,29,663	26,814	265,001	12,299	304,114	25,987	835	760,599
TOTAL	3,707,388	272,357	3,979,745	37,455	324,031	16,727	378,213	27,881	893	4,386,732
JANUARY-JULY 1970	3,804,741	271,930	4,076,671	10,455	74,985	3,207	88,647	1,356	138	4,116,812
FROZEN	423,683	74,090	497,773	32,388	308,219	9,719	350,326	27,796	723	876,618
TOTAL	4,228,424	296,020	4,524,444	47,843	383,204	12,926	438,973	29,152	861	4,993,430

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1970 WITH COMPARISONS 2/

	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :	
POST-MORTEM																	
1,000 POUNDS (LIVWEIGHT):																	
JULY 1969:	4,758	516	5,274	22	398	14	434							2	1	5,711	
JULY 1970:	6,129	659	6,788	23	486	25	534							8	1	7,331	
JAN.-JULY 1969:	20,054	3,561	23,615	109	974	76	1,159							10	5	24,789	
JAN.-JULY 1970:	27,187	4,346	31,533	124	1,193	60	1,377							44	5	32,959	
PERCENT 1/																	
JULY 1969:	.60	1.02	.62	.29	.23	.24	.23							.02	.41	.55	
JULY 1970:	.66	1.10	.69	.25	.23	.50	.24							.09	.48	.60	
POST-MORTEM																	
1,000 LBS. (N.Y. DRESSED):																	
JULY 1969:	21,164	2,339	23,503	125	3,035	183	3,343							110	3	26,960	
JULY 1970:	29,144	2,902	32,046	169	4,134	139	4,442							139	3	36,631	
JAN.-JULY 1969:	173,143	20,191	193,334	912	8,397	724	10,033							541	16	203,924	
JAN.-JULY 1970:	218,319	27,514	241,833	961	12,270	558	13,789							648	15	256,285	
PERCENT 2/																	
JULY 1969:	2.99	5.24	3.13	1.90	1.99	3.44	2.04							1.44	1.06	2.92	
JULY 1970:	3.53	5.45	3.65	2.12	2.26	3.14	2.28							1.75	.93	3.39	

POULTRY SLAUGHTER, SEPTEMBER 1970

1/ PERCENT CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ PERCENT CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1970 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY	
	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	
POUNDS USED READY-TO-COOK WEIGHT 2/										
JUNE 1970:	30,250	159,467	32,321	424	35,431	14,165	6,094	79	104,096	174,135
JULY 1969:	23,992	158,334	29,860	313	35,763	13,339	6,472	673	95,687	172,659
JULY 1970:	28,745	161,662	30,642	957	47,144	19,983	5,251	70	111,782	182,672
JANUARY-JULY 1969:	147,490	935,550	231,837	4,614	241,559	82,773	47,773	2,750	668,668	1,025,687
JANUARY-JULY 1970:	196,969	1,044,517	214,657	5,319	227,342	84,716	51,980	1,104	690,948	1,135,656
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
JUNE 1970:	313	1,169	48	25	66	12	18	3	445	1,209
JULY 1969:	148	995	33	2	29	8	60	---	270	1,005
JULY 1970:	453	1,084	49	45	26	214	27	33	555	1,376
JANUARY-JULY 1969:	902	6,288	275	16	237	51	229	5	1,643	6,360
JANUARY-JULY 1970:	1,570	6,811	447	143	1,262	1,344	199	41	3,478	8,339

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

Crop Reporting Board, SRS, USDA

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIMEWIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		1969	1970	1969	1970	1969	1970	1969	1970			
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-			
N. ATLANTIC	14,012	15,261	59,432	61,243	3.99	4.01	43,013	43,900	1,893	2,133	3.55	3.89
E. N. CENTRAL	2,774	2,695	10,700	10,156	3.86	3.77	7,867	7,432	245	239	2.55	2.62
S. N. CENTRAL	5,592	7,410	19,059	26,411	3.41	3.56	13,743	18,783	534	818	3.13	3.46
S. ATLANTIC	95,749	109,397	340,431	391,465	3.56	3.61	244,060	278,286	10,249	13,538	3.36	3.87
S. CENTRAL	102,364	119,249	342,093	409,287	3.34	3.46	247,267	292,286	7,780	11,686	2.54	3.19
WEST	5,017	6,539	17,549	23,321	3.50	3.57	12,409	16,264	463	730	2.94	3.49
U. S.	276,408	258,551	789,254	921,863	3.49	3.57	568,359	656,951	21,164	29,144	2.99	3.53
MAINE	6,781	6,832	26,956	27,943	3.98	4.09	20,011	20,380	736	836	3.04	3.34
PENNSYLVANIA	7,296	7,554	29,289	29,637	4.01	3.92	20,757	20,974	1,058	1,144	4.03	4.31
INDIANA	1,224	1,321	4,338	4,737	3.55	3.59	3,230	3,512	72	118	1.85	2.78
ILLINOIS	1,451	1,349	5,768	5,267	3.95	3.90	4,209	3,812	159	117	3.07	2.48
MINNESOTA	822	843	3,203	3,197	3.90	3.79	2,463	2,431	44	57	1.53	1.97
MISSOURI	4,762	5,925	15,780	20,809	3.31	3.51	11,224	14,647	486	679	3.44	3.65
DELAWARE	8,840	8,464	43,807	43,328	3.82	3.94	24,097	23,723	991	975	3.28	3.26
MARYLAND	15,182	16,583	57,209	63,276	3.77	3.82	41,378	45,374	1,682	1,869	3.27	3.29
VIRGINIA	7,777	8,206	26,535	28,325	3.41	3.45	18,362	19,457	628	846	2.64	3.12
NORTH CAROLINA	24,133	27,735	88,075	101,888	3.65	3.67	63,228	72,386	2,314	3,106	2.93	3.41
SOUTH CAROLINA	2,632	3,118	8,768	10,965	3.33	3.52	6,177	7,503	300	509	3.83	5.21
GEORGIA	33,356	38,960	113,251	135,256	3.40	3.47	81,390	96,985	4,073	5,574	4.02	4.61
LOUISIANA	5,574	6,662	19,477	22,838	3.49	3.43	14,062	16,585	585	719	3.38	3.52
FLORIDA	25,770	29,868	88,685	105,107	3.45	3.52	64,045	74,471	2,266	4,171	2.85	4.44
MISSISSIPPI	15,946	18,510	52,915	67,432	3.32	3.36	39,299	49,003	863	1,291	1.82	2.13
ARKANSAS	32,872	33,653	105,830	112,923	3.22	3.36	75,254	79,969	2,434	2,839	2.57	2.81
LOUISIANA	4,965	5,415	17,077	19,359	3.44	3.57	12,549	13,932	331	503	2.17	2.91
TEXAS	14,354	17,891	48,324	63,233	3.37	3.53	35,057	45,250	1,074	1,717	2.49	3.04
WASHINGTON	1,131	1,838	4,302	7,034	3.81	3.83	3,001	4,779	98	282	2.54	4.47
CALIFORNIA	2,711	2,834	9,645	10,501	3.56	3.71	6,935	7,574	268	248	3.10	2.64

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1970

REGION AND STATE	TURF- EULOSIS:	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER:	CONTAM- INATION:	OVER- SCALD	OTHER	TOTAL
V. ATLANTIC	---	200,562	125,989	41,627	4,730	1,200	5,357	16,942	34,571	3,198	16,412	450,568
C. N. CENTRAL	---	32,593	15,372	1,350	505	53	2,215	3,236	5,307	1,108	1,989	63,728
M. N. CENTRAL	---	34,623	42,804	51,343	1,895	515	5,186	9,204	17,162	1,821	7,686	172,239
S. ATLANTIC	---	1,962,512	495,450	344,306	38,264	9,434	50,316	100,084	399,359	37,137	170,118	3,606,980
S. CENTRAL	---	1,310,935	535,130	341,661	64,369	14,391	72,489	113,461	269,701	25,692	141,127	2,888,956
WEST	---	78,078	47,662	31,924	729	151	2,317	7,364	9,008	2,372	12,901	192,506
U. S.	---	3,619,283	1,262,407	812,211	110,492	25,744	137,880	250,291	735,108	71,328	350,233	7,374,977
MAINE	---	67,231	66,684	4,387	3,164	393	1,559	9,352	7,767	593	4,935	166,065
PENNSYLVANIA	---	123,513	47,131	16,183	1,393	573	3,151	6,797	23,255	2,454	9,873	254,293
INDIANA	---	24,892	7,854	534	---	25	901	1,351	1,402	113	965	37,837
MISSISSIPPI	---	7,684	7,417	810	505	27	1,311	1,864	3,881	995	1,014	25,508
MINNESOTA	---	3,047	3,518	147	97	59	293	94	1,767	288	3,003	12,313
MISSOURI	---	29,773	32,004	45,755	1,421	366	4,642	7,448	14,056	1,530	3,780	141,675
DELAWARE	---	145,742	34,202	26,041	2,726	281	2,877	4,912	17,059	2,104	8,111	244,055
MARYLAND	---	224,530	86,093	64,779	4,111	1,044	5,256	14,823	39,789	8,473	5,379	454,277
VIRGINIA	---	118,850	53,272	62,415	905	388	3,765	4,869	9,123	3,699	6,057	263,343
NORTH CAROLINA	---	229,423	124,794	85,284	12,893	3,842	18,376	26,583	145,410	11,004	76,971	734,580
SOUTH CAROLINA	---	80,023	12,493	21,013	1,295	187	2,255	3,836	9,043	732	3,362	134,239
GEORGIA	---	1,071,390	162,566	76,533	15,147	3,354	15,523	39,462	161,953	9,979	54,519	1,610,426
TENNESSEE	---	93,173	31,505	12,110	1,826	473	2,425	7,904	27,456	1,467	16,765	195,104
ALABAMA	---	842,515	109,180	49,697	8,395	3,709	11,865	26,029	75,314	7,638	27,492	1,161,834
MISSISSIPPI	---	85,266	28,341	60,273	7,393	2,865	7,278	10,024	39,187	4,489	39,571	284,687
ARKANSAS	---	141,206	197,628	132,744	24,616	4,372	18,099	33,073	73,320	7,292	27,543	659,893
LOUISIANA	---	22,680	30,713	18,326	4,585	691	4,871	10,578	7,096	422	3,377	103,339
TEXAS	---	100,171	103,392	58,573	16,269	1,985	22,275	17,588	33,070	3,354	20,515	377,192
WASHINGTON	---	13,423	10,876	15,893	468	58	1,193	1,598	3,367	1,337	7,601	55,814
CALIFORNIA	---	31,346	21,659	5,024	122	29	725	2,715	2,340	849	1,624	66,433

REGION AND STATE	MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1969 AND 1970											
	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED	INSPECTED	INSPECTED	INSPECTED	LIVEWEIGHT	LIVEWEIGHT	CERTIFIED	CERTIFIED	POUNDS (NYD)	PERCENT 2/		
	1970	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,216	1,493	6,016	7,497	4.95	5.02	3,886	4,851	251	380	4.67	5.68
E. N. CENTRAL	1,556	1,625	6,588	7,094	4.23	4.36	4,081	4,346	232	235	3.95	3.72
W. N. CENTRAL	2,598	2,707	11,416	12,159	4.39	4.49	7,096	7,705	612	629	6.03	5.82
S. ATLANTIC	2,305	2,854	10,670	12,950	4.63	4.54	6,864	8,570	529	696	5.56	6.03
S. CENTRAL	1,931	2,419	9,714	13,161	5.03	5.44	6,437	8,854	417	541	4.83	4.63
WEST	1,389	1,742	5,774	6,949	4.16	3.99	3,503	4,168	298	421	5.81	6.84
U. S.	10,995	12,839	50,178	59,810	4.56	4.66	31,867	38,494	2,339	2,902	5.24	5.45
MAINE	759	760	1,588	1,677	6.13	6.44	1,063	1,146	54	62	3.80	4.12
NEW JERSEY	705	848	2,992	3,590	4.24	4.22	1,837	2,175	156	220	5.84	6.87
PENNSYLVANIA	55	84	416	613	7.52	7.27	294	423	9	15	2.51	2.65
OHIO	368	427	1,612	1,764	4.37	4.13	966	1,062	62	71	4.36	4.51
INDIANA	535	391	2,121	1,532	3.96	3.91	1,362	966	70	42	3.72	3.08
MINNESOTA	1,056	1,116	4,077	4,226	3.86	3.79	2,421	2,544	233	222	6.41	5.88
TEXAS	77	---	129	---	4.74	---	85	---	6	---	4.98	---
MISSOURI	838	1,003	4,676	5,750	5.58	5.74	3,133	3,893	207	270	4.96	5.30
MARYLAND	---	399	---	1,694	---	4.24	---	1,021	---	---	107	7.16
VIRGINIA	76	---	552	---	7.29	---	390	---	15	---	3.11	---
NORTH CAROLINA	200	237	1,508	1,784	7.53	7.52	1,022	1,228	47	60	3.49	3.75
GEORGIA	961	1,884	4,234	7,939	4.40	4.21	2,686	5,326	213	451	5.62	6.38
ALABAMA	266	120	1,285	757	4.83	6.28	828	513	62	31	5.40	4.63
MISSISSIPPI	1,139	1,248	5,398	6,502	4.74	5.21	3,555	4,360	219	242	4.55	4.20
ARKANSAS	108	271	737	1,972	6.84	7.27	515	1,360	30	90	4.64	5.08
LOUISIANA	14	75	99	466	7.04	6.17	72	332	4	11	5.07	2.73
TEXAS	313	556	1,522	2,661	4.87	4.79	995	1,736	81	145	5.97	6.10
WASHINGTON	171	97	673	412	3.93	4.26	438	271	28	15	4.63	4.06
CALIFORNIA	1,164	1,570	4,893	6,211	4.21	3.95	2,928	3,685	263	393	6.04	7.14

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

REGION AND STATE	MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1970													
	STOMACHS	LEU-KOSIS	SEPTIC-CEMIA	AIR SAC-CULITIS	SYNO-VITIS	TUMORS	BRUISES	CADAVER	CONTAMINATION	OVER-SCALD	OTHER	TOTAL		
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	2,574	31,678	49	249	19,698	2,648	1,596	4,392	79	8,167	71,130		
E. N. CENTRAL	376	5,281	20,456	332	12	15,335	4,779	1,579	5,883	83	6,594	60,660		
S. N. CENTRAL	3,240	6,939	54,335	1,429	294	53,434	6,791	2,649	10,257	291	13,106	152,765		
S. ATLANTIC	15	3,612	52,092	967	2,344	31,792	9,933	5,326	21,108	267	8,698	136,154		
S. CENTRAL	---	12,739	36,850	364	925	19,351	4,182	2,544	10,460	472	14,742	102,629		
WEST	---	847	40,698	49	97	46,224	3,987	978	6,894	511	11,137	111,422		
U. S.	3,591	31,992	236,109	3,190	3,921	185,834	32,320	14,672	58,994	1,703	62,444	634,760		
MAINE	---	739	4,969	8	106	1,145	223	432	800	10	119	8,550		
NEW JERSEY	---	1,137	20,273	---	19	14,106	1,903	899	2,659	28	7,561	48,585		
PENNSYLVANIA	---	247	710	28	3	228	24	50	259	26	208	1,783		
OHIO	157	3,029	3,412	1	---	3,322	2,016	310	1,633	39	3,374	17,293		
INDIANA	7	669	4,896	1	---	5,124	487	251	2,067	---	969	14,471		
MINNESOTA	1,650	2,690	14,541	628	78	27,036	3,127	1,118	3,453	63	8,608	62,992		
MISSOURI	224	2,005	29,486	368	204	9,289	2,341	897	4,318	159	3,486	52,777		
MARYLAND	15	883	8,398	118	151	3,175	5,379	2,362	5,687	99	1,348	27,615		
NORTH CAROLINA	---	810	2,060	614	155	675	145	103	1,367	6	1,575	7,510		
GEORGIA	---	1,164	37,559	139	1,958	23,874	3,741	2,796	12,435	89	3,657	87,412		
ALABAMA	---	359	2,153	24	92	733	63	130	1,328	14	478	5,374		
MISSISSIPPI	---	1,286	19,450	1	370	14,605	2,922	1,190	5,796	387	6,667	52,674		
ARKANSAS	---	1,091	5,392	73	155	268	126	148	1,146	15	220	8,634		
LOUISIANA	---	366	682	217	22	39	38	126	1,146	2	45	1,607		
TEXAS	---	9,159	6,492	38	259	3,439	935	793	1,718	9	7,140	29,982		
WASHINGTON	---	200	1,148	4	5	538	181	66	315	---	619	3,076		
CALIFORNIA	---	595	38,115	39	86	44,376	3,605	843	6,045	511	10,435	104,650		

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED (RFADY-ID-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	132	176	2,366	3,394	17.92	19.28	1,897	2,684	22	48
E. N. CENTRAL	759	1,125	13,782	19,860	18.15	17.65	11,046	15,843	203	313
W. N. CENTRAL	3,383	3,976	57,628	69,028	17.04	17.36	46,319	55,067	954	1,321
S. ATLANTIC	1,401	1,458	24,951	26,823	17.81	18.40	19,710	21,142	569	697
S. CENTRAL	1,503	1,789	28,876	34,090	18.13	19.06	22,736	26,593	661	1,024
WEST	2,235	2,637	41,647	50,022	18.64	18.97	33,407	40,013	626	731
U. S.	9,503	11,161	169,250	203,217	17.81	18.21	135,115	161,362	3,035	4,134
GEORGIA	131	175	2,362	3,365	17.98	19.22	1,895	2,662	22	47
FLORIDA	140	225	2,576	3,956	18.06	17.59	2,027	3,157	29	53
LOUISIANA	252	349	4,272	5,010	16.95	14.34	3,381	3,971	51	90
MISSISSIPPI	292	409	5,255	7,619	17.99	18.63	4,258	6,094	73	117
MINNESOTA	1,566	1,906	27,228	33,434	17.39	17.54	21,806	26,583	431	667
IOWA	893	1,008	14,874	17,244	16.65	17.11	11,966	13,830	226	363
MISSOURI	761	778	12,574	12,865	16.51	16.54	10,181	10,440	259	204
VIRGINIA	460	485	8,129	8,912	17.67	18.38	6,283	6,908	153	219
NORTH CAROLINA	766	713	12,930	12,686	16.89	17.78	10,353	10,167	330	321
ARKANSAS	---	862	---	16,155	---	18.75	---	12,674	---	462
TEXAS	644	836	11,268	16,028	17.51	19.16	8,880	12,382	275	533
COLORADO	305	287	6,175	5,988	20.22	20.84	5,065	4,718	61	95
UTAH	420	532	7,795	9,755	18.58	18.35	6,262	7,839	111	114
CALIFORNIA	1,346	1,602	24,548	20,928	18.23	18.68	19,596	24,001	405	466

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR FURNISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



REGION AND STATE	POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1970										TOTAL NO.	
	TISSUE : NO.	LEU- : NO.	SEPTI- : NO.	AIR SAC- : NO.	SYND- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : NO.	OVFR- : NO.		OTHER : NO.
N. ATLANTIC	---	50	956	512	64	---	28	199	146	2	23	1,980
E. N. CENTRAL	---	97	6,271	4,890	327	32	281	579	1,042	41	126	13,686
W. N. CENTRAL	---	500	38,466	16,806	2,145	123	985	2,080	5,101	465	773	67,444
S. ATLANTIC	---	140	15,915	11,730	873	26	590	554	2,582	170	2,227	34,807
S. CENTRAL	---	28	21,497	11,212	5,493	138	691	1,054	2,840	424	1,377	44,754
WEST	---	100	19,512	5,649	4,204	115	462	1,363	1,514	583	412	33,914
U. S.	---	915	107,617	50,799	13,106	434	3,037	5,829	13,225	1,685	4,938	196,585
PENNSYLVANIA	---	43	946	512	64	---	28	199	142	2	23	1,959
OHIO	---	3	1,103	324	2	3	47	51	87	10	9	1,639
INDIANA	---	---	1,407	3,116	---	4	25	312	541	---	79	5,484
MISSISSIPPI	---	60	2,996	709	311	24	203	110	351	13	8	4,785
MINNESOTA	---	468	14,804	10,134	1,512	17	381	1,033	2,591	156	351	35,447
IOWA	---	6	11,548	3,155	334	93	324	571	1,203	123	203	17,560
MISSOURI	---	24	5,530	2,151	268	6	231	428	1,040	100	163	9,941
VIRGINIA	---	14	6,095	3,638	107	8	165	197	359	23	38	10,644
NORTH CAROLINA	---	24	4,812	5,588	597	14	335	217	1,796	27	1,469	14,819
ARKANSAS	---	3	10,576	4,457	1,383	7	242	777	1,275	394	14	19,128
TEXAS	---	21	10,081	6,679	4,103	131	443	235	1,522	25	1,363	24,603
COLORADO	---	12	2,100	1,130	302	7	27	167	92	2	146	3,980
UTAH	---	9	2,504	377	816	5	93	508	475	25	84	4,896
CALIFORNIA	---	79	13,799	3,868	2,735	98	229	658	902	544	178	23,090

FEVER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWEIGHT INSPECTED/100	TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		1969	1970		1969	1970	1969	1970	PERCENT	PERCENT	
N. ATLANTIC 3/	16	134	167	10.31	10.44	105	129	5	---	3.32	---
E. N. CENTRAL	67	1,048	590	9.41	8.83	825	455	12	---	1.23	1.69
M. N. CENTRAL	366	7,856	3,263	9.25	8.92	2,243	2,591	37	---	1.42	1.70
S. ATLANTIC	379	7,945	3,454	9.48	9.11	2,221	2,579	67	---	2.55	2.48
S. CENTRAL	32	19	271	7.70	8.43	15	216	---	---	1.01	1.69
WEST	41	346	1,144	8.50	8.34	268	873	9	---	2.75	2.37
U. S.	787	7,347	8,889	9.33	8.92	5,677	6,843	125	---	1.90	2.12
MINNESOTA	308	2,849	3,059	9.26	8.87	2,238	2,425	36	---	1.42	1.71
VIRGINIA	200	1,870	2,748	9.37	9.01	1,377	2,023	32	---	1.89	2.28
CALIFORNIA	26	238	1,033	9.21	8.52	182	784	7	---	3.32	2.40

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FEVER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1970

REGION AND STATE	TURB- : NO.	TUBER- : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CFMIA : NO.	ATRISAC- : NO.	CULITIS : NO.	SYND- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVERS : NO.	INMATION : NO.	CONFAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL NO.	
																				N. ATLANTIC
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	847
M. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5,122
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6,294
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	324
WEST	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2,042
U. S.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	15,175
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,826
VIRGINIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,726
CALIFORNIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,815

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1970		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970		
N. ATLANTIC	23	---	436	---	18.96	---	345	1	8	1	2.04	111.11
N. CENTRAL	37	53	706	1,045	19.13	19.79	551	26	37	37	4.16	4.01
W. CENTRAL	55	58	1,026	1,069	18.50	18.46	813	857	23	23	4.02	2.45
S. ATLANTIC	73	53	1,362	971	18.63	18.21	1,055	786	62	42	5.03	4.80
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---
WEST	126	99	2,405	1,838	19.13	18.64	1,916	1,468	50	36	2.32	2.18
U. S.	314	263	5,935	4,922	18.89	18.74	4,680	3,920	183	139	3.44	3.14
MINNESOTA	51	---	946	---	18.53	---	750	---	34	---	4.04	---
NORTH CAROLINA	73	---	1,362	---	18.63	---	1,055	---	62	---	5.03	---
CALIFORNIA	51	45	1,003	860	19.50	19.09	804	689	19	17	2.14	2.22

POULTRY SLAUGHTER, September 1970

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1970

REGION AND STATE	THREE-TO-FIVE MONTHS		SEPTI-MONTHS		AIRSAC		SYNO-VITIS		TUMORS		BRUISES		CADAVER		CONTAMINATION		OVER-SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
N. CENTRAL	---	62	639	509	22	5	31	35	110	2	74	1,489	---	---	---	---	---	---	---	---	---
W. CENTRAL	---	---	531	241	3	15	24	52	159	8	18	1,059	---	---	---	---	---	---	---	---	---
S. ATLANTIC	---	65	667	565	9	28	13	15	110	---	323	1,795	---	---	---	---	---	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	21	1,213	206	7	86	99	52	40	---	13	1,737	---	---	---	---	---	---	---	---	---
U. S.	---	156	3,050	1,521	41	134	167	154	419	10	428	6,080	---	---	---	---	---	---	---	---	---
CALIFORNIA	---	2	537	174	4	66	4	20	17	---	13	837	---	---	---	---	---	---	---	---	---

Crop Reporting Board, SRS, USDA

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.