

## POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Further Processing  
August 1970

Release:  
September 29, 1970  
3:00 P.M. EDT

Inspected Poultry - There were 1,197 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during August under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 1 percent less than July but 10 percent more than a year earlier.

The number of head and pounds live weight inspected by classes were: young chickens--240,721,000 head, 856,341,000 pounds; mature chickens--14,144,000 head, 65,899,000 pounds; fryer-roaster turkeys--856,000 head, 7,667,000 pounds; young turkeys--13,557,000 head, 257,968,000 pounds; old turkeys--81,000 head, 1,415,000 pounds; ducks--1,293,000 head, 7,874,000 pounds.

Poultry Certified as Wholesome in August totaled 871,388,000 pounds ready-to-cook weight of which 615,972,000 pounds were chilled and 255,416,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 611,482,000; mature chickens, 42,196,000; fryer-roaster turkeys, 5,897,000; young turkeys, 204,938,000; old turkeys, 1,117,000; ducks, 5,580,000; and other poultry, 178,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 112,207,000 pounds ready-to-cook weight, compared with 100,631,000 pounds in August 1969. The August total consisted of 26,823,000 pounds young chickens, 31,796,000 pounds mature chickens, 48,785,000 pounds of turkeys and 4,803,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 179,122,000 pounds ready-to-cook weight, compared with 156,357,000 pounds in August 1969. The breakdown by classes was: young chickens, 157,682,000 pounds; mature chickens, 528,000 pounds; turkeys, 20,857,000 pounds; and other poultry, 55,000 pounds.

Ante-Mortem Condemnations during August were 6,657,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.62 percent; mature chickens, 0.88 percent; fryer-roaster turkeys, 0.22 percent; young turkeys, 0.25 percent; old turkeys, 0.25 percent; and ducks, 0.09 percent.

Post-Mortem Condemnations in August were 36,140,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.53 percent; mature chickens, 5.61 percent; fryer-roaster turkeys, 1.95 percent; young turkeys, 2.37 percent; old turkeys, 3.83 percent; and ducks, 1.76 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1970 WITH COMPARISONS

NUMBR INSPECTED 3/ JULY 1970 AUGUST 1969 AUGUST 1970 JAN.-AUG. 1969 JAN.-AUG. 1970	: YOUNG : MATURE :		: CHICKENS 1/ :		: TOTAL :		: FRYER- : YOUNG :		: TURKEYS 2/ :		: OLD :		: TURKEYS :		: TOTAL :		: OTHER :		: TOTAL :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :
	258,551	12,839	271,390	997	11,161	263	12,421	1,444													
	224,603	11,134	235,737	803	12,074	50	12,927	1,244													
	240,721	14,144	254,865	856	13,557	81	14,494	1,293													
	1,678,508	124,370	1,782,878	6,041	34,143	1,130	41,314	7,576													
	1,888,951	114,781	2,003,732	6,870	39,805	910	47,585	7,849													
	921,863	59,810	981,673	8,889	203,217	4,922	217,028	8,851													
	796,878	51,594	848,472	7,288	224,652	823	232,763	7,453													
	856,341	65,899	922,240	7,667	257,968	1,415	267,050	7,874													
	5,987,621	478,396	6,466,017	55,628	632,201	21,988	709,817	46,912													
	6,809,461	530,415	7,339,876	62,968	743,595	17,741	824,304	48,900													
	3.57	4.66	3.62	8.92	18.21	18.74	17.47	6.13													
	3.55	4.63	3.60	9.08	18.61	16.56	18.01	5.99													
	3.56	4.66	3.62	8.95	19.03	17.41	18.42	6.09													
	3.57	4.58	3.63	9.21	18.52	19.46	17.18	6.19													
	3.60	4.62	3.66	9.17	18.68	19.50	17.32	6.23													

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

JULY 1970, 2,790; AUGUST 1969, 1,884; AND AUGUST 1970, 3,212.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG Banded BREEDERS WAS:

JULY 1970, 491; AUGUST 1969, 67; AND AUGUST 1970, 95.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), AUGUST 1970 WITH COMPARISONS 1/

JULY 1970 AUGUST 1969 AUGUST 1970	: YOUNG : MATURE :		: CHICKENS :		: TOTAL :		: FRYER- : YOUNG :		: TURKEYS :		: OLD :		: TURKEYS :		: TOTAL :		: OTHER :		: TOTAL :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	
	597,951	27,085	625,036	1,296	26,913	1,018	29,227	168													
	59,000	11,409	70,409	5,547	134,449	2,902	142,898	6,105													
	656,951	38,494	695,445	6,843	161,362	3,920	172,125	6,273													
	518,075	24,560	542,635	1,386	26,082	37	27,505	254													
	55,682	8,368	64,050	4,268	152,863	616	157,747	5,059													
	573,757	32,928	606,685	5,654	178,945	653	185,252	5,313													
	551,858	30,918	582,776	957	31,890	114	32,961	199													
	59,624	11,278	70,902	4,940	173,048	1,003	178,991	5,381													
	611,482	42,196	653,678	5,897	204,938	1,117	211,952	5,580													
	3,860,961	231,757	4,092,718	12,028	85,112	4,465	101,605	2,148													
	420,184	73,528	493,712	31,082	417,864	12,914	461,860	31,046													
	4,281,145	305,285	4,586,430	43,110	502,976	17,379	563,465	33,194													
	4,356,599	252,848	4,609,447	11,413	106,875	3,320	121,608	1,555													
	483,307	85,368	568,675	37,327	481,268	10,723	529,318	33,178													
	4,839,906	338,216	5,178,122	48,740	588,143	14,043	650,926	34,733													

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1970 WITH COMPARISONS

	: YOUNG : :CHICKENS :	: MATURE : :CHICKENS :	: TOTAL : :CHICKENS :	: FRYER- : :ROASTERS:	: YOUNG : :TURKEYS :	: OLD : :TURKEYS :	: TOTAL : :TURKEYS :	: OTHER : :POULTRY:	: TOTAL : :POULTRY:
ANTE-MORTEM									
1,000 POUNDS (LIVWEIGHT):									
AUGUST 1969:	3,997	439	4,436	15	502	4	521	4	4,962
AUGUST 1970:	5,377	585	5,962	17	664	4	685	7	6,657
JAN.-AUG. 1969:	24,050	4,000	28,050	123	1,476	80	1,679	14	29,749
JAN.-AUG. 1970:	32,565	4,931	37,496	141	1,857	63	2,061	52	39,617
PERCENT 1/									
AUGUST 1969:	.50	.85	.52	.20	.22	.51	.22	.05	.45
AUGUST 1970:	.62	.88	.64	.22	.25	.25	.25	.09	1.03
POST-MORTEM									
1,000 LBS. (N.Y. DRESSED):									
AUGUST 1969:	20,809	2,459	23,268	122	4,549	24	4,695	107	28,074
AUGUST 1970:	27,024	3,298	30,322	134	5,507	49	5,690	125	36,140
JAN.-AUG. 1969:	193,952	22,650	216,602	1,034	12,946	748	14,728	647	231,997
JAN.-AUG. 1970:	245,343	26,812	272,155	1,095	17,776	607	19,478	773	292,424
PERCENT 2/									
AUGUST 1969:	2.91	5.34	3.06	1.86	2.25	3.24	2.24	1.58	2.87
AUGUST 1970:	3.53	5.61	3.67	1.95	2.37	3.83	2.37	1.76	3.37

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, AUGUST 1970 WITH COMPARISONS

	: YOUNG CHICKENS : : FURTHER : : PROCESSED :	: MATURE CHICKENS : : FURTHER : : PROCESSED :	: TURKEYS : : FURTHER : : PROCESSED :	: OTHER POULTRY 1/ : : FURTHER : : PROCESSED :	: TOTAL POULTRY : : FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: CUT UP : : PROCESSED :	: CUT UP : : PROCESSED :	: CUT UP : : PROCESSED :
POUNDS USED READY-TO-COOK WEIGHT 2/									
JULY 1970 :	28,745	161,662	30,642	957	47,144	19,983	5,251	70	111,782
AUGUST 1969 :	23,557	140,879	26,548	534	44,770	14,350	5,756	594	100,631
AUGUST 1970 :	26,823	157,682	31,796	528	48,785	20,857	4,803	55	112,207
JANUARY-AUGUST 1969 :	171,056	1,076,429	258,385	5,148	286,329	97,123	53,529	3,344	769,299
JANUARY-AUGUST 1970 :	223,792	1,202,199	246,453	5,847	276,127	105,574	56,783	1,159	803,155
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/									
JULY 1970 :	453	1,084	49	45	26	214	27	33	555
AUGUST 1969 :	127	1,016	32	15	100	13	32	1	291
AUGUST 1970 :	274	1,101	122	64	49	370	28	16	473
JANUARY-AUGUST 1969 :	1,029	7,304	307	31	337	64	261	6	1,934
JANUARY-AUGUST 1970 :	1,844	7,912	569	207	1,311	1,714	227	57	3,951

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 POUNDS (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	13,953	14,120	54,622	56,125	3.91	3.97	39,138	40,293	1,774	1,961
F. N. CENTRAL	2,642	2,719	10,035	10,357	3.80	3.81	7,408	7,605	216	271
M. N. CENTRAL	5,576	6,968	19,808	24,859	3.55	3.57	14,218	17,821	561	727
S. ATLANTIC	45,197	98,262	343,808	355,514	3.61	3.62	247,182	252,930	9,686	11,872
S. CENTRAL	102,272	112,353	350,755	387,054	3.43	3.44	253,145	277,056	8,083	11,516
WEST	4,963	6,299	17,850	22,432	3.60	3.56	12,666	15,777	489	677
U. S.	224,603	240,721	796,878	856,341	3.55	3.56	573,757	611,482	20,809	27,024
MAINE	6,279	6,213	24,450	25,115	3.89	4.04	17,795	18,370	702	722
PENNSYLVANIA	6,901	7,061	27,198	27,577	3.94	3.91	19,217	19,578	968	1,084
INDIANA	1,225	1,282	4,421	4,708	3.61	3.67	3,289	3,499	80	141
WISCONSIN	1,396	1,411	5,485	5,486	3.93	3.89	4,028	3,988	131	125
MINNESOTA	803	820	3,247	3,461	4.04	4.22	2,487	2,639	47	49
MISSOURI	4,728	5,382	16,163	18,551	3.42	3.45	11,436	13,161	501	564
DELAWARE	8,415	8,020	32,512	30,984	3.86	3.86	23,259	21,899	886	964
MARYLAND	13,596	14,800	52,367	55,448	3.74	3.75	37,718	40,178	1,392	1,556
VIRGINIA	7,636	7,418	26,312	25,621	3.45	3.45	18,178	17,696	599	674
NORTH CAROLINA	25,369	25,602	94,620	95,495	3.73	3.73	67,633	67,938	2,533	2,707
SOUTH CAROLINA	2,740	2,811	9,255	10,367	3.38	3.69	6,519	7,115	273	475
GEORGIA	33,300	34,932	115,982	121,400	3.48	3.48	84,283	86,848	3,735	4,884
TENNESSEE	5,258	6,199	18,485	21,006	3.52	3.39	13,385	15,345	507	642
ALABAMA	25,917	28,954	91,648	101,296	3.54	3.50	66,068	71,798	2,294	4,183
MISSISSIPPI	16,244	18,880	55,731	65,854	3.43	3.49	41,439	48,186	928	1,360
ARKANSAS	32,745	32,301	108,531	108,058	3.31	3.35	76,877	76,454	2,668	2,955
LOUISIANA	5,066	4,751	17,956	16,994	3.54	3.58	12,969	12,329	370	446
TEXAS	14,200	16,749	48,720	58,372	3.43	3.49	35,448	41,917	1,102	1,577
WASHINGTON	1,153	1,605	4,438	6,188	3.85	3.85	3,115	4,245	98	236
CALIFORNIA	2,670	2,848	9,943	10,600	3.72	3.72	7,161	7,667	277	257

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1970

REGION AND STATE	TUBERCULOSIS: NO.	LEUROSIS: NO.	SEPTICEMIA: NO.	AIRSAC-CULITIS: NO.	SYNCOXITIS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONTAMINATION: NO.		OVERSCALD: NO.	OTHER: NO.	TOTAL: NO.
									NO.	NO.			
N. ATLANTIC	---	174,734	116,249	40,106	4,098	1,225	4,839	14,042	38,291	2,820	15,775	412,179	
F. N. CENTRAL	---	39,590	16,847	1,354	614	42	2,172	2,973	6,283	1,504	1,503	72,882	
M. N. CENTRAL	27	29,969	44,415	42,575	3,374	578	4,612	8,234	15,512	5,322	6,721	161,439	
S. ATLANTIC	---	1,585,360	434,052	281,866	31,137	8,645	48,765	109,415	379,860	32,878	145,608	3,057,586	
S. CENTRAL	---	1,298,351	488,948	378,994	69,602	13,494	65,844	110,462	268,316	24,008	131,039	2,848,158	
WEST	---	77,168	44,201	20,594	876	165	1,952	7,809	8,576	2,178	13,186	176,705	
U. S.	27	3,205,172	1,144,712	764,689	109,701	24,149	128,184	252,935	716,838	68,710	313,832	6,728,949	
MAINE	---	56,444	62,584	3,544	2,261	475	1,211	5,552	8,438	730	4,457	145,696	
PENNSYLVANIA	---	108,547	43,363	35,702	1,623	521	3,170	7,388	25,746	1,688	9,855	237,603	
INDIANA	---	31,363	7,902	493	---	16	863	1,188	1,996	616	252	44,689	
WISCONSIN	---	7,766	8,772	853	614	26	1,303	1,717	4,190	867	1,239	27,347	
MINNESOTA	27	2,152	3,323	123	87	90	284	208	1,371	67	2,604	10,336	
MISSOURI	---	26,218	24,811	34,080	3,214	327	4,025	6,339	12,697	5,236	2,996	119,943	
DELAWARE	---	130,366	33,745	21,412	2,178	293	3,061	17,240	19,896	2,285	6,560	237,036	
MARYLAND	---	187,072	67,018	43,576	3,406	973	5,084	11,472	40,627	7,663	5,320	372,211	
VIRGINIA	---	87,291	45,272	40,366	2,035	313	3,264	3,505	7,213	2,627	6,589	198,475	
NORTH CAROLINA	---	178,786	114,471	69,839	10,965	3,277	17,457	24,686	127,567	8,676	70,097	625,821	
SOUTH CAROLINA	---	59,375	11,031	15,999	855	187	2,056	6,273	10,029	395	2,913	108,213	
GEORGIA	---	853,624	139,878	83,557	10,352	3,421	15,307	40,717	158,755	10,212	45,971	1,361,794	
TENNESSEE	---	85,421	28,483	6,514	1,598	439	2,526	8,051	22,588	2,431	18,472	176,523	
ALABAMA	---	879,566	100,935	41,741	7,108	3,349	11,446	30,178	71,983	6,662	21,953	1,174,921	
MISSISSIPPI	---	76,244	29,185	64,947	13,286	2,775	7,202	9,191	39,953	3,512	36,937	283,232	
ARKANSAS	---	118,329	180,475	202,338	28,189	4,154	18,526	31,515	85,146	6,059	28,790	703,521	
LOUISIANA	---	25,543	31,060	7,775	3,597	555	5,062	8,154	7,056	1,922	2,577	93,301	
TEXAS	---	91,398	94,924	45,154	14,771	2,003	16,878	18,011	34,434	2,650	17,600	337,823	
WASHINGTON	---	19,111	8,005	4,208	334	21	849	1,297	2,015	971	8,012	44,823	
CALIFORNIA	---	29,768	20,955	5,083	314	23	594	3,335	2,666	801	2,028	65,567	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS				
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED		POUNDS (NYD)				
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970			
	-THOUSANDS-	-1,000 POUNDS-	-POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-						
N. ATLANTIC	1,398	1,585	6,966	8,006	4.98	5.05	4,494	5,176	315	432	5.06	6.05	
F. N. CENTRAL	1,507	1,859	6,519	7,996	4.33	4.30	4,042	4,842	244	310	4.19	4.34	
W. N. CENTRAL	2,949	3,194	12,895	14,027	4.37	4.39	7,997	8,698	724	754	6.30	6.03	
S. ATLANTIC	2,242	3,480	11,029	16,468	4.92	4.73	7,198	10,906	546	818	5.55	5.58	
S. CENTRAL	1,805	2,209	9,097	11,704	5.04	5.30	6,091	7,859	393	479	4.85	4.58	
WEST	1,233	1,817	5,088	7,698	4.13	4.24	3,106	4,715	237	505	5.21	7.35	
U. S.	11,134	14,144	51,594	65,899	4.63	4.66	32,928	42,196	2,459	3,298	5.34	5.61	
MAINE	262	275	1,680	1,753	6.41	6.37	1,151	1,191	72	71	4.80	4.55	
NEW JERSEY	839	930	3,638	4,018	4.34	4.32	2,227	2,448	195	267	6.00	7.46	
PENNSYLVANIA	67	74	481	522	7.17	7.01	335	368	10	11	2.42	2.24	
OHIO	285	367	1,246	1,439	4.37	3.92	773	845	52	78	4.67	6.03	
INDIANA	553	592	2,203	2,318	3.99	3.92	1,367	1,454	78	84	3.96	4.05	
MINNESOTA	1,173	1,112	4,477	4,249	3.82	3.82	2,690	2,509	272	244	6.80	6.43	
MISSOURI	835	1,029	4,755	5,913	5.69	5.74	3,193	3,993	206	274	4.86	5.18	
MARYLAND	---	562	---	2,355	---	4.19	---	1,457	---	---	142	6.91	---
VIRGINIA	85	40	616	289	7.26	7.32	434	203	25	12	4.50	4.44	
NORTH CAROLINA	246	258	1,908	1,947	7.77	7.55	1,307	1,348	52	55	3.03	3.13	
GEORGIA	1,029	2,574	4,817	11,646	4.68	4.52	3,087	7,745	233	598	5.43	5.76	
ALABAMA	399	375	1,807	2,058	4.53	6.33	1,132	1,359	96	111	5.96	6.03	
MISSISSIPPI	912	1,190	4,783	6,037	5.25	5.07	3,289	4,070	172	208	4.03	3.86	
ARKANSAS	116	134	854	915	7.39	6.83	614	645	35	32	4.64	3.90	
TEXAS	366	414	1,559	1,871	4.26	4.52	993	1,212	87	104	6.28	6.21	
WASHINGTON	74	181	323	766	4.37	4.24	203	486	12	40	4.07	5.86	
CALIFORNIA	1,136	1,495	4,678	6,330	4.12	4.24	2,846	3,836	223	434	5.34	7.67	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1970

REGION AND STATE	TUBERCULOSIS : NO.	LEUROSIS : NO.	SEPTICEMIA : NO.	AIRSAC-CULITIS : NO.	SYNOVITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER INJURY : NO.	CONTAMINATION : NO.	OVERSCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	2,593	36,311	18	392	25,272	2,701	1,357	4,458	267	9,707	83,076
F. N. CENTRAL	661	6,930	27,676	555	299	24,152	5,045	3,000	7,326	133	7,091	82,868
W. N. CENTRAL	6,433	9,418	57,297	2,222	200	66,895	7,243	3,118	11,568	2,175	18,208	184,777
S. ATLANTIC	24	4,017	65,966	839	924	36,461	9,846	7,672	29,270	884	10,313	166,216
S. CENTRAL	---	11,398	36,287	188	919	17,112	4,499	2,110	12,991	834	14,372	100,710
WEST	---	883	40,598	43	31	60,375	4,627	1,094	7,336	320	18,811	134,118
U. S.	7,118	35,239	264,135	3,865	2,765	230,267	33,961	18,351	72,949	4,613	78,502	751,765
MAINE	---	654	6,217	6	175	1,531	205	322	960	44	273	10,387
NEW JERSEY	---	1,213	24,623	---	70	18,740	2,129	785	2,612	178	8,634	58,984
PENNSYLVANIA	---	135	545	4	3	279	44	35	94	---	428	1,567
OHIO	200	3,991	3,282	5	1	3,180	2,898	660	1,703	14	3,780	19,714
INDIANA	3	1,008	9,860	---	---	10,792	485	639	2,979	76	1,034	26,876
MINNESOTA	2,587	2,425	12,802	851	39	32,799	2,543	928	3,042	811	10,581	69,403
MISSOURI	192	2,040	28,362	500	121	8,121	1,954	1,140	5,033	1,285	4,188	52,936
MARYLAND	24	1,319	14,827	252	143	8,736	3,037	2,753	7,254	535	1,987	40,867
VIRGINIA	---	162	849	18	2	170	77	17	290	---	96	1,681
NORTH CAROLINA	---	770	1,560	127	174	676	164	75	1,280	9	1,630	6,465
GEORGIA	---	1,640	48,291	394	599	26,389	6,469	4,806	20,136	318	6,195	115,237
ALABAMA	---	1,229	8,170	56	219	1,996	268	410	4,014	443	1,594	18,399
MISSISSIPPI	---	1,114	17,265	5	230	13,950	3,486	944	6,610	260	6,739	50,603
ARKANSAS	---	448	2,205	80	246	133	58	78	404	89	93	3,834
TEXAS	---	8,201	5,549	32	142	826	538	502	1,372	27	5,799	23,078
WASHINGTON	---	222	3,550	---	4	1,171	444	2	655	29	3,871	10,018
CALIFORNIA	---	592	33,400	30	20	56,433	3,783	746	5,500	214	14,728	115,446

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1: 1969 : 1970		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) : 1969 : 1970		POST-MORTEM CONDEMNATIONS : POUNDS (NY) : PERCENT 2/ : 1969 : 1970		-PERCENT-	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
U. S.	12,074	13,557	274,652	257,968	18.61	19.03	178,945	204,938	4,549	5,507	2.25	2.37
PENNSYLVANIA	254	245	4,620	4,516	18.17	18.46	3,696	3,606	45	61	1.07	1.50
OHIO	247	398	4,853	7,093	19.64	17.83	3,877	5,663	57	78	1.31	1.21
INDIANA	539	544	9,220	10,049	17.11	18.49	7,452	7,992	119	149	1.43	1.65
WISCONSIN	447	504	8,258	9,079	18.46	18.03	6,710	7,267	121	122	1.63	1.49
MINNESOTA	2,075	2,389	38,903	45,186	18.75	18.91	31,279	35,972	728	1,098	2.08	2.70
IOWA	1,041	1,048	19,532	20,738	18.77	19.78	15,520	16,470	386	438	2.20	2.35
MISSOURI	904	1,007	15,757	18,387	17.43	18.26	12,640	14,753	420	425	2.97	2.57
VIRGINIA	563	591	9,905	10,914	17.60	18.46	7,445	8,356	228	354	2.55	3.61
NORTH CAROLINA	866	957	14,915	17,872	17.22	18.67	11,847	14,237	401	548	2.99	3.41
ARKANSAS	925	934	17,323	16,709	18.73	17.89	13,646	13,185	451	441	2.90	2.93
TEXAS	678	811	12,481	15,590	18.41	19.23	9,732	12,141	375	443	3.34	3.16
COLORADO	319	364	6,228	7,261	19.51	19.95	5,060	5,781	66	104	1.18	1.58
UTAH	507	682	10,631	13,991	20.97	20.50	8,469	11,299	177	159	1.85	1.26
CALIFORNIA	1,682	1,856	31,204	35,273	18.55	19.00	25,075	28,293	474	550	1.69	1.73

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED, PERCENTAGES BASED ON UNROUNDED DATA.



YOUNG TURKEYS (MATURE): NUMRER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1970

REGION AND STATE	TURER- : : COLDSIS :		LEU- : : KOSIS :		SEPTI- : : CEMIA :		AIRSAC- : : CULTITIS :		SYND- : : VITIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- : : OVER- :		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	31	1,151	673	55	1	10	264	172	1	20	2,378						
F. N. CENTRAL	---	---	145	8,999	4,266	863	24	243	1,070	1,070	82	173	16,915						
W. N. CENTRAL	---	---	1,701	61,062	31,451	4,883	53	1,134	2,537	6,377	759	1,068	111,025						
S. ATLANTIC	---	---	116	18,126	22,347	2,116	46	689	966	3,012	213	2,895	50,526						
S. CENTRAL	---	---	104	18,937	10,433	2,955	52	580	1,136	2,594	581	559	37,931						
WEST	---	---	91	23,280	10,770	4,275	140	586	1,032	1,524	538	644	42,880						
U. S.	---	---	2,188	131,555	79,940	15,147	316	3,242	6,985	14,749	2,174	5,359	261,655						
PENNSYLVANIA	---	---	31	1,151	673	55	1	10	264	172	1	20	2,378						
OHIO	---	---	2	1,647	491	552	3	48	72	73	11	44	2,943						
INDIANA	---	---	1	3,128	1,993	---	1	28	747	624	9	98	6,629						
WISCONSIN	---	---	65	3,146	1,136	308	19	165	143	330	50	12	5,374						
MINNESOTA	---	---	1,665	35,083	13,722	2,380	19	364	1,421	3,545	284	467	58,950						
IOWA	---	---	27	11,101	6,155	1,158	21	351	293	1,300	172	310	20,888						
MISSOURI	---	---	9	11,477	5,502	1,288	8	298	420	1,107	178	224	20,511						
VIRGINIA	---	---	57	9,929	7,285	453	17	236	239	587	50	82	18,935						
NORTH CAROLINA	---	---	52	5,811	12,888	1,231	27	344	499	2,164	58	1,785	24,859						
ARKANSAS	---	---	64	7,515	4,191	1,103	8	232	680	1,480	534	38	15,845						
TEXAS	---	---	3	10,456	6,178	1,849	43	345	420	1,061	46	521	20,922						
COLORADO	---	---	5	2,128	1,662	305	1	47	254	118	---	9	4,479						
UTAH	---	---	4	3,081	1,014	641	7	158	272	615	346	285	6,423						
CALIFORNIA	---	---	74	15,466	7,568	1,596	99	204	437	704	131	338	26,617						

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/ (LIVEWEIGHT)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	9	7	90	57	10.00	8.14	70	44	---	1
F. N. CENTRAL	62	63	570	657	9.26	10.35	441	504	5	6
W. N. CENTRAL	400	317	3,705	2,778	9.25	8.76	2,951	2,212	55	48
S. ATLANTIC	279	325	2,482	2,941	8.90	9.04	1,852	2,192	51	59
S. CENTRAL	10	---	82	---	8.22	---	63	---	---	---
WEST	43	144	359	1,234	8.29	8.55	277	945	10	20
U. S.	803	856	7,288	7,667	9.08	8.95	5,654	5,897	122	134
MINNESOTA	389	279	3,609	2,440	9.27	8.74	2,876	1,939	54	41
VIRGINIA	189	264	1,680	2,316	8.88	8.78	1,239	1,704	26	45
CALIFORNIA	28	120	241	1,062	8.71	8.86	182	808	8	19

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1970

REGION AND STATE	TUBER- : COLLOSIS:		LEU- : KOSIS:		SEPTI- : CEMIA:		AIRSAC- : CULITIS:		SYNO- : VIIS:		TUMORS:		BRUISES:		CADAVER:		CONTAM- : OVER- :		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	---	8	48	4	---	---	---	1	6	16	---	---	---	1	84	---	---	---	---
F. N. CENTRAL	---	---	5	244	36	1	3	28	20	1	---	---	---	---	---	340	---	---	---	---
W. N. CENTRAL	---	---	4	2,992	908	4	65	101	979	17	75	---	---	---	---	5,148	---	---	---	---
S. ATLANTIC	---	---	21	2,580	992	20	101	360	629	5	116	---	---	---	---	4,830	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	5	1,099	223	95	50	31	155	1	6	---	---	---	---	1,665	---	---	---	---
U. S.	---	---	43	6,963	2,163	120	11	220	1,799	24	198	---	---	---	---	12,067	---	---	---	---
MINNESOTA	---	---	4	2,650	625	4	2	50	840	12	73	---	---	---	---	4,355	---	---	---	---
VIRGINIA	---	---	20	2,277	596	4	2	75	478	4	64	---	---	---	---	3,833	---	---	---	---
CALIFORNIA	---	---	---	995	202	95	---	11	143	1	1	---	---	---	---	1,478	---	---	---	---

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	3	3	61	20.23	53	49	2	1
F. N. CENTRAL	25	23	344	14.81	302	275	10	7
W. N. CENTRAL	8	26	490	18.28	108	387	7	23
S. ATLANTIC	13	29	520	17.97	190	406	4	17
WEST	50	81	1,415	16.56	653	1,117	24	49
U. S.	25	23	339	14.81	302	272	10	7
MINNESOTA								

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1970


REGION AND STATE	TURER		LEU		SEPTI		AIRSAC		SYNO		VITIS		TUMORS		BRUISES		CADAVER		CONTAM		OVER		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC																							
F. N. CENTRAL				5		7																	23
W. N. CENTRAL			3	163	87	418	2	13	25	4	2	11	21	9	66	2	66	1	72	2	94	1	374
S. ATLANTIC			16	312	418	2	32	9	21	9	21	94	72	1	72	1	72	1	72	1	72	1	977
S. CENTRAL			26	687	25	5	15	8	18	32	18	32	2	2	2	2	2	2	2	2	2	2	818
U. S.			45	1,167	537	11	60	44	52	199	3	74	2,192	3	74	2,192	3	74	2,192	3	74	2,192	373
MINNESOTA			3	162	87	4	13	25	11	66	11	66	2	2	2	2	2	2	2	2	2	2	373

---

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.