

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
October 1970

Release:
December 7, 1970
3:00 P.M. EST

Inspected Poultry - There were 1,322 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during October under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 6 percent more than September and 5 percent more than a year earlier.

The number of head and pounds live weight inspected by classes were: young chickens -- 237,617,000 head, 888,396,000 pounds; mature chickens -- 16,852,000 head, 74,916,000 pounds; fryer-roaster turkeys -- 1,226,000 head, 11,442,000 pounds; young turkeys -- 16,203,000 head, 339,630,000 pounds; old turkeys -- 26,000 head, 469,000 pounds; ducks -- 1,114,000 head, 7,040,000 pounds.

Poultry Certified As Wholesome in October totaled 963,916,000 pounds ready-to-cook weight of which 650,496,000 pounds were chilled and 313,420,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 633,358,000; mature chickens, 47,379,000; fryer-roaster turkeys, 8,865,000; young turkeys, 267,709,000; old turkeys, 361,000; ducks, 5,021,000; and other poultry, 1,223,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 138,798,000 pounds ready-to-cook weight, compared with 132,097,000 pounds in October 1969. The October 1970 total consisted of 31,352,000 pounds young chickens, 39,669,000 pounds mature chickens, 60,688,000 pounds of turkeys, and 7,089,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 200,730,000 pounds ready-to-cook weight, compared with 167,242,000 pounds in October 1969. The breakdown by classes was: young chickens, 174,750,000 pounds; mature chickens, 841,000 pounds; turkeys, 24,923,000 pounds; and other poultry, 216,000 pounds.

Ante-Mortem Condemnations during October were 3,768,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.29; mature chickens, 0.66; fryer-roaster turkeys, 0.24; young turkeys, 0.18; old turkeys, 0.30; and ducks, 0.06.

Post-Mortem Condemnations during October were 43,352,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.67; mature chickens, 6.55; fryer-roaster turkeys, 2.22; young turkeys, 3.03; old turkeys, 4.94; and ducks, 2.07.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1970 WITH COMPARISONS

NUMBER INSPECTED 2/	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER : POULTRY	TOTAL POULTRY
SEPTEMBER 1970	237,078	14,107	251,185	938	15,046	50	16,034	1,276	---	---
OCTOBER 1969	232,472	15,046	247,518	941	15,539	17	16,497	1,126	---	---
OCTOBER 1970	237,617	16,852	254,469	1,226	16,203	26	17,455	1,114	---	---
JAN.-OCT. 1969	2,129,926	132,227	2,262,153	7,615	63,744	1,198	72,557	9,935	---	---
JAN.-OCT. 1970	2,363,646	145,739	2,509,385	9,033	71,053	986	81,072	10,238	---	---
POUNDS INSPECTED 4/										
SEPTEMBER 1970	858,985	66,378	925,363	8,417	300,946	890	310,253	7,994	391	1,244,001
OCTOBER 1969	850,224	70,030	920,254	8,812	327,011	256	336,079	7,155	1,204	1,264,692
OCTOBER 1970	888,396	74,916	963,312	11,442	339,630	469	351,541	7,040	1,780	1,323,673
JAN.-OCT. 1969	7,641,946	608,602	8,250,548	70,107	1,236,921	22,975	1,330,003	61,702	3,478	9,645,731
JAN.-OCT. 1970	8,556,842	671,709	9,228,551	82,828	1,384,171	19,100	1,486,099	63,934	4,102	10,782,686
AVERAGE LIVWEIGHTS/										
SEPTEMBER 1970	3.62	4.71	3.68	8.98	20.00	17.76	19.35	6.27	---	---
OCTOBER 1969	3.66	4.65	3.72	9.36	21.04	15.49	20.37	6.35	---	---
OCTOBER 1970	3.74	4.45	3.79	9.33	20.96	18.00	20.14	6.32	---	---
JAN.-OCT. 1969	3.59	4.60	3.65	9.21	19.40	19.09	18.33	6.21	---	---
JAN.-OCT. 1970	3.62	4.61	3.68	9.17	19.48	19.37	18.33	6.24	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
 SEPTEMBER 1970, 3,166; OCTOBER 1969, 2,809; AND OCTOBER 1970, 2,424.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDOED BREEDERS WAS:
 SEPTEMBER 1970, 64; OCTOBER 1969, 16; AND OCTOBER 1970, 5.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), OCTOBER 1970 WITH COMPARISONS 1/

SEPTEMBER 1970	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER : POULTRY	TOTAL POULTRY
CHILLED	552,261	32,557	584,818	1,033	35,678	160	36,871	171	44	621,904
FROZEN	61,215	9,931	71,146	5,436	201,698	549	207,683	5,454	178	284,461
TOTAL	613,476	42,488	655,964	6,469	237,376	709	244,554	5,625	222	906,365
OCTOBER 1969	546,980	35,610	582,590	1,527	43,524	8	45,059	225	78	627,952
CHILLED	63,541	9,049	72,590	5,237	216,026	195	221,458	4,902	742	299,692
FROZEN	610,521	44,659	655,180	6,764	259,550	203	266,517	5,127	820	927,644
TOTAL	610,521	44,659	655,180	6,764	259,550	203	266,517	5,127	820	927,644
OCTOBER 1970	568,145	37,878	606,023	1,888	42,228	70	44,186	203	84	650,496
CHILLED	65,213	9,501	74,714	6,977	225,481	291	232,749	4,818	1,139	313,420
FROZEN	633,358	47,379	680,737	8,865	267,709	361	276,935	5,021	1,223	963,916
TOTAL	633,358	47,379	680,737	8,865	267,709	361	276,935	5,021	1,223	963,916
JANUARY-OCTOBER 1969	4,926,465	297,535	5,224,000	14,235	168,691	4,707	187,633	2,655	210	5,414,498
CHILLED	543,212	90,999	634,211	40,039	814,621	13,456	868,116	41,112	1,841	1,545,280
FROZEN	5,469,677	388,534	5,858,211	54,274	983,312	18,163	1,055,749	43,767	2,051	6,959,778
TOTAL	5,469,677	388,534	5,858,211	54,274	983,312	18,163	1,055,749	43,767	2,051	6,959,778
JANUARY-OCTOBER 1970	5,477,005	323,283	5,800,288	14,333	184,781	3,550	202,664	1,930	302	6,005,184
CHILLED	609,735	104,800	714,535	49,741	908,447	11,562	969,750	43,449	2,181	1,729,915
FROZEN	6,086,740	428,083	6,514,823	64,074	1,093,228	15,112	1,172,414	45,379	2,483	7,735,099
TOTAL	6,086,740	428,083	6,514,823	64,074	1,093,228	15,112	1,172,414	45,379	2,483	7,735,099

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, OCTOBER 1970 WITH COMPARISONS 3/

	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: CHICKENS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
ANTE-MORTEM																	
1,000 POUNDS (LIVWEIGHT):																	
OCTOBER 1969:	2,383	512	2,895	19	612	---	631	5	2	3,533							
OCTOBER 1970:	2,615	501	3,116	29	616	1	646	5	1	3,768							
JAN.-OCT. 1969:	29,451	4,922	34,373	156	2,693	82	2,931	25	9	37,338							
JAN.-OCT. 1970:	40,182	6,333	46,215	190	3,097	67	3,354	64	11	49,644							
PERCENT 1/																	
OCTOBER 1969:	.28	.73	.31	.21	.18	.14	.18	.07	.23	.27							
OCTOBER 1970:	.29	.66	.32	.24	.18	.30	.18	.06	.07	.28							
POST-MORTEM																	
1,000 LBS. (N.Y. DRESSED):																	
OCTOBER 1969:	23,920	3,810	27,730	185	7,802	6	7,993	113	7	35,843							
OCTOBER 1970:	29,307	4,390	33,697	229	9,262	21	9,512	131	13	43,352							
JAN.-OCT. 1969:	239,262	29,466	268,728	1,331	27,166	767	29,264	869	30	298,892							
JAN.-OCT. 1970:	301,552	34,700	336,252	1,485	34,528	653	36,666	1,052	35	374,004							
PERCENT 2/																	
OCTOBER 1969:	3.13	6.09	3.35	2.34	2.65	2.76	2.64	1.74	.65	3.15							
OCTOBER 1970:	3.67	6.55	3.90	2.22	3.03	4.94	3.01	2.07	.79	3.65							

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, OCTOBER 1970 WITH COMPARISONS

	: YOUNG CHICKENS		: MATURE CHICKENS		: TURKEYS		: OTHER POULTRY 1/		: TOTAL POULTRY	
	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER	: FURTHER
POUNDS USED READY-TO-COOK WEIGHT 2/										
SEPTEMBER 1970	28,957	164,654	34,139	587	53,208	23,081	5,453	102	121,757	188,424
OCTOBER 1969	30,868	147,300	33,602	955	59,282	18,838	8,345	149	132,097	167,242
OCTOBER 1970	31,352	174,750	39,669	841	60,688	24,923	7,089	216	138,798	200,730
JANUARY-OCTOBER 1969	227,124	1,366,244	320,571	6,657	397,113	132,322	67,789	3,841	1,012,597	1,509,064
JANUARY-OCTOBER 1970	284,102	1,541,602	320,261	7,275	390,022	153,578	69,325	1,478	1,063,710	1,703,933
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
SEPTEMBER 1970	371	1,085	47	60	33	315	18	15	469	1,475
OCTOBER 1969	289	677	39	46	49	12	89	---	466	735
OCTOBER 1970	289	1,319	71	80	35	133	94	9	489	1,541
JANUARY-OCTOBER 1969	1,463	8,922	384	96	581	87	381	7	2,809	9,112
JANUARY-OCTOBER 1970	2,504	15,316	687	347	1,379	2,162	339	81	4,909	12,906

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS					
	INSPECTED	1970	INSPECTED	1970	LIVWEIGHT	1969	CERTIFIED	1970	(READY-TO-COOK WT.)	1969	(NYD)	PERCENT	2/	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	- THOUSANDS -													
	-1,000 POUNDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	14,739	13,554	61,267	56,664	4.16	4.18	43,873	40,652	2,340	1,952	4.25	3.84		
E. N. CENTRAL	2,878	2,727	11,717	11,153	4.07	4.09	8,615	8,191	379	278	3.60	2.78		
W. N. CENTRAL	5,410	6,874	21,065	27,025	3.89	3.93	15,021	19,332	662	929	3.50	3.82		
S. ATLANTIC	99,196	98,103	364,332	370,200	3.67	3.77	261,811	263,266	10,291	12,605	3.14	3.79		
S. CENTRAL	105,233	115,849	373,389	402,962	3.55	3.64	268,178	287,608	9,713	12,888	2.89	3.56		
WEST	5,016	5,510	18,454	20,392	3.68	3.70	13,023	14,309	535	655	3.23	3.58		
U. S.	232,472	237,617	850,224	888,396	3.66	3.74	610,521	633,358	23,920	29,307	3.13	3.67		
MAINE	6,607	6,104	27,953	26,055	4.23	4.27	20,366	19,080	997	684	3.97	2.92		
PENNSYLVANIA	7,362	6,871	30,381	28,052	4.09	4.08	21,191	19,837	1,218	1,142	4.51	4.53		
INDIANA	1,316	1,217	5,016	4,531	3.81	3.72	3,706	3,353	169	109	3.74	2.67		
WISCONSIN	1,518	1,466	6,381	6,325	4.20	4.32	4,676	4,626	203	161	3.53	2.82		
MINNESOTA	864	849	3,760	3,632	4.35	4.28	2,835	2,723	58	76	1.71	2.34		
MISSOURI	4,420	5,289	16,157	19,828	3.66	3.75	11,349	14,079	553	708	3.81	3.97		
DELAWARE	8,920	7,919	35,896	32,097	4.02	4.05	25,452	22,828	1,190	1,051	3.69	3.64		
MARYLAND	15,122	14,858	58,872	59,528	3.89	4.01	42,577	42,622	1,723	1,954	3.26	3.66		
VIRGINIA	7,555	7,383	26,572	26,153	3.52	3.54	18,338	18,035	664	700	2.78	2.97		
NORTH CAROLINA	25,998	25,189	97,406	95,252	3.75	3.78	69,868	68,028	2,432	2,717	2.78	3.18		
SOUTH CAROLINA	2,882	3,032	10,056	11,013	3.49	3.63	7,062	7,447	315	534	3.48	5.41		
GEORGIA	34,856	34,978	122,332	128,194	3.51	3.66	88,640	91,570	3,684	5,183	3.35	4.50		
TENNESSEE	5,453	5,187	19,421	18,093	3.56	3.49	14,157	13,088	464	579	2.66	3.56		
ALABAMA	26,611	29,186	94,524	106,243	3.55	3.64	67,590	75,221	2,736	4,456	3.22	4.67		
MISSISSIPPI	17,089	19,596	59,923	73,250	3.51	3.74	44,255	52,964	1,017	1,912	1.88	2.90		
ARKANSAS	33,061	31,785	115,915	112,405	3.51	3.54	81,755	79,471	3,488	3,294	3.35	3.26		
LOUISIANA	5,293	4,317	19,503	16,013	3.68	3.71	14,195	11,657	408	403	2.33	2.80		
TEXAS	14,888	16,750	53,975	62,121	3.63	3.71	39,067	44,568	1,272	1,915	2.62	3.44		
WASHINGTON	1,125	613	4,358	2,361	3.87	3.85	3,024	1,697	135	50	3.44	2.37		
CALIFORNIA	2,806	3,026	10,606	11,703	3.78	3.87	7,595	8,393	308	313	3.23	2.97		

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1970

REGION AND STATE	TUBER- : : NO.	CULSIS : : NO.	LEU- : : NO.	SEPTI- : : NO.	AIRSAC- : : NO.	SYNO- : : NO.	TUMORS : : NO.	BRUISES : : NO.	CADAVER : : NO.	INATON : : NO.	CONTAM- : : NO.	OVER- : : NO.	OTHER : : NO.	TOTAL : : NO.
N. ATLANTIC	---	---	182,524	112,785	40,580	3,152	1,409	4,283	16,050	24,566	2,400	13,334	401,083	
E. N. CENTRAL	---	---	35,703	19,494	646	809	48	2,177	3,301	4,950	495	1,668	69,291	
W. N. CENTRAL	---	---	33,643	44,506	77,097	3,153	965	4,030	8,864	12,148	1,401	7,776	193,553	
S. ATLANTIC	---	---	1,744,151	421,249	325,604	31,592	8,678	47,259	104,378	332,685	32,526	131,685	3,179,807	
S. CENTRAL	---	---	1,363,601	510,500	567,802	124,357	14,462	62,642	113,597	226,268	22,181	110,954	3,116,364	
WEST	---	---	70,259	55,811	32,701	562	71	1,694	8,322	7,158	1,044	13,240	190,862	
U. S.	---	---	3,429,881	1,164,345	1,044,430	163,625	25,633	122,055	254,512	607,775	60,047	278,657	7,150,960	
MAINE	---	---	44,724	58,814	3,212	2,239	613	1,017	5,195	5,600	385	3,286	125,085	
PENNSYLVANIA	---	---	128,574	44,687	36,714	788	675	2,917	9,634	16,187	1,296	8,630	250,102	
INDIANA	---	---	23,452	5,666	322	1	31	874	965	1,090	37	280	32,718	
WISCONSIN	---	---	11,761	13,432	320	808	17	1,301	2,303	3,667	455	1,370	35,434	
MINNESOTA	---	---	4,691	5,514	236	99	93	289	482	1,598	132	4,663	17,797	
MISSOURI	---	---	24,220	32,344	64,291	2,996	539	3,249	6,783	8,940	1,231	2,315	146,908	
DELAWARE	---	---	135,957	30,091	25,997	1,727	248	2,123	14,785	17,534	3,699	7,851	240,012	
MARYLAND	---	---	232,046	72,662	71,363	3,648	1,047	4,749	12,707	43,091	6,740	5,179	453,832	
VIRGINIA	---	---	94,975	41,767	51,503	535	405	3,411	6,467	4,856	1,421	3,623	208,963	
NORTH CAROLINA	---	---	257,136	102,545	74,698	7,744	3,035	15,861	23,032	109,781	6,663	56,730	657,225	
SOUTH CAROLINA	---	---	95,551	11,029	10,894	919	274	2,615	7,610	7,981	171	3,359	140,403	
GEORGIA	---	---	869,144	147,862	83,958	16,014	3,408	17,129	34,960	139,540	13,227	45,670	1,370,912	
TENNESSEE	---	---	83,446	27,444	10,549	2,633	540	2,066	7,251	12,773	777	9,250	156,729	
ALABAMA	---	---	897,717	110,383	64,209	8,841	4,099	10,558	26,676	63,991	5,544	22,172	1,214,190	
MISSISSIPPI	---	---	100,346	40,518	127,129	33,181	2,986	9,392	13,855	42,330	3,006	33,900	406,643	
ARKANSAS	---	---	130,209	172,720	262,087	51,257	3,892	16,624	31,295	52,153	5,704	23,077	749,018	
LOUISIANA	---	---	17,781	34,177	6,277	4,037	600	3,615	8,509	7,484	1,814	2,091	86,385	
TEXAS	---	---	114,967	104,896	79,656	22,815	2,079	16,780	21,487	43,347	3,846	16,795	426,668	
WASHINGTON	---	---	4,320	2,265	1,303	152	28	123	159	336	41	3,044	11,771	
CALIFORNIA	---	---	33,982	35,180	6,296	112	22	609	4,105	2,298	106	1,370	84,080	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	INSPECTED		INSPECTED		LIVWEIGHT		CERTIFIED		POUNDS (NYD)	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	1,984	2,289	10,077	11,269	5.08	4.92	6,483	7,224	482	700
E. N. CENTRAL	1,714	1,804	7,169	7,289	4.18	4.04	4,410	4,448	328	328
W. N. CENTRAL	4,478	4,146	19,261	17,816	4.30	4.30	11,905	11,033	1,316	1,153
S. ATLANTIC	3,367	4,355	15,960	19,098	4.74	4.39	10,312	12,271	786	1,005
S. CENTRAL	2,281	2,527	12,522	12,325	5.49	4.88	8,384	8,116	554	667
WEST	1,222	1,731	5,041	7,119	4.12	4.11	3,165	4,287	344	537
U. S.	15,046	16,852	70,030	74,916	4.65	4.45	44,659	47,379	3,810	4,390
MAINE	347	413	2,249	2,426	6.48	5.87	1,549	1,679	81	89
NEW JERSEY	1,118	1,342	4,949	5,713	4.43	4.26	3,013	3,435	309	444
PENNSYLVANIA	101	71	740	508	7.32	7.13	514	357	18	14
OHIO	279	285	1,172	1,131	4.21	3.96	696	647	56	65
INDIANA	584	675	2,314	2,675	3.96	3.96	1,457	1,675	105	100
MINNESOTA	1,948	1,468	7,230	5,670	3.71	3.86	4,375	3,432	529	410
MISSOURI	1,099	1,102	6,484	6,367	5.90	5.78	4,291	4,272	347	326
VIRGINIA	83	90	603	638	7.22	7.10	425	444	18	34
NORTH CAROLINA	206	216	1,575	1,564	7.63	7.24	1,056	1,051	62	59
GEORGIA	1,727	3,021	7,820	12,708	4.53	4.21	5,103	8,176	363	639
ALABAMA	223	336	1,198	1,618	5.36	4.82	795	1,068	72	95
MISSISSIPPI	1,246	1,464	7,066	7,239	5.67	4.95	4,777	4,803	287	390
ARKANSAS	181	87	1,249	615	6.90	7.06	887	410	47	35
LOUISIANA	31	---	228	---	7.29	---	158	---	8	---
TEXAS	546	515	2,418	2,259	4.43	4.39	1,534	1,430	133	120
WASHINGTON	149	74	651	391	4.36	5.30	408	258	31	13
CALIFORNIA	1,003	1,420	4,115	5,726	4.10	4.03	2,575	3,428	301	434

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1970

REGION AND STATE	TUBER- : NO.	CULOSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CENIA : NO.	AIRSAC- : NO.	CULITIS : NO.	SYNO- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	42		4,944	52,505	67	1,783	40,165	3,856	3,168	9,099	1,298	17,644	134,571					
E. N. CENTRAL	1,549		7,015	33,204	386	2	30,478	3,658	3,111	10,886	202	8,321	98,812					
W. N. CENTRAL	22,533		14,970	99,771	3,087	218	100,263	11,074	6,896	16,804	627	35,754	311,997					
S. ATLANTIC	194		7,199	86,536	1,095	1,091	61,663	10,759	7,401	35,260	733	14,588	226,519					
S. CENTRAL	---		16,024	61,329	322	1,134	40,957	6,850	3,267	11,284	992	19,136	161,295					
WEST	---		1,072	51,670	31	64	62,871	7,749	1,752	7,277	231	18,260	150,977					
U. S.	24,318		51,224	385,015	4,988	4,292	336,397	43,946	25,595	90,610	4,083	113,703	1,084,171					
MAINE	---		1,198	7,240	10	666	2,426	222	207	1,113	5	688	13,775					
NEW JERSEY	42		2,343	36,571	10	474	30,213	2,995	2,399	5,994	496	15,752	95,289					
PENNSYLVANIA	---		205	912	21	---	279	64	38	138	---	310	1,967					
OHIO	138		2,836	3,692	29	---	2,483	881	472	1,658	21	2,969	15,179					
INDIANA	97		1,493	13,811	---	---	14,111	457	780	5,573	3	1,971	38,296					
MINNESOTA	10,781		4,148	22,702	1,207	103	45,878	2,105	1,706	5,822	53	23,405	117,910					
MISSOURI	1,225		3,641	40,789	360	86	10,035	3,732	2,509	2,905	457	6,155	71,894					
VIRGINIA	---		1,378	2,424	51	360	273	142	70	292	1	308	5,299					
NORTH CAROLINA	---		855	2,852	274	186	591	191	155	1,782	14	1,180	8,080					
GEORGIA	---		2,428	60,686	469	316	43,291	4,898	4,270	19,651	191	7,937	144,137					
ALABAMA	---		907	10,605	91	52	5,332	293	310	2,854	209	1,098	21,751					
MISSISSIPPI	---		2,114	39,806	19	703	33,327	5,781	1,108	4,745	475	9,374	97,452					
ARKANSAS	---		388	2,400	59	75	114	46	122	588	3	95	3,890					
TEXAS	---		12,343	6,535	123	295	1,529	642	787	1,612	60	7,340	31,266					
WASHINGTON	---		149	927	1	2	337	18	52	188	---	976	2,650					
CALIFORNIA	---		653	42,927	11	35	59,401	3,670	1,334	4,572	174	11,007	123,784					

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1969 AND 1970												
REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		PERCENT 2/	PERCENT 2/	
		1969	1970	1969	1970	1969	1970	1969	1970			1969
	-THOUSANDS-	-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-		
N. ATLANTIC	332	6,662	7,069	20.07	20.31	5,294	5,577	84	109	1.40	1.71	
E. N. CENTRAL	1,925	2,148	45,143	21.83	21.01	33,585	35,859	791	830	2.09	2.04	
W. N. CENTRAL	5,523	5,634	117,709	20.75	20.89	91,223	92,750	2,686	3,132	2.60	2.96	
S. ATLANTIC	2,136	2,088	44,801	42,267	20.97	20.24	35,057	32,718	1,534	1,701	3.81	4.48
S. CENTRAL	2,164	2,275	45,221	48,813	20.90	21.46	35,408	37,926	1,291	1,989	3.18	4.53
WEST	3,459	3,710	73,684	78,629	21.30	21.19	58,983	62,879	1,416	1,501	2.13	2.12
U. S.	15,539	16,203	327,011	334,630	21.04	20.96	259,550	267,709	7,602	9,262	2.65	3.03
PENNSYLVANIA	320	348	6,467	7,062	20.22	20.30	5,154	5,571	78	109	1.34	1.72
OHIO	405	474	9,041	10,080	22.31	21.27	7,202	7,875	150	161	1.84	1.77
INDIANA	620	775	13,100	15,567	21.14	20.08	10,552	12,335	187	295	1.58	2.10
WISCONSIN	601	654	12,582	13,192	20.94	20.17	10,050	10,515	251	275	2.22	2.31
MINNESOTA	2,820	2,860	55,233	57,235	19.69	20.02	44,574	45,201	1,136	1,377	2.27	2.67
IOWA	1,162	1,203	25,103	25,861	21.61	21.50	19,798	20,355	618	675	2.73	2.90
MISSOURI	1,209	1,191	26,406	25,804	21.84	21.67	20,911	20,336	736	863	3.10	3.72
VIRGINIA	657	630	13,579	12,735	20.67	20.22	10,332	9,518	485	586	3.98	5.12
NORTH CAROLINA	1,128	1,098	22,735	21,094	20.16	19.21	18,086	16,683	762	808	3.73	4.27
ARKANSAS	1,117	1,090	23,498	23,480	21.03	21.54	18,406	18,172	669	1,066	3.16	5.05
TEXAS	814	1,036	16,737	22,289	20.56	21.51	13,007	17,300	557	852	3.70	4.25
COLORADO	414	484	8,997	10,504	21.72	21.72	7,278	8,288	122	256	1.51	2.71
UTAH	605	631	15,337	14,886	25.33	23.59	12,339	12,164	256	225	1.85	1.68
CALIFORNIA	2,067	2,257	41,637	45,855	20.15	20.32	33,174	36,551	899	926	2.40	2.24

1/ AVERAGE WEIGHT BASED ON UNKOUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNKOUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1970

REGION AND STATE	: TUBER- : NO.	: LEU- : KOSIS : NO.	: SEPTI- : CEMIA : NO.	: AIRSAC- : CULITIS : NO.	: SYNO- : VITIS : NO.	: TUMORS : NO.	: BRUISES : NO.	: CADAVER : NO.	: CONTAM- : INATION : NO.	: OVER- : SCALD : NO.	: OTHER : NO.	: TOTAL : NO.
N. ATLANTIC	---	17	1,483	2,080	57	1	124	69	355	1	29	4,216
E. N. CENTRAL	---	238	18,065	10,960	981	29	490	1,422	1,901	209	357	34,652
W. N. CENTRAL	---	1,270	76,116	48,904	4,251	24	1,497	3,430	8,308	977	955	145,732
S. ATLANTIC	---	184	23,531	39,678	5,149	39	918	971	3,554	363	4,067	78,454
S. CENTRAL	---	66	34,988	33,860	8,095	73	761	1,550	3,697	311	640	84,041
WEST	---	140	27,247	28,448	5,797	52	780	1,186	1,884	387	1,256	67,177
U. S.	---	1,915	181,430	163,930	24,330	218	4,570	8,628	19,699	2,248	7,304	414,272
PENNSYLVANIA	---	12	1,483	2,080	57	1	124	68	355	1	29	4,210
OHIO	---	23	3,808	1,460	386	6	71	149	256	113	165	6,437
INDIANA	---	101	5,797	5,115	4	11	38	623	921	11	79	12,700
WISCONSIN	---	102	6,776	3,234	577	9	373	541	656	44	95	12,407
MINNESOTA	---	1,153	40,004	18,662	2,074	13	457	2,005	4,458	534	429	69,789
IOWA	---	5	15,082	11,743	558	5	428	606	1,731	135	255	30,548
MISSOURI	---	112	16,760	14,056	1,594	2	506	786	1,736	171	232	35,955
VIRGINIA	---	84	12,409	15,246	265	8	294	408	561	216	72	29,563
NORTH CAROLINA	---	60	7,673	19,879	3,124	25	437	371	2,430	120	2,409	36,528
ARKANSAS	---	19	19,690	16,502	4,853	5	271	708	1,825	190	62	44,125
TEXAS	---	16	12,812	16,681	3,228	67	477	770	1,775	121	576	36,523
COLORADO	---	59	3,162	7,413	365	6	124	280	125	6	91	11,631
UTAH	---	12	3,029	2,547	789	25	189	260	664	97	597	8,209
CALIFORNIA	---	50	18,202	17,897	4,257	11	261	573	943	281	454	42,929

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, OCTOBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEMILEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970			
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-				
N. ATLANTIC	15	15	150	138	10.00	9.20	118	109	1	3	.74	2.41	
E. N. CENTRAL	51	124	518	1,201	10.08	9.65	400	943	5	22	.98	2.02	
W. N. CENTRAL	555	617	5,145	5,828	9.27	9.44	3,996	4,598	107	132	2.32	1.95	
S. ATLANTIC	296	345	2,796	3,168	9.44	9.18	2,090	2,373	68	77	2.70	2.72	
S. CENTRAL	10	10	89	101	8.62	9.97	70	78	1	2	1.44	2.42	
WEST	14	115	114	1,006	8.28	8.76	90	764	3	23	2.65	2.50	
U. S.	941	1,226	8,812	11,442	9.36	9.33	6,764	8,865	185	229	2.34	2.22	
WISCONSIN 3/	---	61	---	617	---	10.12	---	481	---	14	---	---	2.50
MINNESOTA	528	558	4,894	5,279	9.27	9.46	3,800	4,159	103	93	2.33	1.96	
VIRGINIA	259	258	2,435	2,298	9.41	8.91	1,805	1,709	62	46	2.85	2.22	
CALIFORNIA 3/	---	86	---	760	---	8.83	---	569	---	17	---	---	2.54

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, OCTOBER 1970

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AFRASCULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INATION		CONTAMINATION		OVERSCALD		OTHER		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	50	80	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	173
E. N. CENTRAL	---	20	---	1,054	214	---	16	---	35	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,707
W. N. CENTRAL	---	179	---	5,267	875	---	159	---	110	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9,681
S. ATLANTIC	---	3	---	3,421	1,638	---	140	---	167	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6,935
S. CENTRAL	---	---	---	85	43	---	1	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	180
WEST	---	42	---	1,330	286	---	66	---	47	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2,399
U. S.	---	244	---	11,207	3,136	---	382	---	363	---	---	---	---	---	---	---	---	---	---	---	---	---	---	21,075
WISCONSIN	---	18	---	539	194	---	7	---	30	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,108
MINNESOTA	---	179	---	4,853	703	---	159	---	97	---	---	---	---	---	---	---	---	---	---	---	---	---	---	8,741
VIRGINIA	---	---	---	2,524	551	---	10	---	117	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,104
CALIFORNIA	---	1	---	816	235	---	2	---	10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,631

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.