

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
November 1970

Release:
January 5, 1971
3:00 P.M. EST

Inspected Poultry - There were 1,106 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during November under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 16 percent less than October but 12 percent more than a year earlier.

The number of head and pounds live weight inspected by classes were: young chickens -- 194,231,000 head, 723,712,000 pounds; mature chickens -- 14,321,000 head, 64,939,000 pounds; fryer-roaster turkeys -- 1,360,000 head, 12,781,000 pounds; young turkeys -- 13,850,000 head, 298,506,000 pounds; old turkeys -- 17,000 head, 367,000 pounds; ducks -- 861,000 head, 5,441,000 pounds.

Poultry Certified As Wholesome in November totaled 804,745,000 pounds ready-to-cook weight of which 552,007,000 pounds were chilled and 252,738,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 512,899,000; mature chickens, 41,131,000; fryer-roaster turkeys, 9,939,000; young turkeys, 234,664,000; old turkeys, 284,000; ducks, 3,887,000; and other poultry, 1,941,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 119,134,000 pounds ready-to-cook weight, compared with 109,308,000 pounds in November 1969. The November 1970 total consisted of 26,258,000 pounds young chickens, 36,034,000 pounds mature chickens, 49,743,000 pounds turkeys, and 7,099,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 165,139,000 pounds ready-to-cook weight, compared with 139,503,000 pounds in November 1969. The breakdown by classes was: young chickens, 144,713,000 pounds; mature chickens, 612,000 pounds; turkeys, 19,606,000 pounds; and other poultry, 208,000 pounds.

Ante-Mortem Condemnations during November were 3,596,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.33; mature chickens, 0.79; fryer-roaster turkeys, 0.22; young turkeys, 0.20; old turkeys, 0.62; and ducks, 0.08.

Post-Mortem Condemnations during November were 38,253,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.98; mature chickens, 6.54; fryer-roaster turkeys, 2.32; young turkeys, 3.06; old turkeys, 5.05; and ducks, 2.16.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1970 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER	
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
OCTOBER 1970	237,617	16,852	254,469	1,226	16,203	26	17,455	1,114	---	---	---	---	---	---	---	---
NOVEMBER 1969	176,349	10,066	186,415	1,056	12,791	14	13,861	770	---	---	---	---	---	---	---	---
NOVEMBER 1970	194,231	14,321	208,552	1,360	13,850	17	15,227	861	---	---	---	---	---	---	---	---
JAN.-NOV. 1969	2,306,275	142,294	2,448,569	8,671	76,536	1,212	86,449	10,705	---	---	---	---	---	---	---	---
JAN.-NOV. 1970	2,557,876	160,060	2,717,936	10,393	84,904	1,003	96,300	11,099	---	---	---	---	---	---	---	---
POUNDS INSPECTED 4/																
OCTOBER 1970	888,396	74,916	963,312	11,442	339,630	469	351,541	7,040	---	---	---	---	---	---	---	---
NOVEMBER 1969	645,072	47,767	692,839	10,174	280,212	248	290,634	4,827	---	---	---	---	---	---	---	---
NOVEMBER 1970	723,712	64,939	788,651	12,781	298,506	367	311,654	5,441	---	---	---	---	---	---	---	---
JAN.-NOV. 1969	8,287,018	656,369	8,943,387	80,281	1,517,133	23,223	1,620,637	66,529	---	---	---	---	---	---	---	---
JAN.-NOV. 1970	9,280,555	736,648	10,017,203	95,608	1,682,678	19,468	1,797,754	69,375	---	---	---	---	---	---	---	---
AVERAGE LIVEWEIGHTS 5/																
OCTOBER 1970	3.74	4.45	3.79	9.33	20.96	18.00	20.14	6.32	---	---	---	---	---	---	---	---
NOVEMBER 1969	3.66	4.75	3.72	9.63	21.91	17.94	20.97	6.27	---	---	---	---	---	---	---	---
NOVEMBER 1970	3.73	4.53	3.78	9.40	21.55	21.69	20.47	6.32	---	---	---	---	---	---	---	---
JAN.-NOV. 1969	3.59	4.61	3.65	9.26	19.82	19.07	18.75	6.21	---	---	---	---	---	---	---	---
JAN.-NOV. 1970	3.63	4.60	3.69	9.20	19.82	19.41	18.67	6.25	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

OCTOBER 1970, 2,424; NOVEMBER 1969, 2,155; AND NOVEMBER 1970, 2,563.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

OCTOBER 1970, 5; NOVEMBER 1969, 9; AND NOVEMBER 1970, 22.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), NOVEMBER 1970 WITH COMPARISONS 1/

OCTOBER 1970	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER	
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS
CHILLED	568,145	37,878	606,023	1,888	42,228	70	44,186	203	---	---	---	---	---	---	---	---
FROZEN	65,213	9,501	74,714	6,977	225,481	291	232,749	4,818	---	---	---	---	---	---	---	---
TOTAL	633,358	47,379	680,737	8,865	267,709	361	276,935	5,021	---	---	---	---	---	---	---	---
NOVEMBER 1969	408,685	24,977	433,662	1,804	66,686	---	68,490	347	---	---	---	---	---	---	---	---
CHILLED	52,597	5,750	58,347	6,223	154,747	204	161,174	3,106	---	---	---	---	---	---	---	---
FROZEN	461,282	30,727	492,009	8,027	221,433	204	229,664	3,453	---	---	---	---	---	---	---	---
TOTAL	456,655	33,849	490,504	2,170	58,873	35	61,078	400	---	---	---	---	---	---	---	---
NOVEMBER 1970	56,244	7,282	63,526	7,769	175,791	249	183,809	3,487	---	---	---	---	---	---	---	---
CHILLED	512,899	41,131	554,030	9,939	234,664	284	244,887	3,887	---	---	---	---	---	---	---	---
FROZEN	5,335,150	322,511	5,657,661	16,038	235,378	4,707	256,123	3,002	---	---	---	---	---	---	---	---
TOTAL	5,930,959	419,260	6,350,219	62,301	1,204,745	18,367	1,285,413	4,720	---	---	---	---	---	---	---	---
JANUARY-NOVEMBER 1969	5,933,660	357,133	6,290,793	16,503	243,654	3,585	263,742	2,330	---	---	---	---	---	---	---	---
CHILLED	665,979	112,081	778,060	57,510	1,084,237	11,811	1,153,558	46,936	---	---	---	---	---	---	---	---
FROZEN	6,599,639	469,214	7,068,853	74,013	1,327,891	15,396	1,417,300	49,266	---	---	---	---	---	---	---	---
TOTAL																

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1970 WITH COMPARISONS 3/

	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS:	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY:
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
NOVEMBER 1969:	1,906	344	2,250	32	500	---	532	5	2	2,789
NOVEMBER 1970:	2,444	515	2,959	29	599	2	630	4	3	3,596
JAN.-NOV. 1969:	31,357	5,266	36,623	188	3,194	82	3,464	30	12	40,129
JAN.-NOV. 1970:	42,626	6,548	49,174	219	3,697	69	3,985	69	15	53,243
PERCENT 1/										
NOVEMBER 1969:	.29	.71	.32	.31	.17	.05	.18	.10	.09	.28
NOVEMBER 1970:	.33	.79	.37	.22	.20	.62	.20	.08	.13	.32
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
NOVEMBER 1969:	20,579	2,555	23,134	211	6,369	8	6,588	84	15	29,822
NOVEMBER 1970:	25,828	3,793	29,621	267	8,221	17	8,505	106	22	38,253
JAN.-NOV. 1969:	259,841	32,022	291,863	1,543	33,535	774	35,852	953	45	328,712
JAN.-NOV. 1970:	327,379	38,493	365,872	1,752	42,749	669	45,170	1,158	57	412,257
PERCENT 2/										
NOVEMBER 1969:	3.55	5.99	3.72	2.31	2.53	5.00	2.52	1.93	.63	3.35
NOVEMBER 1970:	3.98	6.54	4.19	2.32	3.06	5.05	3.03	2.16	.89	3.84

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, NOVEMBER 1970 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/ :		: TOTAL POULTRY :	
	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :	: CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/										
OCTOBER 1970 :	31,352	174,750	39,669	841	60,688	24,923	7,089	216	138,798	200,730
NOVEMBER 1969 :	21,725	123,016	27,958	1,644	51,886	14,763	7,739	80	109,308	139,503
NOVEMBER 1970 :	26,258	144,713	36,034	612	49,743	19,606	7,099	208	119,134	165,139
JANUARY-NOVEMBER 1969 :	248,849	1,489,260	348,529	8,301	448,999	147,085	75,528	3,921	1,121,905	1,648,567
JANUARY-NOVEMBER 1970 :	310,360	1,686,316	356,295	7,887	439,765	173,184	76,424	1,686	1,182,844	1,869,073
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/										
OCTOBER 1970 :	289	1,319	71	80	235	133	94	9	489	1,541
NOVEMBER 1969 :	86	785	40	47	33	11	23	---	182	843
NOVEMBER 1970 :	233	1,118	48	72	32	23	32	13	345	1,226
JANUARY-NOVEMBER 1969 :	1,549	9,707	424	143	614	58	404	7	2,991	9,955
JANUARY-NOVEMBER 1970 :	2,737	11,434	735	419	1,411	2,185	371	94	5,254	14,132

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".

2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVEWIGHT INSPECTED/100		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
			-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	11,245	11,613	47,718	49,608	4.24	4.27	33,923	35,441	1,997	1,818
E. N. CENTRAL	2,137	2,195	9,193	9,571	4.30	4.36	6,681	7,010	283	240
W. N. CENTRAL	4,298	5,371	16,696	21,035	3.88	3.92	11,841	14,909	540	802
S. ATLANTIC	73,113	77,151	270,046	291,398	3.69	3.78	192,979	206,281	8,776	10,672
S. CENTRAL	81,468	93,297	286,354	335,290	3.51	3.59	205,313	237,553	8,520	11,731
WEST	4,088	4,604	15,065	16,810	3.69	3.65	10,545	11,705	463	565
U. S.	176,349	194,231	645,072	723,712	3.66	3.73	461,282	512,899	20,579	25,828
MAINE	4,759	4,828	20,837	20,836	4.38	4.32	15,172	15,233	783	585
PENNSYLVANIA	5,872	6,062	24,166	25,480	4.12	4.20	16,818	17,990	1,111	1,061
OHIO	11	16	85	145	7.44	8.92	63	111	1	3
INDIANA	843	801	3,156	3,077	3.74	3.84	2,329	2,281	105	56
WISCONSIN	1,227	1,325	5,539	5,960	4.52	4.50	3,990	4,336	164	167
MINNESOTA	716	765	3,034	3,254	4.23	4.26	2,275	2,482	49	61
MISSOURI	3,374	4,014	12,147	14,922	3.60	3.72	8,497	10,421	424	612
DELAWARE	6,605	6,763	26,194	27,360	3.97	4.05	18,664	19,288	910	944
MARYLAND	11,191	12,149	43,737	48,666	3.91	4.01	31,484	35,006	1,535	1,565
VIRGINIA	5,942	5,966	20,904	20,874	3.52	3.50	14,306	14,376	637	577
NORTH CAROLINA	19,440	17,967	74,222	68,891	3.82	3.83	52,867	49,021	2,111	2,059
SOUTH CAROLINA	2,421	2,476	8,347	8,803	3.45	3.56	5,812	5,972	280	441
GEORGIA	4,995	4,445	17,821	15,823	3.57	3.56	12,973	11,473	3,002	4,665
TENNESSEE	19,526	23,602	69,672	83,709	3.57	3.55	49,784	58,087	2,432	4,123
ALABAMA	13,640	17,106	49,061	64,282	3.60	3.76	36,129	46,427	961	1,974
MISSISSIPPI	25,741	27,453	81,795	95,307	3.41	3.47	61,945	67,072	2,766	2,781
ARKANSAS	4,150	3,667	15,026	13,728	3.62	3.74	10,890	9,899	359	380
LOUISIANA	11,467	13,695	40,417	50,601	3.52	3.69	28,927	36,176	1,320	1,735
TEXAS	926	516	3,692	2,099	3.99	4.07	2,519	1,484	169	43
WASHINGTON	2,196	2,590	8,333	9,598	3.79	3.71	5,935	6,825	198	270
CALIFORNIA										

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970		
U. S.	10,066	14,321	47,767	64,939	4.75	4.53	30,727	41,131	2,555	3,793	5.99	6.54
N. ATLANTIC	1,325	1,650	6,780	8,083	5.12	4.90	4,338	5,178	332	552	5.47	7.65
S. N. CENTRAL	1,261	1,625	5,242	6,613	4.16	4.07	3,213	4,000	209	293	4.47	4.97
W. N. CENTRAL	2,522	3,657	11,282	15,803	4.47	4.32	7,097	9,687	722	997	7.17	7.09
S. ATLANTIC	2,428	3,773	11,669	17,282	4.81	4.58	7,584	11,232	644	936	6.17	6.06
S. CENTRAL	1,748	2,167	9,626	11,463	5.51	5.29	6,534	7,688	448	549	5.20	5.35
WEST	782	1,449	3,168	5,695	4.05	3.93	1,961	3,346	200	466	7.07	9.18
MAINE	257	264	1,759	1,611	6.86	6.10	1,194	1,111	71	58	4.48	4.05
NEW JERSEY	735	1,002	3,185	4,256	4.33	4.25	1,952	2,535	197	387	6.92	10.20
PENNSYLVANIA	73	60	513	413	7.00	6.93	336	287	18	16	3.86	2.61
INDIANA	477	595	1,874	2,349	3.93	3.94	1,175	1,449	65	101	3.93	4.81
MINNESOTA	1,090	1,373	4,034	5,275	3.70	3.84	2,410	3,160	288	341	7.99	7.23
MISSOURI	723	953	4,529	5,615	6.26	5.89	3,069	3,730	255	305	6.31	6.10
VIRGINIA	22	67	160	466	7.27	7.00	112	325	5	19	3.84	4.52
NORTH CAROLINA	178	235	1,316	1,704	7.40	7.25	899	1,177	57	63	4.80	4.15
GEORGIA	1,334	2,453	6,389	11,038	4.79	4.50	4,195	7,221	311	568	5.45	5.75
ALABAMA	233	252	1,247	1,411	5.35	5.59	811	940	71	66	6.38	5.25
MISSISSIPPI	823	1,256	4,280	6,334	5.20	5.04	2,917	4,268	193	314	5.04	5.55
ARKANSAS	223	140	1,564	975	7.02	6.99	1,091	670	78	40	5.58	4.53
LOUISIANA	52	71	374	509	7.17	7.16	261	344	15	22	4.49	4.83
TEXAS	344	367	1,770	1,777	5.14	4.84	1,192	1,154	79	90	4.95	5.65
WASHINGTON	80	51	326	231	4.07	4.52	199	144	20	11	6.70	5.33
CALIFORNIA	662	1,236	2,685	4,845	4.05	3.92	1,659	2,822	175	410	7.28	9.49

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1970

REGION AND STATE	: TUBER- : : COLUSIS :		: LEU- : : KOSIS :		: SEPTI- : : CEMIA :		: AIRSAC- : : CULTITIS :		: SYNO- : : VITIS :		: TUMORS : : BRUISES :		: CADAVER : : INACTION :		: CONTAM- : : SCALD :		: OVER- : : OTHER :		: TOTAL : : NO. :
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	3,651	44,157	19	574	32,396	3,942	2,695	7,185	292	15,590	110,501							
E. N. CENTRAL	1,013	7,393	26,200	235	4	23,577	4,618	2,186	12,805	111	11,112	89,254							
W. N. CENTRAL	16,250	13,362	95,165	2,584	449	71,455	12,754	4,860	19,116	815	29,571	266,381							
S. ATLANTIC	72	5,817	91,332	764	907	47,511	11,043	6,942	30,311	599	17,450	212,748							
S. CENTRAL	---	9,249	57,344	221	1,780	21,181	4,888	3,199	8,764	547	15,197	122,370							
WEST	---	837	50,664	55	47	49,464	5,486	826	6,017	363	17,053	130,812							
U. S.	17,335	40,309	364,862	3,878	3,761	245,584	42,731	20,708	84,198	2,727	105,973	932,066							
MAINE	---	688	4,681	3	143	1,135	233	157	626	37	126	7,829							
NEW JERSEY	---	2,233	33,102	3	86	26,003	3,161	2,214	5,467	250	14,720	87,239							
PENNSYLVANIA	---	181	595	5	13	264	46	28	89	---	300	1,521							
INDIANA	7	2,381	9,113	---	---	9,246	359	899	7,140	8	7,339	36,492							
MINNESOTA	7,186	4,489	23,533	1,097	345	33,308	3,253	1,340	6,273	63	19,880	100,767							
MISSOURI	1,161	3,377	37,573	482	71	9,284	3,614	1,543	2,366	355	5,379	65,205							
VIRGINIA	---	530	1,222	33	60	148	94	159	228	---	268	2,742							
NORTH CAROLINA	---	1,043	3,018	180	113	593	171	284	1,633	19	1,811	8,865							
GEORGIA	---	1,734	63,612	302	512	31,323	5,328	3,509	16,966	297	7,817	131,400							
ALABAMA	---	781	6,910	102	47	1,366	120	507	2,400	151	899	13,283							
MISSISSIPPI	---	2,105	37,894	8	1,177	16,976	3,972	1,557	3,799	243	7,443	75,174							
ARKANSAS	---	494	2,890	60	355	165	63	129	674	21	238	5,089							
LOUISIANA	---	351	1,994	1	45	113	66	164	129	35	27	2,945							
TEXAS	---	5,097	5,612	44	154	2,497	543	746	1,233	97	6,417	22,440							
WASHINGTON	---	229	752	6	---	163	30	13	176	18	1,347	2,734							
CALIFORNIA	---	431	45,667	36	37	47,683	3,656	615	4,264	209	12,770	115,368							

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1969 AND 1970

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED				
	1969	1970	1969	1970	1969	1970	1969	1970	POUNDS (NYD)	PERCENT 2/	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	445	471	8,671	9,320	19.49	19.79	6,797	7,338	136	174	1.74
E. N. CENTRAL	1,750	1,948	37,629	41,140	21.50	21.12	29,894	32,345	739	842	2.18
W. N. CENTRAL	3,834	4,015	84,298	88,050	21.99	21.93	66,837	69,044	2,114	2,785	3.52
S. ATLANTIC	1,984	2,127	42,221	44,649	21.28	20.99	32,902	34,294	1,317	1,861	3.47
S. CENTRAL	1,684	1,802	39,252	39,631	23.31	21.99	30,571	31,006	1,028	1,364	3.83
WEST	3,094	3,487	68,141	75,716	22.02	21.71	54,432	60,637	1,035	1,195	1.75
U. S.	12,791	13,850	280,212	298,506	21.91	21.55	221,433	234,664	6,369	8,221	2.53
PENNSYLVANIA	436	465	8,486	9,207	19.44	19.80	6,656	7,242	134	173	1.75
OHIO	427	494	8,599	10,615	20.14	21.48	6,795	8,242	171	247	2.21
INDIANA	565	702	12,062	14,588	21.33	20.77	9,727	11,565	148	228	1.74
WISCONSIN	496	549	10,381	11,152	20.91	20.32	8,209	8,755	219	276	2.75
MINNESOTA	1,825	1,842	38,791	38,035	21.26	20.65	30,841	29,848	865	1,251	2.48
IOWA	980	971	21,550	22,086	21.99	22.74	17,249	17,521	469	608	3.06
MISSOURI	800	872	18,755	20,166	23.44	23.12	14,623	15,519	639	740	4.09
NEBRASKA	165	217	3,823	5,484	23.14	25.30	3,044	4,355	109	139	3.17
VIRGINIA	672	734	14,085	14,723	20.96	20.07	10,809	11,054	450	680	3.56
NORTH CAROLINA	867	922	18,122	19,426	20.90	21.07	14,383	15,220	551	782	3.38
ARKANSAS	821	841	20,174	18,651	24.57	22.16	15,574	14,601	603	691	3.33
TEXAS	737	886	16,066	19,296	21.79	21.78	12,608	15,057	383	635	2.65
COLORADO	353	350	7,426	7,452	21.01	21.31	5,981	5,886	94	183	2.73
UTAH	516	577	13,615	14,539	26.37	25.20	10,856	11,828	223	207	1.58
CALIFORNIA	1,864	2,170	39,650	45,733	21.27	21.07	31,668	36,565	609	707	1.72

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1970

REGION AND STATE	: TUBER- : : CULOSIS :	LEU- : KOSIS :	SEPTI- : CEMIA :	AIRSAC- : CULITIS :	SYND- : VITIS :	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INMATION : NO.	CONTAM- : SCALD :	OVER- : NO.	OTHER : NO.	TOTAL NO.
N. ATLANTIC	---	34	2,932	3,823	72	---	67	176	374	23	62	62	7,563
E. N. CENTRAL	---	155	18,023	12,469	1,442	9	312	985	2,061	533	346	346	36,335
W. N. CENTRAL	---	692	62,742	47,656	3,321	51	954	3,539	6,188	866	1,464	1,464	127,473
S. ATLANTIC	---	266	22,484	43,257	3,010	40	1,004	1,852	4,013	434	2,915	2,915	79,275
S. CENTRAL	---	132	21,017	19,185	1,687	77	611	890	2,312	92	592	592	52,595
WEST	---	148	21,025	21,674	2,920	36	526	1,016	1,565	346	966	966	50,222
U. S.	---	1,427	148,223	148,064	18,452	213	3,474	8,458	16,513	2,294	6,345	6,345	353,463
PENNSYLVANIA	---	27	2,922	3,808	72	---	65	176	371	23	62	62	7,526
OHIO	---	22	5,005	3,355	1,164	3	51	235	541	327	176	176	10,879
INDIANA	---	23	5,470	3,293	17	1	39	425	831	119	25	25	10,243
WISCONSIN	---	71	5,614	4,499	258	4	219	259	656	15	132	132	11,787
MINNESOTA	---	605	30,977	23,532	1,524	19	245	1,519	2,932	357	419	419	62,129
IOWA	---	80	13,307	9,426	938	14	226	714	1,101	317	219	219	26,342
MISSOURI	---	5	14,926	11,403	834	14	414	1,247	1,720	108	742	742	31,413
NEBRASKA	---	2	2,999	1,763	13	3	62	53	295	71	81	81	5,342
VIRGINIA	---	7	11,471	19,054	209	4	413	809	866	180	286	286	33,299
NORTH CAROLINA	---	12	6,270	18,070	1,900	26	426	668	2,140	124	1,885	1,885	31,521
ARKANSAS	---	107	9,550	7,970	5,359	2	192	473	1,081	46	65	65	24,845
TEXAS	---	7	10,368	10,942	2,327	66	415	367	1,151	46	524	524	26,219
COLORADO	---	24	1,508	6,725	271	4	25	177	85	6	3	3	8,828
UTAH	---	11	2,295	2,912	220	16	150	174	581	36	298	298	6,693
CALIFORNIA	---	101	13,940	11,397	2,112	8	218	490	701	280	500	500	29,747

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
			-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	11	9	103	88	9.36	9.78	78	67	2	2.15
E. N. CENTRAL	61	131	576	1,276	9.38	9.72	458	995	23	1.13
W. N. CENTRAL	813	935	7,869	8,737	9.68	9.35	6,279	6,868	153	2.16
S. ATLANTIC	133	217	2,309	2,046	9.83	9.42	962	1,519	46	3.95
S. CENTRAL	7	34	59	327	8.51	9.74	46	252	1	1.67
WEST	31	34	258	307	8.31	9.01	204	238	3	1.25
U. S.	1,056	1,360	10,174	12,781	9.63	9.40	8,027	9,939	211	2.31
OHIO	3/	59	---	591	---	10.00	---	457	10	---
WISCONSIN	3/	68	---	650	---	9.52	---	511	12	---
MINNESOTA		783	7,551	7,969	9.64	9.20	6,023	6,242	149	2.20
VIRGINIA		113	1,083	1,715	9.60	9.38	789	1,263	41	4.20
TEXAS	3/	21	---	221	---	10.39	---	167	9	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1970

REGION AND STATE	TUBER- : NO.		LEU- : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYNO- : NO.		VITIS : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		SCALD : NO.		OTHER : NO.		TOTAL : NO.		
	N. ATLANTIC	---	---	---	98	7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	6	1,286	130	6	39	65	28	18	71	18	466	71	208	18	208	18	208	18	208	18	208	18	208	18	208	2,087	
W. N. CENTRAL	---	---	619	9,756	2,429	1,053	142	417	2,199	145	208	145	2,199	145	208	145	208	145	208	145	208	145	208	145	208	145	208	16,974	
S. ATLANTIC	---	---	2	1,952	1,103	22	82	358	449	138	211	138	449	138	211	138	211	138	211	138	211	138	211	138	211	138	211	4,317	
S. CENTRAL	---	---	---	400	262	18	16	66	104	2	3	2	104	2	3	2	104	2	3	2	104	2	3	2	104	2	3	872	
WEST	---	---	---	244	10	14	31	19	58	10	84	10	58	10	84	10	58	10	84	10	58	10	84	10	58	10	84	470	
U. S.	---	---	627	13,736	3,941	1,113	310	927	3,304	313	578	313	927	313	578	313	927	313	578	313	927	313	578	313	927	313	578	24,856	
OHIO	---	---	---	565	66	---	15	41	197	3	14	3	197	3	14	3	197	3	14	3	197	3	14	3	197	3	14	901	
WISCONSIN	---	---	6	717	64	6	24	23	264	15	57	15	264	15	57	15	264	15	57	15	264	15	57	15	264	15	57	1,176	
MINNESOTA	---	---	619	9,240	2,376	1,053	115	373	2,112	142	185	142	2,112	142	185	142	2,112	142	185	142	2,112	142	185	142	2,112	142	185	16,219	
VIRGINIA	---	---	2	1,795	934	10	69	328	324	129	51	129	324	129	51	129	324	129	51	129	324	129	51	129	324	129	51	3,642	
TEXAS	---	---	---	358	253	18	13	38	50	---	3	---	50	---	3	---	50	---	3	---	50	---	3	---	50	---	3	734	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	POUNDS (MYD)	PERCENT 2/
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC 3/	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL 3/	---	1	15	17.60	18.27	2	11	---	8.18	---
W. N. CENTRAL	5	4	78	15.18	19.53	64	69	1	1.22	2.19
S. ATLANTIC	5	9	101	211	21.08	22.59	77	160	7	14
S. CENTRAL 3/	---	---	---	---	---	---	---	---	---	---
WEST 3/	4	2	66	55	17.73	23.36	61	43	1	1.08
U. S.	14	17	248	367	18.02	21.69	204	284	8	17
										5.00
										5.05

POULTRY SLAUGHTER, January 1971

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED, PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1970

REGION AND STATE	TUBERCULOSIS		LEU-KOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNDROMES		VITIS-TUMORS		BRUISES		CADAVER INAMINATION		CONTAMINATION		OVER-SCALD		OTHER		TOTAL	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	20	8	---	3	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	32	
W. N. CENTRAL	---	---	38	22	---	---	---	---	---	---	---	---	---	---	1	8	---	---	---	---	---	---	69	
S. ATLANTIC	---	---	111	292	15	1	8	---	---	---	---	---	---	---	3	40	---	---	---	---	---	---	486	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
WEST	---	---	27	1	2	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	31	
U. S.	---	---	196	323	20	1	8	4	50	---	---	---	---	---	---	---	---	---	---	---	---	---	618	

Crop Reporting Board, FRS, USDA

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.