

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Further Processing
December 1970



Release:
February 4, 1971
3:00 P.M. EST

Inspected Poultry - There were 1,062 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during December under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 4 percent less than November, but 4 percent more than a year earlier.

The number of head and pounds live weight inspected by classes were: young chickens -- 212,302,000 head, 793,170,000 pounds; mature chickens -- 16,055,000 head, 73,907,000 pounds; fryer-roaster turkeys -- 1,108,000 head, 10,445,000 pounds; young turkeys -- 8,086,000 head, 178,318,000 pounds; old turkeys -- 55,000 head, 1,199,000 pounds; ducks -- 734,000 head, 4,667,000 pounds.

Poultry Certified As Wholesome in December totaled 761,783,000 pounds ready-to-cook weight, of which 584,586,000 pounds were chilled and 177,197,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 561,502,000; mature chickens, 47,122,000; fryer-roaster turkeys, 8,144,000; young turkeys, 140,146,000; old turkeys, 919,000; ducks, 3,351,000; and other poultry, 599,000.

Further Processed - Poultry inspected and used for further processing totaled 109,552,000 pounds ready-to-cook weight, compared with 104,603,000 pounds in December 1969. The December 1970 total consisted of 26,932,000 pounds young chickens, 36,108,000 pounds mature chickens, 39,662,000 pounds turkeys, and 6,850,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 175,074,000 pounds ready-to-cook weight, compared with 152,503,000 pounds in December 1969. The breakdown by classes was: young chickens, 156,279,000 pounds; mature chickens, 721,000 pounds; turkeys, 17,530,000 pounds; and other poultry, 544,000 pounds.

Ante-Mortem Condemnations during December were 3,834,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.36; mature chickens, 0.77; fryer-roaster turkeys, 0.19; young turkeys, 0.20; old turkeys, 0.26; and ducks, 0.09.

Post-Mortem Condemnations during December were 39,356,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 4.25; mature chickens, 6.30; fryer-roaster turkeys, 2.24; young turkeys, 2.85; old turkeys, 5.88; and ducks, 2.20.

UNITED STATES DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE CROP REPORTING BOARD
Pou 2-1(2-71) WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, DECEMBER 1970 WITH COMPARISONS

NUMBER INSPECTED 3/ NOVEMBER 1970 DECEMBER 1969 DECEMBER 1970 JAN.-DEC. 1969 JAN.-DEC. 1970	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS/1 :	: CHICKENS :	: CHICKENS/1 :	: CHICKENS :	: CHICKENS/1 :	: ROASTERS :	: ROASTERS/1 :	: TURKEYS/2 :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :	: POULTRY :
	: 194,231	: 14,321	: 208,552	: 1,360	: 13,850	: 17	: 15,227										
	: 210,012	: 11,474	: 221,486	: 980	: 7,941	: 33	: 8,954										
	: 212,302	: 16,055	: 228,357	: 1,108	: 8,086	: 55	: 9,249										
	: 2,516,287	: 153,767	: 2,670,054	: 9,651	: 84,476	: 1,245	: 95,372										
	: 2,770,178	: 176,116	: 2,946,294	: 11,501	: 92,590	: 1,058	: 105,549										
POUNDS INSPECTED 4/																	
	: 723,712	: 64,939	: 788,651	: 12,781	: 298,506	: 367	: 311,654										
	: 777,944	: 54,566	: 832,510	: 5,336	: 176,510	: 658	: 186,504										
	: 793,170	: 73,907	: 867,077	: 10,445	: 178,318	: 1,199	: 189,962										
	: 9,064,962	: 710,935	: 9,775,897	: 89,618	: 1,693,643	: 23,881	: 1,807,142										
	: 10,073,725	: 810,555	: 10,884,280	: 106,053	: 1,860,995	: 20,667	: 1,987,715										
AVERAGE LIVEWEIGHTS/																	
	: 3.73	: 4.53	: 3.78	: 9.40	: 21.55	: 21.69	: 20.47										
	: 3.70	: 4.76	: 3.76	: 9.53	: 22.23	: 19.75	: 20.83										
	: 3.74	: 4.60	: 3.80	: 9.42	: 22.05	: 21.74	: 20.54										
	: 3.60	: 4.62	: 3.66	: 9.29	: 20.05	: 19.10	: 18.95										
	: 3.64	: 4.60	: 3.69	: 9.22	: 20.01	: 19.53	: 18.83										

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
 NOVEMBER 1970, 2,563; DECEMBER 1969, 2,508; AND DECEMBER 1970, 3,281.
 2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
 NOVEMBER 1970, 22; DECEMBER 1969, 14; AND DECEMBER 1970, 61.
 3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), DECEMBER 1970 WITH COMPARISONS 1/

NOVEMBER 1970 DECEMBER 1969 DECEMBER 1970 JANUARY-DECEMBER 1969 JANUARY-DECEMBER 1970	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :	: POULTRY :
	: 456,655	: 33,849	: 490,504	: 2,170	: 58,873	: 35	: 61,078										
	: 56,244	: 7,282	: 63,526	: 7,769	: 175,791	: 249	: 183,809										
	: 512,899	: 41,131	: 554,030	: 9,939	: 234,664	: 284	: 244,887										
	: 493,564	: 27,623	: 521,187	: 2,319	: 43,925	: 205	: 46,449										
	: 59,594	: 7,517	: 67,111	: 4,928	: 95,683	: 314	: 100,925										
	: 553,158	: 35,140	: 588,298	: 7,247	: 139,608	: 519	: 147,374										
	: 501,987	: 36,360	: 538,347	: 2,020	: 43,555	: 252	: 45,827										
	: 59,515	: 10,762	: 70,277	: 6,124	: 96,591	: 667	: 103,382										
	: 561,502	: 47,122	: 608,624	: 8,144	: 140,146	: 919	: 149,209										
	: 5,828,714	: 350,135	: 6,178,849	: 18,357	: 279,303	: 4,912	: 302,572										
	: 655,403	: 104,265	: 759,668	: 51,191	: 1,065,049	: 13,974	: 1,130,214										
	: 6,484,117	: 454,400	: 6,938,517	: 69,548	: 1,344,352	: 18,886	: 1,432,786										
	: 6,435,647	: 393,493	: 6,829,140	: 18,523	: 287,209	: 3,838	: 309,570										
	: 725,494	: 122,843	: 848,337	: 63,634	: 1,180,829	: 12,477	: 1,256,940										
	: 7,161,141	: 516,336	: 7,677,477	: 82,157	: 1,468,038	: 16,315	: 1,566,510										

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, DECEMBER 1970 WITH COMPARISONS 3/

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVEMEIGHT) 1/										
DECEMBER 1969:	3,115	403	3,518	26	320	1	347	4	---	3,869
DECEMBER 1970:	2,873	572	3,445	21	360	3	384	4	1	3,834
JAN.-DEC. 1969:	34,471	5,669	40,140	214	3,514	82	3,810	34	13	43,997
JAN.-DEC. 1970:	45,499	7,119	52,618	240	4,056	73	4,369	73	16	57,076
PERCENT 1/										
DECEMBER 1969:	.40	.73	.42	.27	.18	.13	.18	.07	.10	.37
DECEMBER 1970:	.36	.77	.39	.19	.20	.26	.20	.09	.12	.36
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED) 2/										
DECEMBER 1969:	27,984	2,708	30,692	207	4,003	21	4,231	100	5	35,029
DECEMBER 1970:	30,249	4,156	34,405	210	4,578	63	4,851	93	7	39,356
JAN.-DEC. 1969:	287,825	34,729	322,554	1,750	37,538	796	40,084	1,053	50	363,741
JAN.-DEC. 1970:	357,628	42,649	400,277	1,963	47,327	733	50,023	1,250	64	451,614
PERCENT 2/										
DECEMBER 1969:	4.01	5.55	4.11	2.47	2.52	3.57	2.52	2.03	.66	3.81
DECEMBER 1970:	4.25	6.30	4.42	2.24	2.85	5.88	2.84	2.20	.83	4.13

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEMEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, DECEMBER 1970 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY 1/	TOTAL POULTRY				
POUNDS USED READY-TO-COOK WEIGHT 2/									
NOVEMBER 1970:	26,258	144,713	612	49,743	19,606	7,099	208	119,134	165,139
DECEMBER 1969:	23,433	139,048	883	44,756	12,477	7,515	95	104,603	152,503
DECEMBER 1970:	26,932	156,279	721	39,662	17,530	6,850	544	109,552	175,074
JANUARY-DECEMBER 1969:	272,282	1,628,309	9,708	493,755	159,563	82,958	4,102	1,225,904	1,801,682
JANUARY-DECEMBER 1970:	337,292	1,842,594	8,608	479,427	190,713	83,274	2,230	1,292,397	2,044,145
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/									
NOVEMBER 1970:	233	1,118	72	32	23	32	13	345	1,226
DECEMBER 1969:	96	929	31	111	6	71	1	399	967
DECEMBER 1970:	266	1,283	64	35	22	18	6	362	1,375
JANUARY-DECEMBER 1969:	1,645	10,636	174	725	104	475	8	3,390	10,922
JANUARY-DECEMBER 1970:	3,003	12,717	483	1,446	2,207	389	100	5,616	15,507

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, DECEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT : INSPECTED/		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	
	- THOUSANDS-		-1,000 POUNDS-		- POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	- PERCENT-	
N. ATLANTIC	13,403	13,307	56,706	56,665	4.23	4.26	40,438	40,320	2,377	2,170	4.69
E. N. CENTRAL	2,619	2,491	11,369	10,460	4.34	4.20	8,314	7,744	336	309	3.29
W. N. CENTRAL	4,759	6,081	17,715	23,814	3.72	3.92	12,488	16,953	683	842	4.31
S. ATLANTIC	89,851	84,615	337,065	320,621	3.75	3.79	239,569	227,381	13,019	12,528	4.30
S. CENTRAL	94,471	100,905	336,736	362,985	3.56	3.60	239,379	256,017	11,053	13,813	3.66
WEST	4,909	4,903	18,353	18,625	3.74	3.80	12,970	13,087	516	587	3.13
U. S.	210,012	212,302	777,944	793,170	3.70	3.74	553,156	561,502	27,984	30,249	4.01
MAINE	6,163	5,761	26,546	25,839	4.31	4.49	19,308	18,747	1,000	754	4.20
PENNSYLVANIA	6,237	6,765	25,892	27,524	4.15	4.07	18,105	19,361	1,209	1,238	5.23
OHIO	19	---	105	---	5.50	---	72	---	3	---	2.91
INDIANA	1,112	1,087	4,288	4,102	3.86	3.77	3,175	3,141	139	92	3.61
WISCONSIN	1,421	1,343	6,512	5,897	4.58	4.39	4,728	4,266	180	200	3.07
MINNESOTA	886	816	3,777	3,538	4.26	4.34	2,774	2,624	82	86	2.43
MISSOURI	3,688	4,680	12,758	17,508	3.46	3.74	8,885	12,340	548	652	4.80
DELAWARE	7,688	7,527	30,485	29,574	3.97	3.93	21,647	21,024	1,131	1,200	4.14
MARYLAND	14,145	13,224	55,815	52,563	3.95	3.97	39,587	37,600	2,049	1,973	4.09
VIRGINIA	7,082	5,784	25,230	20,493	3.56	3.54	17,182	14,035	950	625	4.19
NORTH CAROLINA	22,119	20,454	85,400	79,971	3.86	3.50	60,937	56,856	2,746	2,406	3.39
SOUTH CAROLINA	2,933	2,738	10,847	9,603	3.70	3.51	7,398	6,591	467	435	3.58
GEORGIA	32,217	30,225	116,170	110,806	3.61	3.67	83,260	78,830	5,202	5,314	4.81
TENNESSEE	5,142	5,014	19,086	18,250	3.71	3.64	13,822	13,137	562	591	5.35
ALABAMA	23,021	25,868	81,682	91,936	3.55	3.55	58,063	63,474	3,343	5,097	4.99
MISSISSIPPI	16,399	18,832	58,943	70,369	3.59	3.74	42,515	50,388	1,457	2,259	3.28
ARKANSAS	28,788	30,195	99,796	104,959	3.47	3.48	70,057	73,885	3,188	3,299	4.56
LOUISIANA	4,911	4,076	18,328	15,316	3.73	3.76	13,100	11,021	528	422	3.50
TEXAS	14,238	13,622	52,225	49,826	3.67	3.66	37,082	35,333	1,774	1,789	3.07
WASHINGTON	1,058	565	4,088	2,086	3.86	3.83	2,863	1,489	117	57	4.00
CALIFORNIA	2,739	2,945	10,502	11,449	3.83	3.89	7,506	8,135	269	346	3.03

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, DECEMBER 1970

REGION AND STATE	TUBER- : : CULOSIS:	LEU- : : KOSIS :	SEPTI- : : CEMIA :	AIRSAC- : : CULITIS :	SYND- : : VITIS :	TUMORS : : NO.	BRUISES : : NO.	CADAVER : : NO.	INMATION : : NO.	CONTAM- : : NO.	OVER- : : SCALD :	OTHER : : NO.	TOTAL : : NO.
N. ATLANTIC	---	179,988	160,364	99,877	3,327	1,454	4,561	17,722	25,642	5,131	12,339	12,339	510,405
E. N. CENTRAL	2	34,709	20,866	5,936	968	111	2,179	3,060	4,636	1,088	1,651	1,651	75,206
W. N. CENTRAL	---	43,475	53,951	69,758	5,951	889	3,705	4,503	10,602	872	6,790	6,790	200,496
S. ATLANTIC	---	1,720,810	514,584	582,902	31,593	7,946	45,894	88,418	233,620	20,978	129,138	129,138	3,375,483
S. CENTRAL	---	1,747,189	626,386	744,566	102,715	13,497	66,912	103,248	168,375	16,362	87,721	87,721	3,676,971
WEST	---	57,941	52,827	23,183	922	75	1,814	8,122	5,457	1,096	14,989	14,989	166,426
U. S.	2	3,784,112	1,428,978	1,526,222	145,476	23,972	125,065	225,073	448,332	45,127	252,628	252,628	8,004,987
MAINE	---	37,647	78,110	13,840	2,367	566	1,014	7,706	5,662	1,062	3,053	3,053	151,027
PENNSYLVANIA	---	127,240	69,234	83,852	809	685	3,002	8,759	16,123	3,251	7,829	7,829	320,784
INDIANA	---	15,302	6,132	1,189	---	16	783	896	1,056	446	129	129	25,949
WISCONSIN	---	18,677	13,782	4,691	956	75	1,391	2,100	3,316	640	1,372	1,372	47,000
MINNESOTA	---	6,707	7,248	527	121	56	330	92	2,189	4	3,421	3,421	20,695
MISSOURI	---	32,536	35,428	66,159	4,311	487	2,892	3,804	7,377	802	3,070	3,070	156,866
DELAWARE	---	169,809	42,906	68,036	1,650	262	2,118	9,172	16,678	3,836	9,117	9,117	323,584
MARYLAND	---	198,913	84,775	166,226	2,935	907	4,348	10,254	26,620	4,701	4,554	4,554	504,233
VIRGINIA	---	80,593	42,687	63,566	569	268	2,964	3,030	4,434	1,197	2,413	2,413	201,721
NORTH CAROLINA	---	194,678	117,050	107,863	8,211	2,515	17,264	17,910	65,672	4,573	53,603	53,603	589,319
SOUTH CAROLINA	---	69,677	15,011	15,897	572	556	2,523	4,620	5,640	404	3,554	3,554	118,454
GEORGIA	---	928,951	192,453	137,390	16,717	3,225	15,456	38,905	109,885	5,806	35,850	35,850	1,484,638
TENNESSEE	---	94,265	30,242	6,271	3,068	513	2,049	6,386	9,146	184	8,963	8,963	161,087
ALABAMA	---	1,105,492	154,609	125,107	21,884	3,573	12,363	21,715	51,234	4,112	20,050	20,050	1,520,139
MISSISSIPPI	---	178,442	53,028	183,085	19,938	3,104	9,555	14,997	38,905	2,798	25,815	25,815	529,667
ARKANSAS	---	175,854	205,128	304,834	34,246	3,953	17,790	29,489	41,374	4,179	17,189	17,189	834,036
LOUISIANA	---	18,992	42,077	17,806	6,601	469	4,099	6,434	3,224	1,010	1,757	1,757	102,269
TEXAS	---	138,442	117,616	91,960	16,126	1,778	16,692	19,755	21,029	3,633	11,958	11,958	438,949
WASHINGTON	---	2,713	3,963	3,433	312	18	193	215	360	34	3,985	3,985	15,226
CALIFORNIA	---	34,670	36,096	12,886	121	25	842	3,865	2,486	29	5,569	5,569	96,589

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, DECEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		
N. ATLANTIC	1,386	1,626	6,915	7,969	4.99	4.90	4,440	5,093	339	473	
E. N. CENTRAL	1,484	1,820	6,047	7,476	4.08	4.11	3,759	4,552	233	365	
W. N. CENTRAL	2,551	3,679	11,169	16,125	4.38	4.38	6,964	9,982	613	906	
S. ATLANTIC	2,808	4,424	13,800	20,495	4.91	4.63	9,061	13,392	695	1,077	
S. CENTRAL	2,004	2,698	11,500	14,619	5.74	5.42	7,816	9,793	477	734	
WEST	1,241	1,808	5,135	7,223	4.14	3.99	3,100	4,310	351	601	
U. S.	11,474	16,055	54,566	73,907	4.76	4.60	35,140	47,122	2,708	4,156	
MAINE	297	249	1,818	1,567	6.12	6.30	1,223	1,069	75	57	
NEW JERSEY	798	978	3,417	4,153	4.28	4.25	2,066	2,500	216	316	
PENNSYLVANIA	76	72	557	546	7.35	7.59	387	387	15	13	
OHIO	248	351	1,032	1,432	4.16	4.08	599	840	49	78	
INDIANA	573	613	2,241	2,399	3.91	3.91	1,445	1,512	77	111	
MINNESOTA	925	1,362	3,459	5,156	3.74	3.79	2,096	3,117	202	282	
MISSOURI	715	1,070	4,293	6,410	6.01	5.99	2,863	4,283	213	312	
MARYLAND	---	490	---	2,056	---	4.20	---	1,279	---	127	---
VIRGINIA	17	126	131	827	7.94	6.55	91	574	5	33	
NORTH CAROLINA	263	316	1,939	2,291	7.38	7.26	1,332	1,584	83	84	
GEORGIA	1,840	2,873	8,844	12,842	4.81	4.47	5,831	8,419	408	644	
ALABAMA	248	304	1,386	1,872	5.59	6.16	932	1,233	78	96	
MISSISSIPPI	1,081	1,391	6,055	7,326	5.60	5.27	4,108	4,942	239	386	
ARKANSAS	210	247	1,498	1,752	7.12	7.10	1,041	1,219	59	81	
LOUISIANA	56	79	424	561	7.61	7.13	289	388	14	23	
TEXAS	308	495	1,607	2,215	5.22	4.48	1,081	1,428	69	108	
WASHINGTON	113	69	551	270	4.89	3.91	349	179	31	13	
CALIFORNIA	1,063	1,564	4,330	6,229	4.08	3.98	2,581	3,690	307	547	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, DECEMBER 1970

REGION AND STATE	: TUBER- : : CULOSIS :	: LEU- : : KOSIS :	: SEPTI- : : CEMIA :	: ATRSAC- : : CULITIS :	: SYNO- : : VIUS :	: TUMORS : : NO. :	: BRUISES : : NO. :	: CADAVER : : INATION :	: CONTAM- : : INATION :	: OVER- : : SCALD :	: OTHER : : NO. :	: TOTAL : : NO. :
N. ATLANTIC	---	3,233	40,697	40	838	27,110	2,981	1,587	7,192	167	12,680	96,525
E. N. CENTRAL	1,017	6,705	26,419	274	8	25,499	4,703	2,877	14,075	431	14,349	96,357
W. N. CENTRAL	8,566	12,749	89,417	2,198	760	60,994	9,713	4,421	17,201	610	25,710	232,339
S. ATLANTIC	154	8,186	105,306	1,395	2,199	49,679	8,620	12,042	37,803	1,209	23,253	249,846
S. CENTRAL	---	14,618	66,318	641	981	31,631	9,047	3,353	15,244	763	21,225	163,821
WEST	---	1,087	70,783	1,861	34	60,396	7,095	856	9,660	812	20,158	172,742
U. S.	9,737	46,578	398,940	6,409	4,820	255,309	42,159	25,136	101,175	3,992	117,375	1,011,630
MAINE	---	781	4,504	14	114	1,361	257	245	591	5	121	7,993
NEW JERSEY	---	1,577	30,445	---	307	19,829	2,305	1,038	5,102	121	11,804	72,528
PENNSYLVANIA	---	226	889	14	5	169	34	54	116	---	230	1,737
OHIO	359	3,140	3,776	32	2	3,109	1,368	794	2,540	56	3,511	18,687
INDIANA	123	1,279	8,088	2	---	9,255	256	783	6,988	339	9,405	36,518
MINNESOTA	3,990	4,234	22,629	837	193	25,330	2,876	749	5,274	104	14,851	81,067
MISSOURI	304	2,532	35,821	450	365	8,544	2,087	1,646	2,909	431	4,889	59,978
MARYLAND	154	1,546	13,979	209	122	5,716	1,836	4,326	6,505	658	763	35,814
VIRGINIA	---	604	3,226	64	240	238	96	220	756	7	81	5,532
NORTH CAROLINA	---	1,151	4,085	252	161	912	275	298	2,512	50	1,885	11,581
GEORGIA	---	3,630	68,703	618	1,292	29,652	4,300	6,669	23,697	420	10,337	149,318
ALABAMA	---	1,049	9,399	97	202	1,850	276	507	4,787	83	1,171	19,421
MISSISSIPPI	---	2,809	35,222	224	441	27,243	7,657	1,727	6,744	384	9,404	91,855
ARKANSAS	---	1,120	6,462	109	154	197	68	220	790	1	212	9,333
LOUISIANA	---	222	2,173	2	27	164	64	94	125	4	36	2,911
TEXAS	---	8,776	6,243	57	101	1,837	771	594	1,870	247	10,236	30,732
WASHINGTON	---	166	1,322	41	2	374	76	39	300	---	1,326	3,646
CALIFORNIA	---	810	65,192	1,793	19	58,605	5,270	611	7,528	587	16,658	157,073

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, DECEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	286	365	6,088	7,596	21.29	20.81	4,831	6,006	120	157	2.19
E. N. CENTRAL	1,106	1,027	23,649	21,733	21.38	21.16	18,629	17,056	460	496	2.16
W. N. CENTRAL	2,031	1,753	44,768	37,632	22.05	21.46	35,416	29,562	1,191	1,139	2.96
S. ATLANTIC	1,449	1,496	30,348	31,446	20.94	21.02	23,708	24,086	926	1,268	3.39
S. CENTRAL	919	879	21,633	20,438	23.54	23.24	16,966	15,997	618	530	3.18
WEST	2,150	2,566	50,024	59,473	23.27	23.17	40,058	47,439	688	988	1.84
U. S.	7,941	8,086	176,510	178,318	22.23	22.05	139,608	140,146	4,003	4,578	2.52
PENNSYLVANIA	282	357	5,992	7,477	21.25	20.92	4,758	5,909	120	156	2.22
OHIO	393	342	7,654	6,589	19.50	19.29	5,960	5,035	125	114	1.81
INDIANA	277	269	6,272	5,605	22.68	20.83	5,044	4,451	101	152	1.79
WISCONSIN	280	277	6,017	6,087	21.46	21.96	4,745	4,836	154	133	2.85
MINNESOTA	982	819	18,920	15,672	19.27	19.13	15,096	12,385	496	456	2.92
IOWA	443	309	10,735	7,210	24.22	23.34	8,445	5,555	253	225	2.62
MISSOURI	483	490	12,033	11,231	24.90	22.92	9,439	8,871	306	351	2.83
NEBRASKA	122	124	3,056	3,252	25.12	26.28	2,417	2,543	134	100	4.90
VIRGINIA	530	572	10,420	11,720	19.65	20.48	7,889	8,720	410	619	4.38
NORTH CAROLINA	642	690	13,515	14,381	21.06	20.85	10,835	11,284	325	494	2.67
ARKANSAS	257	279	6,871	6,715	26.77	24.06	5,391	5,272	239	209	3.88
TEXAS	609	567	13,436	12,916	22.07	22.78	10,501	10,070	357	309	2.95
COLORADO	211	248	5,172	5,358	24.56	21.59	4,165	4,257	64	106	1.37
UTAH	246	470	7,283	14,697	29.57	31.28	5,889	11,900	127	208	1.93
CALIFORNIA	1,424	1,553	32,250	33,647	22.64	21.67	25,930	26,712	414	595	1.42

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, DECEMBER 1970

REGION AND STATE	: TUBER- : : CULOSIS :	LEU- KOSIS	SEPTI- : CEMIA :	AIRSAC- : CULLITIS :	SYNO- : VITIS :	TUMORS :	BRUISES :	CADAVER : NO.	CONTAM- : INATION :	OVER- : SCALD :	OTHER :	TOTAL
N. ATLANTIC	---	22	2,485	4,283	173	2	37	84	297	38	12	7,433
E. N. CENTRAL	---	130	11,635	6,696	142	3	165	433	940	107	210	20,461
W. N. CENTRAL	---	260	23,379	21,613	1,496	29	572	946	2,155	331	278	51,059
S. ATLANTIC	---	185	15,151	29,900	1,808	60	693	719	2,769	338	1,492	53,115
S. CENTRAL	---	107	9,510	5,545	1,609	41	289	303	525	447	397	18,773
WEST	---	105	18,702	15,219	1,396	83	401	1,127	1,514	202	721	39,470
U. S.	---	809	80,862	83,256	6,624	218	2,157	3,612	8,200	1,463	3,110	190,311
PENNSYLVANIA	---	20	2,477	4,278	173	1	37	71	296	31	12	7,396
OHIO	---	2	2,682	978	27	3	51	133	362	26	48	4,312
INDIANA	---	30	4,136	2,894	4	---	20	166	259	13	3	7,525
WISCONSIN	---	23	2,448	1,992	110	---	91	92	251	38	131	5,176
MINNESOTA	---	232	10,096	12,565	391	7	136	393	953	72	82	24,927
IOWA	---	4	4,510	2,455	28	2	195	138	248	51	32	7,663
MISSOURI	---	3	6,664	5,202	1,046	7	161	399	798	88	107	14,475
NEBRASKA	---	20	2,032	1,283	31	12	73	16	151	70	56	3,744
VIRGINIA	---	3	9,573	19,283	244	17	318	387	405	31	118	30,379
NRTH CAROLINA	---	22	3,915	9,251	1,368	37	296	191	1,802	103	1,131	18,116
ARKANSAS	---	24	3,833	1,967	341	---	39	75	143	7	3	6,432
TEXAS	---	75	5,392	3,484	1,266	39	249	201	361	440	394	11,901
COLORADO	---	4	1,334	3,729	24	1	13	160	10	2	---	5,277
UTAH	---	31	2,109	2,387	297	36	127	175	674	32	236	6,104
CALIFORNIA	---	52	12,557	8,596	719	35	126	703	684	157	354	23,983

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, DECEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	6	23	58	242	9.67	10.52	45	189	---	5
E. N. CENTRAL	95	157	891	1,512	9.36	9.65	698	1,185	14	18
W. N. CENTRAL	701	634	6,766	5,941	9.65	9.38	5,303	4,710	151	104
S. ATLANTIC	136	225	1,263	2,152	9.31	9.55	925	1,591	37	73
S. CENTRAL	23	19	204	187	8.88	9.88	153	144	3	3
WEST	19	50	154	411	8.05	8.18	123	325	2	7
U. S.	980	1,108	9,336	10,445	9.53	9.42	7,247	8,144	207	210
MINNESOTA	701	581	6,766	5,471	9.65	9.42	5,303	4,324	151	98
VIRGINIA	123	216	1,134	2,057	9.21	9.52	825	1,518	32	69
CALIFORNIA 3/	---	20	---	163	---	8.24	---	126	---	4

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, DECEMBER 1970

REGION AND STATE	TUBER- : CULOSTIS :		LEU- : KOSIS :		SEPTI- : CEMIA :		AIRSAC- : CULITIS :		SYNO- : VITIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- :		OVER- :		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	1	143	39	---	---	---	---	3	71	7	91	---	---	1	285	---	---	---	
E. N. CENTRAL	---	---	---	653	93	11	28	222	2	71	222	30	222	2	30	1,110	---	---	---	---	
W. N. CENTRAL	---	---	2	6,308	1,976	462	80	1,669	19	224	224	114	1,669	19	114	10,857	---	---	---	---	
S. ATLANTIC	---	---	3	2,811	2,706	9	86	385	10	531	531	57	385	10	57	6,598	---	---	---	---	
S. CENTRAL	---	---	---	117	23	8	4	44	---	4	4	---	44	---	4	204	---	---	---	---	
WEST	---	---	---	435	40	2	50	137	---	14	14	---	137	---	112	790	---	---	---	---	
U. S.	---	---	6	10,467	4,877	492	251	2,548	31	851	851	318	2,548	31	318	19,844	---	---	---	---	
MINNESOTA	---	---	2	6,022	1,831	460	70	1,576	13	207	207	95	1,576	13	95	10,279	---	---	---	---	
VIRGINIA	---	---	2	2,719	2,568	3	83	316	10	531	531	44	316	10	44	6,276	---	---	---	---	
CALIFORNIA	---	---	---	269	17	1	3	42	---	6	6	---	42	---	4	342	---	---	---	---	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, DECEMBER 1969 AND 1970

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/ (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1969	1970	1969	1970	1969	1970	1969	1970	1969	1970
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	---	1	14	1	---	1.00	---	---	---	---
E. N. CENTRAL	10	9	208	167	21.26	20.61	146	5	2.84	3.68
W. N. CENTRAL	7	5	105	78	15.00	14.51	62	2	1.88	1.88
S. ATLANTIC	14	30	299	733	21.11	24.16	554	13	4.90	7.90
S. CENTRAL	---	---	---	---	---	---	---	---	---	---
WEST	2	10	32	200	16.71	19.41	157	1	2.90	2.06
U. S.	33	55	658	1,199	19.75	21.74	919	21	3.57	5.88
MINNESOTA	7	5	105	78	15.00	14.51	62	2	1.88	1.88
NORTH CAROLINA ^{3/}	---	30	---	733	---	24.16	554	---	---	7.90

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, DECEMBER 1970

REGION AND STATE	TUBERCULOSIS		LEUROSIS		KOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
E. N. CENTRAL	---	---	2	90	137	1	1	5	4	13	13	1	1	1	1	1	1	1	1	1	1	1	1	1	267	
W. N. CENTRAL	---	---	---	44	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	84	
S. ATLANTIC	---	---	1	290	1,085	36	37	16	13	205	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1,837	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	24	171	9	2	8	15	11	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	245	
U. S.	---	---	27	595	1,236	40	47	37	29	254	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2,433	
MINNESOTA	---	---	---	44	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	84	
NORTH CAROLINA	---	---	1	290	1,085	36	37	16	13	205	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1,837	

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.