

# POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Further Processing  
January 1971



Release:  
March 5, 1971  
3:00 P.M. EST

Inspected Poultry - There were 938 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during January 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is slightly above a year earlier but 12 percent less than December 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 215,584,000 head, 797,406,000 pounds; mature chickens - 16,100 head, 73,801,000 pounds; fryer-roaster turkeys, 893,000 head, 8,252,000 pounds; young turkeys - 2,279,000 head, 54,011,000 pounds; old turkeys - 68,000 head, 1,297,000 pounds; ducks - 440,000 head, 2,815,000 pounds.

Poultry Certified as Wholesome in January totaled 662,117,000 pounds ready-to-cook weight, of which 558,405,000 pounds were chilled and 103,712,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 563,088,000; mature chickens, 46,997,000; fryer-roaster turkeys, 6,439,000; young turkeys, 42,420,000; old turkeys, 1,012,000; ducks, 2,031,000; and other poultry, 130,000.

Further Processed - Poultry inspected and used for further processing totaled 109,975,000 pounds ready-to-cook weight, compared with 100,439,000 pounds in January 1970. The January 1971 total consisted of 29,620,000 pounds young chickens, 36,415,000 pounds mature chickens, 36,095,000 pounds turkeys and 7,845,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 163,343,000 pounds ready-to-cook weight, compared with 161,260,000 pounds in January 1970. The breakdown by classes was: young chickens, 149,885,000 pounds; mature chickens, 182,000; turkeys, 12,746,000; and other poultry 530,000 pounds.

Ante-Mortem Condemnations during January were 4,207,000 pounds live weight. Condemnations by classes as a percent of quantities inspected were: young chickens, 0.41; mature chickens, 0.99; fryer-roaster turkeys, 0.21; young turkeys, 0.28; old turkeys, 0.26; and ducks, 0.06.

Post-Mortem Condemnations during January were 39,925,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 4.74; mature chickens, 6.44; fryer-roaster turkeys, 2.17; young turkeys, 3.09; old turkeys, 4.33; and ducks, 2.09.

## UNITED STATES DEPARTMENT OF AGRICULTURE

STATISTICAL REPORTING SERVICE CROP REPORTING BOARD  
Pou 2-1 (3-71) WASHINGTON, D.C. 20250

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1971 WITH COMPARISONS

NUMBER INSPECTED 3/	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
DECEMBER 1970	212,302	16,055	228,357	1,108	8,086	55	9,249	734	---	---
JANUARY 1970	221,765	13,635	235,400	788	1,773	36	2,597	621	---	---
JANUARY 1971	215,584	16,100	231,684	893	2,279	68	3,240	440	---	---
POUNDS INSPECTED 4/	793,170	73,907	867,077	10,445	178,318	1,199	189,962	4,567	899	1,062,605
DECEMBER 1970	819,813	61,389	881,202	7,447	44,018	872	52,337	3,697	199	937,435
JANUARY 1971	797,406	73,801	871,207	8,252	54,011	1,297	63,560	2,815	241	937,823
AVERAGE LIVEWEIGHTS 5/	3.74	4.60	3.80	9.42	22.05	21.74	20.54	6.36	---	---
DECEMBER 1970	3.70	4.50	3.74	9.45	24.82	23.90	20.15	5.95	---	---
JANUARY 1971	3.70	4.58	3.76	9.24	23.70	19.05	19.62	6.39	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:  
 DECEMBER 1970, 3,281; JANUARY 1970, 2,365; AND JANUARY 1971, 3,181.  
 2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:  
 DECEMBER 1970, 61; JANUARY 1970, 36; AND JANUARY 1971, 40.  
 3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JANUARY 1971 WITH COMPARISONS 1/

DECEMBER 1970	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER-ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
CHILLED	501,997	36,360	538,357	2,020	43,555	232	45,827	366	46	584,586
FROZEN	59,515	10,762	70,277	6,124	96,591	667	103,382	2,985	553	177,197
TOTAL	561,512	47,122	608,634	8,144	140,146	919	149,209	3,351	599	761,783
JANUARY 1970	520,210	29,943	550,153	1,966	8,223	40	10,249	92	15	560,509
CHILLED	59,875	8,998	68,873	3,774	25,843	657	30,274	2,517	91	101,755
FROZEN	580,085	38,941	619,026	5,760	34,066	697	40,523	2,639	106	662,264
TOTAL	510,858	36,190	547,048	1,490	9,509	73	11,072	251	34	558,405
DECEMBER 1971	52,230	10,807	63,037	4,949	32,911	939	38,799	1,780	96	103,712
CHILLED	563,088	46,997	610,085	6,439	42,420	1,012	49,871	2,031	130	662,117
FROZEN	---	---	---	---	---	---	---	---	---	---
TOTAL	---	---	---	---	---	---	---	---	---	---

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JANUARY 1971 WITH COMPARISONS 3/

	: YOUNG : MATURE :	TOTAL :	FRYER- : YOUNG :	OLD :	TOTAL :	OTHER :	TOTAL :
	: CHICKENS :	CHICKENS :	ROASTERS: TURKEYS :	TURKEYS :	TURKEYS :	DUCKS :	POULTRY: POULTRY :
ANTE-MORTEM							
1,000 POUNDS (LIVWEIGHT):							
JANUARY 1970:	4,136	697	20	123	3	146	6
JANUARY 1971:	3,298	734	18	152	3	173	2
PERCENT 1/							
JANUARY 1970:	.49	1.13	.26	.27	.34	.27	.15
JANUARY 1971:	.41	.99	.21	.28	.26	.27	.06
POST-MORTEM							
1,000 LBS. (N.Y. DRESSED):							
JANUARY 1970:	32,780	3,577	148	2,094	22	2,264	97
JANUARY 1971:	33,922	4,233	161	1,502	50	1,713	53
PERCENT 2/							
JANUARY 1970:	4.46	6.55	2.21	5.30	2.84	4.82	2.91
JANUARY 1971:	4.74	6.44	2.17	3.09	4.33	3.00	2.09

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JANUARY 1971 WITH COMPARISONS

	: YOUNG CHICKENS :	MATURE CHICKENS :	TURKEYS :	OTHER POULTRY 1/:	TOTAL POULTRY :
	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :
	: PROCESSED:	CUT UP :	PROCESSED:	CUT UP:	PROCESSED:
	CUT UP :	PROCESSED:	CUT UP:	PROCESSED:	CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/					
DECEMBER 1970 :	26,932	156,279	36,108	721	39,662
JANUARY 1970 :	24,612	149,473	31,243	869	36,516
JANUARY 1971 :	29,620	149,885	36,415	182	36,095
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:					
DECEMBER 1970 :	266	1,283	43	64	35
JANUARY 1970 :	111	956	92	21	401
JANUARY 1971 :	208	1,309	82	1	41

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS				
		1970	1971	1970	1971	1970	1971	POUNDS (NYD)	PERCENT 2/			
	-THOUSANDS-	-1,000 POUNDS-	-1,000 POUNDS-	-POUNDS-	-1,000 POUNDS-	-1,000 POUNDS-	-PERCENT-					
N. ATLANTIC	14,134	13,250	59,062	55,271	4.18	4.17	42,256	39,390	2,361	2,213	4.47	4.48
E. N. CENTRAL	2,636	2,430	10,647	9,730	4.04	4.00	7,789	7,053	287	319	3.02	3.68
W. N. CENTRAL	5,640	6,292	20,457	23,626	3.63	3.75	14,233	16,732	860	972	4.71	4.59
S. ATLANTIC	94,987	87,329	356,313	325,491	3.75	3.73	251,084	230,148	16,005	14,125	5.01	4.84
S. CENTRAL	99,286	100,612	354,888	362,349	3.57	3.60	251,700	255,266	12,781	15,323	4.02	4.71
WEST	5,982	5,671	18,446	20,939	3.63	3.69	13,023	14,499	486	970	2.94	5.19
U. S.	221,765	215,584	819,813	797,406	3.70	3.70	580,085	563,088	32,780	33,922	4.46	4.74
MAINE	6,340	5,941	26,786	26,015	4.22	4.38	19,514	19,089	933	790	3.89	3.39
PENNSYLVANIA	6,748	6,666	27,801	26,462	4.12	3.97	19,597	18,413	1,227	1,286	4.95	5.43
OHIO	30	14	204	104	6.83	7.35	146	74	5	2	2.59	2.62
INDIANA	1,224	1,129	4,477	4,296	3.66	3.80	3,294	3,161	103	116	2.59	3.02
WISCONSIN	1,339	1,275	5,662	5,280	4.23	4.14	4,126	3,803	170	200	3.35	4.26
MINNESOTA	925	761	3,747	3,187	4.05	4.19	2,728	2,392	76	71	2.28	2.49
MISSOURI	4,704	4,862	16,646	17,941	3.54	3.69	11,464	12,606	780	806	5.26	5.00
DELAWARE	7,468	7,565	30,205	29,325	4.04	3.88	21,397	20,805	1,309	1,354	4.84	5.15
MARYLAND	14,631	12,851	58,510	49,132	4.00	3.82	41,530	34,934	2,445	2,314	4.67	5.26
VIRGINIA	7,497	6,380	26,638	22,167	3.55	3.47	17,798	15,302	1,314	660	5.50	3.31
NORTH CAROLINA	25,138	22,501	95,926	86,731	3.82	3.85	67,668	62,094	3,550	2,518	4.13	3.23
SOUTH CAROLINA	2,624	2,493	9,365	8,773	3.57	3.52	6,306	5,863	517	417	6.16	5.29
GEORGIA	33,704	31,103	121,792	112,856	3.61	3.63	86,543	79,549	6,214	6,283	5.69	6.21
TENNESSEE	5,424	4,856	20,503	17,386	3.78	3.58	14,908	12,514	644	609	3.51	3.90
ALABAMA	24,076	25,944	86,009	92,260	3.57	3.56	60,939	63,960	3,893	5,777	5.05	6.98
MISSISSIPPI	16,471	17,821	58,996	65,570	3.58	3.68	42,872	46,567	1,551	2,517	2.93	4.28
ARKANSAS	31,567	29,938	109,636	105,739	3.47	3.53	76,545	74,417	3,817	3,664	3.88	3.86
LOUISIANA	5,106	4,199	18,648	15,455	3.65	3.68	13,116	10,986	635	649	3.80	4.68
TEXAS	14,459	13,967	53,451	51,405	3.70	3.68	37,923	36,582	1,972	1,650	4.12	3.58
WASHINGTON	977	537	3,673	2,032	3.76	3.79	2,576	1,461	105	64	3.19	3.49
CALIFORNIA	2,747	3,047	10,540	11,580	3.84	3.80	7,506	8,054	267	551	2.83	5.34

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1971

REGION AND STATE	TUBERCULOSIS: NO.	LEUROSIS: NO.	SEPTICEMIA: NO.	AIR SAC: NO.	CULITIS: NO.	SYNOVITIS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONTAMINATION: NO.	OVER: NO.	OTHER: NO.	TOTAL: NO.
N. ATLANTIC	---	182,836	170,762	119,263	3,814	1,223	4,607	18,725	27,295	2,488	10,396	541,209	
E. N. CENTRAL	---	32,642	22,972	5,740	1,312	65	3,182	9,527	4,551	1,211	1,514	82,716	
W. N. CENTRAL	---	45,483	56,438	113,265	7,597	846	4,224	6,762	10,109	2,099	5,760	252,583	
S. ATLANTIC	---	1,875,412	604,237	994,543	31,385	7,656	51,583	90,761	224,168	17,846	135,039	4,032,630	
S. CENTRAL	---	1,985,916	653,052	908,363	143,568	15,080	68,001	111,100	164,779	15,291	101,807	4,166,957	
WEST	---	105,253	53,409	82,923	1,807	77	2,459	10,576	5,399	1,230	17,004	280,137	
U. S.	---	4,227,542	1,560,870	2,224,097	189,483	24,947	133,856	247,451	436,301	40,165	271,520	9,356,232	
MAINE	---	42,395	81,750	14,747	3,001	439	1,035	10,090	6,937	1,531	2,378	164,303	
PENNSYLVANIA	---	133,583	75,117	100,800	656	621	3,026	7,364	18,042	663	7,238	347,110	
OHIO	---	204	79	4	---	9	3	11	15	---	17	342	
INDIANA	---	19,976	9,471	1,481	---	13	1,082	1,291	961	86	113	34,474	
WISCONSIN	---	12,459	13,406	4,241	1,312	43	2,049	8,216	3,569	1,125	1,384	47,804	
MINNESOTA	---	4,331	5,590	931	108	24	330	248	1,936	105	3,148	16,751	
MISSOURI	---	37,748	40,540	100,904	4,594	546	3,024	5,814	6,250	1,891	2,378	203,689	
DELAWARE	---	155,076	43,768	136,436	1,452	241	2,125	10,080	14,626	2,635	8,097	374,536	
MARYLAND	---	204,245	101,350	310,032	3,808	877	4,244	9,635	23,314	1,928	3,308	662,845	
VIRGINIA	---	85,040	63,872	50,346	591	271	3,668	3,324	5,631	769	2,516	216,028	
NORTH CAROLINA	---	209,380	144,644	113,745	9,749	2,563	19,510	21,902	64,346	2,785	57,597	646,221	
SOUTH CAROLINA	---	56,324	19,831	27,617	659	196	2,631	4,036	5,152	71	2,321	118,838	
GEORGIA	---	1,074,456	214,821	323,886	14,100	3,299	18,227	37,210	105,189	9,528	42,063	1,842,779	
TENNESSEE	---	106,931	30,790	8,882	2,427	419	2,252	6,648	9,318	121	9,659	177,447	
ALABAMA	---	1,276,250	158,929	156,748	30,402	5,480	12,595	25,521	43,739	4,301	21,873	1,735,828	
MISSISSIPPI	---	213,917	52,257	238,994	38,021	2,883	9,028	12,403	34,654	3,520	23,624	629,301	
ARKANSAS	---	198,417	226,986	316,209	48,647	3,726	18,140	35,145	49,539	3,151	29,074	929,034	
LOUISIANA	---	18,483	43,355	83,042	8,699	427	4,375	6,889	3,410	699	2,962	172,361	
TEXAS	---	130,648	110,484	76,785	13,474	1,906	16,395	18,353	19,444	2,212	12,264	401,965	
WASHINGTON	---	5,422	2,086	3,749	460	5	193	262	402	25	3,918	16,522	
CALIFORNIA	---	54,910	30,780	57,053	254	25	995	5,013	2,304	544	3,776	155,654	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		INSPECTED		LIVEWEIGHT		CERTIFIED		POUNDS (NYD)			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--			
N. ATLANTIC	1,461	1,641	7,343	8,256	5.10	5.03	4,737	5,348	361	465	5.53	6.36
F. N. CENTRAL	1,603	1,652	7,134	6,502	4.21	3.94	4,385	3,941	280	322	4.43	5.61
M. N. CENTRAL	2,621	3,048	11,270	13,466	4.30	4.42	6,931	9,372	630	779	6.31	6.53
S. ATLANTIC	3,672	4,649	16,540	21,897	4.50	4.71	10,485	14,164	1,082	1,113	7.33	5.68
S. CENTRAL	2,803	2,991	13,761	15,143	4.74	5.06	9,147	10,070	863	836	7.04	6.17
WEST	1,305	2,119	5,341	8,537	4.09	4.03	3,256	5,102	361	718	7.58	9.44
U. S.	13,635	16,100	61,389	73,801	4.50	4.58	38,941	46,997	3,577	4,233	6.55	6.44
MAINE	316	332	2,013	2,030	6.38	6.12	1,374	1,402	93	74	5.19	4.10
NEW JERSEY	826	800	3,571	3,812	4.32	4.28	2,148	2,299	219	299	6.94	8.87
PENNSYLVANIA	86	71	632	533	7.37	7.47	441	359	16	9	2.77	1.96
OHIO	316	359	1,226	1,457	3.87	4.06	727	863	54	81	4.94	6.34
INDIANA	548	607	2,131	2,351	3.89	3.88	1,339	1,465	77	113	4.14	5.45
MINNESOTA	869	1,032	3,298	3,876	3.80	3.76	2,002	2,355	184	211	6.28	6.16
MISSOURI	610	1,007	3,752	5,923	6.15	5.88	2,485	3,948	176	304	5.28	5.77
MARYLAND	---	549	---	2,423	---	4.41	---	1,553	---	---	152	---
VIRGINIA	45	126	338	800	7.46	6.35	233	552	15	38	5.22	5.29
NORTH CAROLINA	354	399	2,694	2,959	7.00	7.42	1,785	2,020	102	102	4.44	3.83
GEORGIA	2,222	3,012	9,590	13,472	4.32	4.47	6,108	8,647	535	668	6.25	5.53
ALABAMA	586	251	2,335	1,549	3.98	6.18	1,451	1,032	219	72	10.67	5.19
MISSISSIPPI	1,469	1,621	7,310	7,736	4.97	4.77	4,999	5,158	432	464	6.62	6.70
ARKANSAS	127	253	865	1,852	6.81	7.32	606	1,323	37	72	4.71	4.32
LOUISIANA	25	---	178	---	7.03	---	130	---	7	---	4.09	---
TEXAS	593	592	2,513	2,677	4.23	4.52	1,581	1,711	149	161	6.63	6.70
WASHINGTON	99	91	408	381	4.11	4.18	256	249	19	18	5.19	5.19
CALIFORNIA	1,146	1,759	4,681	7,020	4.09	3.99	2,836	4,134	334	643	8.00	10.28

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1971

REGION AND STATE	: TUBER- :		: LEU- :		: SEPTI- :		: AIRSAC- :		: SYNO- :		: TUMORS :		: BRUISES :		: CADAVER :		: INATION :		: OVER- :		: TOTAL :	
	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :
N. ATLANTIC	---	3,428	35,486	67	541	26,004	2,681	1,443	9,040	292	14,068	92,850										
E. N. CENTRAL	420	6,743	26,280	323	156	23,322	6,021	4,922	14,670	182	10,793	92,932										
W. N. CENTRAL	3,261	12,168	87,772	1,725	267	54,105	8,517	3,708	13,389	767	19,584	205,263										
S. ATLANTIC	10	7,979	112,400	1,663	1,775	59,074	10,313	8,028	36,800	805	22,049	260,896										
S. CENTRAL	1	19,202	74,031	430	931	34,603	6,095	3,216	17,295	600	20,618	177,122										
WEST	---	982	91,703	170	90	63,595	5,647	967	10,534	358	29,553	203,599										
U. S.	3,692	50,402	427,672	4,378	3,760	260,703	39,274	21,384	101,728	3,004	116,665	1,032,662										
MAINE	---	945	5,403	19	321	1,360	213	252	1,074	32	175	9,794										
NEW JERSEY	---	1,603	25,070	6	46	19,440	1,931	785	6,881	178	13,434	69,374										
PENNSYLVANIA	---	195	697	22	---	116	46	45	88	---	137	1,346										
OHIO	84	3,468	4,013	22	1	3,741	1,805	1,816	2,958	5	3,158	21,071										
INDIANA	4	1,466	10,537	---	96	9,731	314	989	7,072	1	6,683	36,893										
MINNESOTA	1,222	3,380	20,395	415	28	20,134	1,759	584	3,965	44	12,791	64,677										
MISSOURI	193	3,680	38,103	504	223	8,648	3,736	1,346	2,716	248	3,151	62,548										
MARYLAND	10	2,043	17,608	257	191	6,753	1,832	2,578	8,804	377	982	41,435										
VIRGINIA	---	474	4,045	104	18	794	84	141	474	4	190	6,328										
NORTH CAROLINA	---	1,761	4,337	486	313	895	346	231	2,458	161	2,727	13,715										
GEORGIA	---	1,741	74,707	582	1,217	40,907	5,915	4,792	22,827	257	11,105	164,050										
ALABAMA	---	836	6,227	135	63	2,420	161	251	3,201	20	815	14,129										
MISSISSIPPI	1	3,107	39,053	17	479	27,778	4,057	2,016	7,413	379	9,856	94,156										
ARKANSAS	---	866	5,380	139	206	257	160	160	866	3	127	8,100										
TEXAS	---	12,352	11,754	80	147	3,593	1,374	521	4,130	188	9,248	43,387										
WASHINGTON	---	237	1,533	82	15	1,159	132	66	295	1	1,536	5,056										
CALIFORNIA	---	569	82,597	34	53	59,607	4,834	768	8,400	328	25,554	182,744										

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1970 AND 1971

REGION AND STATE	NUMBR		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
	INSPECTED	INSPECTED	INSPECTED	INSPECTED	LIVEWEIGHT	LIVEWEIGHT	CERTIFIED	CERTIFIED	POUNDS (NYD)	PERCENT 2/	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	105	105	3,326	2,832	32.29	26.97	2,652	2,263	33	58	1.10
E. N. CENTRAL	274	274	2,592	4,469	16.94	16.34	2,761	3,583	42	66	1.64
W. N. CENTRAL	405	405	6,632	10,193	24.32	25.14	5,326	7,901	207	399	3.48
S. ATLANTIC	622	622	9,965	12,919	22.38	20.78	7,682	10,037	518	400	3.44
S. CENTRAL	382	382	9,983	10,208	24.04	26.71	7,341	7,929	1,163	244	12.99
WEST	451	451	11,520	13,390	30.01	27.26	9,304	10,707	131	335	1.26
U. S.	1,772	2,279	44,018	54,011	24.82	23.70	34,066	42,420	2,094	1,502	5.30
PENNSYLVANIA	102	98	3,325	2,759	32.25	28.06	2,652	2,212	34	55	1.12
OHIO	318	---	1,750	---	14.70	---	1,393	---	27	---	1.74
WISCONSIN	33	---	772	---	23.75	---	612	---	14	---	2.08
MINNESOTA	230	270	5,457	6,602	23.80	24.43	4,309	5,193	187	265	3.82
MISSOURI	15	38	384	900	25.65	23.37	308	717	11	27	3.19
VIRGINIA	184	234	4,077	4,927	22.12	21.03	3,151	3,773	183	186	5.01
NORTH CAROLINA	189	293	4,164	5,715	22.05	19.49	3,328	4,551	111	143	2.79
TEXAS	294	368	6,584	9,824	22.38	26.68	5,119	7,617	164	240	2.77
CALIFORNIA	362	347	10,942	9,801	30.25	28.21	9,836	7,910	123	229	1.25

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1971

REGION AND STATE	TURB- : NO.	SCULDSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CEMLA : NO.	AIRSAC- : NO.	SYND- : NO.	VILIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	CONTAM- : NO.			TOTAL : NO.
													INATION :	SCALD :	OTHER :	
N. ATLANTIC	---	---	29	1,186	943	102	1	15	28	94	---	24	2,422			
F. N. CENTRAL	---	---	3	1,498	610	36	---	29	158	190	4	49	2,577			
W. N. CENTRAL	---	---	52	4,584	6,797	624	14	148	111	473	133	128	13,074			
S. ATLANTIC	---	---	98	5,144	5,302	523	11	412	281	1,202	142	651	14,766			
S. CENTRAL	---	---	8	3,114	3,554	928	51	156	163	393	293	100	8,760			
WEST	---	---	23	4,572	5,965	1,075	22	59	152	208	7	622	12,705			
U. S.	---	---	223	20,098	24,171	3,798	99	819	893	2,560	579	1,574	54,304			
PENNSYLVANIA	---	---	13	1,158	929	101	1	8	12	67	---	23	2,312			
MINNESOTA	---	---	53	2,985	5,979	351	2	41	91	346	66	59	9,973			
MISSOURI	---	---	---	322	341	260	---	5	8	31	3	65	1,035			
VIRGINIA	---	---	3	3,382	3,722	35	1	148	205	173	4	96	7,769			
NORTH CAROLINA	---	---	53	1,412	1,966	456	10	117	50	750	114	319	5,247			
TEXAS	---	---	?	3,002	3,541	928	50	155	163	352	293	100	8,625			
CALIFORNIA	---	---	19	3,782	2,604	1,035	1	30	65	163	1	491	8,195			

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	10	19	95	198	9.60	10.42	74	154	3	6
E. N. CENTRAL	125	714	1,305	1,634	9.65	9.64	1,005	825	18	13
W. N. CENTRAL	475	476	4,496	4,354	9.47	9.15	3,542	3,476	76	43
S. ATLANTIC	159	225	1,486	2,126	9.37	9.47	1,089	1,562	43	56
S. CENTRAL	5	1	31	13	5.96	9.08	23	9	1	---
WEST	4	59	34	527	7.73	9.07	27	413	---	10
U. S.	788	893	7,447	8,252	9.45	9.24	5,760	6,439	148	161
MINNESOTA	449	359	4,241	3,349	9.44	9.39	3,348	2,668	82	53
VIRGINIA	147	202	1,373	1,912	9.37	9.47	1,002	1,399	39	48
CALIFORNIA 3/	---	53	---	480	---	9.03	---	375	---	9

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1971

REGION AND STATE	TURB- : CULOSIS:		LEU- : KCSIS :		SEPTI- : CEMIA :		AIRSAC- : CULLIS :		SYND- : VILIS :		TUMORS :		BRUISES :		CADAVER :		CONTAM- :		OVER- :		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	284
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	971
W. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	7,547
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	5,011
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	13
WEST	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	730
U. S.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	14,556
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,872
VIRGINIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4,300
CALIFORNIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	684

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JANUARY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVEWEIGHT)	AVERAGE : LIVEWEIGHT :		TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
			1970	1971		1970	1971
N. ATLANTIC	1	1	1.00	---	43	1	---
E. N. CENTRAL	2	54	172	23.31	138	1	3
W. N. CENTRAL	11	211	149	19.80	115	5	4
S. ATLANTIC	7	33	653	20.57	505	8	33
S. CENTRAL	1	16	158	21.09	123	2	7
WEST	16	446	165	26.38	130	6	3
U. S.	36	872	1,297	23.90	697	1,012	22
MINNESOTA	6	127	---	19.82	101	---	3

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.  
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JANUARY 1971

REGION AND STATE	TURER- : NO.	: COLICIS :	LEU- : NO.	KOSIS :	SEPTI- : NO.	AIRSAC- : NO.	SYND- : NO.	VITIS :	TUMORS :	BRUISES :	CADAYER :	INAMION :	SCALD :	OTHER :	TOTAL NO.
E. N. CENTRAL	---	---	10	---	57	25	6	---	---	5	---	1	6	---	3
W. N. CENTRAL	---	---	1	---	112	22	1	---	1	9	---	2	43	---	191
S. ATLANTIC	---	---	4	---	334	475	59	---	3	25	---	14	132	---	1,231
S. CENTRAL	---	---	---	---	183	45	---	---	9	1	---	6	9	---	254
WEST	---	---	14	---	177	15	3	---	2	2	---	7	1	---	221
U. S.	---	---	29	---	863	582	69	---	15	42	---	30	191	---	2,010

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID  
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.