

# poultry



Slaughtered under Federal Inspection and  
Poultry Used in Further Processing

April 1971

Release:  
June 4, 1971  
3:00 P.M. EDT

Inspected Poultry - There were 988 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during April 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is 2 percent less than the previous month and 1 percent below April 1970. The number of head and pounds live weight inspected by classes were: young chickens - 230,347,000 head, 846,341,000 pounds; mature chickens - 16,396,000 head, 73,441,000 pounds; fryer-roaster turkeys - 1,182,000 head, 10,605,000 pounds; young turkeys - 2,679,000 head, 49,692,000 pounds; old turkeys - 54,000 head, 1,116,000 pounds; and ducks - 971,000 head, 6,351,000 pounds.

Poultry Certified Wholesome in April totaled 698,349,000 pounds ready-to-cook weight, of which 593,487,000 pounds were chilled and 104,862,000 pounds were frozen. Pounds certified by class of poultry were: young chickens, 599,366,000; mature chickens, 46,648,000; fryer-roaster turkeys, 8,230,000; young turkeys, 38,590,000; old turkeys, 852,000; ducks, 4,532,000; and other poultry 131,000.

Further Processed - Poultry inspected and used for further processing totaled 110,098,000 pounds ready-to-cook weight, compared with 96,688,000 pounds in April 1970. The April 1971 total consisted of 30,598,000 pounds young chickens, 39,206,000 pounds mature chickens, 33,302,000 pounds turkeys, and 6,992,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 179,619,000 pounds ready-to cook weight, compared with 159,644,000 pounds a year earlier. The breakdown by class was: young chickens 166,901,000 pounds; mature chickens, 530,000; turkeys, 11,976,000; and other poultry 212,000.

Ante-Mortem Condemnations during April were 3,610,000 pounds live weight. Condemnations by class as a percent of quantities inspected were: young chickens, 0.34; mature chickens, 0.80; fryer-roaster turkeys, 0.15; young turkeys, 0.18; old turkeys 0.39; and ducks, 0.04.

Post-Mortem Condemnations during April were 36,745,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 4.11; mature chickens, 5.43; fryer-roaster turkeys, 1.99; young turkeys, 3.49; old turkeys, 6.71; and ducks, 1.90.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1971 WITH COMPARISONS

NUMBER INSPECTED 3/ MARCH 1971 APRIL 1970 APRIL 1971 JAN.-APRIL 1970 JAN.-APRIL 1971	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS1/ :	: CHICKENS :	: ROASTERS:	: TURKEYS2/ :	: TURKEYS:	: TURKEYS:	: TURKEYS :	: DUCKS :	: POULTRY :	: POULTRY :
	: 238,437	: 17,100	: 255,537	: 1,383	: 2,210	: 81	: 3,674	: 645			
	: 243,508	: 16,453	: 259,961	: 889	: 1,508	: 45	: 2,442	: 918			
	: 230,347	: 16,396	: 246,743	: 1,182	: 2,679	: 54	: 3,915	: 971			
	: 894,842	: 58,130	: 952,972	: 3,274	: 5,415	: 144	: 8,833	: 2,606			
	: 890,015	: 65,978	: 955,993	: 4,328	: 8,662	: 237	: 13,227	: 2,437			
	: 872,297	: 77,393	: 949,690	: 12,717	: 40,676	: 1,654	: 55,047	: 4,108			
	: 884,370	: 74,604	: 958,974	: 8,368	: 26,223	: 883	: 35,474	: 5,862			
	: 846,341	: 73,441	: 919,782	: 10,605	: 49,692	: 1,116	: 61,413	: 6,351			
	: 3,248,666	: 266,234	: 3,514,900	: 30,717	: 110,960	: 3,055	: 144,732	: 16,234			
	: 3,268,323	: 296,808	: 3,565,131	: 39,640	: 176,259	: 4,798	: 220,697	: 15,707			
	: 3.66	: 4.53	: 3.72	: 9.20	: 18.40	: 20.32	: 14.98	: 6.37			
	: 3.63	: 4.53	: 3.69	: 9.41	: 17.39	: 19.63	: 14.53	: 6.38			
	: 3.67	: 4.48	: 3.73	: 8.98	: 18.55	: 20.65	: 15.69	: 6.54			
	: 3.63	: 4.58	: 3.69	: 9.38	: 20.49	: 21.19	: 16.38	: 6.23			
	: 3.67	: 4.50	: 3.73	: 9.16	: 20.35	: 20.25	: 16.69	: 6.44			

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:  
MARCH 1971, 2,835; APRIL 1970, 2,423; AND APRIL 1971, 2,597.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:  
MARCH 1971, 78; APRIL 1970, 75; AND APRIL 1971, 61.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), APRIL 1971 WITH COMPARISONS 1/

MARCH 1971 APRIL 1970 APRIL 1971 JANUARY-APRIL 1970 JANUARY-APRIL 1971	: YOUNG : MATURE :		: TOTAL : FRYER- : YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: ROASTERS:	: TURKEYS :	: TURKEYS:	: TURKEYS :	: TURKEYS :	: DUCKS :	: POULTRY :	: POULTRY :
	: 561,569	: 40,068	: 601,637	: 1,705	: 9,268	: 231	: 11,204	: 203			
	: 54,972	: 9,044	: 64,016	: 8,118	: 22,341	: 1,064	: 31,523	: 2,723			
	: 616,541	: 49,112	: 665,653	: 9,823	: 31,609	: 1,295	: 42,727	: 2,926			
	: 564,919	: 36,563	: 601,482	: 1,618	: 5,742	: 65	: 7,425	: 311			
	: 63,048	: 10,449	: 73,497	: 4,858	: 14,662	: 622	: 20,142	: 3,892			
	: 627,967	: 47,012	: 674,979	: 6,476	: 20,404	: 687	: 27,567	: 4,203			
	: 546,031	: 37,420	: 583,451	: 2,022	: 7,580	: 107	: 9,709	: 295			
	: 53,335	: 9,228	: 62,563	: 6,208	: 31,010	: 745	: 37,963	: 4,237			
	: 599,366	: 46,648	: 646,014	: 8,230	: 38,590	: 852	: 47,672	: 4,532			
	: 2,059,355	: 130,422	: 2,189,777	: 6,422	: 22,669	: 215	: 29,306	: 719			
	: 244,643	: 38,777	: 283,420	: 17,405	: 63,557	: 2,175	: 83,137	: 10,847			
	: 2,303,998	: 169,199	: 2,473,197	: 23,827	: 86,226	: 2,390	: 112,443	: 11,566			
	: 2,099,301	: 151,188	: 2,250,489	: 6,300	: 34,949	: 500	: 41,749	: 921			
	: 209,969	: 37,071	: 247,040	: 24,396	: 102,382	: 3,226	: 130,004	: 10,305			
	: 2,309,270	: 188,259	: 2,497,529	: 30,696	: 137,331	: 3,726	: 171,753	: 11,226			

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, APRIL 1971 WITH COMPARISONS 3/

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYERS	ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER POULTRY	TOTAL POULTRY
ANTE-MORTEM											
1,000 POUNDS (LIVWEIGHT):											
APRIL 1970:	3,504	639	4,143	20	95	3	118	4	---	---	4,265
APRIL 1971:	2,904	589	3,493	16	94	4	114	3	---	---	3,610
JAN.-APRIL 1970:	13,501	2,391	15,892	68	332	10	410	18	2	2	16,322
JAN.-APRIL 1971:	12,523	2,729	15,252	82	459	15	556	8	1	1	15,817
PERCENT 1/											
APRIL 1970:	.39	.85	.43	.24	.36	.37	.33	.06	.29	.42	
APRIL 1971:	.34	.80	.37	.18	.18	.39	.18	.04	.15	.36	
POST-MORTEM											
1,000 LBS. (N.Y. DRESSED):											
APRIL 1970:	33,806	3,865	37,671	154	898	53	1,105	78	2	2	38,856
APRIL 1971:	31,255	3,559	34,814	190	1,562	67	1,819	109	3	3	36,745
JAN.-APRIL 1970:	127,381	13,766	141,147	526	4,409	144	5,079	280	8	8	146,513
JAN.-APRIL 1971:	132,362	15,583	147,945	782	5,332	217	6,331	278	11	11	154,564
PERCENT 2/											
APRIL 1970:	4.26	5.81	4.38	2.05	3.82	6.69	3.47	1.48	1.20	1.20	4.33
APRIL 1971:	4.11	5.43	4.22	1.99	3.49	6.71	3.29	1.90	1.20	1.20	4.15

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, APRIL 1971 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TURKEYS	OTHER POULTRY 1/	TOTAL POULTRY
POUNDS USED READY-TO-COOK WEIGHT 2/					
MARCH 1971:	32,582	42,441	39,419	8,433	122,875
APRIL 1970:	32,264	30,301	25,667	8,456	96,688
APRIL 1971:	30,598	39,206	33,302	6,992	110,098
JANUARY-APRIL 1970:	110,911	123,471	120,112	33,054	387,548
JANUARY-APRIL 1971:	120,233	154,757	143,600	30,732	449,322
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/					
MARCH 1971:	406	1,228	27	35	1,356
APRIL 1970:	145	960	49	35	1,822
APRIL 1971:	361	1,210	28	18	1,342
JANUARY-APRIL 1970:	639	3,639	1,083	108	2,081
JANUARY-APRIL 1971:	1,232	5,009	136	455	1,693

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	14,318	13,975	58,998	59,452	4.12	4.25	42,198	42,229	2,391	2,351	4.52	4.41
E. N. CENTRAL	2,680	2,622	10,435	10,277	3.89	3.92	7,685	7,544	254	276	2.71	2.99
W. N. CENTRAL	6,517	7,575	23,176	28,553	3.56	3.77	16,246	20,513	931	860	4.47	3.36
S. ATLANTIC	102,552	92,544	377,268	346,831	3.68	3.75	267,213	245,721	16,380	12,816	4.84	4.12
S. CENTRAL	110,942	107,746	390,050	379,156	3.52	3.52	277,365	267,977	13,199	14,078	3.77	4.14
WEST	6,499	5,885	24,443	22,072	3.76	3.75	17,260	15,382	651	874	2.97	4.41
U. S.	243,508	230,347	884,370	846,341	3.63	3.67	627,967	599,366	33,806	31,255	4.26	4.11
MAINE	6,347	6,333	26,409	27,864	4.16	4.40	19,314	20,386	883	768	3.73	3.07
PENNSYLVANIA	7,218	7,182	29,368	29,510	4.07	4.11	20,610	20,485	1,353	1,487	5.14	5.61
OHIO	---	225	---	970	---	4.31	---	726	---	---	16	---
INDIANA	1,250	1,116	4,515	4,029	3.61	3.61	3,353	2,984	115	101	2.84	2.80
WISCONSIN	1,379	1,273	5,565	5,234	4.04	4.11	4,071	3,834	129	159	2.58	3.39
MINNESOTA	---	847	---	3,466	---	4.09	---	---	2,589	---	91	---
MISSOURI	5,735	5,975	20,136	22,314	3.51	3.73	13,962	15,950	887	686	4.90	3.43
DELAWARE	7,977	8,524	31,565	34,972	3.96	4.10	22,262	24,548	1,226	1,351	4.33	4.31
MARYLAND	15,230	10,868	59,082	43,595	3.88	4.01	42,098	31,085	2,280	1,827	4.30	4.67
VIRGINIA	8,114	9,457	28,059	35,866	3.46	3.79	19,121	25,041	1,061	987	4.20	3.07
NORTH CAROLINA	27,135	23,332	101,880	89,209	3.75	3.82	71,983	63,950	4,164	2,527	4.56	3.15
SOUTH CAROLINA	3,004	2,959	10,862	10,163	3.62	3.43	7,431	7,057	611	404	6.28	4.42
GEORGIA	36,514	32,519	129,638	115,675	3.55	3.56	92,673	81,973	6,330	5,050	5.45	4.86
TENNESSEE	6,192	5,119	21,716	18,196	3.51	3.55	15,626	13,081	742	641	3.82	3.92
ALABAMA	28,608	28,975	101,924	100,031	3.56	3.45	71,939	69,186	4,842	5,857	5.30	6.52
MISSISSIPPI	17,454	18,674	62,138	67,287	3.56	3.60	45,302	48,370	1,328	2,025	2.38	3.35
ARKANSAS	33,752	32,646	114,106	112,267	3.38	3.44	80,331	79,214	3,570	2,918	3.49	2.89
LOUISIANA	5,311	4,243	19,295	15,395	3.63	3.63	13,526	10,997	601	556	3.48	4.03
TEXAS	16,570	14,759	59,870	54,037	3.61	3.66	42,764	38,609	1,796	1,803	3.35	3.72
WASHINGTON	1,594	---	6,214	---	3.90	---	4,270	---	203	---	---	---
CALIFORNIA	3,266	2,902	12,778	11,048	3.91	3.81	9,179	7,770	291	425	2.54	4.29

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1971

REGION AND STATE	TUBER- : NO.	CULOSIS : NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CEMIA : NO.	AIRSAC- : NO.	CULITIS : NO.	VIITIS : NO.	SYNO- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATYON : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	215,784	146,240	111,273	3,142	1,213	5,048	14,467	32,816	2,910	11,398	544,291						
E. N. CENTRAL	---	---	31,525	18,052	6,515	956	58	2,602	3,242	6,886	927	1,424	72,187						
W. N. CENTRAL	---	---	46,469	57,137	67,323	3,840	782	3,882	7,079	11,295	1,160	10,796	209,763						
S. ATLANTIC	---	---	1,701,349	526,216	683,671	33,068	7,841	43,501	79,332	226,213	22,172	133,093	3,456,456						
S. CENTRAL	---	---	2,096,530	577,482	612,130	86,620	13,466	59,316	98,252	172,936	18,187	153,247	3,888,166						
WEST	---	---	133,503	50,093	43,367	2,207	659	2,165	6,088	6,441	1,085	16,179	261,787						
U. S.	---	---	4,225,160	1,375,220	1,524,279	129,833	24,019	116,514	208,460	456,587	46,441	326,137	8,432,650						
MAINE	---	---	52,399	66,135	10,111	2,354	471	1,417	7,307	7,007	853	2,843	150,897						
PENNSYLVANIA	---	---	156,401	75,148	98,951	636	628	3,400	6,691	23,977	2,017	7,484	375,333						
OHIO	---	---	1,151	1,237	573	68	22	149	367	480	41	38	4,126						
INDIANA	---	---	17,758	7,720	768	---	9	729	1,078	1,927	90	60	30,139						
WISCONSIN	---	---	12,613	9,081	5,174	888	25	1,721	1,787	4,479	796	1,324	37,888						
MINNESOTA	---	---	7,607	7,217	2,153	132	38	196	189	2,237	180	5,777	25,726						
MISSOURI	---	---	34,457	40,585	57,766	1,541	516	2,999	6,633	7,795	941	4,524	157,757						
DELAWARE	---	---	145,401	43,235	102,489	2,102	411	2,388	7,473	18,279	4,644	6,685	333,107						
MARYLAND	---	---	179,455	67,302	180,048	3,107	818	3,267	7,629	18,898	4,262	3,206	467,992						
VIRGINIA	---	---	117,206	74,033	49,426	1,556	549	4,541	4,461	11,024	2,488	4,060	269,344						
NORTH CAROLINA	---	---	196,964	148,513	103,980	11,013	2,545	16,028	20,070	60,485	4,561	53,990	618,149						
SOUTH CAROLINA	---	---	69,423	14,821	10,219	944	245	2,303	3,102	7,856	15	1,717	110,645						
GEORGIA	---	---	874,921	163,720	199,851	13,645	3,032	13,660	31,502	104,376	5,931	41,346	1,451,984						
TENNESSEE	---	---	114,982	29,206	7,862	4,193	411	2,453	4,663	12,431	194	11,128	187,523						
ALABAMA	---	---	1,364,342	142,053	98,376	16,196	3,423	10,867	20,676	54,069	7,607	73,191	1,790,800						
MISSISSIPPI	---	---	258,757	44,623	102,119	13,651	2,992	7,805	18,592	33,638	2,620	29,929	514,726						
ARKANSAS	---	---	194,677	199,810	195,379	30,952	3,829	18,201	29,294	44,384	3,596	19,065	739,187						
LOUISIANA	---	---	22,155	42,506	50,520	4,887	512	4,182	7,508	4,737	741	1,644	139,392						
TEXAS	---	---	114,830	99,209	150,347	16,189	1,954	12,785	14,763	19,102	2,514	15,730	447,423						
CALIFORNIA	---	---	63,521	22,059	28,875	728	611	672	2,023	2,669	249	2,028	123,435						

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-		
N. ATLANTIC	2,015	2,115	10,043	10,041	4.98	4.75	6,485	6,500	523	509	
E. N. CENTRAL	1,888	2,042	8,168	7,968	4.33	3.90	5,045	5,036	280	311	
W. N. CENTRAL	3,587	3,547	15,677	15,689	4.37	4.42	9,697	9,780	900	775	
S. ATLANTIC	4,489	4,461	19,974	20,547	4.45	4.61	12,508	13,195	1,075	891	
S. CENTRAL	2,613	2,363	13,132	11,561	5.03	4.89	8,671	7,515	623	611	
WEST	1,861	1,868	7,610	7,635	4.09	4.09	4,606	4,622	464	462	
U. S.	16,453	16,396	74,604	73,441	4.53	4.48	47,012	46,648	3,865	3,559	
MAINE	420	225	2,596	1,368	6.18	6.07	1,786	952	103	56	
NEW JERSEY	1,104	1,138	4,826	4,696	4.37	4.13	2,911	2,810	329	323	
PENNSYLVANIA	146	193	802	1,014	5.50	5.26	548	712	22	25	
OHIO	459	514	1,987	2,109	4.33	4.10	1,230	1,277	81	75	
INDIANA	634	714	2,521	2,761	3.98	3.87	1,570	1,885	71	79	
MINNESOTA	1,220	1,383	4,694	5,250	3.85	3.80	2,841	3,183	252	258	
MISSOURI	1,092	1,003	6,241	6,109	5.71	6.09	4,128	4,116	369	301	
MARYLAND	---	602	---	2,535	---	4.21	---	1,560	---	---	118
VIRGINIA	54	82	410	642	7.64	7.82	288	452	13	25	
NORTH CAROLINA	355	247	2,792	1,841	7.87	7.45	1,880	1,253	103	70	
GEORGIA	2,811	3,175	11,610	14,198	4.13	4.47	7,166	9,103	600	615	
ALABAMA	322	100	1,569	711	4.87	7.14	992	485	98	28	
MISSISSIPPI	1,538	1,485	7,875	7,038	5.12	4.74	5,293	4,553	337	382	
ARKANSAS	74	75	550	552	7.38	7.40	384	376	20	24	
TEXAS	630	534	2,829	2,409	4.49	4.51	1,781	1,532	160	138	
WASHINGTON	138	122	572	507	4.14	4.17	373	347	24	18	
CALIFORNIA	1,608	1,542	6,530	6,254	4.06	4.06	3,902	3,719	420	401	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1971

REGION AND STATE	: TUBER- :		: LEU- :		: SEPTI- :		: AIRSAC- :		: SYNO- :		: BRUISES :		: CONTAM- :		: OVER- :		: TOTAL :
	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	: NO. :	
N. ATLANTIC	---	5,264	34,605	1,617	344	24,970	4,207	3,676	7,659	414	14,511	97,267					
E. N. CENTRAL	279	7,227	29,302	338	427	19,041	4,908	3,104	8,097	533	3,694	76,950					
W. N. CENTRAL	1,443	10,719	64,100	1,707	188	53,422	9,368	5,373	10,567	636	13,955	171,478					
S. ATLANTIC	14	5,806	76,454	1,074	757	44,625	9,948	8,281	35,979	464	15,619	199,021					
S. CENTRAL	---	5,423	44,992	336	754	30,854	9,140	2,822	12,141	796	17,393	124,651					
WEST	---	1,167	53,305	380	33	42,746	4,694	834	7,372	208	15,851	126,590					
U. S.	1,736	35,606	302,758	5,452	2,503	215,658	42,265	24,090	81,815	3,051	81,023	795,957					
MAINE	---	872	3,703	15	67	1,266	267	239	1,358	18	162	7,967					
NEW JERSEY	---	1,779	24,685	5	39	18,879	3,241	2,453	4,414	225	13,207	68,927					
PENNSYLVANIA	---	1,833	1,195	1,563	25	164	47	106	196	2	230	5,361					
OHIO	23	3,107	5,089	28	---	2,800	1,580	319	1,556	16	1,754	16,272					
INDIANA	6	1,897	9,556	5	418	6,975	294	988	3,286	85	1,091	24,601					
MINNESOTA	754	3,562	19,039	546	66	28,555	3,433	1,492	4,525	121	7,439	69,532					
MISSOURI	54	2,736	25,978	479	98	6,706	2,586	1,584	1,786	214	3,160	45,381					
MARYLAND	14	1,453	10,043	263	158	8,103	1,150	1,189	6,468	151	1,088	30,080					
VIRGINIA	---	479	1,521	83	93	263	151	310	---	---	76	3,004					
NORTH CAROLINA	---	715	2,128	213	126	776	207	221	1,788	9	1,549	7,732					
GEORGIA	---	2,432	56,390	355	369	30,331	7,705	6,789	25,457	303	12,832	142,963					
ALABAMA	---	241	1,051	21	26	296	58	216	1,065	1	473	3,448					
MISSISSIPPI	---	2,786	29,546	27	504	21,055	6,267	1,642	7,137	563	8,153	77,680					
ARKANSAS	---	222	1,804	34	71	143	34	44	425	29	116	2,922					
TEXAS	---	1,787	7,861	201	116	8,687	1,289	764	2,901	75	8,439	32,120					
WASHINGTON	---	379	1,360	40	2	816	137	48	347	23	1,279	4,431					
CALIFORNIA	---	586	46,510	210	26	39,856	3,990	504	5,918	184	13,022	110,806					

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT INSPECTED/100 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	61	69	1,552	1,364	22.36	22.49	1,084	1,255	34	21
E. N. CENTRAL	87	167	2,130	1,556	17.81	12.78	1,228	1,675	26	41
W. N. CENTRAL	249	579	10,166	3,756	15.09	17.55	2,971	7,920	77	297
S. ATLANTIC	513	891	16,774	8,683	16.93	18.82	6,677	13,021	364	570
S. CENTRAL	357	526	11,402	7,413	20.77	21.67	5,742	8,619	279	427
WEST	241	447	7,668	3,451	14.32	17.17	2,702	6,100	118	206
U. S.	1,508	2,679	49,692	26,223	17.39	18.55	20,404	38,590	898	1,562
PENNSYLVANIA	59	61	1,441	1,334	22.66	23.54	1,064	1,168	33	20
INDIANA	---	40	555	---	---	13.95	---	437	---	5
MINNESOTA	55	238	4,100	929	16.87	17.19	714	3,244	28	116
MISSOURI	168	271	4,451	2,200	13.09	16.41	1,765	3,538	38	95
VIRGINIA	247	248	4,341	4,620	18.72	17.54	3,459	3,298	228	168
NORTH CAROLINA	242	513	9,178	3,676	15.22	17.91	2,918	7,237	129	306
TEXAS	327	414	9,267	6,801	20.77	22.39	5,261	6,955	262	377
CALIFORNIA	215	340	5,919	3,033	14.12	17.40	2,370	4,722	110	185

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1971

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER INATION	CONTAM- INATION	OVER- SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	2	380	197	37	5	10	20	63	---	---	714
E. N. CENTRAL	---	29	995	482	---	1	60	15	337	---	4	1,923
W. N. CENTRAL	---	10	6,072	3,654	416	2	158	275	624	137	280	11,628
S. ATLANTIC	---	49	9,045	10,147	2,566	24	340	480	1,351	372	1,222	25,590
S. CENTRAL	---	28	5,865	7,726	3,129	91	118	194	533	15	425	18,124
WEST	---	11	2,863	4,278	3,964	7	48	204	186	23	18	11,602
U. S.	---	129	25,220	26,484	10,106	130	734	1,188	3,094	547	1,949	69,581
PENNSYLVANIA	---	1	318	190	31	5	10	12	30	---	---	597
INDIANA	---	---	117	22	---	---	2	4	27	---	3	175
MINNESOTA	---	2	2,901	1,618	304	1	30	137	314	22	27	5,356
MISSOURI	---	7	1,722	1,336	93	---	111	136	247	44	114	3,810
VIRGINIA	---	3	4,734	2,609	280	3	118	209	269	4	9	8,238
NORTH CAROLINA	---	22	3,225	6,206	2,198	20	184	228	834	155	1,079	14,151
TEXAS	---	26	4,823	7,258	3,061	88	95	67	179	4	407	16,008
CALIFORNIA	---	11	2,265	4,195	3,920	6	30	120	164	23	18	10,752

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWIGHT	TOTAL POUNDS CERTIFIED	POST-MORTEM CONDEMNATIONS	
		1970	1971			1970	1971
		-1,000 POUNDS-			-1,000 POUNDS-		PERCENT-
		-THOUSANDS-					
N. ATLANTIC 3/	64	549	1	8.58	427	4	.80
E. N. CENTRAL	150	1,479	135	9.86	1,154	17	1.29
W. N. CENTRAL	472	4,545	4,545	9.63	3,578	77	1.88
S. ATLANTIC	196	1,773	2,486	9.06	1,873	58	2.58
S. CENTRAL	7	65	322	9.02	48	5	5.25
WEST	64	506	2,568	7.85	1,986	21	4.69
U. S.	889	8,368	10,605	9.41	6,476	154	2.05
MINNESOTA	472	4,545	4,545	9.63	3,578	77	1.88
VIRGINIA	163	1,462	1,959	8.99	1,075	30	2.24
CALIFORNIA	50	394	2,366	7.89	1,825	20	5.64

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1971

REGION AND STATE	TUBER- : NO.	CULDSIS : NO.	LEU- : NO.	SEPTI- : NO.	AIRSAC- : NO.	SYND- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL NO.
E. N. CENTRAL	---	---	---	60	12	3	---	1	2	11	1	1	91		
W. N. CENTRAL	---	---	1	4,460	453	29	---	117	277	979	18	113	6,449		
S. ATLANTIC	---	---	21	2,279	1,126	77	---	121	218	595	3	543	4,984		
S. CENTRAL	---	---	2	130	22	2	---	3	80	66	---	---	305		
WEST	---	---	348	1,459	4,036	49	---	33	56	318	1	39	6,340		
U. S.	---	---	377	8,596	5,712	161	---	277	651	2,031	23	698	18,530		
MINNESOTA	---	---	1	4,460	453	29	---	117	277	979	18	113	6,449		
VIRGINIA	---	---	1	1,804	609	16	---	100	213	388	3	72	3,207		
CALIFORNIA	---	---	348	1,285	4,017	45	---	16	37	256	1	21	6,026		

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, APRIL 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971
N. ATLANTIC	2	53	1	---	---	---	---	---	---	---
E. N. CENTRAL	13	242	330	21.76	41	2	---	---	4.49	---
W. N. CENTRAL	16	242	330	18.55	20.37	188	19	25	8.65	8.57
S. ATLANTIC	13	298	318	19.73	21.56	193	23	20	9.85	7.15
S. CENTRAL	1	17	46	20.48	22.31	13	---	2	1.22	5.94
WEST	16	313	421	20.08	20.06	250	9	19	3.25	5.02
U. S.	45	883	1,116	19.63	20.65	687	53	66	6.69	6.71
MINNESOTA	13	240	245	18.50	19.92	187	19	18	8.67	8.30
NORTH CAROLINA <sup>3/</sup>	---	---	318	---	21.56	---	---	20	---	7.15

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, APRIL 1971

REGION AND STATE	TUBERCULOSIS		LEUKOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVER-SCALD		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
NORTH CAROLINA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID  
United States Department of Agriculture

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.