

poultry



Slaughtered under Federal Inspection and
Poultry Used in Further Processing

July 1971

Release:
September 2, 1971
3:00 P. M. EDT

Inspected Poultry - There were 1,156 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during July 1971 under the Poultry Inspection Act carried on by United States Department of Agriculture. This is slightly below the previous month and 4 percent less than July 1970.

The number of head and pounds live weight inspected by classes were: young chickens - 241,222,000 head, 866,152,000 pounds; mature chickens - 13,117,000 head, 58,857,000 pounds; fryer-roaster turkeys - 873,000 head, 7,952,000 pounds; young turkeys - 11,362,000 head, 209,630,000 pounds; old turkeys - 332,000 head, 6,310,000 pounds; and ducks 1,234,000 head, 7,539,000 pounds.

Poultry Certified Wholesome in July totaled 839,604,000 pounds ready-to-cook weight, of which 622,783,000 pounds were chilled and 216,821,000 were frozen. Pounds certified by class of poultry were: young chickens, 619,387,000; mature chickens, 37,543,000; fryer-roaster turkeys, 6,137,000; young turkeys, 166,000,000; old turkeys, 4,953,000; ducks, 5,341,000 and other poultry, 243,000.

Further Processed - Poultry inspected and used for further processing totaled 121,561,000 pounds ready-to-cook weight, compared with 111,782,000 pounds in July 1970. The July 1971 total consisted of 33,369,000 pounds young chickens, 29,181,000 pounds mature chickens, 53,588 pounds turkeys and 5,423,000 pounds other poultry.

Poultry Cut-up and Packaged totaled 194,165,000 pounds ready-to-cook weight, compared with 182,672,000 pounds a year earlier. The breakdown by class was: young chickens, 176,372,000 pounds; mature chickens, 208,000; turkeys, 17,346,000; and other poultry, 239,000 pounds.

Ante-Mortem Condemnations during July were 5,441,000 pounds live weight. Condemnations by classes as percent of quantities inspected were: young chickens, 0.52; mature chickens, 0.82; fryer-roaster turkeys, 0.16; young turkeys, 0.17; old turkeys, 0.24 and ducks, 0.04.

Post-Mortem Condemnations in July were 32,452,000 pounds (NYD weight). Condemnations by classes as percent of quantities inspected were: young chickens, 3.14; mature chickens, 5.31; fryer-roaster turkeys, 1.94; young turkeys, 2.55; old turkeys, 4.10; and ducks, 1.58.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1971 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
JUNE 1971	252,451	16,215	268,666	1,052	8,006	297	9,355	1,334	---	---	---	---	---	---	---	---	---
JULY 1970	258,551	12,839	271,390	997	11,161	263	12,421	1,444	---	---	---	---	---	---	---	---	---
JULY 1971	241,222	13,117	254,339	873	11,362	332	12,694	1,234	---	---	---	---	---	---	---	---	---
JAN.-JULY 1970	1,648,229	100,637	1,748,866	6,014	26,247	829	33,090	6,555	---	---	---	---	---	---	---	---	---
JAN.-JULY 1971	1,611,318	108,902	1,720,220	7,045	31,981	959	39,985	6,019	---	---	---	---	---	---	---	---	---
POUNDS INSPECTED																	
JUNE 1971	915,108	73,227	988,335	9,351	146,702	5,996	162,049	8,394	354	1,159,132	---	---	---	---	---	---	---
JULY 1970	921,863	59,810	981,673	8,889	203,217	4,922	217,028	8,851	357	1,207,909	---	---	---	---	---	---	---
JULY 1971	866,152	58,857	925,009	7,952	209,630	6,310	223,892	7,539	422	1,156,862	---	---	---	---	---	---	---
JAN.-JULY 1970	5,953,120	464,516	6,417,636	55,301	485,627	16,326	557,254	41,025	1,601	7,017,516	---	---	---	---	---	---	---
JAN.-JULY 1971	5,881,060	491,136	6,372,196	64,214	603,446	19,005	686,665	38,136	1,968	7,098,965	---	---	---	---	---	---	---
AVERAGE LIVeweIGHTS/																	
JUNE 1971	3.62	4.52	3.68	8.89	18.32	20.18	17.32	6.29	---	---	---	---	---	---	---	---	---
JULY 1970	3.57	4.66	3.62	8.92	18.21	18.74	17.47	6.13	---	---	---	---	---	---	---	---	---
JULY 1971	3.59	4.49	3.64	9.11	18.45	19.01	17.82	6.11	---	---	---	---	---	---	---	---	---
JAN.-JULY 1970	3.61	4.62	3.67	9.20	18.50	19.70	16.84	6.26	---	---	---	---	---	---	---	---	---
JAN.-JULY 1971	3.65	4.51	3.70	9.11	18.87	19.82	17.17	6.34	---	---	---	---	---	---	---	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
 JULY 1970, 2,778; JULY 1971, 2,204.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
 JUNE 1971, 625; JULY 1970, 491; AND JULY 1971, 493.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1971 WITH COMPARISONS 1/

NUMBER	: YOUNG		: MATURE		: TOTAL		: FRYER-		: YOUNG		: OLD		: TOTAL		: OTHER		
	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: CHICKENS	: TURKEYS	: ROASTERS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: TURKEYS	: DUCKS	: POULTRY	: POULTRY
JUNE 1971	597,420	35,529	632,949	2,052	18,688	1,472	22,212	321	44	655,526	---	---	---	---	---	---	---
CHILLED FROZEN	56,858	10,815	67,673	5,161	97,080	3,230	105,471	5,633	146	178,923	---	---	---	---	---	---	---
TOTAL	654,278	46,344	700,622	7,213	115,768	4,702	127,683	5,954	190	834,449	---	---	---	---	---	---	---
JULY 1970	597,951	27,085	625,036	1,296	26,913	1,018	29,227	168	34	654,465	---	---	---	---	---	---	---
CHILLED FROZEN	59,000	11,409	70,409	5,547	134,449	2,902	142,898	6,105	160	219,572	---	---	---	---	---	---	---
TOTAL	656,951	38,494	695,445	6,843	161,362	3,920	172,125	6,273	194	874,037	---	---	---	---	---	---	---
JULY 1971	568,488	26,991	595,479	1,541	24,979	544	27,064	188	52	622,783	---	---	---	---	---	---	---
CHILLED FROZEN	50,899	10,552	61,451	4,596	141,021	4,409	150,026	5,153	191	216,821	---	---	---	---	---	---	---
TOTAL	619,387	37,543	656,930	6,137	166,000	4,953	177,090	5,341	243	839,604	---	---	---	---	---	---	---
JANUARY-JULY 1970	3,804,741	221,930	4,026,671	10,455	74,985	3,207	88,647	1,356	138	4,116,812	---	---	---	---	---	---	---
CHILLED FROZEN	423,683	74,090	497,773	32,388	308,219	9,719	350,326	27,796	723	876,618	---	---	---	---	---	---	---
TOTAL	4,228,424	296,020	4,524,444	42,843	383,204	12,926	438,973	29,152	861	4,993,430	---	---	---	---	---	---	---
JANUARY-JULY 1971	3,806,817	244,026	4,050,843	11,541	89,396	2,841	103,778	1,712	245	4,156,578	---	---	---	---	---	---	---
CHILLED FROZEN	368,251	67,681	435,932	38,146	385,654	12,014	435,814	25,449	824	898,019	---	---	---	---	---	---	---
TOTAL	4,175,068	311,707	4,486,775	49,687	475,050	14,855	539,592	27,161	1,089	5,054,597	---	---	---	---	---	---	---

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1971 WITH COMPARISONS

	: YOUNG :		: MATURE :		: TOTAL :		: FAYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :		
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :
ANTE-MORTEM																	
1,000 POUNDS (LIVEWEIGHT):																	
JULY 1970:	6,129	659	6,788	23	486	25	534	8	1	7,331							
JULY 1971:	4,551	483	5,034	13	373	16	402	4	1	5,441							
JAN.-JULY 1970:	27,187	4,346	31,533	124	1,193	60	1,377	44	5	32,959							
JAN.-JULY 1971:	23,984	4,470	28,454	124	1,298	62	1,484	20	4	29,962							
PERCENT 1/ :																	
JULY 1970:	.66	1.10	.69	.25	.23	.50	.24	.09	.48	.60							
JULY 1971:	.52	.82	.54	.16	.17	.24	.17	.04	.31	.47							
POST-MORTEM																	
1,000 LBS. (N.Y. DRESSED):																	
JULY 1970:	29,144	2,902	32,046	169	4,134	139	4,442	139	3	36,631							
JULY 1971:	24,369	2,788	27,157	139	4,811	232	5,182	108	5	32,452							
JAN.-JULY 1970:	218,319	23,514	241,833	961	12,270	558	13,789	648	15	256,285							
JAN.-JULY 1971:	212,926	24,674	237,600	1,194	15,348	762	17,304	598	21	255,524							
PERCENT 2/ :																	
JULY 1970:	3.53	5.45	3.65	2.12	2.26	3.14	2.28	1.75	.93	3.39							
JULY 1971:	3.14	5.31	3.28	1.94	2.55	4.10	2.57	1.58	1.25	3.13							

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1971 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY1/ :		: TOTAL POULTRY :	
	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :	: FURTHER :
POUNDS USED READY-TO-COOK WEIGHT 2/ :										
JUNE 1971 :	33,951	182,375	37,376	883	46,236	16,030	6,847	238	124,410	199,526
JULY 1970 :	28,745	161,662	30,642	957	47,144	19,983	5,251	70	111,782	182,672
JULY 1971 :	33,369	176,372	29,181	208	53,588	17,346	5,423	239	121,561	194,165
JANUARY-JULY 1970 :	196,969	1,044,517	214,657	5,319	227,342	84,716	51,980	1,104	690,948	1,135,656
JANUARY-JULY 1971 :	218,225	1,165,807	258,046	2,963	276,094	96,223	49,095	2,012	801,450	1,267,005
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ :										
JUNE 1971 :	458	1,289	41	6	27	179	23	2	549	1,476
JULY 1970 :	453	1,084	49	45	26	214	27	33	555	1,376
JULY 1971 :	420	1,109	27	1	18	137	34	9	499	1,256
JANUARY-JULY 1970 :	1,570	6,811	447	143	1,262	1,344	199	41	3,478	8,339
JANUARY-JULY 1971 :	2,499	8,506	305	16	210	900	205	16	3,219	9,438

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
	--THOUSANDS--		--1,000 POUNDS--		--POUNDS--		--1,000 POUNDS--		--PERCENT--		
N. ATLANTIC	15,261	13,746	61,243	54,490	4.01	3.96	43,900	38,893	2,133	1,915	
E. N. CENTRAL	2,695	2,876	10,156	10,838	3.77	3.77	7,432	7,966	239	234	
W. N. CENTRAL	7,410	8,038	26,411	29,536	3.56	3.67	18,783	20,914	818	968	
S. ATLANTIC	108,397	96,353	391,445	352,785	3.61	3.66	278,286	252,072	13,538	10,250	
S. CENTRAL	118,249	114,429	409,287	397,634	3.46	3.47	292,286	284,945	11,686	10,177	
WEST	6,539	5,780	23,321	20,869	3.57	3.61	16,264	14,597	730	825	
U. S.	258,551	241,222	921,863	866,152	3.57	3.59	656,951	619,387	29,144	24,369	
MAINE	6,832	6,040	27,943	24,557	4.09	4.07	20,380	17,917	836	541	
PENNSYLVANIA	7,556	7,105	29,637	27,397	3.92	3.86	20,974	19,273	1,144	1,273	
OHIO	---	247	---	930	---	3.77	---	---	678	---	16
INDIANA	1,321	1,284	4,737	4,633	3.59	3.61	3,512	3,431	118	92	
WISCONSIN	1,349	1,339	5,267	5,240	3.90	3.91	3,812	3,857	117	126	
MINNESOTA	843	809	3,197	3,120	3.79	3.86	2,431	2,321	57	81	
MISSOURI	5,925	6,391	20,809	23,368	3.51	3.66	14,647	16,487	679	762	
DELAWARE	8,464	7,756	33,328	29,944	3.94	3.86	23,723	21,263	975	909	
MARYLAND	16,583	11,260	63,276	42,742	3.82	3.80	45,374	30,965	1,869	1,396	
VIRGINIA	8,206	9,880	28,325	35,805	3.45	3.62	19,457	25,241	846	876	
NORTH CAROLINA	27,735	24,571	101,888	92,953	3.67	3.78	72,386	66,268	3,106	2,502	
SOUTH CAROLINA	3,118	3,002	10,965	9,912	3.52	3.50	7,503	7,000	509	352	
GEORGIA	38,960	34,866	135,256	123,906	3.47	3.55	96,985	88,943	5,574	3,716	
TENNESSEE	6,662	6,136	22,838	21,892	3.43	3.57	16,585	15,720	719	710	
ALABAMA	29,868	31,851	105,107	110,442	3.52	3.47	74,471	78,758	4,171	3,624	
MISSISSIPPI	19,510	19,778	67,432	69,509	3.46	3.51	49,003	50,202	1,291	1,486	
ARKANSAS	33,653	32,766	112,923	110,020	3.36	3.36	79,969	78,164	2,839	2,450	
LOUISIANA	5,415	4,420	19,358	16,423	3.57	3.72	13,932	12,042	503	359	
TEXAS	17,891	15,322	63,233	54,992	3.53	3.59	45,250	39,767	1,717	1,266	
WASHINGTON	---	---	7,034	---	---	---	4,779	---	282	---	
CALIFORNIA	2,834	2,744	10,501	10,322	3.71	3.76	7,574	7,224	248	518	

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1971

REGION AND STATE	TUBER- : : CULOSIS :	LEU- : : KOSIS :	SEPTI- : : CEMIA :	AIRSAC- : : CULITIS :	SYND- : : VITIS :	TUMORS : : NO.	BRUISES : : NO.	CADAVER : : NO.	INMATION : : NO.	SCALD : : NO.	OTHER : : NO.	TOTAL : : NO.
N. ATLANTIC	---	183,102	94,395	52,487	2,867	988	5,586	14,229	26,291	4,702	13,613	398,260
E. N. CENTRAL	---	26,641	18,445	2,468	971	48	2,088	2,558	5,023	2,224	1,710	62,176
W. N. CENTRAL	---	53,909	58,895	56,580	12,531	876	5,670	9,910	26,119	3,675	10,046	238,211
S. ATLANTIC	---	1,229,424	431,360	313,694	27,312	8,342	46,121	77,739	283,966	25,856	150,086	2,593,900
S. CENTRAL	---	1,161,579	425,866	243,505	59,487	13,770	59,337	109,589	213,730	19,779	115,686	2,422,328
WEST	---	144,755	42,162	26,446	1,162	98	2,280	6,968	8,163	907	15,384	248,325
U. S.	---	2,799,410	1,071,123	695,180	104,330	24,122	121,082	220,993	563,292	57,143	306,525	5,963,200
MAINE	---	30,573	39,907	2,373	1,934	362	1,735	6,503	6,633	1,304	2,676	94,000
PENNSYLVANIA	---	145,241	51,026	49,396	874	548	3,408	6,963	16,841	3,231	9,974	287,502
OHIO	---	1,062	1,581	869	114	21	164	603	399	10	6	4,829
INDIANA	---	17,376	7,477	642	---	5	589	526	819	281	109	27,824
WISCONSIN	---	8,202	9,383	956	857	22	1,334	1,429	3,805	1,933	1,591	29,512
MINNESOTA	---	5,478	5,431	218	113	54	280	1,000	4,393	516	4,802	22,285
MISSOURI	---	42,267	42,432	42,023	6,517	573	3,897	6,805	19,469	3,125	4,977	172,085
DELAWARE	---	122,874	22,736	34,389	2,051	241	1,685	4,671	15,755	2,784	5,753	212,939
MARYLAND	---	164,360	64,314	70,386	2,943	650	3,795	8,214	24,497	5,208	4,845	349,212
VIRGINIA	---	107,794	66,234	35,119	1,462	440	5,967	4,085	12,341	4,328	3,464	241,234
NORTH CAROLINA	---	149,593	121,093	86,716	11,678	3,010	16,300	19,017	87,225	5,743	71,890	572,265
SOUTH CAROLINA	---	53,294	12,069	4,928	476	285	2,395	5,399	11,390	507	3,809	94,562
GEORGIA	---	535,534	131,197	75,326	8,038	3,512	14,714	30,807	123,524	6,875	49,298	978,825
TENNESSEE	---	119,287	27,366	12,498	1,930	404	1,954	6,161	13,369	839	14,565	198,373
ALABAMA	---	636,896	97,871	26,351	8,774	4,110	11,819	23,902	79,950	6,662	32,154	928,489
MISSISSIPPI	---	174,698	32,730	30,380	6,066	2,698	7,035	12,479	34,233	1,829	28,784	330,932
ARKANSAS	---	120,181	153,853	141,451	24,170	4,000	17,167	36,690	51,262	4,650	23,476	576,900
LOUISIANA	---	16,297	27,608	5,410	4,182	564	4,149	4,278	5,766	1,193	2,008	71,455
TEXAS	---	78,500	66,469	20,541	12,258	1,790	14,470	19,207	24,059	3,859	12,188	253,341
CALIFORNIA	---	103,923	20,120	14,245	138	55	534	2,874	2,981	506	4,552	149,928

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1970 AND 1971

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED		INSPECTED		LIVWEIGHT		CERTIFIED		POUNDS (NYD)			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	- THOUSANDS-		-1,000 POUNDS-		- POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	1,493	1,284	7,497	6,466	5.02	5.04	4,851	4,153	380	330	5.68	5.72
E. N. CENTRAL	1,625	1,741	7,094	6,955	4.36	3.99	4,346	4,288	235	266	3.72	4.28
W. N. CENTRAL	2,707	2,863	12,159	12,771	4.49	4.46	7,705	7,965	629	622	5.82	5.47
S. ATLANTIC	2,854	3,071	12,950	13,723	4.54	4.47	8,570	9,103	696	563	6.03	4.59
S. CENTRAL	2,418	2,161	13,161	10,746	5.44	4.97	8,854	7,021	541	577	4.63	6.00
WEST	1,742	1,997	6,949	8,196	3.99	4.10	4,168	5,013	421	430	6.84	5.90
U. S.	12,839	13,117	59,810	58,857	4.66	4.49	38,494	37,543	2,902	2,788	5.45	5.31
MAINE	260	173	1,677	1,058	6.44	6.11	1,146	742	62	37	4.12	3.90
NEW JERSEY	848	631	3,580	2,785	4.22	4.41	2,175	1,677	220	171	6.87	6.86
PENNSYLVANIA	84	81	613	516	7.27	6.33	423	351	15	13	2.65	2.74
OHIO	427	362	1,764	1,451	4.13	4.01	1,062	890	71	57	4.51	4.38
INDIANA	391	616	1,532	2,388	3.91	3.88	966	1,509	42	62	3.08	2.90
MINNESOTA	1,116	1,175	4,226	4,586	3.79	3.90	2,544	2,760	222	236	5.88	5.76
MISSOURI	1,003	923	5,750	5,347	5.74	5.79	3,893	3,598	270	231	5.30	4.84
MARYLAND	399	---	1,694	---	4.24	---	1,021	---	107	---	7.16	---
VIRGINIA	33	---	240	---	7.28	---	---	163	---	11	---	5.14
NORTH CAROLINA	237	102	1,784	740	7.52	7.25	1,228	498	60	29	3.75	4.35
GEORGIA	1,884	2,438	7,939	10,535	4.21	4.32	5,326	7,055	451	425	6.38	4.52
ALABAMA	120	---	757	---	6.28	---	513	---	31	---	4.63	---
MISSISSIPPI	1,248	1,320	6,502	6,511	5.21	4.93	4,360	4,266	242	392	4.20	6.73
ARKANSAS	271	75	1,972	563	7.27	7.52	1,360	376	90	26	5.08	5.14
LOUISIANA	75	---	466	---	6.17	---	332	---	11	---	2.73	---
TEXAS	556	536	2,661	2,433	4.79	4.54	1,736	1,559	145	111	6.10	5.11
WASHINGTON	97	153	412	663	4.26	4.34	271	460	15	23	4.06	3.95
CALIFORNIA	1,570	1,597	6,211	6,456	3.95	4.04	3,685	3,866	393	358	7.14	6.22

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1971

REGION AND STATE	TUBER-	LEU-	SEPTI-	AIRSAC-	SYNO-	TUMORS-	BRUISES-	CADAVER-	CONTAM-	OVER-	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	44	2,484	18,471	155	990	15,680	2,017	3,385	4,891	114	10,624
E. N. CENTRAL	400	4,918	24,914	310	28	18,125	4,879	2,563	6,996	258	3,156
W. N. CENTRAL	3,037	10,512	48,992	2,139	363	47,297	9,938	4,002	9,224	748	10,819
S. ATLANTIC	27	2,954	45,247	612	353	22,688	5,619	4,781	19,364	510	9,012
S. CENTRAL	---	4,628	41,468	303	545	23,240	8,666	2,135	10,525	486	15,077
WEST	---	1,320	56,817	29	243	43,764	4,595	1,810	6,160	404	10,583
U. S.	3,508	26,816	235,909	3,548	2,522	170,794	35,714	18,676	57,160	2,520	59,271
MAINE	---	436	2,431	1	123	1,002	227	155	433	62	97
NEW JERSEY	40	893	11,008	60	238	10,113	1,212	990	1,671	16	9,499
PENNSYLVANIA	---	152	1,261	74	---	343	69	82	237	1	156
OHIO	82	1,650	3,654	3	---	1,998	1,658	263	1,346	4	978
INDIANA	1	1,392	8,904	1	---	6,759	308	548	2,183	3	843
MINNESOTA	1,954	5,401	15,876	949	66	26,180	4,116	1,180	3,516	490	20,942
MISSOURI	32	1,876	20,955	401	281	6,495	3,074	1,080	3,087	159	6,394
VIRGINIA	---	117	921	19	---	51	31	36	120	9	2,281
NORTH CAROLINA	---	365	1,081	119	57	413	71	28	527	2	1,312
GEORGIA	---	1,379	37,686	315	241	15,620	4,831	3,923	15,281	287	7,951
MISSISSIPPI	---	2,991	25,901	71	325	15,387	6,595	1,106	7,587	247	9,662
ARKANSAS	---	189	2,067	62	41	154	62	83	587	50	120
TEXAS	---	1,116	7,764	160	128	6,819	783	485	1,840	120	5,067
WASHINGTON	---	420	2,886	3	4	436	295	101	437	21	1,603
CALIFORNIA	---	686	47,531	18	237	41,244	2,872	1,465	4,293	343	7,729

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED		AVERAGE LIVEWIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
		1970	1971	1970	1971	1970	1971	1970	1971
		- THOUSANDS-		- POUNDS-		- 1,000 POUNDS-		- 1,000 POUNDS-	- PERCENT-
N. ATLANTIC	176	3,394	2,605	19.28	18.88	2,684	2,063	48	40
E. N. CENTRAL	1,125	19,860	20,365	17.65	18.30	15,843	16,329	313	233
W. N. CENTRAL	3,976	69,028	70,160	17.36	17.95	55,067	56,086	1,321	1,335
S. ATLANTIC	1,458	1,356	25,238	18.40	18.61	21,142	19,896	697	718
S. CENTRAL	1,789	2,072	34,090	19.06	18.45	26,593	29,607	1,024	1,328
WEST	2,637	2,775	53,038	18.97	19.12	40,033	42,019	731	1,157
U. S.	11,161	203,217	209,630	18.21	18.65	161,362	166,000	4,134	4,811
PENNSYLVANIA	175	3,365	2,537	19.22	18.80	2,662	2,011	47	39
OHIO	225	3,956	5,157	17.59	17.27	3,157	4,137	53	43
INDIANA	349	5,010	6,191	14.34	16.28	3,971	4,910	90	83
WISCONSIN	409	7,619	5,861	18.63	19.14	6,094	4,803	117	60
MINNESOTA	1,906	1,764	31,793	17.54	18.02	26,583	25,650	667	461
IOWA	1,008	1,042	18,656	17.11	17.90	13,830	14,764	363	406
MISSOURI	779	848	14,869	16.54	17.54	10,440	11,858	204	383
VIRGINIA	485	401	7,083	18.38	17.66	6,908	5,463	219	203
NORTH CAROLINA	713	777	12,686	17.78	17.84	10,167	11,128	321	387
ARKANSAS	862	1,084	13,852	18.75	18.15	12,674	15,062	462	818
TEXAS	836	868	16,155	19.67	19.00	12,382	12,945	533	465
COLORADO	287	383	7,860	20.84	20.50	4,718	6,070	95	266
UTAH	532	425	8,148	18.35	19.18	7,839	6,578	114	151
CALIFORNIA	1,602	1,744	32,907	18.68	18.87	24,001	26,155	466	586

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1971

REGION AND STATE	: TUBER- : : CULOSIS: NO.	: LEU- : : KOSIS : NO.	: SEPTI- : : CEMIA : NO.	: AIRSAC- : : CULITIS : NO.	: SYNO- : : VITIS : NO.	: TUMORS : : NO.	: BRUISES: CADAYER: : : NO. NO.	: CONTAM- : : INATION: NO.	: OVER- : : SCALD : NO.	: OTHER : : NO.	: TOTAL : : NO.	
N. ATLANTIC	---	6	896	674	157	1	6	19	116	13	4	1,892
E. N. CENTRAL	---	24	5,217	2,147	376	4	230	614	825	11	189	9,637
W. N. CENTRAL	---	136	34,422	14,288	6,184	101	632	2,296	3,168	335	1,023	62,585
S. ATLANTIC	---	56	12,643	7,967	1,449	38	638	673	2,211	248	2,193	28,116
S. CENTRAL	---	19	22,849	7,880	26,273	569	468	574	2,012	81	1,597	62,322
WEST	---	301	21,588	16,676	9,700	220	469	1,224	1,511	408	600	52,697
U. S.	---	542	97,615	49,632	44,139	933	2,443	5,400	9,843	1,096	5,606	217,249
PENNSYLVANIA	---	5	871	668	157	---	6	16	100	13	4	1,840
OHIO	---	6	780	215	10	1	34	73	194	---	16	1,329
INDIANA	---	3	1,886	1,261	---	1	39	194	520	5	42	3,951
WISCONSIN	---	5	1,218	198	366	2	157	192	101	2	117	2,358
MINNESOTA	---	64	12,751	5,115	1,292	15	214	1,195	1,218	116	109	22,089
IOWA	---	53	10,315	3,171	700	75	226	465	861	39	107	16,012
MISSOURI	---	15	9,550	5,171	4,135	5	139	489	963	53	805	21,325
VIRGINIA	---	9	6,347	2,301	377	4	180	301	401	6	10	9,936
NORTH CAROLINA	---	36	4,413	4,720	964	14	385	271	1,552	146	1,320	13,821
ARKANSAS	---	5	12,223	4,338	23,465	366	274	255	1,327	23	175	42,451
TEXAS	---	8	8,548	3,360	2,764	201	179	206	477	8	1,422	17,173
COLORADO	---	12	1,615	7,148	1,115	4	38	366	170	2	45	10,515
UTAH	---	1	2,792	1,422	516	11	137	469	699	341	286	6,674
CALIFORNIA	---	288	15,109	7,577	3,023	203	165	335	572	60	117	27,449

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		PCUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/100 (READY-TO-COOK WT.)		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	16	4	167	46	10.44	11.50	129	35	5	2	3.32	4.83
E. N. CENTRAL	67	13	590	112	8.83	8.80	455	87	9	2	1.69	1.56
W. N. CENTRAL	366	343	3,263	3,282	8.92	9.58	2,591	2,599	50	41	1.70	1.37
S. ATLANTIC	379	348	3,454	3,013	9.11	8.66	2,579	2,275	77	58	2.48	2.14
S. CENTRAL 3/	32	---	271	---	8.43	---	216	---	4	---	1.69	---
WEST	137	165	1,144	1,499	8.34	9.10	873	1,141	24	36	2.37	2.64
U. S.	997	873	8,889	7,952	8.92	9.11	6,843	6,137	169	139	2.12	1.94
MINNESOTA	345	336	3,059	3,215	8.87	9.57	2,425	2,550	47	35	1.71	1.22
VIRGINIA	305	258	2,748	2,230	9.01	8.63	2,023	1,665	56	39	2.28	1.96
CALIFORNIA	121	158	1,033	1,446	8.52	9.15	784	1,101	22	33	2.40	2.52

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1971

REGION AND STATE	TUBERCULOSIS		LEUROSIS		KOSIS		SEPTICEMIA		AIRSAC-CULITIS		SYNOVITIS		TUMORS		BRUISES		CADAVER INJURY		CONTAMINATION		OVERSCALD		OTHER		TOTAL NO.	
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.		
N. ATLANTIC	---	---	---	---	61	410	---	---	---	---	---	---	---	---	---	---	21	---	---	---	---	---	---	492		
E. N. CENTRAL	---	---	---	---	29	4	4	---	---	---	---	---	---	---	---	---	16	23	---	---	---	---	---	2	79	
W. N. CENTRAL	---	---	28	2,069	947	43	43	---	---	---	---	---	---	---	---	41	112	503	6	---	---	---	---	28	3,777	
S. ATLANTIC	---	---	1	2,668	569	38	38	2	120	159	---	---	---	---	---	---	806	10	---	---	---	---	---	346	4,718	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	---	---	1,624	1,706	53	---	---	---	---	---	---	---	---	16	61	129	7	---	---	---	---	48	3,644	
U. S.	---	---	29	6,451	3,636	138	138	2	178	347	1,482	23	---	---	---	---	347	1,482	23	---	---	---	---	424	12,710	
MINNESOTA	---	---	2	2,054	415	43	43	---	---	---	---	---	---	---	---	---	112	484	6	---	---	---	---	26	3,176	
VIRGINIA	---	---	---	2,193	178	4	4	---	---	---	---	---	---	---	---	---	81	120	648	7	---	---	---	9	3,240	
CALIFORNIA	---	---	---	1,151	1,706	53	53	---	---	---	---	---	---	---	---	---	61	118	---	---	---	---	---	48	3,158	

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1970 AND 1971

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971		
N. ATLANTIC 4/	---	17	---	352	---	20.71	---	280	1	7	1.11	2.21
E. N. CENTRAL	53	72	1,045	1,419	19.79	19.74	---	1,115	37	40	4.01	3.15
W. N. CENTRAL	58	45	1,069	870	18.46	19.49	810	685	23	26	2.45	3.34
S. ATLANTIC	53	60	971	1,072	18.21	17.97	786	837	42	46	4.77	4.77
S. CENTRAL 4/	---	38	---	698	---	18.29	---	537	---	34	---	5.39
WEST	99	100	1,838	1,899	18.64	18.91	1,468	1,499	36	79	2.18	4.60
U. S.	263	332	4,922	6,310	18.74	19.01	3,920	4,953	139	232	3.14	4.10
MINNESOTA 3/	---	39	---	737	---	19.00	---	581	---	23	---	3.52
CALIFORNIA	45	49	860	908	19.09	18.61	689	718	17	43	2.22	5.21

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1971

REGION AND STATE	TUBER- : NO.		LEU- : NO.		KOSIS : NO.		SEPTI- : NO.		AIRSAC- : NO.		SYNO- : NO.		VITIS : NO.		TUMORS : NO.		BRUISES : NO.		CADAVER : NO.		CONTAM- : NO.		OVER- : NO.		SCALO : NO.		OTHER : NO.		TOTAL : NO.		
	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	1970	1971	
N. ATLANTIC	---	3	---	75	114	6	10	1	10	1	55	---	15	---	15	---	15	---	15	---	15	---	15	---	15	---	15	---	15	---	280
E. N. CENTRAL	---	16	---	454	675	9	28	12	28	70	79	22	39	22	39	22	39	22	39	22	39	22	39	22	39	22	39	22	39	1,404	
W. N. CENTRAL	---	9	---	532	424	5	18	18	7	20	73	1	14	1	14	1	14	1	14	1	14	1	14	1	14	1	14	1	1,103		
S. ATLANTIC	---	7	---	799	481	46	29	29	11	24	115	7	276	7	276	7	276	7	276	7	276	7	276	7	276	7	276	7	1,795		
S. CENTRAL	---	---	---	1,145	151	---	15	15	9	62	43	17	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1,442	
WEST	---	37	---	2,641	201	72	560	80	80	54	93	15	7	15	7	15	7	15	7	15	7	15	7	15	7	15	7	15	7	3,760	
U. S.	---	72	---	5,646	2,046	138	635	145	145	231	458	62	351	62	351	62	351	62	351	62	351	62	351	62	351	62	351	62	9,784		
MINNESOTA	---	6	---	494	402	5	18	7	7	20	68	1	14	1	14	1	14	1	14	1	14	1	14	1	14	1	14	1	1,035		
CALIFORNIA	---	1	---	1,372	70	26	542	7	7	22	31	13	2	13	2	13	2	13	2	13	2	13	2	13	2	13	2	13	2	2,086	

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Consumer Protection Programs, Consumer and Marketing Service.