

poultry



Slaughtered under Federal Inspection
and Poultry Used in Further Processing
June 1972

Release:
August 3, 1972
3:00 P. M. EDT

Inspected Poultry - There were 1,265 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during June 1972 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 8 percent more than the previous month and 9 percent more than June 1971.

The number of head and pounds live weight inspected by classes were: young chickens - 268,545,000 head, 997,369,000 pounds; mature chickens - 15,396,000 head, 70,671,000 pounds; fryer - roaster turkeys - 1,157,000 head, 10,452,000 pounds; young turkeys - 9,477,000 head, 171,124,000 pounds; old turkeys - 335,000 head, 6,687,000 pounds; and ducks - 1,375,000 head, 8,794,000 pounds.

Poultry Certified Wholesome in June totaled 913,061,000 pounds ready-to-cook weight of which 721,703,000 pounds were chilled and 191,358,000 pounds frozen. Pounds certified by class of poultry were: young chickens, 713,095,000; mature chickens, 44,487,000; fryer-roaster turkeys, 8,032,000; young turkeys, 135,771,000; old turkeys, 5,198,000; ducks, 6,235,000; and other poultry, 243,000 pounds.

Further Processed - Poultry inspected and used for further processing totaled 143,692,000 pounds ready-to-cook weight, compared with 124,410,000 pounds in June 1971. The June 1972 total consisted of 37,523,000 pounds young chickens, 41,562,000 mature chickens, 57,462,000 turkeys, and 7,145,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 228,699,000 pounds ready-to-cook weight, compared with 199,526,000 pounds in June 1971. The breakdown by class was: young chickens, 208,071,000 pounds; mature chickens, 276,000; turkeys, 19,768,000; and other poultry, 584,000 pounds.

Ante-Mortem Condemnations during June were 6,502,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.52; mature chickens, 1.25; fryer-roaster turkeys, 0.14; young turkeys, 0.19; old turkeys, 0.36; and ducks, 0.04.

Post-Mortem Condemnations in June were 33,564,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.92; mature chickens, 5.32; fryer-roaster turkeys, 1.87; young turkeys, 2.31; old turkeys, 4.33; and ducks, 1.57 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1972 WITH COMPARISONS

NUMBER INSPECTED	: YOUNG : MATURE :		: TOTAL : CHICKENS :		: FRYER- : ROASTERS :		: YOUNG : TURKEYS2/ :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: DUCKS :		: OTHER : POULTRY :		: TOTAL : POULTRY :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :
MAY 1972	267,762	14,296	282,058	1,042	4,592	110	5,744	1,229										
JUNE 1971	252,451	16,215	268,666	1,052	8,006	297	5,355	1,334										
JUNE 1972	268,545	15,395	283,941	1,157	9,477	335	10,969	1,375										
JAN.-JUNE 1971	1,370,095	95,784	1,465,879	6,172	20,619	627	27,418	4,785										
JAN.-JUNE 1972	1,477,810	99,577	1,577,387	6,599	23,999	619	31,217	4,923										
POUNDS INSPECTED 4/																		
MAY 1972	1,001,121	65,989	1,067,110	9,535	82,655	2,220	54,410	7,879										
JUNE 1971	915,108	73,227	988,335	9,351	146,702	5,996	162,049	8,394										
JUNE 1972	997,369	70,671	1,068,040	10,452	171,124	6,667	188,263	8,794										
JAN.-JUNE 1971	5,014,908	432,279	5,447,187	56,262	393,816	12,695	462,773	30,597										
JAN.-JUNE 1972	5,492,749	440,476	5,933,225	60,105	457,680	12,584	530,369	31,598										
AVERAGE LIVELINEWEIGHT5/																		
MAY 1972	3.74	4.62	3.78	9.15	18.00	20.27	16.44	6.41										
JUNE 1971	3.62	4.52	3.68	8.89	18.32	20.18	17.32	6.29										
JUNE 1972	3.71	4.59	3.76	9.04	18.06	19.99	17.16	6.40										
JAN.-JUNE 1971	3.66	4.51	3.72	9.12	19.10	20.25	16.88	6.39										
JAN.-JUNE 1972	3.72	4.42	3.76	9.11	19.07	20.35	16.99	6.42										

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:
MAY 1972, 2,851; JUNE 1971, 2,778; AND JUNE 1972, 3,005.

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:
MAY 1972, 130; JUNE 1971, 625; AND JUNE 1972, 538.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JUNE 1972 WITH COMPARISONS 1/

MAY 1972	: YOUNG : MATURE :		: TOTAL : CHICKENS :		: FRYER- : ROASTERS :		: YOUNG : TURKEYS :		: OLD : TURKEYS :		: TOTAL : TURKEYS :		: DUCKS :		: OTHER : POULTRY :		: TOTAL : POULTRY :	
	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :	: CHICKENS :
CHILLED	658,845	33,840	692,685	1,577	17,324	539	19,440	230										
FROZEN	56,580	7,859	64,439	5,866	48,090	1,189	55,145	5,433										
TOTAL	715,425	41,699	757,124	7,443	65,414	1,728	74,585	5,663										
JUNE 1971	597,420	35,529	632,949	2,052	18,688	1,472	22,212	321										
CHILLED	56,858	10,815	67,673	5,161	97,080	3,230	105,471	5,633										
FROZEN	654,278	46,344	700,622	7,213	115,768	4,702	121,683	5,954										
TOTAL	656,417	36,148	692,565	2,387	24,956	1,577	28,920	174										
JUNE 1972	56,678	8,339	65,017	5,645	110,815	3,621	120,081	6,061										
CHILLED	713,095	44,487	757,582	8,032	135,771	5,198	149,001	6,235										
FROZEN	3,238,329	217,036	3,455,365	9,999	64,417	2,297	76,713	1,524										
TOTAL	3,173,352	57,128	3,230,480	33,551	244,634	7,605	285,790	20,296										
JANUARY-JUNE 1971	3,555,681	274,164	3,829,845	43,550	309,051	9,902	362,503	21,820										
CHILLED	3,585,559	223,065	3,808,624	10,596	87,299	2,802	100,697	1,094										
FROZEN	331,466	53,267	384,733	35,919	272,955	6,953	315,827	21,588										
TOTAL	3,917,025	276,332	4,193,357	46,515	360,254	9,755	416,524	22,682										

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JUNE 1972 WITH COMPARISONS 3/

	: YOUNG :		: MATURE :		: TOTAL :		: FRYER- :		: YOUNG :		: OLD :		: TOTAL :		: OTHER :	
	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :	: CHICKENS :	: TURKEYS :
ANTE-MORTEM																
1,000 POUNDS (LIVEWEIGHT):																
JUNE 1971:	4,363	764	5,127	18	348	25	391	5	5	5,523						
JUNE 1972:	5,243	888	6,131	16	325	25	366	4	4	6,502						
JAN.-JUNE 1971:	19,432	3,986	23,418	110	925	46	1,081	17	2	24,518						
JAN.-JUNE 1972:	21,233	4,488	25,721	126	955	57	1,138	17	5	26,881						
PERCENT 1/:																
JUNE 1971:	.47	1.04	.51	.19	.23	.41	.24	.05	.22	.47						
JUNE 1972:	.52	1.25	.57	.14	.19	.36	.19	.04	.32	.51						
POST-MORTEM																
1,000 LBS. (N.Y. DRESSED):																
JUNE 1971:	28,501	3,365	31,866	158	3,358	215	3,771	113	4	35,755						
JUNE 1972:	26,109	3,337	29,446	176	3,553	260	3,989	125	5	33,564						
JAN.-JUNE 1971:	188,558	21,887	210,445	1,055	10,537	529	12,121	490	17	223,072						
JAN.-JUNE 1972:	160,900	22,220	183,120	1,151	11,795	565	13,511	457	24	197,114						
PERCENT 2/:																
JUNE 1971:	3.47	5.16	3.60	1.87	2.58	4.01	2.59	1.50	1.14	3.44						
JUNE 1972:	2.92	5.32	3.08	1.87	2.31	4.33	2.35	1.57	1.20	2.96						

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JUNE 1972 WITH COMPARISONS

	: YOUNG CHICKENS :		: MATURE CHICKENS :		: TURKEYS :		: OTHER POULTRY 1/:		: TOTAL POULTRY :	
	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP : : PROCESSED :	: FURTHER : : PROCESSED :	: CUT UP :
POUNDS USED READY-TO-COOK WEIGHT 2/:										
MAY 1972:	37,064	204,263	46,402	2,402	38,686	14,357	8,353	116	130,505	221,138
JUNE 1971:	33,951	182,375	37,376	883	46,236	16,030	6,847	238	124,410	199,526
JUNE 1972:	37,523	208,071	41,562	276	57,462	19,768	7,145	584	143,692	228,699
JANUARY-JUNE 1971:	184,857	989,435	228,864	2,755	222,506	78,877	43,661	1,773	679,888	1,072,840
JANUARY-JUNE 1972:	216,639	1,127,910	256,454	3,867	239,858	124,392	47,788	1,826	760,739	1,257,995
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/:										
MAY 1972:	628	1,816	131	6	28	24	24	1	811	1,851
JUNE 1971:	458	1,289	41	6	27	179	23	2	549	1,476
JUNE 1972:	622	2,021	132	14	205	59	15	26	974	2,120
JANUARY-JUNE 1971:	2,079	7,397	278	15	192	763	171	7	2,720	8,182
JANUARY-JUNE 1972:	4,366	10,172	521	32	343	281	99	41	5,329	10,525

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972		
	THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-		
N. ATLANTIC	15,001	13,794	59,838	58,060	3.99	4.21	42,811	41,414	2,166	1,888	4.03	3.63
E. N. CENTRAL	3,033	2,932	11,450	11,604	3.77	3.96	8,366	8,411	321	252	3.12	2.42
W. N. CENTRAL	8,230	8,345	30,628	31,250	3.72	3.74	21,628	22,305	1,145	771	4.18	2.76
S. ATLANTIC	101,812	107,072	373,915	406,837	3.67	3.80	267,236	291,422	11,936	10,597	3.56	2.90
S. CENTRAL	118,218	131,367	416,001	469,835	3.52	3.58	298,048	335,215	11,982	12,126	3.21	2.88
WEST	6,157	5,035	23,276	19,783	3.78	3.93	16,189	14,328	951	475	4.55	2.67
U. S.	252,451	268,545	915,108	997,369	3.62	3.71	654,278	713,095	28,501	26,109	3.47	2.92
MAINE	6,545	6,782	26,725	28,707	4.08	4.23	19,604	20,946	570	768	2.41	2.98
PENNSYLVANIA	7,826	6,559	30,480	27,228	3.89	4.15	21,448	19,026	1,482	1,056	5.42	4.33
OHIO	1,259	328	1,009	1,375	3.90	4.19	737	968	29	31	3.23	2.51
INDIANA	1,365	1,373	4,797	5,161	3.52	3.76	3,542	3,804	131	100	3.04	2.15
WISCONSIN	1,401	1,223	5,602	5,029	4.00	4.11	4,086	3,639	161	121	3.20	2.69
MINNESOTA	807	905	3,098	3,707	3.84	4.10	2,281	2,729	86	87	3.11	2.63
MISSOURI	6,623	6,158	24,624	22,731	3.72	3.69	17,316	16,206	949	549	4.31	2.70
DELAWARE	8,611	8,997	33,693	36,314	3.91	4.04	23,784	25,850	1,198	953	3.96	2.92
MARYLAND	11,937	13,765	45,911	55,239	3.85	4.01	32,955	39,701	1,651	1,430	4.01	2.88
VIRGINIA	10,727	11,371	39,022	43,070	3.64	3.79	27,509	30,341	1,020	1,104	2.91	2.85
NORTH CAROLINA	25,971	26,313	97,197	102,836	3.74	3.91	70,201	73,633	2,729	2,805	3.13	3.04
SOUTH CAROLINA	3,182	3,954	10,697	13,606	3.36	3.41	7,409	9,640	417	324	4.35	2.65
GEORGIA	36,216	36,804	129,206	134,646	3.57	3.66	92,664	97,289	4,366	3,475	3.77	2.88
TENNESSEE	6,428	7,304	22,172	27,196	3.45	3.72	15,940	19,521	725	886	3.64	3.64
ALABAMA	31,554	36,373	109,688	131,717	3.48	3.62	78,091	94,897	4,428	2,849	4.50	2.41
MISSISSIPPI	20,802	22,506	74,164	81,719	3.57	3.63	53,932	59,117	1,812	2,094	2.72	2.86
ARKANSAS	34,500	38,177	118,681	129,704	3.44	3.40	84,134	91,414	2,758	3,393	2.59	2.92
LOUISIANA	4,320	4,554	15,770	16,353	3.65	3.59	11,505	11,732	388	381	2.75	2.60
TEXAS	16,066	17,108	59,630	63,810	3.71	3.73	43,150	44,816	1,500	1,910	2.81	3.36
WASHINGTON	---	816	---	3,295	---	4.04	---	2,442	---	64	---	2.17
CALIFORNIA	2,930	2,507	11,340	10,063	3.87	4.01	7,889	7,371	549	267	5.39	2.95

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1972

REGION AND STATE	TUBERCULOSIS: NO.	LEU- KOIS: NO.	SEPTI- CEMIA: NO.	AIRSAC- CULLITIS: NO.	SYNO- VITIS: NO.	TUMORS: NO.	BRUISES: NO.	CADAVER: NO.	CONTAM- INATION: NO.		OVER- SCALD: NO.	OTHER: NO.	TOTAL NO.
									NO.	NO.			
N. ATLANTIC	---	144,789	96,468	39,058	2,177	1,273	5,882	14,920	33,120	1,894	10,744	350,325	
E. N. CENTRAL	---	24,558	17,309	1,001	1,042	135	1,996	2,437	6,785	562	2,038	57,903	
W. N. CENTRAL	---	35,986	40,185	36,582	8,098	622	3,995	5,315	18,560	1,288	17,681	168,312	
S. ATLANTIC	---	1,084,235	448,083	210,275	23,958	7,946	50,113	81,303	292,074	30,356	185,382	2,413,725	
S. CENTRAL	---	905,884	652,305	297,504	85,709	15,801	76,552	151,895	320,766	37,627	150,735	2,694,778	
WEST	---	34,128	25,862	18,049	1,529	582	1,534	3,032	3,537	632	5,761	95,646	
U. S.	---	2,229,620	1,281,212	602,469	122,513	26,359	140,072	258,902	674,842	72,359	372,341	5,780,689	
MAINE	---	57,195	43,672	4,303	1,633	440	2,284	5,775	8,775	954	2,089	127,120	
PENNSYLVANIA	---	85,854	49,712	34,442	472	686	3,146	8,793	21,144	912	7,635	212,795	
OHIO	---	2,321	1,230	98	12	22	194	423	1,531	48	890	6,769	
INDIANA	---	15,206	6,646	302	16	42	784	776	1,342	202	134	25,460	
WISCONSIN	---	7,051	9,431	591	1,011	62	1,006	1,238	3,908	312	1,014	25,624	
MINNESOTA	---	1,732	4,280	341	72	64	451	204	4,752	31	6,356	18,283	
MISSOURI	---	29,314	31,694	21,768	5,709	283	3,008	3,280	9,660	840	5,226	110,782	
DELAWARE	---	119,374	29,889	26,100	1,737	280	1,728	6,548	13,572	2,293	6,816	208,337	
MARYLAND	---	178,425	63,126	32,935	1,141	749	4,320	8,341	31,356	3,947	4,801	329,141	
VIRGINIA	---	192,407	63,077	27,427	703	364	3,734	5,096	11,984	3,965	5,809	314,566	
NORTH CAROLINA	---	221,237	116,913	51,225	9,388	2,786	17,749	26,955	91,079	5,883	68,604	611,819	
SOUTH CAROLINA	---	31,830	14,620	4,846	589	355	3,338	1,672	6,932	858	9,511	74,551	
GEORGIA	---	281,270	138,307	58,865	9,247	3,190	16,294	29,734	122,372	11,873	75,982	747,134	
TENNESSEE	---	115,985	47,772	7,455	7,969	373	3,250	8,888	30,411	353	10,582	233,038	
ALABAMA	---	187,831	163,408	37,689	19,682	5,527	18,500	32,631	94,028	8,149	34,772	602,217	
MISSISSIPPI	---	195,122	58,702	55,481	7,701	2,914	8,204	13,581	52,302	4,741	43,409	442,157	
ARKANSAS	---	182,756	209,284	154,310	36,578	4,345	21,841	57,493	87,099	10,842	30,310	794,858	
LOUISIANA	---	23,215	29,692	6,309	1,898	881	4,240	2,633	7,383	473	926	77,650	
TEXAS	---	170,691	114,026	20,764	9,435	1,565	15,676	19,893	36,006	8,788	21,605	418,449	
WASHINGTON	---	2,038	2,710	993	443	17	229	284	376	63	2,147	9,300	
CALIFORNIA	---	27,400	14,186	13,121	410	524	405	1,582	1,523	190	1,113	60,454	

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-
N. ATLANTIC	1,887	1,934	9,231	5,425	4.89	4.87	5,975	6,091	441	420	5.36
E. N. CENTRAL	2,032	2,152	7,999	8,541	3.94	3.97	4,874	5,163	285	358	4.01
W. N. CENTRAL	3,962	3,699	16,939	16,743	4.28	4.53	10,514	10,412	767	816	5.09
S. ATLANTIC	3,880	3,355	18,361	16,007	4.73	4.77	11,922	10,232	773	712	4.73
S. CENTRAL	2,545	2,710	12,721	13,662	5.00	5.04	8,173	8,773	674	769	5.94
WEST	1,909	1,546	7,976	6,293	4.18	4.07	4,886	3,816	425	262	5.96
U. S.	16,215	15,396	73,227	70,671	4.52	4.59	46,344	44,487	3,365	3,337	5.16
MAINE	261	216	1,637	1,426	6.26	6.62	1,154	991	57	49	3.89
NEW JERSEY	1,096	1,048	4,650	4,400	4.24	4.20	2,815	2,674	262	213	6.32
PENNSYLVANIA	54	61	417	418	7.70	6.91	287	295	8	8	2.04
OHIO	368	375	1,533	1,509	4.16	4.03	917	896	54	71	3.93
INDIANA	698	---	2,710	---	3.88	---	1,722	---	70	---	2.89
MINNESOTA	1,747	1,438	6,553	5,311	3.75	3.69	3,984	3,200	296	244	5.07
MISSOURI	959	1,201	5,774	7,340	6.02	6.11	3,910	4,874	237	330	4.59
VIRGINIA	41	50	304	376	7.45	7.50	207	267	13	12	4.63
NORTH CAROLINA	233	159	1,709	1,200	7.33	7.53	1,126	815	54	62	3.51
GEORGIA	2,809	2,353	13,013	10,892	4.63	4.63	8,514	6,920	563	492	5.83
ALABAMA	51	57	370	424	7.21	7.40	258	288	15	19	5.07
MISSISSIPPI	1,635	1,708	7,979	8,970	4.88	5.25	5,056	5,758	474	518	6.66
ARKANSAS	76	291	565	1,420	7.42	4.88	383	916	23	94	4.58
TEXAS	540	393	2,515	1,879	4.66	4.78	1,624	1,216	115	80	5.10
WASHINGTON	74	177	306	679	4.11	3.84	209	459	11	19	4.11
CALIFORNIA	1,559	1,203	6,491	4,845	4.16	4.03	3,919	2,902	359	212	6.19

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1972

REGION AND STATE	TUBER- : NO.	CULOSIS : NO.	LEU- : NO.	SEPTI- : NO.	AIRSAC- : NO.	SYND- : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER : NO.	INATION : NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	2,176	26,848	56	2,610	15,910	3,883	1,620	5,990	128	12,464	128	12,464	71,725
E. N. CENTRAL	267	6,508	30,923	30,923	520	45	18,407	7,467	5,652	13,259	1,066	7,176	1,066	7,176	91,330
W. N. CENTRAL	1,759	9,513	61,518	44,036	2,985	787	42,215	11,129	6,353	18,195	421	12,040	421	12,040	166,815
S. ATLANTIC	39	3,022	4,036	4,036	750	248	21,963	5,750	4,295	25,086	1,657	8,012	1,657	8,012	118,894
S. CENTRAL	---	3,216	41,940	41,940	199	584	20,760	9,325	3,656	25,080	702	32,411	702	32,411	136,873
WEST	---	974	36,882	36,882	45	94	18,672	2,639	1,307	3,619	74	6,267	74	6,267	70,573
U. S.	2,065	25,409	242,147	242,147	4,535	4,368	137,927	39,193	22,923	95,229	4,048	78,370	4,048	78,370	656,214
MAINE	---	382	2,315	2,315	5	92	778	384	206	791	7	87	7	87	5,047
NEW JERSEY	---	1,123	17,721	17,721	---	88	10,158	2,384	636	1,940	35	11,940	35	11,940	46,025
PENNSYLVANIA	---	141	560	560	57	---	160	80	43	143	1	160	1	160	1,345
OHIO	27	2,914	5,678	5,678	1	1	1,183	1,370	186	2,159	19	1,271	19	1,271	14,907
MINNESOTA	1,060	4,691	14,722	14,722	970	299	20,376	3,750	1,597	6,227	100	8,450	100	8,450	62,242
MISSOURI	32	1,179	26,911	26,911	626	401	6,990	1,874	2,089	3,819	99	928	99	928	44,948
VIRGINIA	---	61	1,018	1,018	49	4	149	26	32	227	67	5	67	5	1,638
NORTH CAROLINA	---	636	1,290	1,290	270	47	325	93	90	867	1,128	1,562	1,128	1,562	6,312
GEORGIA	---	989	31,925	31,925	188	118	13,966	3,682	3,420	20,504	370	4,966	370	4,966	80,128
ALABAMA	---	50	900	900	5	10	102	33	97	635	30	310	30	310	2,212
MISSISSIPPI	---	1,758	26,956	26,956	38	342	10,568	5,837	1,187	15,427	579	12,565	579	12,565	75,657
ARKANSAS	---	343	3,034	3,034	32	36	3,334	391	624	5,957	25	14,371	25	14,371	28,147
TEXAS	---	626	3,190	3,190	52	174	4,573	1,017	922	1,151	66	4,230	66	4,230	16,041
WASHINGTON	---	132	1,935	1,935	14	6	503	335	185	426	14	700	14	700	4,250
CALIFORNIA	---	453	32,195	32,195	9	76	17,108	1,534	932	2,464	33	4,329	33	4,329	59,133

POULTRY SLAUGHTER, August 1972

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	
	- THOUSANDS-		- 1,000 POUNDS-		- POUNDS-		- 1,000 POUNDS-		- 1,000 POUNDS-		- PERCENT-
N. ATLANTIC	140	155	3,004	2,749	21.46	17.74	2,407	2,190	47	49	1.74
E. N. CENTRAL	538	694	9,712	12,709	18.06	18.32	7,745	10,094	110	202	1.26
W. N. CENTRAL	2,254	2,853	39,115	50,915	17.35	17.85	31,012	40,705	953	1,077	2.43
S. ATLANTIC	1,233	1,551	22,083	27,871	17.91	17.97	17,362	21,904	645	759	3.03
S. CENTRAL	1,762	1,810	32,995	32,393	18.73	17.90	25,612	25,355	958	732	3.23
WEST	2,079	2,414	39,793	44,487	19.14	18.43	31,630	35,523	785	734	2.19
U. S.	8,006	9,477	146,702	171,124	18.32	18.06	115,768	135,771	3,398	3,553	2.58
PENNSYLVANIA	138	154	2,951	2,726	21.31	17.74	2,367	2,173	46	47	1.73
OHIO	187	196	3,598	3,610	19.28	18.40	2,864	2,836	55	98	1.70
INDIANA	82	150	1,365	2,614	16.65	17.45	1,087	2,080	10	35	.83
MINNESOTA	786	1,246	14,530	23,103	18.50	18.55	11,668	19,538	264	474	2.02
IOWA	555	613	9,269	10,365	16.70	16.90	7,122	8,095	243	256	2.93
MISSOURI	734	755	12,071	12,962	16.45	17.17	9,652	10,483	290	251	2.68
VIRGINIA	383	484	6,947	8,810	18.15	18.21	5,386	6,821	213	255	3.42
NORTH CAROLINA	692	857	11,552	14,418	16.68	16.83	9,224	11,478	336	360	3.24
ARKANSAS	893	1,049	16,226	17,970	18.17	17.13	12,593	14,068	492	381	3.37
TEXAS	736	679	14,413	13,183	19.58	19.42	11,129	10,257	435	334	3.36
COLORADO	377	401	7,384	8,472	19.57	21.14	5,785	6,603	113	94	1.70
UTAH	269	476	4,847	8,258	18.02	17.36	3,866	6,672	125	177	2.85
CALIFORNIA	1,317	1,432	25,284	25,776	19.20	18.01	20,199	20,672	519	429	2.28

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1972

REGION AND STATE	TUBERC- : NO.	CULOSIS: NO.	LEU- : NO.	KOSIS : NO.	SEPTI- : NO.	CENIA : NO.	AIRSA- : NO.	SYND- : NO.	VITIS : NO.	TUMORS : NO.	BRUISES : NO.	CADAVER: NO.	INATION: NO.	CONTAM- : NO.	OVER- : NO.	SCALD : NO.	OTHER : NO.	TOTAL : NO.
N. ATLANTIC	---	---	32	1,066	375	78	---	14	72	185	---	28	1,850					
E. N. CENTRAL	---	---	22	4,740	910	306	---	142	348	555	---	192	7,252					
W. N. CENTRAL	---	---	283	23,468	13,417	1,835	---	571	1,882	3,093	---	973	45,993					
S. ATLANTIC	---	---	142	14,419	7,122	1,063	---	590	789	2,280	---	143	28,811					
S. CENTRAL	---	---	166	16,553	3,048	7,453	---	370	542	1,589	---	43	32,418					
WEST	---	---	31	16,880	4,536	4,679	---	413	1,205	1,522	---	298	30,463					
U. S.	5	5	676	77,126	30,008	15,414	622	2,100	4,838	9,324	860	5,814	146,787					
PENNSYLVANIA	---	---	32	1,065	375	78	---	14	72	183	---	25	1,844					
OHIO	---	---	18	2,168	159	21	---	47	13	381	---	83	2,955					
INDIANA	---	---	4	876	156	20	---	27	112	125	---	3	1,421					
MINNESOTA	---	---	5	9,955	6,639	1,135	---	121	1,481	1,562	---	89	21,150					
IOWA	---	---	252	5,919	2,307	263	---	224	128	557	---	37	10,200					
MISSOURI	---	---	12	6,125	3,121	305	---	163	195	595	---	200	11,017					
VIRGINIA	---	---	89	6,690	2,748	109	---	211	307	439	---	9	10,654					
NORTH CAROLINA	---	---	29	5,519	3,084	434	---	256	381	1,474	---	66	13,157					
ARKANSAS	---	---	16	3,915	1,732	5,046	---	194	193	1,183	---	13	18,364					
TEXAS	---	---	124	6,047	1,855	2,378	---	167	284	350	---	29	13,113					
COLORADO	---	---	4	1,665	457	209	---	28	529	98	---	12	3,013					
UTAH	---	---	1	4,326	1,228	989	---	151	357	876	---	95	8,400					
CALIFORNIA	---	---	26	3,911	2,648	3,257	391	168	246	521	190	108	17,466					

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEMEIGHT)		AVERAGE LIVEMEIGHT (LBS.)		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS			
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972		
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	32	6	295	51	9.22	8.50	235	32	3	1	1.12	2.17
E. N. CENTRAL	360	495	3,356	4,768	9.33	9.67	2,655	3,771	50	63	1.66	1.46
W. N. CENTRAL	400	411	3,421	3,556	8.55	8.64	2,565	2,638	63	60	2.05	1.88
S. ATLANTIC	11	25	83	190	7.49	7.62	62	152	4	2	4.73	1.30
S. CENTRAL	249	220	2,196	1,867	8.82	8.48	1,696	1,439	38	50	1.92	2.96
U. S.	1,052	1,157	9,351	10,452	8.89	9.04	7,213	8,032	158	176	1.87	1.87
MINNESOTA	354	490	3,303	4,736	9.32	9.67	2,612	3,729	50	63	1.66	1.47
VIRGINIA	291	394	2,463	3,408	8.47	8.65	1,817	2,521	43	58	1.94	1.89
CALIFORNIA	211	203	1,912	1,734	9.04	8.54	1,467	1,341	36	39	2.06	2.48

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1972

REGION AND STATE	TUBER- NO.		LEU- NO.		KOSIS- NO.		SEPTI- NO.		AIRSAC- NO.		SYND- NO.		VILIS- NO.		TUMORS- NO.		BRUISES- NO.		CADAVER- NO.		INAM- NO.		OVER- NO.		TOTAL NO.
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	
N. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	56
E. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
W. N. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. ATLANTIC	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
U. S.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
MINNESOTA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
VIRGINIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
CALIFORNIA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JUNE 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-		
N. ATLANTIC	2	47	26	23.50	13.00	38	21	1	2	2.48	8.54
E. N. CENTRAL	65	1,304	1,222	20.15	20.35	1,009	929	42	48	3.62	4.41
W. N. CENTRAL	108	2,116	2,405	19.57	20.00	1,669	1,866	68	86	3.60	3.99
S. ATLANTIC	36	721	1,006	19.80	19.08	559	776	38	50	5.87	5.58
S. CENTRAL	17	345	---	20.11	---	268	---	13	---	4.33	---
WEST	69	1,463	2,028	21.35	20.18	1,159	1,606	53	74	4.01	4.06
U. S.	297	5,996	6,687	20.18	19.99	4,702	5,198	215	260	4.01	4.33
MINNESOTA	53	1,006	962	18.90	18.85	796	754	30	37	3.33	4.29
MISSOURI	38	772	---	20.51	---	603	---	22	---	3.21	---
NORTH CAROLINA	36	712	1,004	19.99	19.07	552	775	38	50	5.90	5.60
CALIFORNIA	40	847	---	21.06	---	673	---	31	---	4.12	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.
 4/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JUNE 1972

REGION AND STATE	YUBER-SCULOSIS		LEU-KOSIS		SEPTI-CEMIA		AIRSAC-CULITIS		SYNO-VITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVER-SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	4	---	3	---	---	---	---	---	---	---	---	---	6	---	---	---	---	---	13	
E. N. CENTRAL	---	74	583	77	964	8	15	69	77	---	---	---	---	---	---	---	---	---	---	---	106	1,908	
W. N. CENTRAL	---	85	1,446	653	457	32	85	220	395	2	2	2	2	2	2	2	2	2	2	2	83	3,009	
S. ATLANTIC	---	12	457	---	---	29	21	17	198	7	7	7	7	7	7	7	7	7	7	7	667	1,895	
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	92	2,386	155	121	312	121	119	129	---	---	---	---	---	---	---	---	---	---	---	19	3,345	
U. S.	---	263	4,876	2,232	381	242	425	805	9	875	10,170	9	875	10,170	9	875	10,170	9	875	10,170	9	875	10,170
MINNESOTA	---	22	648	329	6	66	203	285	2	26	1,603	2	26	1,603	2	26	1,603	2	26	1,603	2	26	1,603
NORTH CAROLINA	---	12	457	---	---	29	21	17	198	7	7	7	7	7	7	7	7	7	7	7	667	1,895	

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20280**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE**

AGR 101

FIRST-CLASS MAIL



Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * * *

The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.