

# poultry

Slaughtered under Federal Inspection  
and Poultry Used in Further Processing  
July 1972



Release:  
September 1, 1972  
3:00 P.M. EDT

Inspected Poultry - There were 1,188 million pounds live weight (chickens, turkeys and ducks) inspected for slaughter during July 1972 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 6 percent less than the previous month but 3 percent more than July 1971.

The number of head and pounds live weight inspected by classes were: young chickens - 240,117,000 head, 890,964,000 pounds; mature chickens - 11,636,000 head, 53,477,000 pounds; fryer - roaster turkeys - 893,000 head, 8,189,000 pounds; young turkeys - 11,929,000 head, 223,750,000 pounds; old turkeys - 213,000 head, 4,137,000 pounds and ducks - 1,158,000 head, 7,253,000 pounds.

Poultry Certified Wholesome in July totaled 862,313,000 pounds ready-to-cook weight of which 645,009,000 pounds were chilled and 217,304,000 pounds frozen. Pounds certified by class of poultry were: young chickens, 636,556,000; mature chickens, 33,405,000; fryer-roaster turkeys, 6,311,000; young turkeys, 177,373,000; old turkeys, 3,243,000; ducks, 5,179,000; and other poultry, 246,000.

Further Processed - Poultry inspected and used for further processing totaled 134,088,000 pounds ready-to-cook weight, compared with 121,561,000 pounds in July 1971. The July 1972 total consisted of 33,039,000 pounds young chickens, 31,673,000 mature chickens, 62,947,000 turkeys, and 6,429,000 pounds of other poultry.

Poultry cut-up and Packaged totaled 207,534,000 pounds ready-to-cook weight, compared with 194,165,000 pounds in July 1971. The breakdown by class was: young chickens, 185,157,000 pounds; mature chickens, 151,000; turkeys, 22,148,000; and other poultry, 78,000 pounds.

Ante-Mortem Condemnations during July were 7,417,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.68; mature chickens, 1.30; fryer-roaster turkeys, 0.22; young turkeys, 0.26; old turkeys, 0.42 and ducks 0.04.

Post-Mortem Condemnations in July were 30,048,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.87; mature chickens, 5.46; fryer-roaster turkeys, 1.55; young turkeys, 2.08; old turkeys, 4.50; and ducks, 1.62 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1972 WITH COMPARISONS

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER- ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER	TOTAL POULTRY
NUMBER INSPECTED 3/										
JUNE 1972	268,545	15,396	283,941	1,157	9,477	335	10,969	1,375	---	---
JULY 1972	241,222	13,117	254,339	873	11,362	332	12,567	1,234	---	---
JULY 1971	240,117	11,636	251,753	893	11,929	213	13,035	1,158	---	---
JAN.-JULY 1971	1,511,318	108,902	1,720,220	7,045	31,981	959	39,985	6,019	---	---
JAN.-JULY 1972	1,717,926	111,213	1,829,139	7,492	35,927	832	44,251	6,082	---	---
POUNDS INSPECTED 4/										
JUNE 1972	997,369	70,671	1,068,040	10,452	171,124	6,687	188,263	8,794	440	1,265,537
JULY 1972	866,152	58,857	925,009	7,952	209,630	6,310	223,892	7,539	422	1,156,862
JULY 1971	890,964	53,477	944,441	8,189	223,750	4,137	236,076	7,253	458	1,188,228
JAN.-JULY 1971	5,881,060	491,136	6,372,196	64,214	603,446	19,005	686,665	38,136	1,968	7,098,965
JAN.-JULY 1972	6,383,713	493,953	6,877,666	68,294	681,430	16,721	766,445	38,851	2,299	7,685,261
AVERAGE LIVEWEIGHTS/										
JUNE 1972	3.71	4.59	3.76	9.04	18.06	19.99	17.16	6.40	---	---
JULY 1972	3.59	4.49	3.64	9.11	18.45	19.01	17.82	6.11	---	---
JULY 1971	3.71	4.60	3.75	9.17	18.76	19.39	18.11	6.26	---	---
JAN.-JULY 1971	3.65	4.51	3.70	9.11	18.87	19.82	17.17	6.34	---	---
JAN.-JULY 1972	3.72	4.44	3.76	9.12	18.97	20.10	17.32	6.39	---	---

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), JULY 1972 WITH COMPARISONS 1/

	YOUNG CHICKENS	MATURE CHICKENS	TOTAL CHICKENS	FRYER- ROASTERS	YOUNG TURKEYS	OLD TURKEYS	TOTAL TURKEYS	DUCKS	OTHER	TOTAL POULTRY
JUNE 1972	656,417	36,148	692,565	2,387	24,956	1,577	28,920	174	44	721,703
JULY 1972	56,678	8,339	65,017	5,645	110,815	3,621	120,081	6,061	199	191,358
JULY 1971	713,095	44,487	757,582	8,032	135,771	5,198	149,001	6,235	243	913,061
JUNE 1972	568,488	26,991	595,479	1,541	24,979	544	27,064	188	52	622,783
JULY 1972	50,899	10,552	61,451	4,596	141,021	4,409	150,026	5,153	191	216,821
JULY 1971	619,387	37,543	656,930	6,137	166,000	4,953	177,090	5,341	243	839,604
JUNE 1972	585,560	26,877	612,437	1,224	30,751	413	32,388	134	50	645,009
JULY 1972	50,996	6,528	57,524	5,087	146,622	2,830	154,539	5,045	196	217,304
JULY 1971	636,556	33,405	669,961	6,311	177,373	3,243	186,927	5,179	246	862,313
JANUARY-JULY 1971	3,806,817	244,026	4,050,843	11,541	89,396	2,841	103,778	1,712	245	4,156,578
JANUARY-JULY 1972	3,682,251	67,681	4,350,932	38,146	385,654	12,014	435,814	25,449	824	4,898,019
JANUARY-JULY 1971	4,175,068	311,707	4,486,775	49,687	475,050	14,855	539,592	27,161	1,069	5,054,597
JANUARY-JULY 1972	4,171,119	249,942	4,421,061	11,820	118,050	3,214	133,084	1,228	236	4,555,609
JANUARY-JULY 1971	3,824,463	59,795	4,421,258	41,005	419,577	9,784	470,366	26,633	996	940,253
JANUARY-JULY 1972	4,553,582	309,137	4,863,319	52,825	537,627	12,998	603,450	27,861	1,232	5,495,862

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, JULY 1972 WITH COMPARISONS

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1972 WITH COMPARISONS

	YOUNG CHICKENS		MATURE CHICKENS		TOTAL CHICKENS		FRYER-ROASTERS		YOUNG TURKEYS		OLD TURKEYS		DUCKS		OTHER POULTRY	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
ANTE-MORTEM																
1,000 POUNDS (LIVEWEIGHT)																
JULY 1971	4,551	483	5,034	13	373	16	402	4	1	5,441						
JULY 1972	6,088	698	6,786	19	590	18	627	3	1	7,417						
JAN.-JULY 1971	23,984	4,470	28,454	124	1,298	62	1,484	20	4	29,962						
JAN.-JULY 1972	27,321	5,186	32,507	144	1,544	75	1,763	20	6	34,296						
PERCENT 1/																
JULY 1971	.52	.82	.54	.16	.17	.24	.17	.04	.31	.47						
JULY 1972	.68	1.30	.71	.22	.26	.42	.26	.04	.34	.62						
POST-MORTEM																
1,000 LBS. (N.Y. DRESSED)																
JULY 1971	24,369	2,788	27,157	139	4,811	232	5,182	108	5	32,452						
JULY 1972	22,880	2,593	25,473	114	4,182	167	4,463	106	6	30,048						
JAN.-JULY 1971	212,926	24,674	237,600	1,194	15,348	762	17,304	598	21	255,524						
JAN.-JULY 1972	183,781	24,813	208,594	1,266	15,977	733	17,976	563	30	227,162						
PERCENT 2/																
JULY 1971	3.14	5.31	3.28	1.94	2.55	4.10	2.57	1.58	1.26	3.13						
JULY 1972	2.87	5.46	3.02	1.55	2.08	4.50	2.10	1.62	1.34	2.82						

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, JULY 1972 WITH COMPARISONS

	YOUNG CHICKENS		MATURE CHICKENS		TOTAL CHICKENS		TURKEYS		OTHER POULTRY		TOTAL POULTRY	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
POUNDS USED READY-TO-COOK WEIGHT 2/												
JUNE 1971	37,523	208,071	41,562	276	57,462	19,768	7,145	584	143,692	228,699		
JULY 1971	33,369	176,372	29,181	208	53,588	17,346	5,423	239	121,561	194,165		
JULY 1972	33,039	185,157	31,673	151	62,947	22,148	6,429	78	134,088	207,534		
JANUARY-JULY 1971	218,225	1,165,807	258,046	2,963	276,094	96,223	49,085	2,012	801,450	1,267,005		
JANUARY-JULY 1972	249,678	1,313,067	288,127	4,018	302,805	146,539	54,217	1,904	894,827	1,465,528		
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/												
JUNE 1971	622	2,021	132	14	205	59	15	26	974	2,120		
JULY 1971	420	1,109	27	1	18	137	34	9	499	1,256		
JULY 1972	625	1,523	131	13	41	84	23	3	820	1,623		
JANUARY-JULY 1971	2,499	8,506	305	16	210	900	205	16	3,219	9,438		
JANUARY-JULY 1972	4,991	11,694	652	45	384	365	122	44	6,149	12,148		

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".  
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED <sup>1/</sup>		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS		
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-	
N. ATLANTIC	13,746	12,976	54,490	53,890	3.96	4.15	38,497	1,915	1,693	3.92	
E. N. CENTRAL	2,876	2,520	10,838	9,686	3.77	3.84	7,966	234	221	2.40	
W. N. CENTRAL	8,038	7,554	29,536	28,612	3.67	3.79	20,914	968	724	3.68	
S. ATLANTIC	96,353	94,556	357,785	357,793	3.66	3.78	252,072	10,250	9,228	3.24	
S. CENTRAL	114,429	118,343	397,634	424,722	3.47	3.59	284,945	303,477	10,595	2.86	
WEST	5,780	4,168	20,869	16,261	3.61	3.90	14,597	825	319	4.41	
U. S.	241,222	240,117	866,152	890,964	3.59	3.71	619,387	24,369	22,880	3.14	
MAINE	6,040	5,921	24,557	24,872	4.07	4.20	17,917	541	675	2.45	
PENNSYLVANIA	7,105	6,725	27,397	27,564	3.86	4.10	19,273	1,273	983	3.99	
OHIO	247	182	930	716	3.77	3.93	678	533	17	1.89	
INDIANA	1,284	1,265	4,633	4,656	3.61	3.68	3,431	3,446	85	2.20	
WISCONSIN	1,339	1,065	5,240	4,276	3.91	4.02	3,857	3,118	119	2.68	
MINNESOTA	809	799	3,120	3,404	3.86	4.26	2,321	2,543	68	2.22	
MISSOURI	6,391	5,566	23,368	20,802	3.66	3.74	16,487	14,807	516	2.77	
DELAWARE	7,756	7,837	29,944	30,919	3.86	3.95	21,263	22,008	859	3.38	
MARYLAND	11,260	11,786	42,742	46,076	3.80	3.91	30,965	32,762	1,157	3.64	
VIRGINIA	9,880	10,189	35,805	38,168	3.62	3.75	25,241	26,862	876	2.72	
NORTH CAROLINA	24,571	23,208	92,953	91,164	3.78	3.93	66,268	65,005	2,502	2.96	
SOUTH CAROLINA	3,002	3,505	9,912	12,094	3.30	3.45	7,000	8,573	352	2.37	
GEORGIA	34,866	32,932	123,906	120,649	3.55	3.66	88,943	87,020	3,088	2.86	
TENNESSEE	6,136	6,160	21,892	22,596	3.57	3.67	15,720	16,097	710	3.80	
ALABAMA	31,851	33,326	110,442	120,634	3.47	3.62	78,758	86,702	3,624	3.66	
MISSISSIPPI	19,778	20,484	69,509	74,571	3.51	3.64	50,202	54,048	1,781	2.39	
ARKANSAS	32,766	34,230	110,020	117,690	3.36	3.44	78,164	83,001	2,450	2.49	
LOUISIANA	4,420	4,452	16,423	16,246	3.72	3.65	12,042	11,791	359	2.44	
TEXAS	15,322	15,325	54,992	57,081	3.59	3.72	39,767	40,377	1,631	2.58	
WASHINGTON	---	729	---	2,821	---	3.87	---	2,088	---	43	---
CALIFORNIA	2,744	2,084	10,322	8,387	3.76	4.02	7,224	6,147	518	5.60	

<sup>1/</sup> AVERAGE WEIGHT BASED ON UNROUNDED DATA.

<sup>2/</sup> POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

<sup>3/</sup> DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1972

REGION AND STATE	TUBER- CULOSIS	LEU- KOSIS	SEPTI- CEMIA	AIRSAC- CULITIS	SYNO- VITIS	TUMORS	BRUISES	CADAVER	INMATION	OVER- SCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	106,421	82,109	36,457	1,833	1,009	5,777	14,816	29,690	2,754	10,398	291,264
E. N. CENTRAL	---	13,956	19,244	3,509	884	96	1,990	1,786	6,222	745	1,736	50,168
W. N. CENTRAL	---	28,757	37,634	42,424	12,720	677	3,512	4,185	14,066	1,801	14,540	160,316
S. ATLANTIC	---	766,575	364,281	173,815	21,652	7,263	45,306	70,958	284,605	35,051	225,619	1,995,125
S. CENTRAL	---	685,185	566,353	241,373	73,002	14,269	71,277	125,786	333,076	32,989	146,683	2,289,993
WEST	---	17,163	18,928	10,315	1,829	658	1,368	2,659	2,906	635	5,036	61,497
U. S.	---	1,618,057	1,088,549	507,893	111,920	23,972	129,230	220,190	670,565	73,975	404,012	4,848,363
MAINE	---	43,750	36,657	2,785	1,541	348	2,423	4,852	9,031	1,507	1,870	104,764
PENNSYLVANIA	---	61,148	43,851	33,450	261	619	3,038	9,727	18,921	1,247	7,767	180,029
OHIO	---	233	918	107	5	18	189	13	1,667	13	326	3,489
INDIANA	---	8,762	6,231	275	57	44	757	731	1,475	441	178	18,951
WISCONSIN	---	4,944	12,084	3,127	822	33	1,041	1,038	3,058	291	1,232	27,670
MINNESOTA	---	1,282	3,905	1,259	103	71	313	233	2,948	313	4,162	14,589
MISSOURI	---	23,233	29,090	26,739	7,967	243	2,885	2,908	7,599	1,155	3,913	105,732
DELAWARE	---	98,487	25,843	24,500	1,544	239	1,608	6,208	11,212	3,355	5,937	178,933
MARYLAND	---	129,827	51,749	29,958	1,076	528	3,344	7,955	27,558	5,287	4,224	261,406
VIRGINIA	---	110,397	46,687	20,447	649	302	3,117	4,610	12,772	4,429	5,952	209,362
NORTH CAROLINA	---	152,030	94,338	40,233	9,164	2,846	16,662	22,002	86,868	9,476	56,818	490,437
SOUTH CAROLINA	---	18,732	11,399	3,038	423	327	2,949	2,717	6,732	93	7,008	53,418
GEORGIA	---	217,844	111,336	49,082	7,341	2,851	14,992	22,867	121,236	11,710	68,196	627,455
TENNESSEE	---	90,354	42,345	11,791	3,562	327	3,102	7,375	28,839	241	11,482	199,419
ALABAMA	---	150,238	136,898	45,933	26,290	5,069	16,099	27,443	110,507	7,956	37,275	563,708
MISSISSIPPI	---	139,421	45,089	38,606	5,773	2,995	7,607	11,235	55,970	6,266	40,106	353,068
ARKANSAS	---	144,324	199,389	119,333	27,430	3,778	22,298	45,974	84,233	6,281	31,986	685,026
LOUISIANA	---	18,833	27,219	4,103	1,587	610	4,314	3,864	8,376	394	1,231	70,531
TEXAS	---	121,786	95,596	15,593	7,623	1,358	14,460	18,804	34,511	7,911	16,782	334,424
WASHINGTON	---	934	2,236	898	213	14	257	235	348	43	1,833	7,011
CALIFORNIA	---	13,842	10,034	7,813	965	584	431	1,194	1,239	166	875	37,143

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS			
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972		
N. ATLANTIC	1,284	1,644	6,466	8,220	5.04	5.00	4,153	5,256	330	384	5.72	5.25
E. N. CENTRAL	1,741	1,627	6,955	6,381	3.99	3.92	4,288	3,834	266	229	4.28	4.03
W. N. CENTRAL	2,863	2,359	12,771	10,477	4.46	4.44	7,965	6,483	622	513	5.47	5.52
S. ATLANTIC	3,071	2,586	13,723	12,378	4.47	4.79	9,103	7,798	563	575	4.59	5.26
S. CENTRAL	2,161	2,068	10,746	10,511	4.97	5.08	7,021	6,755	577	613	6.00	6.55
WEST	1,997	1,352	8,196	5,510	4.10	4.08	5,013	3,279	430	279	5.90	5.67
U. S.	13,117	11,636	58,857	53,477	4.49	4.60	37,543	33,405	2,788	2,593	5.31	5.46
MAINE	173	189	1,058	1,077	6.11	5.71	742	734	37	42	3.90	4.36
NEW JERSEY	631	859	2,785	3,787	4.41	4.41	1,677	2,271	171	202	6.86	6.01
PENNSYLVANIA	81	45	516	339	6.33	7.46	351	241	13	4	2.74	1.46
OHIO	362	188	1,451	737	4.01	3.92	890	431	57	33	4.38	5.03
INDIANA	616	---	2,388	---	3.88	---	1,509	---	62	---	2.90	---
MINNESOTA	1,175	917	4,586	3,404	3.90	3.71	2,760	2,053	236	163	5.76	5.37
MISSOURI	923	895	5,347	4,973	5.79	5.56	3,598	3,236	231	237	4.84	5.41
VIRGINIA	33	---	240	---	7.28	---	163	---	11	---	5.14	---
NORTH CAROLINA	102	67	740	525	7.25	7.81	498	348	29	26	4.35	5.57
GEORGIA	2,438	1,921	10,535	8,955	4.32	4.66	7,055	5,635	425	423	4.52	5.36
ALABAMA	---	42	---	302	---	7.24	---	202	---	---	11	---
MISSISSIPPI	1,320	1,327	6,511	6,852	4.93	5.17	4,266	4,399	392	407	6.73	6.69
ARKANSAS	75	162	563	918	7.52	5.67	376	606	26	50	5.14	6.05
TEXAS	536	371	2,433	1,794	4.54	4.84	1,559	1,158	111	92	5.11	5.69
WASHINGTON	153	99	663	396	4.34	3.99	460	261	23	10	3.95	2.80
CALIFORNIA	1,597	1,086	6,456	4,423	4.04	4.07	3,866	2,593	358	239	6.22	6.06

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1972

REGION AND STATE	TUBERCULOSIS NO.	LEUROSIS NO.	SEPTICEMIA NO.	AIR SACS NO.	SYNOVITIS NO.	TUMORS NO.	BRUISES NO.	CADAVER INACTION NO.	CONTAMINATION NO.	OVERSCALD NO.	OTHER NO.	TOTAL NO.
N. ATLANTIC	---	1,565	24,324	55	282	16,335	4,088	1,386	7,209	480	11,466	67,190
E. N. CENTRAL	236	4,129	19,474	335	4	17,816	2,854	2,062	9,443	442	7,024	63,819
W. N. CENTRAL	1,500	5,991	42,119	1,324	287	32,001	5,930	4,713	12,077	294	6,578	112,814
S. ATLANTIC	3	2,307	36,919	481	326	17,659	4,598	2,663	20,256	411	8,929	94,552
S. CENTRAL	---	2,788	34,932	255	363	18,182	5,942	3,399	19,418	601	22,164	108,044
WEST	---	372	33,549	101	23	28,357	1,944	1,378	3,500	111	8,547	77,882
U. S.	1,739	17,152	191,317	2,551	1,285	130,350	25,356	15,601	71,903	2,339	64,708	524,301
MAINE	---	232	2,060	2	87	852	761	141	611	19	96	4,861
NEW JERSEY	---	848	16,438	---	76	11,028	2,098	685	1,584	44	11,037	43,838
PENNSYLVANIA	---	104	311	6	6	52	15	78	66	5	---	643
OHIO	---	1,712	1,550	5	---	1,009	891	94	1,147	9	829	7,246
MINNESOTA	618	3,352	10,228	458	111	16,042	2,066	424	3,525	63	4,823	41,710
MISSOURI	18	946	21,711	223	164	6,768	1,243	3,235	4,983	161	1,105	40,557
NORTH CAROLINA	---	251	402	107	30	189	30	10	710	10	936	2,675
GEORGIA	1	956	28,892	147	263	13,417	3,201	2,366	14,644	121	6,399	70,407
ALABAMA	---	45	639	1	7	90	13	29	451	---	102	1,377
MISSISSIPPI	---	1,526	22,369	10	128	10,637	4,613	1,222	13,371	508	9,393	63,777
ARKANSAS	---	182	1,693	112	97	1,359	98	265	3,053	8	6,645	13,512
TEXAS	---	663	4,764	109	112	4,305	529	1,296	1,184	68	5,209	18,239
WASHINGTON	---	100	1,310	---	1	314	225	68	147	3	423	2,591
CALIFORNIA	---	213	28,553	67	20	26,554	1,295	1,141	2,680	34	6,537	67,094

YOUNG TURKEYS (MATURE) : SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1971 AND 1972														
REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		PERCENT 1/		PERCENT 2/	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-			
N. ATLANTIC	138	187	2,605	3,460	18.88	18.50	2,063	2,695	40	88	1.70	2.84		
E. N. CENTRAL	1,113	1,365	20,365	25,329	18.30	18.48	16,329	20,025	233	374	1.27	1.64		
W. N. CENTRAL	3,908	4,306	70,160	80,378	17.95	18.67	56,086	63,841	1,335	1,492	2.11	2.07		
S. ATLANTIC	1,356	1,538	25,238	28,244	18.61	18.37	19,896	22,232	718	689	3.17	2.72		
S. CENTRAL	2,072	1,632	38,224	33,716	18.45	18.41	29,607	26,327	1,328	733	3.87	2.42		
WEST	2,775	2,701	53,038	52,123	19.12	19.52	42,019	42,253	1,157	806	2.42	1.70		
U. S.	11,362	11,929	209,630	223,750	18.45	18.76	166,000	177,373	4,811	4,182	2.55	2.08		
PENNSYLVANIA	135	187	2,537	3,456	18.80	18.51	2,011	2,692	39	88	1.69	2.86		
OHIO	299	415	5,157	7,330	17.27	17.68	4,137	5,781	43	119	.93	1.81		
INDIANA	380	457	6,191	7,719	16.28	16.88	4,910	6,083	83	117	1.48	1.68		
WISCONSIN	306	381	5,861	7,703	19.14	20.22	4,803	6,216	60	105	1.13	1.51		
MINNESOTA	1,764	2,029	31,793	37,715	18.02	18.59	25,650	30,171	461	689	1.61	2.03		
IOWA	1,042	1,047	18,656	19,326	17.90	18.45	14,764	15,129	406	321	2.42	1.85		
MISSOURI	848	950	14,869	17,826	17.54	18.76	11,858	14,156	383	375	2.86	2.34		
VIRGINIA	401	490	7,083	9,087	17.66	18.53	5,463	7,039	203	189	3.19	2.31		
NORTH CAROLINA	777	800	13,852	13,608	17.84	17.02	11,128	10,914	387	335	3.11	2.74		
ARKANSAS	1,084	892	19,667	16,228	18.15	18.18	15,062	12,815	818	320	4.63	2.19		
TEXAS	868	790	16,499	14,783	19.00	18.72	12,945	11,356	465	341	3.13	2.56		
COLORADO	383	392	7,860	7,929	20.50	20.24	6,070	6,119	266	84	3.76	1.17		
UTAH	425	474	8,148	9,523	19.18	20.08	6,578	7,676	151	198	2.06	2.31		
CALIFORNIA	1,744	1,621	32,907	31,173	18.87	19.23	26,155	25,220	586	444	1.98	1.58		

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.



YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1972

REGION AND STATE	TUBERCULOSIS	LEUROSIS	KOSIS	SEPTICEMIA	AIRSAC-CULITIS	SYNOVITIS	TUMORS	BRUISES	CADAVER INANATION	CONTAMINATION	OVERSCALD	OTHER	TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.
N. ATLANTIC	---	55	1,929	1,679	47	11	161	235	1,011	2	7	4,127	
E. N. CENTRAL	---	49	9,056	2,594	1,044	259	627	1,011	84	980	15,718		
W. N. CENTRAL	3	200	37,369	16,002	3,408	134	817	4,325	405	1,068	66,087		
S. ATLANTIC	---	40	11,166	7,272	452	456	1,154	2,674	575	2,763	26,575		
S. CENTRAL	---	57	15,645	9,026	4,207	339	885	2,157	232	1,439	30,107		
WEST	---	57	18,156	5,785	3,473	89	1,214	1,512	140	235	31,289		
U. S.	3	458	93,321	38,358	12,631	381	2,510	6,397	11,914	1,438	6,492	173,903	
PENNSYLVANIA	---	55	1,929	1,679	47	11	161	235	1,011	2	7	4,126	
OHIO	---	18	2,978	639	89	44	44	434	70	56	4,386		
INDIANA	---	20	2,957	1,063	326	93	154	424	7	694	5,738		
WISCONSIN	---	10	2,415	457	606	121	356	136	6	224	4,331		
MINNESOTA	---	82	18,307	8,267	1,626	267	1,488	2,451	120	210	32,843		
IOWA	---	64	9,510	2,969	364	326	373	846	162	141	14,793		
MISSOURI	---	45	7,749	3,577	1,282	166	356	702	110	715	14,713		
VIRGINIA	---	2	4,888	2,260	93	142	380	274	24	41	8,110		
NORTH CAROLINA	---	22	4,035	3,452	227	215	570	1,812	141	2,162	12,648		
ARKANSAS	---	10	7,810	1,869	2,052	164	304	1,224	26	60	13,525		
TEXAS	---	42	5,711	2,769	2,117	83	323	513	206	1,376	13,279		
COLORADO	---	---	1,560	187	81	21	358	97	47	5	2,356		
UTAH	---	---	3,657	1,760	1,291	8	375	700	32	31	8,114		
CALIFORNIA	---	57	10,774	2,941	1,595	79	277	641	58	175	16,971		

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		AVERAGE LIVE WEIGHT INSPECTED		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1971	1972	1971	1972	1971	1972	1971	1972
	-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	4	14	11.50	9.36	35	103	2	1
E. N. CENTRAL	13	27	8.80	8.72	87	184	2	3
W. N. CENTRAL	343	411	9.58	9.72	2,599	3,152	41	49
S. ATLANTIC	348	325	8.66	8.76	2,275	2,120	58	42
S. CENTRAL	---	13	---	9.01	---	95	---	3
WEST	165	103	9.10	8.34	1,141	657	36	16
U. S.	873	893	9.11	9.17	6,137	6,311	139	114
MINNESOTA	336	411	9.57	9.72	2,550	3,152	35	49
VIRGINIA	258	279	8.63	8.82	1,665	1,819	39	35
CALIFORNIA	158	84	9.15	8.48	1,101	541	33	13

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1972

REGION AND STATE	TUBERCULOSIS		LEU- KOSIS		SEPTI- CEMIA		AIRSAC- CULITIS		SYNO- VIITIS		TUMORS		BRUISES		CADAVER		CONTAM- INATION		OVER- SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	77	---	12	---	---	---	---	---	---	---	---	---	73	---	---	---	---	---	162	
E. N. CENTRAL	---	---	---	102	---	9	---	---	---	---	---	---	---	---	---	68	---	---	---	---	---	201	
W. N. CENTRAL	---	---	---	2,833	---	238	---	---	---	---	---	---	---	---	---	289	---	---	---	---	---	4,463	
S. ATLANTIC	---	---	---	2,292	---	276	---	---	---	---	---	---	---	---	---	217	---	---	---	---	---	3,305	
S. CENTRAL	---	---	---	111	---	---	---	---	---	---	---	---	---	---	---	6	---	---	---	---	---	199	
WEST	---	---	---	615	---	565	---	---	---	---	---	---	---	---	---	20	---	---	---	---	---	1,483	
U. S.	---	---	---	6,030	---	1,100	---	---	---	---	---	---	---	---	---	539	---	---	---	---	---	9,813	
MINNESOTA	---	---	---	2,833	---	238	---	---	---	---	---	---	---	---	---	289	---	---	---	---	---	4,463	
VIRGINIA	---	---	---	2,130	---	257	---	---	---	---	---	---	---	---	---	194	---	---	---	---	---	2,906	
CALIFORNIA	---	---	---	414	---	530	---	---	---	---	---	---	---	---	---	18	---	---	---	---	---	1,136	

POULTRY SLAUGHTER, September 1972

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, JULY 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	17	2	352	41	20.71	20.50	280	31	7	2
E. N. CENTRAL	72	11	1,419	234	19.74	21.17	1,115	184	40	6
W. N. CENTRAL	45	58	870	1,050	19.49	18.20	685	823	26	44
S. ATLANTIC	60	66	1,072	1,275	17.97	19.36	837	995	46	59
S. CENTRAL	38	7	698	145	18.29	19.43	537	109	34	8
WEST	100	69	1,899	1,392	18.91	20.13	1,499	1,101	79	48
U. S.	332	213	6,310	4,137	19.01	19.39	4,953	3,243	232	167
MINNESOTA	39	43	737	769	19.00	17.72	581	610	23	30
NORTH CAROLINA <sup>3/</sup>	---	66	---	1,275	---	19.36	---	995	---	59
CALIFORNIA	49	---	908	---	18.61	---	718	---	43	---

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.  
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.  
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, JULY 1972

REGION AND STATE	TUBERCULOSIS		LEUROSIS		KOSIS		SEPTICEMIA		AIRSAC-CULITIS		VITIS		TUMORS		BRUISES		CADAVER INACTION		CONTAMINATION		OVER-SCALD		OTHER		TOTAL NO.
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	20	16	79	3	8	12	2	17	---	---	---	---	---	---	---	---	---	---	---	---	75	
E. N. CENTRAL	---	---	2	109	79	3	3	3	2	6	7	---	---	---	---	---	---	---	---	---	---	---	---	214	
W. N. CENTRAL	---	---	10	990	352	16	5	16	49	132	266	3	3	46	1,869	---	---	---	---	---	---	---	---	---	
S. ATLANTIC	---	---	21	455	678	30	35	22	22	95	164	33	33	516	2,049	---	---	---	---	---	---	---	---	---	
S. CENTRAL	---	---	8	80	74	2	3	7	3	7	7	---	---	---	---	---	---	---	---	---	---	---	---	397	
WEST	---	---	12	1,696	121	23	110	25	25	130	97	3	3	14	2,231	---	---	---	---	---	---	---	---	---	
U. S.	---	---	53	3,350	1,320	63	175	113	113	372	558	39	39	792	6,835	---	---	---	---	---	---	---	---	---	
MINNESOTA	---	---	5	805	294	5	16	43	43	127	225	3	3	12	1,535	---	---	---	---	---	---	---	---	---	
NORTH CAROLINA	---	---	21	455	678	30	35	22	22	95	164	33	33	516	2,049	---	---	---	---	---	---	---	---	---	

UNITED STATES DEPARTMENT OF AGRICULTURE  
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE, \$300

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE



AGR 101  
FIRST-CLASS MAIL

### Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\* \* \* \* \*

*The data presented in this report were compiled from reports collected by the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service.*