

poultry



Slaughtered under Federal Inspection
and Poultry Used in Further Processing
August 1972

Release:
October 4, 1972
3:00 P.M. EDT

Inspected Poultry - There were 1,428 million pounds live weight (chickens, turkeys, and ducks) inspected for slaughter during August 1972 under the Poultry Inspection Act carried on by the United States Department of Agriculture. This is 20 percent more than the previous month and 11 percent more than August 1971.

The number of head and pounds live weight inspected by classes were: young chickens - 278,819,000 head, 1,030,457,000 pounds; mature chickens - 15,197,000 head, 68,274,000 pounds; fryer-roaster turkeys - 1,003,000 head, 8,899,000 pounds; young turkeys - 16,199,000 head, 310,168,000 pounds; old turkeys - 119,000 head, 2,169,000 pounds and ducks, 1,300,000 head, 8,159,000 pounds.

Poultry Certified Wholesome in August totaled 1,041,801,000 pounds ready-to-cook weight of which 756,948,000 pounds were chilled and 284,853,000 pounds frozen. Pounds certified by class of poultry were: young chickens, 738,550,000; mature chickens, 42,574,000; fryer-roaster turkeys, 6,866,000; young turkeys, 246,063,000; old turkeys, 1,719,000; ducks, 5,760,000; and other poultry, 269,000.

Further Processed - Poultry inspected and used for further processing totaled 158,505,000 pounds ready-to-cook weight, compared with 130,813,000 pounds in August 1971. The August 1972 total consisted of 38,583,000 pounds young chickens, 38,010,000 mature chickens, 74,196,000 turkeys, and 7,716,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 248,207,000 pounds ready-to-cook weight, compared with 207,964,000 pounds in August 1971. The breakdown by class was: young chickens, 215,612,000 pounds; mature chickens, 114,000; turkeys, 32,386,000; and other poultry 95,000 pounds.

Ante-Mortem Condemnations during August were 8,224,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.64; mature chickens, 1.09; fryer-roaster turkeys, 0.16; young turkeys, 0.25; old turkeys, 0.42, and ducks, 0.03.

Post-Mortem Condemnations in August were 36,564,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 2.85; mature chickens, 5.53; fryer-roaster turkeys, 1.79; young turkeys, 2.35; old turkeys, 4.22; and ducks, 1.76 percent.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1972 WITH COMPARISONS

NUMBER INSPECTED 3/ JULY 1972	: YOUNG : MATURE :		: CHICKENS : CHICKENS :		: ROASTERS : TURKEYS :		: TURKEYS : TURKEYS :		: DUCKS : DUCKS :		: OTHER : TOTAL :	
	: YOUNG :	: MATURE :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: DUCKS :	: OTHER :	: TOTAL :
AUGUST 1971	240,117	11,636	251,753	893	11,929	213	13,035	1,158	---	---	---	---
AUGUST 1972	257,296	12,704	270,000	966	14,061	97	15,124	1,322	---	---	---	---
JAN.-AUG. 1971	278,819	15,197	294,016	1,003	16,199	119	17,321	1,300	---	---	---	---
JAN.-AUG. 1972	1,868,614	121,606	1,990,220	8,011	46,042	1,056	55,109	7,340	---	---	---	---
	1,996,745	126,410	2,123,155	8,495	52,126	951	61,572	7,381	---	---	---	---
POUNDS INSPECTED 4/ JULY 1972	890,964	53,477	944,441	8,189	223,750	4,137	236,076	7,253	458	1,188,228	442	1,287,376
AUGUST 1971	940,052	58,337	998,389	8,582	270,133	1,798	280,513	8,032	506	1,428,632	506	1,428,632
AUGUST 1972	1,030,457	68,274	1,098,731	8,899	310,168	2,169	321,236	8,159	2,411	8,386,343	2,806	9,113,896
JAN.-AUG. 1971	6,821,113	549,473	7,370,586	72,796	873,579	20,803	967,178	46,168	---	---	---	---
JAN.-AUG. 1972	7,414,170	562,227	7,976,397	77,194	991,598	18,890	1,087,682	47,011	---	---	---	---
AVERAGE LIVEWEIGHTS/ JULY 1972	3.71	4.60	3.75	9.17	18.76	19.39	18.11	6.26	---	---	---	---
AUGUST 1971	3.65	4.59	3.70	8.89	19.21	18.54	18.55	6.08	---	---	---	---
AUGUST 1972	3.70	4.49	3.74	8.88	19.15	18.25	18.55	6.28	---	---	---	---
JAN.-AUG. 1971	3.65	4.52	3.70	9.09	18.97	19.71	17.55	6.29	---	---	---	---
JAN.-AUG. 1972	3.71	4.45	3.76	9.09	19.02	19.87	17.67	6.37	---	---	---	---

POULTRY SLAUGHTER, OCTOBER 1972

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

JULY 1972, 490; AUGUST 1971, 124; AND AUGUST 1972, 161.

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), AUGUST 1972 WITH COMPARISONS 1/

JULY 1972	: YOUNG : MATURE :		: CHICKENS : CHICKENS :		: ROASTERS : TURKEYS :		: TURKEYS : TURKEYS :		: DUCKS : DUCKS :		: OTHER : TOTAL :	
	: YOUNG :	: MATURE :	: CHICKENS :	: CHICKENS :	: ROASTERS :	: TURKEYS :	: TURKEYS :	: TURKEYS :	: DUCKS :	: DUCKS :	: OTHER :	: TOTAL :
CHILLED	585,560	26,877	612,437	1,224	30,751	413	32,388	134	50	645,009	50	645,009
FROZEN	50,996	6,528	57,524	5,087	146,622	2,830	154,539	5,045	196	217,504	196	217,504
TOTAL	636,556	33,405	669,961	6,311	177,373	3,243	186,927	5,179	246	862,313	246	862,313
AUGUST 1971	614,238	28,304	642,542	1,702	29,443	288	31,433	184	55	674,214	55	674,214
FROZEN	59,492	8,964	68,456	4,866	183,790	1,123	189,779	5,536	182	263,953	182	263,953
TOTAL	673,730	37,268	710,998	6,568	213,233	1,411	221,212	5,720	237	938,167	237	938,167
AUGUST 1972	679,435	34,370	713,805	1,912	40,818	192	42,922	167	54	756,948	54	756,948
FROZEN	59,115	8,204	67,319	4,954	205,245	1,527	211,726	5,593	215	284,853	215	284,853
TOTAL	738,550	42,574	781,124	6,866	246,063	1,719	254,648	5,760	269	1,041,801	269	1,041,801
JANUARY-AUGUST 1971	4,421,055	272,330	4,693,385	13,243	118,839	3,129	135,211	1,895	300	4,830,791	300	4,830,791
FROZEN	427,743	76,645	504,388	43,012	569,444	13,136	625,592	30,986	1,007	1,161,973	1,007	1,161,973
TOTAL	4,848,798	348,975	5,197,773	56,255	688,283	16,265	760,803	32,881	1,307	5,992,764	1,307	5,992,764
JANUARY-AUGUST 1972	4,850,554	284,312	5,134,866	13,732	588,868	3,406	176,006	1,395	291	5,312,558	291	5,312,558
FROZEN	441,578	67,999	509,577	45,960	624,822	11,311	682,093	32,226	1,210	1,225,106	1,210	1,225,106
TOTAL	5,292,132	352,311	5,644,443	59,692	783,690	14,717	858,099	33,621	1,501	6,537,664	1,501	6,537,664

1/ 1,000 POUNDS

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, AUGUST 1972 WITH COMPARISONS

	YOUNG : CHICKENS	MATURE : CHICKENS	TOTAL : CHICKENS	FRYER : ROASTERS	YOUNG : TURKEYS	OLD : TURKEYS	TOTAL : TURKEYS	DUCKS	OTHER : POULTRY	TOTAL : POULTRY
ANTE-MORTEM										
1,000 POUNDS (LIVWEIGHT):										
AUGUST 1971:	4,895	510	5,405	16	642	4	662	3	3	6,073
AUGUST 1972:	6,646	745	7,391	14	806	9	829	3	1	8,224
JAN.-AUG. 1971:	28,878	4,980	33,858	139	1,940	66	2,145	24	7	36,034
JAN.-AUG. 1972:	33,967	5,931	39,898	159	2,350	84	2,593	23	8	42,522
PERCENT 1/										
AUGUST 1971:	.52	.87	.54	.18	.23	.24	.23	.04	.58	.47
AUGUST 1972:	.64	1.09	.67	.16	.25	.42	.25	.03	.27	.57
POST-MORTEM										
1,000 LBS. (N.Y. DRESSED):										
AUGUST 1971:	25,315	2,856	28,171	153	6,110	59	6,322	117	5	34,615
AUGUST 1972:	26,300	3,358	29,658	144	6,544	82	6,770	130	7	36,564
JAN.-AUG. 1971:	238,241	27,531	265,772	1,347	21,458	821	23,626	715	26	290,139
JAN.-AUG. 1972:	210,081	28,171	238,252	1,409	22,921	815	24,745	693	36	263,726
PERCENT 2/										
AUGUST 1971:	3.00	5.49	3.15	1.98	2.51	3.66	2.51	1.62	1.21	3.00
AUGUST 1972:	2.85	5.53	3.02	1.79	2.35	4.22	2.34	1.76	1.44	2.86

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVWEIGHT) INSPECTED. PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, AUGUST 1972 WITH COMPARISONS

	YOUNG CHICKENS : FURTHER : PROCESSED	MATURE CHICKENS : FURTHER : PROCESSED	TURKEYS : FURTHER : PROCESSED	OTHER POULTRY 1/ : FURTHER : PROCESSED	TOTAL POULTRY : FURTHER : PROCESSED	CUT UP : PROCESSED	CUT UP : PROCESSED
POUNDS USED READY-TO-COOK WEIGHT 2/							
JULY 1971:	33,039	185,157	31,673	151	62,947	22,148	6,429
AUGUST 1971:	31,851	188,019	34,054	562	58,551	19,083	6,357
AUGUST 1972:	38,583	215,612	38,010	114	74,196	32,386	7,716
JANUARY-AUGUST 1971:	250,076	1,353,826	292,099	3,525	334,645	115,306	55,441
JANUARY-AUGUST 1972:	288,261	1,528,679	326,137	4,132	377,001	178,925	61,933
LBS. CONDEMNED READY-TO-COOK WEIGHT 2/							
JULY 1971:	625	1,523	131	13	41	84	23
AUGUST 1971:	358	1,170	53	2	100	232	16
AUGUST 1972:	787	1,614	65	12	108	112	31
JANUARY-AUGUST 1971:	2,857	9,676	358	18	310	1,132	221
JANUARY-AUGUST 1972:	5,778	13,308	717	57	492	477	153

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1971 AND 1972

REGION AND STATE	NUMBER		POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS			
	INSPECTED	INSPECTED	INSPECTED	INSPECTED	LIVEWEIGHT	LIVEWEIGHT	CERTIFIED	CERTIFIED	POUNDS (NYD)	PERCENT 2/		
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	14,522	14,348	58,158	59,491	4.00	4.15	41,647	42,326	1,992	1,856	3.83	3.48
E. N. CENTRAL	3,126	2,978	12,249	11,545	3.92	3.88	9,031	8,361	275	222	2.50	2.14
W. N. CENTRAL	8,613	8,491	32,258	31,944	3.75	3.76	22,783	22,880	939	793	3.25	2.79
S. ATLANTIC	102,361	112,106	380,612	422,893	3.72	3.77	273,019	304,240	10,413	10,645	3.05	2.81
S. CENTRAL	122,939	136,485	436,478	487,502	3.55	3.57	313,042	348,450	10,898	12,426	2.79	2.85
WEST	5,735	4,411	20,297	17,082	3.54	3.87	14,208	12,293	798	358	4.39	2.33
U. S.	257,296	276,819	940,052	1,030,457	3.65	3.70	673,730	738,550	25,315	26,300	3.00	2.85
MAINE	6,418	6,395	25,961	26,870	4.04	4.20	19,105	19,553	520	708	2.24	2.94
PENNSYLVANIA	7,541	7,521	29,765	30,605	3.95	4.07	20,958	21,432	1,376	1,096	5.15	3.99
OHIO	268	---	1,048	---	3.90	---	769	---	19	---	2.06	---
INDIANA	1,393	1,401	5,199	5,148	3.73	3.68	3,842	3,795	115	68	2.47	1.47
WISCONSIN	1,455	1,245	5,956	5,106	4.09	4.10	4,420	3,684	141	135	2.63	2.96
MINNESOTA	923	946	3,945	4,152	4.28	4.39	2,953	3,093	88	84	2.50	2.26
MISSOURI	6,857	6,177	25,229	22,797	3.68	3.69	17,740	16,348	701	534	3.10	2.63
DELAWARE	8,269	9,284	32,676	36,868	3.95	3.97	23,185	26,255	895	1,002	3.05	3.03
MARYLAND	12,362	14,716	47,519	57,766	3.84	3.93	34,346	41,990	1,575	1,414	3.69	2.73
VIRGINIA	10,548	12,880	39,009	47,493	3.70	3.69	28,027	33,928	990	925	2.82	2.17
NORTH CAROLINA	25,785	27,038	98,952	106,592	3.84	3.94	70,642	76,361	2,492	2,779	2.81	2.91
SOUTH CAROLINA	2,807	4,133	10,013	14,304	3.57	3.46	7,041	10,046	286	327	3.19	2.57
GEORGIA	37,808	37,935	135,532	137,824	3.58	3.63	97,834	100,025	3,764	3,612	3.10	2.92
TENNESSEE	6,464	7,588	23,393	26,531	3.62	3.50	17,023	18,951	789	792	3.77	3.33
ALABAMA	34,153	38,241	120,801	136,784	3.54	3.58	86,244	98,078	3,354	3,172	3.10	2.59
MISSISSIPPI	21,552	24,405	77,749	87,526	3.61	3.59	56,049	63,474	1,622	2,083	2.33	2.66
ARKANSAS	34,896	38,042	121,231	132,431	3.47	3.48	86,593	93,862	2,871	3,438	2.64	2.90
LOUISIANA	4,510	5,102	16,734	18,790	3.71	3.68	12,111	13,654	428	444	2.86	2.64
TEXAS	16,584	17,553	60,060	65,900	3.62	3.75	43,392	46,393	1,516	2,035	2.82	3.47
CALIFORNIA	2,782	2,287	10,218	9,088	3.67	3.97	7,158	6,631	508	207	5.56	2.54

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1972

REGION AND STATE	:TUBER-:		:SEPTI-:		:AIRSAC-:		:SYND-:		:TUMORS:		:BRUISES:		:CADAVER:		:CONTAM-:		:OVER-:		:TOTAL:	
	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.	:NO.		:NO.
N. ATLANTIC	---	131,763	87,460	800	1,218	5,746	13,619	31,128	2,333	11,887	325,734									
E. N. CENTRAL	---	12,941	17,636	1,093	165	2,418	2,052	6,306	1,600	1,622	47,186									
W. N. CENTRAL	---	33,773	43,020	39,716	7,209	4,236	4,528	21,795	1,664	24,495	181,157									
S. ATLANTIC	---	826,808	420,377	209,860	26,706	8,587	54,213	94,610	355,653	37,161	236,268	2,270,243								
S. CENTRAL	---	700,888	652,247	271,814	62,661	16,495	86,266	148,840	403,154	36,846	190,728	2,569,939								
WEST	---	22,233	23,125	6,895	821	1,948	2,625	3,983	559	4,279	67,213									
U. S.	---	1,728,406	1,243,865	569,418	99,290	27,931	154,827	266,274	822,019	80,163	469,279	5,461,472								
MAINE	---	52,261	40,837	4,837	314	466	2,124	8,372	992	3,604	116,904									
PENNSYLVANIA	---	77,797	43,613	36,686	437	657	3,330	8,261	21,049	1,341	7,401	200,572								
INDIANA	---	4,128	5,502	260	95	25	763	887	1,598	187	161	13,606								
WISCONSIN	---	7,839	11,044	1,012	993	72	1,421	1,064	3,543	1,412	1,043	29,443								
MINNESOTA	---	2,333	4,237	632	113	67	348	369	3,459	417	5,288	17,263								
MISSOURI	---	26,014	33,622	29,448	5,362	375	3,234	3,508	9,665	814	5,035	117,077								
DELAWARE	---	129,436	26,128	19,610	1,263	476	1,815	5,945	14,094	2,377	5,191	206,335								
MARYLAND	---	177,290	64,176	31,241	1,318	722	4,453	11,800	31,463	5,051	4,888	332,402								
VIRGINIA	---	114,047	53,544	29,424	906	358	3,431	6,193	13,970	3,794	6,639	232,306								
NORTH CAROLINA	---	154,883	101,859	43,364	10,783	2,879	19,605	30,749	112,691	7,750	60,266	544,829								
SOUTH CAROLINA	---	17,601	14,819	16,722	762	416	3,477	3,507	8,344	539	7,696	73,883								
GEORGIA	---	193,049	132,889	63,203	10,088	3,516	18,433	30,746	154,680	16,122	104,102	726,828								
TENNESSEE	---	71,386	45,149	6,006	2,699	345	3,610	9,589	35,073	842	13,666	188,365								
ALABAMA	---	166,028	169,029	38,180	16,560	5,963	19,902	30,688	130,849	11,230	48,398	636,827								
MISSISSIPPI	---	125,362	53,755	44,191	5,884	3,270	9,982	11,771	69,415	6,181	57,484	387,295								
ARKANSAS	---	143,814	214,405	148,085	24,537	4,407	25,049	57,143	95,815	9,817	36,131	759,203								
LOUISIANA	---	20,450	30,752	2,921	1,261	771	5,105	4,207	11,308	848	1,404	79,027								
TEXAS	---	147,930	113,247	22,188	10,738	1,510	17,717	24,687	47,503	6,051	22,958	414,529								
CALIFORNIA	---	19,345	13,602	4,973	291	679	864	1,320	2,360	68	1,503	45,005								

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED	POUNDS INSPECTED (LIVWEIGHT)		AVERAGE LIVWEIGHT		TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.)		POST-MORTEM CONDEMNATIONS	
		1971	1972	1971	1972	1971	1972	1971	1972
		-THOUSANDS-		-POUNDS-		-1,000 POUNDS-		-1,000 POUNDS-	-PERCENT-
N. ATLANTIC	1,603	2,017	8,194	10,024	5.11	4.97	5,324	399	469
E. N. CENTRAL	1,548	2,021	6,567	7,852	4.11	3.88	3,897	266	312
W. N. CENTRAL	3,209	3,959	13,978	16,474	4.36	4.16	8,708	735	814
S. ATLANTIC	3,159	3,415	15,102	16,381	4.78	4.80	9,900	653	790
S. CENTRAL	1,900	2,148	9,595	10,799	5.05	5.03	6,328	529	642
WEST	1,285	1,637	5,101	6,764	3.97	4.13	3,111	274	331
U. S.	12,704	15,197	58,337	68,274	4.59	4.49	37,268	2,856	3,358
MAINE	214	252	1,381	1,499	6.46	5.96	965	54	51
NEW JERSEY	772	1,140	3,280	4,927	4.25	4.32	1,984	200	272
PENNSYLVANIA	78	67	586	491	7.56	7.38	404	14	9
OHIO	320	317	1,297	1,273	4.05	4.02	765	58	64
INDIANA	337	473	1,500	1,842	3.85	3.89	834	44	68
MINNESOTA	1,246	1,452	4,709	5,297	3.78	3.65	2,831	258	272
MISSOURI	970	1,217	5,610	6,376	5.78	5.24	3,805	236	270
MARYLAND	523	578	2,221	2,696	4.24	4.67	1,389	107	114
VIRGINIA	36	---	267	---	7.48	---	188	9	---
NORTH CAROLINA	172	---	1,272	---	7.41	---	858	44	---
GEORGIA	2,294	2,566	10,682	12,041	4.66	4.69	7,053	454	591
ALABAMA	24	---	163	---	6.92	---	106	8	---
MISSISSIPPI	1,373	1,512	6,878	7,894	5.01	5.21	4,561	381	475
ARKANSAS	75	83	540	598	7.16	7.23	359	25	21
TEXAS	312	332	1,348	1,441	4.33	4.34	851	91	80
WASHINGTON	119	138	466	519	3.93	3.77	324	14	18
CALIFORNIA	988	1,337	3,884	5,524	3.93	4.13	2,301	228	289

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1972

REGION AND STATE	: TUBER- : : CULOSIS : : NO. :	: LEU- : : KOSIS : : NO. :	: SEPTI- : : CEMIA : : NO. :	: AIRSAC- : : CULIIS : : NO. :	: SYNO- : : VILIS : : NO. :	: TUMORS : : BRUISES : : NO. :	: CADAVER : : INATION : : NO. :	: CONTAM- : : SCALD : : NO. :	: OVER- : : OTHER : : NO. :	: TOTAL : : NO. :		
N. ATLANTIC	---	1,869	31,537	106	364	20,367	4,286	1,894	8,262	133	15,898	84,716
E. N. CENTRAL	499	6,091	27,474	373	8	19,045	5,232	2,172	11,330	953	6,821	79,998
M. N. CENTRAL	4,294	12,015	70,857	2,375	859	63,650	10,643	6,650	15,297	446	13,804	200,890
S. ATLANTIC	---	3,195	45,191	1,083	311	28,960	5,542	9,205	35,139	627	8,981	138,234
S. CENTRAL	---	3,027	36,735	301	336	20,159	8,139	2,981	20,928	882	16,177	109,665
WEST	---	817	37,623	137	45	34,872	2,089	1,115	3,687	136	8,649	89,170
U. S.	4,793	27,014	249,417	4,375	1,923	187,053	35,931	24,017	94,643	3,177	70,330	702,673
MAINE	---	438	2,734	16	172	956	682	176	816	17	111	6,118
NEW JERSEY	---	957	21,811	---	93	13,937	2,611	1,148	3,120	49	15,371	59,097
PENNSYLVANIA	---	251	487	15	1	96	59	74	172	3	18	1,176
OHIO	41	3,263	4,551	19	---	1,552	1,067	154	2,178	---	1,349	14,174
INDIANA	47	813	9,084	---	---	5,930	451	213	3,291	29	2,645	22,503
MINNESOTA	2,349	6,826	18,322	649	36	28,612	2,869	1,983	4,665	101	9,458	75,870
MISSOURI	73	1,079	28,244	338	297	8,873	2,641	2,117	3,918	44	1,226	48,850
MARYLAND	---	1,133	6,683	647	41	5,495	1,116	456	9,898	180	1,168	26,817
GEORGIA	---	1,402	35,014	133	208	21,415	3,774	8,668	23,832	384	5,761	100,591
MISSISSIPPI	---	1,732	25,516	19	153	11,864	6,175	1,808	17,454	683	9,548	74,952
ARKANSAS	---	119	1,438	24	44	86	33	156	604	5	107	2,616
TEXAS	---	626	3,362	221	92	6,235	776	719	1,338	80	5,405	18,854
WASHINGTON	---	139	3,023	---	---	821	315	191	240	2	779	5,510
CALIFORNIA	---	607	32,496	122	24	32,599	1,437	672	3,060	134	6,978	78,129

YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS		
		INSPECTED (LIVEWEIGHT)	INSPECTED (LIVEWEIGHT)	LIVEWEIGHT	INSPECTED	READY-TO-COOK WT.	CERTIFIED	POUNDS (NYD)	PERCENT 2/	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
	-THOUSANDS-			-POUNDS-			-1,000 POUNDS-		-1,000 POUNDS-	
N. ATLANTIC	247	307	4,144	5,647	16.78	18.39	3,318	4,474	46	89
E. N. CENTRAL	1,866	1,973	31,141	37,775	18.70	19.14	24,809	30,011	402	528
W. N. CENTRAL	5,046	5,846	98,363	113,068	19.49	19.34	78,000	90,191	2,143	2,610
S. ATLANTIC	1,706	2,104	31,918	38,958	18.71	18.52	25,184	30,644	815	1,022
S. CENTRAL	2,213	2,301	42,455	43,332	19.18	18.83	32,712	33,848	1,408	1,111
WEST	3,183	3,668	62,112	71,388	19.51	19.46	49,210	56,895	1,296	1,184
U. S.	14,061	16,199	270,133	310,168	19.21	19.15	213,233	246,063	6,110	6,544
PENNSYLVANIA	244	303	4,103	5,599	16.82	18.49	3,288	4,437	45	89
OHIO	483	645	8,282	11,343	17.14	17.59	6,540	8,996	86	168
INDIANA	632	716	11,081	13,943	17.53	19.48	8,840	11,013	150	218
WISCONSIN	425	433	8,304	8,343	19.53	19.28	6,682	6,724	118	95
MINNESOTA	2,318	2,679	45,093	50,788	19.46	18.95	36,023	40,808	844	1,089
IOWA	1,265	1,423	25,045	27,638	19.80	19.43	19,734	21,875	515	650
MISSOURI	1,144	1,399	22,137	27,917	19.35	19.96	17,357	22,198	667	727
VIRGINIA	644	756	11,879	13,796	18.45	18.24	9,283	10,738	306	333
NORTH CAROLINA	884	1,108	15,926	19,371	18.02	17.48	12,698	15,433	380	479
ARKANSAS	1,154	1,260	22,123	23,616	19.17	18.74	16,915	18,500	701	628
TEXAS	887	884	17,074	16,836	19.25	19.04	13,189	13,029	644	435
COLORADO	438	461	8,919	9,671	20.34	20.98	6,770	7,397	310	118
UTAH	610	647	12,900	14,542	21.14	22.47	10,297	11,668	240	403
CALIFORNIA	1,867	2,274	35,268	41,936	18.89	18.45	28,201	33,712	598	574

17 AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1972

REGION AND STATE	TUBER- CULOSIS:	LEU- KOSIS	SEPTI- GEMIA	AIRSAC- CULITIS	SYND- VITIS	TUMORS	BRUISES	CADAVER:	CONTAM-:		OVER- SCALD	DIBER:	TOTAL
									NO.	NO.			
N. ATLANTIC	---	13	2,157	959	191	1	16	109	270	9	54	3,779	
E. N. CENTRAL	---	18	11,358	6,640	1,476	25	363	924	1,308	126	858	23,096	
W. N. CENTRAL	---	422	68,216	27,548	6,839	139	1,141	3,858	6,710	667	1,681	117,221	
S. ATLANTIC	---	220	18,209	12,291	702	29	722	1,904	3,506	752	4,309	42,644	
S. CENTRAL	---	26	20,739	10,975	7,442	35	707	652	3,352	218	1,057	45,203	
WEST	---	50	25,420	11,250	5,332	41	922	1,326	2,122	360	235	47,058	
U. S.	---	749	146,099	69,663	21,982	270	3,971	8,773	17,268	2,132	8,194	279,001	
PENNSYLVANIA	---	10	2,156	959	191	1	16	108	260	9	51	3,761	
OHIO	---	8	3,986	2,695	273	14	108	89	632	28	28	7,861	
INDIANA	---	---	4,335	3,020	629	7	121	370	517	72	578	9,649	
WISCONSIN	---	8	2,071	375	522	4	130	410	131	26	250	3,927	
MINNESOTA	---	410	29,688	10,231	2,345	43	373	2,383	4,252	419	421	50,565	
IOWA	---	1	20,998	7,416	491	33	442	723	1,024	122	435	31,685	
MISSOURI	---	6	14,831	8,432	3,622	16	273	579	1,113	91	805	29,768	
VIRGINIA	---	128	10,027	4,438	323	4	225	643	396	18	209	16,411	
NORTH CAROLINA	---	70	5,756	4,985	245	21	380	1,112	2,598	268	3,584	19,019	
ARKANSAS	---	20	11,255	5,293	4,857	13	230	333	2,137	166	266	24,870	
TEXAS	---	2	8,300	5,435	2,475	21	249	231	641	24	686	18,064	
COLORADO	---	1	2,406	837	89	---	65	196	95	103	4	3,796	
UTAH	---	9	5,582	5,218	1,946	3	460	753	1,113	109	113	15,306	
CALIFORNIA	---	39	14,997	3,912	3,056	32	304	308	844	142	111	23,747	

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED		POUNDS INSPECTED (LIVEWEIGHT)		AVERAGE LIVEWEIGHT		TOTAL POUNDS		POST-MORTEM CONDEMNATIONS	
	1971	1972	1971	1972	1971	1972	1971	1972	1971	1972
	-THOUSANDS-		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC	14	18	143	163	10.21	9.06	111	126	4	4
E. N. CENTRAL	11	28	105	243	9.57	8.72	82	190	2	4
W. N. CENTRAL	336	516	3,151	4,726	9.37	9.16	2,425	3,732	38	65
S. ATLANTIC	359	328	3,017	2,795	8.41	8.52	2,278	2,057	66	56
S. CENTRAL 3/	---	42	---	355	---	8.44	---	287	---	6
WEST	246	71	2,166	617	8.81	8.75	1,672	474	43	9
U. S.	966	1,003	8,582	8,899	8.89	8.88	6,568	6,866	153	144
MINNESOTA	327	513	3,053	4,703	9.34	9.16	2,346	3,714	37	65
VIRGINIA	263	299	2,211	2,549	8.40	8.53	1,655	1,870	40	47
CALIFORNIA	218	61	1,964	548	9.03	9.02	1,510	419	42	8

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1972

REGION AND STATE	YUBER		LEU		SEPTI		AIRSAC		SYNO		TUMORS		BRUISES		CADAVER		CONTAM		OVER		TOTAL
	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	NO.	
N. ATLANTIC	---	---	---	357	---	4	---	---	---	---	---	---	---	---	---	47	---	---	---	3	411
F. N. CENTRAL	---	---	---	60	---	48	---	---	7	---	---	---	---	18	---	111	---	---	---	27	361
W. N. CENTRAL	---	---	3	3,730	---	548	---	6	110	---	55	---	589	---	1,333	---	---	---	8	100	6,482
S. ATLANTIC	---	---	42	3,058	---	827	---	21	41	---	51	---	402	---	613	---	---	---	13	234	5,302
S. CENTRAL	---	---	---	223	---	13	---	---	---	---	7	---	9	---	446	---	---	---	4	6	708
WEST	---	---	3	363	---	176	---	---	9	---	23	---	5	---	161	---	---	---	9	26	775
U. S.	---	---	48	7,791	---	1,616	---	27	167	---	154	---	1,116	---	2,690	---	---	---	34	396	14,039
MINNESOTA	---	---	3	3,723	---	545	---	6	110	---	55	---	588	---	1,331	---	---	---	8	100	6,469
VIRGINIA	---	---	3	2,904	---	793	---	1	42	---	42	---	394	---	376	---	---	---	10	33	4,593
CALIFORNIA	---	---	---	229	---	114	---	---	7	---	13	---	3	---	115	---	---	---	7	26	514

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, AUGUST 1971 AND 1972

REGION AND STATE	NUMBER INSPECTED	POUNDS		AVERAGE LIVEWIGHT	TOTAL POUNDS CERTIFIED		POST-MORTEM CONDEMNATIONS		
		1971	1972		1971	1972	1971	1972	PERCENT
		-1,000 POUNDS-		-POUNDS-		-1,000 POUNDS-		-PERCENT-	
N. ATLANTIC 3/	6	101	29	16.83	14.50	79	23	1	1.10
E. N. CENTRAL	21	425	148	20.37	19.99	339	118	10	2.60
W. N. CENTRAL	14	242	526	17.79	16.52	194	430	6	2.76
S. ATLANTIC	31	563	729	18.40	18.96	432	564	29	5.65
S. CENTRAL	---	---	---	---	---	---	---	---	---
WEST	25	467	737	18.55	18.64	367	584	13	3.04
U. S.	97	1,798	2,169	18.54	18.25	1,411	1,719	59	3.66
MINNESOTA	12	206	505	17.66	16.14	166	413	5	2.51

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, AUGUST 1972

REGION AND STATE	TUBERCULOSIS	LEU-	KOSIS	SEPTI-	AIRSAC-	SYNO-	VITIS	TUMORS	BRUISES	CADAVER:	CONTAMINATION:			OTHER	TOTAL
											NO.	NO.	NO.		
N. ATLANTIC	---	---	4	16	1	---	---	---	---	---	3	---	---	---	24
E. N. CENTRAL	---	---	1	46	61	4	---	---	2	7	5	---	---	5	131
W. N. CENTRAL	---	---	---	323	196	---	9	24	126	157	42	---	---	42	877
S. ATLANTIC	---	---	25	255	356	8	14	25	23	101	6	---	---	708	1,521
S. CENTRAL	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
WEST	---	---	23	723	29	3	24	15	33	62	---	---	---	1	913
U. S.	---	---	53	1,363	643	15	47	66	189	328	6	---	---	756	3,466
MINNESOTA	---	---	---	323	196	---	9	24	126	157	---	---	---	42	877

CROP REPORTING BOARD, SR5, USDA

**UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250**

**OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300**

**POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE**

**AGR 101
FIRST-CLASS MAIL**

