

poultry



Slaughtered under Federal Inspection
and Poultry Used in Further Processing
November 1972

Release:
January 4, 1973
3:00 P.M. EST

Inspected Poultry - There were 1,276 million pounds live weight poultry (chickens, turkeys and ducks) inspected for slaughter during November 1972 under the Poultry Inspection Act carried on by the U. S. Department of Agriculture. This is 9 percent less than the previous month but 7 percent more than November 1971.

The number of head and live weight inspected during November by classes were: young chickens - 228,503,000 head, 867,032,000 pounds; mature chickens - 16,348,000 head, 70,701,000 pounds; fryer-roaster turkeys - 1,274,000 head, 12,140,000 pounds; young turkeys - 15,082,000 head, 319,132,000 pounds; old turkeys - 20,000 head, 406,000 pounds; and ducks - 987,000 head, 6,203,000 pounds.

Poultry Certified Wholesome in November totaled 929,995,000 pounds ready-to-cook weight--down 10 percent from October but 7 percent more than November 1971. The November 1972 total consisted of 663,608,000 pounds of chilled and 266,387,000 pounds of frozen poultry. Pounds certified by class of poultry were: young chickens, 618,149,000; mature chickens, 43,934,000; fryer-roaster turkeys, 9,429,000; young turkeys, 251,588,000; old turkeys, 317,000; ducks, 4,390,000; and other poultry 2,188,000.

Further Processed - Poultry inspected and used for further processing totaled 152,150,000 pounds ready-to-cook weight--8 percent less than October but 15 percent more than November 1971. The November 1972 total consisted of: 36,462,000 pounds young chickens; 36,900,000 pounds mature chickens; 68,975,000 pounds turkeys; and 9,813,000 pounds of other poultry.

Poultry Cut-up and Packaged totaled 231,967,000 pounds ready-to-cook weight--5 percent below October but 22 percent greater than November 1971. The breakdown by class was; young chickens, 193,171,000 pounds; mature chickens, 649,000, pounds; turkeys, 37,878,000 pounds; and other poultry, 269,000 pounds.

Ante-Mortem Condemnations during November were 4,811,000 pounds live weight. Condemnations by class as percent of quantities inspected were: young chickens, 0.39; mature chickens, 1.03; fryer-roaster turkeys, 0.15; young turkeys, 0.20; old turkeys, 0.16; and ducks, 0.05.

Post-Mortem Condemnations in November were 36,110,000 pounds (NYD weight). Condemnations by class as percent of quantities inspected were: young chickens, 3.05; mature chickens, 6.51; fryer-roaster turkeys, 1.83; young turkeys, 2.77; old turkeys, 4.89; and ducks, 2.06.

POULTRY: SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1972 WITH COMPARISONS

| NUMBER INSPECTED 3/ | : YOUNG : MATURE : | | : TOTAL : | | : FRYER- : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | |
|----------------------|--------------------|--------------|--------------|--------------|--------------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|
| | : CHICKENS : | : CHICKENS : | : CHICKENS : | : CHICKENS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : |
| OCTOBER 1972 | 254,816 | 16,105 | 270,921 | 979 | 16,608 | 20 | 17,607 | 1,064 | --- | --- | --- | --- |
| NOVEMBER 1971 | 213,763 | 15,445 | 229,208 | 1,085 | 14,058 | 32 | 15,175 | 897 | --- | --- | --- | --- |
| NOVEMBER 1972 | 228,503 | 16,348 | 244,851 | 1,274 | 15,082 | 20 | 16,376 | 987 | --- | --- | --- | --- |
| JAN.-NOV. 1971 | 2,555,723 | 168,424 | 2,724,147 | 11,204 | 89,966 | 1,150 | 102,320 | 10,436 | --- | --- | --- | --- |
| JAN.-NOV. 1972 | 2,718,940 | 172,015 | 2,890,955 | 11,711 | 98,663 | 1,038 | 111,412 | 10,514 | --- | --- | --- | --- |
| POUNDS INSPECTED 4/ | | | | | | | | | | | | |
| OCTOBER 1972 | 971,303 | 71,429 | 1,042,732 | 9,224 | 348,374 | 387 | 357,985 | 6,898 | 2,435 | 1,410,050 | --- | --- |
| NOVEMBER 1971 | 806,510 | 68,821 | 875,331 | 10,083 | 297,708 | 647 | 308,438 | 5,694 | 2,904 | 1,192,367 | --- | --- |
| NOVEMBER 1972 | 867,032 | 70,701 | 937,733 | 12,140 | 319,132 | 406 | 331,678 | 6,203 | 3,168 | 1,278,762 | --- | --- |
| JAN.-NOV. 1971 | 9,378,291 | 758,897 | 10,137,188 | 102,051 | 1,775,562 | 22,550 | 1,900,103 | 65,623 | 7,935 | 12,110,849 | --- | --- |
| JAN.-NOV. 1972 | 10,141,094 | 765,422 | 10,906,516 | 107,320 | 1,956,098 | 20,559 | 2,083,977 | 66,987 | 8,884 | 13,066,360 | --- | --- |
| AVERAGE LIVEWEIGHTS/ | | | | | | | | | | | | |
| OCTOBER 1972 | 3.81 | 4.44 | 3.85 | 9.42 | 20.98 | 19.42 | 20.33 | 6.48 | --- | --- | --- | --- |
| NOVEMBER 1971 | 3.77 | 4.46 | 3.82 | 9.29 | 21.18 | 20.01 | 20.32 | 6.35 | --- | --- | --- | --- |
| NOVEMBER 1972 | 3.79 | 4.32 | 3.83 | 9.53 | 21.16 | 20.22 | 20.25 | 6.29 | --- | --- | --- | --- |
| JAN.-NOV. 1971 | 3.67 | 4.51 | 3.72 | 9.11 | 19.74 | 19.61 | 18.57 | 6.29 | --- | --- | --- | --- |
| JAN.-NOV. 1972 | 3.73 | 4.45 | 3.77 | 9.16 | 19.83 | 19.81 | 18.71 | 6.37 | --- | --- | --- | --- |

1/ OF THE MATURE CHICKENS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS HEAVY FOWL (BROILER BREEDING STOCK) WAS:

2/ OF THE YOUNG TURKEYS INSPECTED, THE NUMBER REPORTED IN THOUSANDS AS YOUNG BANDED BREEDERS WAS:

3/ THOUSANDS 4/ 1,000 POUNDS 5/ POUNDS

POULTRY: POUNDS CERTIFIED (READY-TO-COOK WEIGHTS), NOVEMBER 1972 WITH COMPARISONS 1/

| OCTOBER 1972 | : YOUNG : MATURE : | | : TOTAL : | | : FRYER- : YOUNG : | | : OLD : | | : TOTAL : | | : OTHER : | |
|-----------------------|--------------------|--------------|--------------|--------------|--------------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|
| | : CHICKENS : | : CHICKENS : | : CHICKENS : | : CHICKENS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : TURKEYS : | : DUCKS : | : POULTRY : |
| CHILLED | 628,969 | 38,131 | 667,100 | 1,772 | 47,938 | 11 | 49,721 | 233 | 50 | 717,104 | --- | --- |
| FROZEN | 65,847 | 6,264 | 72,111 | 5,329 | 227,330 | 292 | 232,951 | 4,657 | 1,605 | 311,324 | --- | --- |
| TOTAL | 694,816 | 44,395 | 739,211 | 7,101 | 275,268 | 303 | 282,672 | 4,890 | 1,655 | 1,028,428 | --- | --- |
| NOVEMBER 1971 | 516,633 | 35,018 | 551,651 | 2,811 | 64,338 | 88 | 67,237 | 425 | 193 | 619,506 | --- | --- |
| FROZEN | 59,561 | 8,499 | 68,060 | 4,997 | 170,255 | 398 | 175,650 | 3,656 | 1,818 | 249,184 | --- | --- |
| TOTAL | 576,194 | 43,517 | 619,711 | 7,808 | 234,593 | 486 | 242,887 | 4,081 | 2,011 | 868,690 | --- | --- |
| NOVEMBER 1972 | 553,970 | 37,293 | 591,263 | 2,294 | 69,602 | 52 | 71,948 | 342 | 55 | 663,608 | --- | --- |
| FROZEN | 64,179 | 6,641 | 70,820 | 7,135 | 181,986 | 265 | 189,386 | 4,048 | 2,133 | 266,387 | --- | --- |
| TOTAL | 618,149 | 43,934 | 662,083 | 9,429 | 251,588 | 317 | 261,334 | 4,390 | 2,188 | 929,995 | --- | --- |
| JANUARY-NOVEMBER 1971 | | | | | | | | | | | | |
| CHILLED | 6,077,115 | 378,684 | 6,455,799 | 19,327 | 258,043 | 3,310 | 280,680 | 2,742 | 577 | 6,739,798 | --- | --- |
| FROZEN | 603,249 | 103,313 | 706,562 | 59,581 | 1,140,929 | 14,301 | 1,214,811 | 43,969 | 4,505 | 1,969,847 | --- | --- |
| TOTAL | 6,680,364 | 481,997 | 7,162,361 | 78,908 | 1,398,972 | 17,611 | 1,495,491 | 46,711 | 5,082 | 8,709,645 | --- | --- |
| JANUARY-NOVEMBER 1972 | | | | | | | | | | | | |
| CHILLED | 6,614,261 | 391,644 | 7,005,905 | 19,464 | 316,819 | 3,527 | 339,830 | 2,122 | 442 | 7,348,299 | --- | --- |
| FROZEN | 626,889 | 87,378 | 714,267 | 63,491 | 1,227,992 | 12,489 | 1,303,972 | 45,634 | 5,170 | 2,069,043 | --- | --- |
| TOTAL | 7,241,150 | 479,022 | 7,720,172 | 82,975 | 1,544,811 | 16,016 | 1,643,802 | 47,756 | 5,612 | 9,417,342 | --- | --- |

POULTRY: CONDEMNATIONS OF POULTRY SLAUGHTERED UNDER FEDERAL INSPECTION, NOVEMBER 1972 WITH COMPARISONS

| | YOUNG : CHICKENS | MATURE : CHICKENS | TOTAL : CHICKENS | FRYER-ROASTERS : TURKEYS | YOUNG : TURKEYS | OLD : TURKEYS | TOTAL : TURKEYS | DUCKS | OTHER : POULTRY | TOTAL : POULTRY |
|-----------------------------|------------------|-------------------|------------------|--------------------------|-----------------|---------------|-----------------|-------|-----------------|-----------------|
| ANTE-MORTEM | | | | | | | | | | |
| 1,000 POUNDS (LIVEWEIGHT) : | | | | | | | | | | |
| NOVEMBER 1971 : | 2,569 | 525 | 3,094 | 32 | 539 | 3 | 574 | 2 | 5 | 3,675 |
| NOVEMBER 1972 : | 3,412 | 730 | 4,142 | 19 | 643 | 1 | 660 | 3 | 6 | 4,811 |
| JAN.-NOV. 1971 : | 37,669 | 6,588 | 44,257 | 210 | 3,775 | 72 | 4,057 | 34 | 19 | 48,367 |
| JAN.-NOV. 1972 : | 45,797 | 7,979 | 53,776 | 215 | 4,440 | 91 | 4,707 | 34 | 20 | 58,537 |
| PERCENT 1/ : | | | | | | | | | | |
| NOVEMBER 1971 : | .31 | .76 | .35 | .31 | .18 | .40 | .18 | .03 | .19 | .30 |
| NOVEMBER 1972 : | .39 | 1.03 | .44 | .15 | .26 | .16 | .19 | .05 | .20 | .37 |
| POST-MORTEM | | | | | | | | | | |
| 1,000 LBS. (N.Y. DRESSED) : | | | | | | | | | | |
| NOVEMBER 1971 : | 23,229 | 3,655 | 26,884 | 217 | 7,525 | 24 | 7,766 | 90 | 16 | 34,757 |
| NOVEMBER 1972 : | 23,705 | 4,098 | 27,803 | 201 | 7,942 | 18 | 8,161 | 115 | 30 | 36,110 |
| JAN.-NOV. 1971 : | 397,733 | 38,575 | 346,308 | 1,882 | 44,174 | 877 | 46,933 | 1,046 | 60 | 394,348 |
| JAN.-NOV. 1972 : | 280,492 | 39,547 | 320,039 | 1,946 | 45,246 | 885 | 48,077 | 1,090 | 97 | 369,302 |
| PERCENT 2/ : | | | | | | | | | | |
| NOVEMBER 1971 : | 3.21 | 5.95 | 3.42 | 2.40 | 2.81 | 4.16 | 2.80 | 1.75 | .61 | 3.24 |
| NOVEMBER 1972 : | 3.05 | 6.51 | 3.31 | 1.83 | 2.77 | 4.89 | 2.73 | 2.06 | 1.05 | 3.15 |

1/ POUNDS CONDEMNED AS PERCENT OF POUNDS (LIVEWEIGHT) INSPECTED, PERCENTAGE BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED, PERCENTAGES BASED ON UNROUNDED DATA.

POULTRY: INSPECTED FOR FURTHER PROCESSING AND CUT-UP UNDER FEDERAL INSPECTION, NOVEMBER 1972 WITH COMPARISONS

| | YOUNG CHICKENS : FURTHER PROCESSED | MATURE CHICKENS : FURTHER PROCESSED | TURKEYS : FURTHER PROCESSED | OTHER POULTRY : FURTHER PROCESSED | TOTAL POULTRY : FURTHER PROCESSED |
|--|------------------------------------|-------------------------------------|-----------------------------|-----------------------------------|-----------------------------------|
| POUNDS USED READY-TO-COOK WEIGHT 2/ : | | | | | |
| OCTOBER 1972 : | 39,545 | 211,768 | 36,089 | 221 | 379,599 |
| NOVEMBER 1971 : | 32,942 | 167,912 | 35,391 | 367 | 336,612 |
| NOVEMBER 1972 : | 36,462 | 193,171 | 36,900 | 649 | 373,182 |
| JANUARY-NOVEMBER 1971 3/ : | 350,687 | 1,880,180 | 395,020 | 5,052 | 5,430,839 |
| JANUARY-NOVEMBER 1972 : | 399,936 | 2,128,793 | 431,086 | 5,118 | 5,964,933 |
| LBS. CONDEMNED READY-TO-COOK WEIGHT 2/ : | | | | | |
| OCTOBER 1972 : | 731 | 1,657 | 42 | 10 | 2,440 |
| NOVEMBER 1971 : | 559 | 1,279 | 30 | 2 | 1,870 |
| NOVEMBER 1972 : | 490 | 1,543 | 44 | 22 | 2,099 |
| JANUARY-NOVEMBER 1971 : | 4,396 | 13,797 | 524 | 25 | 15,742 |
| JANUARY-NOVEMBER 1972 : | 7,573 | 17,898 | 838 | 95 | 20,304 |

1/ POULTRY PARTS AND FAT USED IN FURTHER PROCESSING THAT CANNOT BE IDENTIFIED BY CLASS ARE INCLUDED IN "OTHER POULTRY".
 2/ 1,000 POUNDS.
 3/ REVISED.

YOUNG CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED/1 (READY-TO-COOK WT.) | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|---------|-------------------------------|---------|--|------|------------------------|---------|---------------------------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 12,284 | 11,621 | 53,856 | 50,176 | 4.38 | 4.32 | 38,429 | 35,648 | 1,671 | 3.89 |
| E. N. CENTRAL | 2,238 | 2,311 | 9,194 | 9,846 | 4.11 | 4.26 | 6,676 | 7,159 | 308 | 3.74 |
| W. N. CENTRAL | 7,225 | 7,746 | 28,868 | 31,322 | 4.00 | 4.34 | 20,462 | 22,394 | 865 | 3.34 |
| S. ATLANTIC | 83,096 | 86,278 | 329,888 | 320,273 | 3.85 | 3.82 | 229,412 | 235,858 | 9,250 | 3.22 |
| S. CENTRAL | 104,343 | 113,990 | 376,592 | 419,407 | 3.61 | 3.68 | 268,709 | 298,088 | 10,387 | 3.07 |
| WEST | 4,577 | 6,557 | 17,727 | 26,393 | 3.87 | 4.03 | 12,506 | 19,002 | 541 | 3.40 |
| U. S. | 213,763 | 228,593 | 806,510 | 867,032 | 3.77 | 3.79 | 576,194 | 618,149 | 23,229 | 3.21 |
| MAINE | 5,029 | 4,879 | 22,904 | 21,459 | 4.55 | 4.40 | 16,803 | 15,614 | 517 | 2.52 |
| PENNSYLVANIA | 6,673 | 6,320 | 28,106 | 26,579 | 4.21 | 4.21 | 19,772 | 18,591 | 1,256 | 4.98 |
| OHIO | 250 | --- | 1,044 | --- | --- | --- | 768 | --- | --- | --- |
| INDIANA | 849 | 1,081 | 3,235 | 4,157 | 3.81 | 3.85 | 2,393 | 3,081 | 96 | 3.29 |
| WISCONSIN | 1,131 | 1,040 | 4,875 | 4,923 | 4.31 | 4.73 | 3,515 | 3,529 | 163 | 3.72 |
| MINNESOTA | 831 | 809 | 3,674 | 3,777 | 4.42 | 4.67 | 2,663 | 2,819 | 128 | 3.87 |
| MISSOURI | 5,238 | 5,693 | 20,197 | 22,151 | 3.86 | 3.89 | 14,291 | 15,777 | 537 | 2.96 |
| MISSOURI | 7,022 | 7,227 | 28,314 | 28,059 | 4.02 | 3.88 | 20,130 | 19,923 | 962 | 3.13 |
| DELAWARE | 9,382 | 10,868 | 37,745 | 42,300 | 4.02 | 3.91 | 26,960 | 30,492 | 1,227 | 3.62 |
| MARYLAND | 8,498 | 8,239 | 32,242 | 30,273 | 3.79 | 3.67 | 22,645 | 21,308 | 880 | 3.04 |
| VIRGINIA | 19,814 | 20,851 | 78,496 | 83,937 | 3.96 | 4.13 | 55,639 | 59,800 | 2,331 | 3.31 |
| NORTH CAROLINA | 2,752 | 3,535 | 9,401 | 12,579 | 3.42 | 3.56 | 6,786 | 8,804 | 239 | 2.99 |
| SOUTH CAROLINA | 30,729 | 30,237 | 116,098 | 112,117 | 3.78 | 3.71 | 84,441 | 80,932 | 3,139 | 2.66 |
| GEORGIA | 5,475 | 5,475 | 21,085 | 18,599 | 3.77 | 3.40 | 15,279 | 13,432 | 591 | 3.01 |
| TENNESSEE | 27,871 | 30,425 | 99,576 | 109,592 | 3.57 | 3.60 | 71,574 | 78,506 | 2,573 | 3.12 |
| ALABAMA | 18,722 | 20,708 | 68,241 | 78,001 | 3.65 | 3.77 | 48,596 | 56,007 | 2,027 | 2.44 |
| MISSISSIPPI | 4,013 | 4,082 | 14,817 | 15,306 | 3.50 | 3.65 | 11,121 | 11,020 | 488 | 3.10 |
| ARKANSAS | 13,572 | 14,932 | 51,056 | 58,000 | 3.76 | 3.75 | 40,729 | 40,936 | 1,387 | 3.67 |
| LOUISIANA | 2,098 | 5,053 | 8,669 | 20,430 | 4.13 | 4.04 | 6,183 | 14,702 | 269 | 3.57 |
| TEXAS | | | | | | | | | | |
| CALIFORNIA | | | | | | | | | | |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

YOUNG CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1972

| REGION AND STATE | TUBERCULOSIS: NO. | LEUKOSIS: NO. | SEPTICEMIA: NO. | AIRSAUCULITIS: NO. | SYNOVITIS: NO. | TUMORS: NO. | BRUISES: NO. | CADAVER: NO. | INACTION: NO. | SCALD: NO. | OTHER: NO. | TOTAL: NO. |
|------------------|-------------------|---------------|-----------------|--------------------|----------------|-------------|--------------|--------------|---------------|------------|------------|------------|
| N. ATLANTIC | --- | 110,777 | 91,458 | 57,984 | 499 | 1,155 | 5,136 | 11,783 | 29,079 | 2,450 | 10,035 | 320,356 |
| E. N. CENTRAL | --- | 7,948 | 18,853 | 1,652 | 724 | 142 | 2,493 | 1,091 | 4,886 | 595 | 1,293 | 39,677 |
| W. N. CENTRAL | --- | 39,444 | 43,996 | 70,601 | 7,101 | 761 | 4,227 | 6,083 | 14,101 | 1,231 | 15,109 | 201,754 |
| S. ATLANTIC | --- | 685,080 | 357,159 | 238,126 | 15,079 | 6,919 | 45,661 | 65,627 | 181,892 | 24,145 | 122,814 | 1,742,502 |
| S. CENTRAL | --- | 749,909 | 698,879 | 408,166 | 70,694 | 14,815 | 84,694 | 128,364 | 259,805 | 23,631 | 135,763 | 2,574,720 |
| WEST | --- | 44,271 | 44,029 | 30,771 | 1,556 | 2,129 | 3,395 | 3,568 | 4,621 | 393 | 15,498 | 150,231 |
| U. S. | --- | 1,637,429 | 1,253,474 | 807,300 | 95,653 | 25,921 | 145,606 | 216,516 | 494,384 | 52,445 | 300,512 | 5,029,240 |
| MAINE | --- | 38,076 | 42,373 | 3,021 | 174 | 409 | 1,591 | 6,294 | 6,842 | 2,329 | 1,678 | 102,787 |
| PENNSYLVANIA | --- | 70,054 | 45,474 | 54,850 | 227 | 693 | 3,258 | 5,164 | 20,644 | 79 | 7,377 | 207,820 |
| INDIANA | --- | 2,402 | 6,584 | 310 | 33 | 35 | 836 | 275 | 966 | 4 | 46 | 11,491 |
| WISCONSIN | --- | 5,176 | 11,559 | 1,282 | 683 | 71 | 1,374 | 794 | 3,088 | 430 | 897 | 25,354 |
| MINNESOTA | --- | 1,762 | 3,616 | 399 | 51 | 80 | 305 | 205 | 2,217 | 332 | 3,998 | 12,965 |
| MISSOURI | --- | 27,858 | 33,151 | 48,265 | 3,813 | 320 | 3,425 | 4,649 | 6,874 | 690 | 2,250 | 131,295 |
| DELAWARE | --- | 110,824 | 23,420 | 25,241 | 924 | 220 | 1,920 | 5,623 | 13,895 | 1,275 | 3,260 | 186,602 |
| MARYLAND | --- | 94,291 | 44,050 | 28,078 | 611 | 541 | 2,916 | 6,317 | 14,791 | 1,641 | 4,372 | 197,608 |
| VIRGINIA | --- | 66,376 | 37,152 | 47,248 | 662 | 189 | 2,429 | 3,715 | 7,150 | 3,629 | 3,558 | 172,108 |
| NORTH CAROLINA | --- | 203,208 | 89,499 | 60,958 | 5,612 | 2,174 | 16,010 | 16,561 | 52,306 | 6,101 | 46,627 | 498,956 |
| SOUTH CAROLINA | --- | 27,536 | 11,161 | 8,580 | 305 | 372 | 3,644 | 2,721 | 6,122 | 126 | 7,244 | 67,811 |
| GEORGIA | --- | 138,964 | 129,480 | 62,806 | 5,521 | 3,225 | 16,302 | 27,441 | 78,367 | 11,181 | 50,830 | 524,117 |
| TENNESSEE | --- | 60,618 | 33,426 | 3,299 | 1,332 | 207 | 3,388 | 5,759 | 15,328 | 381 | 11,178 | 134,916 |
| ALABAMA | --- | 96,014 | 159,089 | 52,308 | 6,539 | 4,828 | 16,599 | 26,386 | 80,040 | 6,792 | 39,736 | 488,331 |
| MISSISSIPPI | --- | 153,149 | 57,104 | 92,173 | 4,680 | 3,356 | 9,633 | 13,849 | 35,004 | 4,535 | 29,090 | 402,573 |
| ARKANSAS | --- | 232,333 | 272,160 | 225,326 | 45,494 | 4,481 | 30,693 | 46,678 | 77,654 | 6,329 | 35,154 | 976,302 |
| LOUISIANA | --- | 16,862 | 40,649 | 5,519 | 809 | 597 | 5,380 | 3,820 | 9,800 | 648 | 2,049 | 86,133 |
| TEXAS | --- | 146,631 | 111,511 | 22,561 | 11,079 | 1,192 | 15,362 | 26,669 | 35,503 | 3,907 | 15,338 | 389,753 |
| CALIFORNIA | --- | 40,440 | 37,189 | 27,868 | 1,219 | 2,072 | 2,173 | 2,521 | 3,505 | 306 | 13,426 | 130,719 |

MATURE CHICKENS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED/1,000 POUNDS (READY-TO-COOK WT.) | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | | | |
|------------------|------------------|--------|-------------------------------|--------|---|------|------------------------|--------|---------------------------|-------|------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | | |
| U. S. | 15,445 | 16,348 | 68,821 | 70,701 | 4.46 | 4.32 | 43,817 | 43,934 | 3,655 | 4,098 | 5.95 | 6.51 |
| N. ATLANTIC | 1,920 | 1,984 | 9,188 | 9,262 | 4.79 | 4.67 | 5,969 | 5,946 | 492 | 485 | 6.01 | 5.90 |
| E. N. CENTRAL | 1,611 | 2,030 | 6,551 | 7,934 | 4.07 | 3.91 | 3,917 | 4,722 | 276 | 374 | 4.73 | 5.31 |
| W. N. CENTRAL | 3,981 | 3,888 | 16,763 | 15,619 | 4.21 | 4.02 | 10,343 | 9,485 | 927 | 934 | 6.19 | 6.74 |
| S. ATLANTIC | 3,639 | 3,732 | 16,905 | 16,507 | 4.65 | 4.42 | 11,058 | 10,424 | 777 | 971 | 5.15 | 6.60 |
| S. CENTRAL | 2,503 | 2,842 | 12,378 | 13,708 | 4.95 | 4.82 | 7,981 | 8,792 | 724 | 905 | 6.53 | 7.39 |
| WEST | 1,791 | 1,872 | 7,036 | 7,671 | 3.93 | 4.10 | 4,249 | 4,565 | 459 | 429 | 7.30 | 6.25 |
| MAINE | 203 | 199 | 1,268 | 1,157 | 5.95 | 5.81 | 827 | 796 | 49 | 43 | 4.52 | 4.18 |
| NEW JERSEY | 1,251 | 1,146 | 5,220 | 4,662 | 4.17 | 4.07 | 3,269 | 2,836 | 323 | 298 | 6.95 | 7.23 |
| PENNSYLVANIA | 63 | 45 | 462 | 327 | 7.35 | 7.33 | 330 | 235 | 10 | 5 | 2.49 | 1.71 |
| OHIO | 225 | 212 | 895 | 833 | 3.98 | 3.93 | 520 | 473 | 44 | 37 | 5.48 | 4.96 |
| INDIANA | 569 | --- | 2,279 | --- | 4.00 | --- | 1,375 | --- | 53 | --- | 2.62 | --- |
| MINNESOTA | 1,535 | 1,619 | 5,762 | 5,902 | 3.75 | 3.65 | 3,478 | 3,554 | 326 | 393 | 6.34 | 7.48 |
| MISSOURI | 1,197 | 992 | 6,385 | 5,140 | 5.33 | 5.18 | 4,212 | 3,342 | 304 | 257 | 5.31 | 5.60 |
| MARYLAND | 542 | 528 | 2,397 | 2,279 | 4.43 | 4.32 | 1,519 | 1,408 | 137 | 135 | 6.46 | 6.68 |
| VIRGINIA | 32 | 58 | 240 | 409 | 7.52 | 7.09 | 168 | 280 | 9 | 17 | 4.12 | 4.54 |
| NORTH CAROLINA | 154 | 88 | 1,073 | 615 | 6.95 | 6.99 | 756 | 412 | 40 | 34 | 4.14 | 6.17 |
| GEORGIA | 2,561 | 2,749 | 11,758 | 12,004 | 4.59 | 4.37 | 7,728 | 7,572 | 509 | 720 | 4.84 | 6.72 |
| ALABAMA | 130 | 54 | 928 | 395 | 7.14 | 7.27 | 628 | 271 | 59 | 23 | 7.12 | 6.61 |
| MISSISSIPPI | 1,499 | 1,509 | 7,667 | 7,557 | 4.71 | 5.11 | 4,498 | 4,887 | 449 | 494 | 7.10 | 7.32 |
| ARKANSAS | 293 | 145 | 1,721 | 1,037 | 5.98 | 7.16 | 1,152 | 683 | 74 | 57 | 4.79 | 6.17 |
| LOUISIANA | 67 | --- | 444 | --- | 6.61 | --- | 302 | --- | 23 | --- | 5.72 | --- |
| TEXAS | 456 | 432 | 1,940 | 1,789 | 4.25 | 4.14 | 1,226 | 1,085 | 108 | 130 | 8.14 | 8.14 |
| WASHINGTON | 101 | 78 | 407 | 304 | 4.02 | 3.92 | 181 | 181 | 20 | 8 | 5.65 | 2.94 |
| CALIFORNIA | 1,494 | 1,506 | 5,845 | 6,211 | 3.91 | 4.12 | 3,460 | 3,680 | 400 | 356 | 7.64 | 6.41 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DATA FOR ONLY 1 YEAR PUBLISHED IN ORDER TO AVOID DISCLOSURE OF INDIVIDUAL OPERATIONS.

MATURE CHICKENS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1972

| REGION AND STATE | TUBERCULOSIS | LEUROSIS | SEPTICEMIA | AIR SACS | SYNOVITIS | TUMORS | BRUISES | CADAVER | CONTAMINATION | OVERSCALD | OTHER | TOTAL |
|------------------|--------------|----------|------------|----------|-----------|---------|---------|---------|---------------|-----------|---------|---------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. |
| N. ATLANTIC | --- | 2,038 | 43,151 | 54 | 365 | 21,145 | 3,094 | 1,875 | 7,722 | 225 | 18,095 | 97,764 |
| E. N. CENTRAL | 929 | 5,947 | 36,854 | 331 | 2 | 20,127 | 3,691 | 3,407 | 24,013 | 1,088 | 8,058 | 104,447 |
| W. N. CENTRAL | 10,219 | 12,772 | 109,834 | 2,903 | 264 | 60,304 | 11,248 | 8,134 | 19,176 | 815 | 23,336 | 259,005 |
| S. ATLANTIC | 6 | 3,240 | 68,091 | 803 | 213 | 28,965 | 6,873 | 8,563 | 50,457 | 699 | 18,020 | 185,930 |
| S. CENTRAL | 2 | 4,342 | 55,853 | 551 | 324 | 29,981 | 8,194 | 4,500 | 24,674 | 773 | 28,277 | 156,571 |
| WEST | 68 | 952 | 54,800 | 125 | 486 | 35,901 | 3,361 | 1,170 | 6,664 | 158 | 10,370 | 114,055 |
| U. S. | 11,224 | 29,291 | 368,583 | 4,767 | 1,654 | 195,523 | 36,461 | 27,649 | 132,706 | 3,758 | 106,156 | 917,772 |
| MAINE | --- | 418 | 4,017 | 7 | 35 | 884 | 243 | 175 | 534 | 40 | 65 | 6,418 |
| NEW JERSEY | --- | 1,196 | 29,183 | --- | 41 | 15,136 | 2,027 | 1,210 | 3,687 | 145 | 17,590 | 70,215 |
| PENNSYLVANIA | --- | 77 | 403 | 18 | 14 | 102 | 27 | 6 | 17 | --- | 2 | 666 |
| OHIO | 95 | 1,457 | 2,632 | --- | --- | 794 | 213 | 147 | 2,151 | 22 | 326 | 7,837 |
| MINNESOTA | 6,498 | 7,636 | 41,121 | 1,131 | 45 | 31,842 | 4,065 | 1,962 | 6,332 | 166 | 18,203 | 119,001 |
| MISSOURI | 53 | 1,164 | 35,079 | 438 | 184 | 6,745 | 2,012 | 2,512 | 4,153 | 389 | 1,134 | 53,863 |
| MARYLAND | 6 | 1,017 | 4,997 | 469 | 73 | 4,750 | 825 | 1,165 | 14,743 | 505 | 4,620 | 33,170 |
| VIRGINIA | --- | 334 | 1,504 | 51 | 3 | 83 | 51 | 89 | 139 | 36 | 240 | 2,530 |
| NORTH CAROLINA | --- | 225 | 1,546 | 79 | 12 | 513 | 53 | 80 | 818 | 1 | 2,283 | 5,610 |
| GEORGIA | --- | 1,248 | 53,897 | 137 | 105 | 19,916 | 4,180 | 7,179 | 34,028 | 154 | 10,190 | 131,034 |
| ALABAMA | --- | 150 | 1,479 | 22 | 8 | 77 | 31 | 126 | 661 | 57 | 501 | 3,112 |
| MISSISSIPPI | --- | 1,533 | 22,712 | 17 | 97 | 13,867 | 5,962 | 1,233 | 14,436 | 455 | 13,186 | 73,498 |
| ARKANSAS | --- | 594 | 3,779 | 53 | 40 | 208 | 153 | 407 | 1,220 | 68 | 498 | 7,020 |
| TEXAS | --- | 700 | 5,447 | 188 | 135 | 10,616 | 709 | 1,013 | 2,209 | 38 | 10,536 | 31,591 |
| WASHINGTON | --- | 167 | 905 | 1 | 1 | 418 | 111 | 49 | 156 | --- | 340 | 2,148 |
| CALIFORNIA | --- | 626 | 46,970 | 120 | 470 | 32,550 | 1,742 | 877 | 3,525 | 157 | 7,015 | 94,052 |

| YOUNG TURKEYS (MATURE): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1971 AND 1972 | | | | | | | | | | | | | |
|--|------------------|--------|-------------------------------|---------|------------------------------|-------|--|---------|---------------------------|-------|------------|------|--|
| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | | PERCENT 2/ | | |
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -1,000 POUNDS- | | -PERCENT- | | |
| N. ATLANTIC | 601 | 551 | 11,606 | 10,506 | 19.31 | 19.77 | 9,631 | 8,337 | 202 | 142 | 1.93 | 1.50 | |
| E. N. CENTRAL | 1,895 | 2,028 | 38,324 | 40,603 | 20.23 | 20.22 | 30,301 | 32,031 | 599 | 1,009 | 1.73 | 2.76 | |
| W. N. CENTRAL | 4,362 | 4,857 | 92,532 | 105,266 | 21.21 | 21.67 | 73,429 | 83,062 | 2,446 | 2,970 | 2.94 | 3.14 | |
| S. ATLANTIC | 1,865 | 2,355 | 37,994 | 48,375 | 20.37 | 20.54 | 29,233 | 37,840 | 1,366 | 1,285 | 4.00 | 2.95 | |
| S. CENTRAL | 1,841 | 1,813 | 40,952 | 39,706 | 22.25 | 21.90 | 31,898 | 31,002 | 1,339 | 1,086 | 3.63 | 3.04 | |
| WEST | 3,494 | 3,498 | 76,330 | 74,679 | 21.84 | 21.35 | 60,701 | 59,316 | 1,573 | 1,450 | 2.29 | 2.16 | |
| U. S. | 14,058 | 15,082 | 297,708 | 319,132 | 21.18 | 21.16 | 234,593 | 251,588 | 7,525 | 7,942 | 2.81 | 2.77 | |
| PENNSYLVANIA | 545 | 529 | 10,414 | 10,029 | 19.12 | 18.97 | 8,154 | 7,960 | 189 | 139 | 2.01 | 1.53 | |
| OHIO | 637 | 716 | 12,341 | 14,105 | 19.36 | 19.71 | 9,785 | 11,052 | 175 | 421 | 1.57 | 3.32 | |
| INDIANA | 645 | 704 | 12,934 | 14,067 | 20.07 | 19.99 | 10,176 | 11,016 | 196 | 329 | 1.68 | 2.60 | |
| WISCONSIN | 401 | 374 | 7,922 | 7,423 | 19.75 | 19.83 | 6,329 | 6,036 | 148 | 158 | 2.08 | 2.37 | |
| MINNESOTA | 1,982 | 2,155 | 39,900 | 44,506 | 20.13 | 20.65 | 31,573 | 35,323 | 1,083 | 1,155 | 3.02 | 2.89 | |
| IOWA | 995 | 1,194 | 22,644 | 26,832 | 22.77 | 22.47 | 17,986 | 20,982 | 601 | 849 | 2.95 | 3.52 | |
| MISSOURI | 1,127 | 1,227 | 24,198 | 27,352 | 21.47 | 22.29 | 19,209 | 21,608 | 635 | 745 | 2.92 | 3.03 | |
| NEBRASKA | 146 | 140 | 3,512 | 3,306 | 23.99 | 23.64 | 2,871 | 2,645 | 79 | 63 | 2.50 | 2.12 | |
| VIRGINIA | 667 | 815 | 13,036 | 16,171 | 19.55 | 19.85 | 9,881 | 12,537 | 502 | 405 | 4.29 | 2.79 | |
| NORTH CAROLINA | 911 | 1,213 | 17,649 | 23,555 | 19.38 | 19.43 | 13,842 | 18,621 | 569 | 620 | 3.58 | 2.92 | |
| ARKANSAS | 799 | 879 | 18,012 | 19,204 | 22.55 | 21.85 | 13,880 | 14,835 | 685 | 621 | 4.23 | 3.59 | |
| TEXAS | 878 | 833 | 19,106 | 18,094 | 21.75 | 21.71 | 14,951 | 14,211 | 577 | 417 | 3.36 | 2.56 | |
| COLORADO | 354 | 379 | 7,647 | 8,267 | 21.62 | 21.84 | 5,805 | 6,360 | 201 | 98 | 2.92 | 1.32 | |
| UTAH | 671 | 653 | 16,503 | 16,606 | 24.61 | 25.42 | 13,294 | 13,266 | 381 | 501 | 2.57 | 3.35 | |
| CALIFORNIA | 2,157 | 2,210 | 45,774 | 44,643 | 21.22 | 20.20 | 36,624 | 35,600 | 821 | 739 | 1.99 | 1.84 | |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

YOUNG TURKEYS (MATURE) : NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1972

| REGION AND STATE | TUBER- : NO. | CULOSIS : NO. | LEU- : NO. | KOSIS : NO. | SEPTI- : NO. | GEMIA : NO. | AIRSAC- : NO. | SYNO- : NO. | VIITIS : NO. | TUMORS : NO. | BRUISES : NO. | CADAVER : NO. | INATION : NO. | CONTAM- : NO. | OVER- : NO. | SCALO : NO. | OTHER : NO. | TOTAL : NO. |
|------------------|--------------|---------------|------------|-------------|--------------|-------------|---------------|-------------|--------------|--------------|---------------|---------------|---------------|---------------|-------------|-------------|-------------|-------------|
| N. ATLANTIC | --- | --- | 74 | 3,839 | 2,631 | 415 | 32 | 244 | 497 | 2 | 80 | 7,820 | | | | | | |
| E. N. CENTRAL | --- | --- | 53 | 22,906 | 12,597 | 5,463 | 25 | 1,771 | 2,717 | 194 | 1,246 | 47,531 | | | | | | |
| W. N. CENTRAL | 1 | --- | 565 | 65,085 | 37,978 | 3,596 | 1,007 | 2,420 | 6,424 | 1,011 | 1,626 | 119,772 | | | | | | |
| S. ATLANTIC | --- | --- | 90 | 20,851 | 17,778 | 1,370 | 24 | 1,330 | 2,841 | 257 | 4,479 | 50,007 | | | | | | |
| S. CENTRAL | --- | --- | 79 | 14,977 | 13,870 | 7,060 | 30 | 1,014 | 2,604 | 302 | 1,106 | 41,516 | | | | | | |
| WEST | --- | --- | 238 | 26,694 | 21,265 | 2,584 | 22 | 1,546 | 2,344 | 498 | 738 | 56,464 | | | | | | |
| U. S. | 1 | 1 | 1,099 | 154,352 | 106,119 | 20,488 | 166 | 8,325 | 17,427 | 2,264 | 9,275 | 323,110 | | | | | | |
| PENNSYLVANIA | --- | --- | 71 | 3,792 | 2,628 | 412 | 5 | 230 | 459 | 1 | 60 | 7,688 | | | | | | |
| OHIO | --- | --- | 5 | 9,838 | 3,617 | 778 | 3 | 106 | 1,660 | 114 | 501 | 16,837 | | | | | | |
| INDIANA | --- | --- | 11 | 7,150 | 4,383 | 4,396 | 20 | 1,163 | 798 | 48 | 523 | 18,646 | | | | | | |
| WISCONSIN | --- | --- | 37 | 2,848 | 3,148 | 238 | --- | 404 | 217 | 7 | 206 | 7,285 | | | | | | |
| MINNESOTA | --- | --- | 556 | 24,534 | 16,655 | 2,293 | 11 | 1,227 | 2,726 | 312 | 389 | 49,506 | | | | | | |
| IOWA | --- | --- | --- | 22,519 | 9,055 | 95 | 9 | 422 | 1,654 | 464 | 255 | 34,858 | | | | | | |
| MISSOURI | --- | --- | 7 | 14,153 | 9,001 | 1,117 | 12 | 628 | 1,658 | 232 | 974 | 27,945 | | | | | | |
| NEBRASKA | --- | --- | --- | 1,272 | 513 | 12 | 16 | 61 | 200 | --- | --- | 2,110 | | | | | | |
| VIRGINIA | --- | --- | 42 | 9,958 | 5,010 | 116 | 4 | 797 | 533 | 32 | 319 | 17,304 | | | | | | |
| NORTH CAROLINA | --- | --- | 8 | 8,324 | 8,906 | 755 | 14 | 436 | 1,730 | 161 | 3,763 | 24,474 | | | | | | |
| ARKANSAS | --- | --- | 44 | 7,433 | 9,298 | 5,224 | 7 | 265 | 1,838 | 203 | 255 | 24,746 | | | | | | |
| TEXAS | --- | --- | 34 | 6,669 | 4,294 | 1,783 | 23 | 649 | 657 | 28 | 849 | 15,167 | | | | | | |
| COLORADO | --- | --- | 2 | 2,429 | 722 | 118 | 1 | 245 | 127 | 39 | 3 | 3,704 | | | | | | |
| UTAH | --- | --- | 139 | 5,635 | 7,905 | 985 | 1 | 532 | 1,302 | 170 | 581 | 17,429 | | | | | | |
| CALIFORNIA | --- | --- | 97 | 16,550 | 10,724 | 1,357 | 18 | 640 | 849 | 288 | 88 | 30,876 | | | | | | |

FRYER-ROASTER TURKEYS: SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED | | AVERAGE LIVEWEIGHT INSPECTED | | TOTAL POUNDS CERTIFIED | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|-------|------------------|--------|------------------------------|------|------------------------|-------|---------------------------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 12 | --- | 128 | --- | 10.67 | --- | 162 | --- | 1 | --- |
| E. N. CENTRAL | 67 | 31 | 734 | 273 | 10.53 | 8.76 | 543 | 215 | 12 | 6 |
| W. N. CENTRAL | 679 | 821 | 6,369 | 8,088 | 9.38 | 9.85 | 4,978 | 6,362 | 139 | 132 |
| S. ATLANTIC | 291 | 394 | 2,558 | 3,529 | 8.78 | 8.96 | 1,931 | 2,651 | 60 | 58 |
| S. CENTRAL | 1 | 4 | 9 | 30 | 15.31 | 7.95 | 7 | 25 | --- | --- |
| WEST | 35 | 24 | 315 | 220 | 9.05 | 9.17 | 247 | 176 | 5 | 5 |
| U. S. | 1,085 | 1,274 | 10,083 | 12,140 | 9.29 | 9.53 | 7,808 | 9,429 | 217 | 201 |
| MINNESOTA | 642 | 817 | 6,045 | 8,055 | 9.42 | 9.85 | 4,717 | 6,337 | 131 | 131 |
| VIRGINIA | 234 | 345 | 2,074 | 3,113 | 8.86 | 9.52 | 1,545 | 2,328 | 49 | 51 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.
 2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.
 3/ DASHES MEAN LESS THAN 500 POUNDS.

FRYER-ROASTER TURKEYS: NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1972

| REGION AND STATE | TUBERCULOSIS NO. | LEUKOSIS NO. | SEPTICEMIA NO. | AIRSAC CULTIS NO. | SYNOVITIS NO. | TUMORS NO. | BRUISES NO. | CADAVER INACTION NO. | CONTAMINATION NO. | OVERSCALD NO. | OTHER NO. | TOTAL NO. |
|------------------|------------------|--------------|----------------|-------------------|---------------|------------|-------------|----------------------|-------------------|---------------|-----------|-----------|
| | | | | | | | | | | | | |
| E. N. CENTRAL | --- | 2 | 94 | --- | 4 | --- | 22 | 40 | 170 | --- | --- | 374 |
| W. N. CENTRAL | --- | 103 | 7,948 | 2,126 | 67 | 3 | 116 | 730 | 1,342 | 62 | 146 | 12,643 |
| S. ATLANTIC | --- | 357 | 2,106 | 501 | 6 | 1 | 114 | 712 | 479 | 8 | 85 | 4,369 |
| S. CENTRAL | --- | --- | 3 | --- | --- | --- | --- | 21 | 2 | --- | --- | 26 |
| WEST | --- | 45 | 173 | 25 | 1 | --- | 4 | 16 | 26 | --- | 1 | 291 |
| U. S. | --- | 507 | 10,324 | 2,673 | 78 | 4 | 256 | 1,519 | 2,019 | 70 | 253 | 17,703 |
| MINNESOTA | --- | 103 | 7,933 | 2,126 | 67 | 3 | 116 | 729 | 1,341 | 62 | 145 | 12,625 |
| VIRGINIA | --- | 357 | 1,878 | 411 | 5 | 1 | 84 | 709 | 374 | 6 | 56 | 3,881 |

OLD TURKEYS (BREEDERS): SLAUGHTERED UNDER FEDERAL INSPECTION, BY REGIONS AND SELECTED STATES, NOVEMBER 1971 AND 1972

| REGION AND STATE | NUMBER INSPECTED | | POUNDS INSPECTED (LIVEWEIGHT) | | AVERAGE LIVEWEIGHT INSPECTED/1971 : 1972 | | TOTAL POUNDS CERTIFIED (READY-TO-COOK WT.) | | POST-MORTEM CONDEMNATIONS | |
|------------------|------------------|------|-------------------------------|------|--|-------|--|------|---------------------------|------|
| | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 | 1971 | 1972 |
| | -THOUSANDS- | | -1,000 POUNDS- | | -POUNDS- | | -1,000 POUNDS- | | -PERCENT- | |
| N. ATLANTIC | 1 | 1 | 72 | --- | 72.00 | --- | 1 | --- | 1 | --- |
| E. N. CENTRAL | 3 | 2 | 58 | 69 | 22.07 | 36.31 | 55 | 3 | 3 | 5.99 |
| W. N. CENTRAL | 6 | 7 | 110 | 101 | 17.96 | 15.44 | 77 | 4 | 4 | 3.63 |
| S. ATLANTIC | 14 | 7 | 286 | 150 | 20.49 | 22.31 | 227 | 9 | 7 | 3.45 |
| S. CENTRAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| WEST | 8 | 5 | 121 | 86 | 16.02 | 17.47 | 89 | 8 | 3 | 6.96 |
| U. S. | 32 | 20 | 647 | 406 | 20.01 | 20.22 | 486 | 24 | 18 | 4.16 |
| MINNESOTA | 3 | 7 | 57 | 101 | 16.33 | 15.44 | 43 | 3 | 4 | 6.26 |

1/ AVERAGE WEIGHT BASED ON UNROUNDED DATA.

2/ POUNDS CONDEMNED AS PERCENT OF EQUIVALENT N.Y. DRESSED WEIGHT OF QUANTITY INSPECTED. PERCENTAGES BASED ON UNROUNDED DATA.

3/ DASHES MEAN LESS THAN 500 HEAD OR 500 POUNDS.

OLD TURKEYS (BREEDERS): NUMBER CONDEMNED POST-MORTEM BY CAUSE, BY REGIONS AND SELECTED STATES, NOVEMBER 1972

| REGION AND STATE | TUBERCULOSIS | | LEUROSIS | | SEPTICEMIA | | AIRSAC | | SYNOVITIS | | TUMORS | | BRUISES | | CADAVER INACTION | | CONTAMINATION | | OVERSCALE | | TOTAL NO. |
|------------------|--------------|-----|----------|-----|------------|-----|--------|-----|-----------|-----|--------|-----|---------|-----|------------------|-----|---------------|-----|-----------|-----|-----------|
| | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | NO. | | |
| N. ATLANTIC | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| E. N. CENTRAL | --- | --- | 6 | 52 | 24 | --- | --- | --- | --- | 1 | --- | --- | --- | --- | 2 | 10 | --- | --- | --- | 3 | 98 |
| W. N. CENTRAL | --- | --- | --- | 52 | 45 | 1 | --- | --- | --- | --- | 3 | --- | --- | 15 | 23 | --- | --- | --- | --- | 122 | 261 |
| S. ATLANTIC | --- | --- | 2 | 81 | 116 | 1 | --- | --- | --- | 2 | 1 | --- | --- | 1 | 8 | --- | --- | --- | --- | 50 | 262 |
| S. CENTRAL | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| WEST | --- | --- | 1 | 168 | 14 | --- | --- | --- | --- | 3 | 4 | --- | --- | 3 | 9 | --- | --- | --- | --- | --- | 203 |
| U. S. | --- | --- | 9 | 353 | 199 | 3 | 6 | 8 | 21 | 50 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 175 | 824 |
| MINNESOTA | --- | --- | --- | 52 | 45 | 1 | --- | --- | --- | --- | 3 | 15 | 23 | --- | --- | --- | --- | --- | --- | 122 | 261 |

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys-- Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * * *

The data presented in this report were compiled from reports collected under the Meat and Poultry Inspection Program, Animal and Plant Health Inspection Service, United States Department of Agriculture.